

BAMBOO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x239	2	39	245	37-46	63-72	24-33	1	119	0.22	C	£ 37.95
300x359	3	39	245	37-46	63-72	24-33	1	119	0.33	C	£ 53.71
300x479	4	39	245	37-46	63-72	24-33	1	119	0.43	C-E-D	£ 69.64
300x599	5	39	245	37-46	63-72	24-33	1	119	0.54	C-E-D	£ 85.56
300x719	6	39	245	37-46	63-72	24-33	1	119	0.65	C-E-D	£ 102.07
300x839	7	39	245	37-46	63-72	24-33	1	119	0.76	C-E-D	£ 117.59
300x959	8	39	245	37-46	63-72	24-33	1	119	0.86	C-E-D	£ 133.96
300x1079	9	39	245	37-46	63-72	24-33	1	119	0.97	C-E-D	£ 149.49
300x1199	10	39	245	37-46	63-72	24-33	1	119	1.08	C-E-D	£ 165.02
300x1319	11	39	245	37-46	63-72	24-33	1	119	1.18	C-E-D	£ 181.39
300x1439	12	39	245	37-46	63-72	24-33	1	119	1.29	C	£ 196.91
300x1559	13	39	245	37-46	63-72	24-33	1	119	1.40	C	£ 212.45
300x1679	14	39	245	37-46	63-72	24-33	1	119	1.51	C	£ 227.97
300x1799	15	39	245	37-46	63-72	24-33	1	119	1.61	C	£ 244.34
300x1919	16	39	245	37-46	63-72	24-33	1	119	1.72	C	£ 259.87
400x239	2	39	345	37-46	63-72	24-33	1	119	0.25	C	£ 40.73
400x359	3	39	345	37-46	63-72	24-33	1	119	0.37	C	£ 57.85
400x479	4	39	345	37-46	63-72	24-33	1	119	0.49	C-E-D	£ 75.15
400x599	5	39	345	37-46	63-72	24-33	1	119	0.61	C-E-D	£ 92.41
400x719	6	39	345	37-46	63-72	24-33	1	119	0.73	C-E-D	£ 110.28
400x839	7	39	345	37-46	63-72	24-33	1	119	0.86	C-E-D	£ 127.17
400x959	8	39	345	37-46	63-72	24-33	1	119	0.98	C-E-D	£ 144.89
400x1079	9	39	345	37-46	63-72	24-33	1	119	1.10	C-E-D	£ 161.78
400x1199	10	39	345	37-46	63-72	24-33	1	119	1.22	C-E-D	£ 178.66
400x1319	11	39	345	37-46	63-72	24-33	1	119	1.34	C-E-D	£ 196.38
400x1439	12	39	345	37-46	63-72	24-33	1	119	1.46	C	£ 213.27
400x1559	13	39	345	37-46	63-72	24-33	1	119	1.58	C	£ 230.15
400x1679	14	39	345	37-46	63-72	24-33	1	119	1.71	C	£ 247.04
400x1799	15	39	345	37-46	63-72	24-33	1	119	1.83	C	£ 264.76
400x1919	16	39	345	37-46	63-72	24-33	1	119	1.95	C	£ 281.65
500x239	2	39	445	37-46	63-72	24-33	1	119	0.28	C	£ 43.63
500x359	3	39	445	37-46	63-72	24-33	1	119	0.41	C	£ 62.12
500x479	4	39	445	37-46	63-72	24-33	1	119	0.55	C-E-D	£ 80.76
500x599	5	39	445	37-46	63-72	24-33	1	119	0.68	C-E-D	£ 99.39
500x719	6	39	445	37-46	63-72	24-33	1	119	0.82	C-E-D	£ 118.60
500x839	7	39	445	37-46	63-72	24-33	1	119	0.96	C-E-D	£ 136.85
500x959	8	39	445	37-46	63-72	24-33	1	119	1.09	C-E-D	£ 155.93
500x1079	9	39	445	37-46	63-72	24-33	1	119	1.23	C-E-D	£ 174.17
500x1199	10	39	445	37-46	63-72	24-33	1	119	1.36	C-E-D	£ 192.41
500x1319	11	39	445	37-46	63-72	24-33	1	119	1.50	C-E-D	£ 211.50
500x1439	12	39	445	37-46	63-72	24-33	1	119	1.63	C	£ 229.73
500x1559	13	39	445	37-46	63-72	24-33	1	119	1.77	C	£ 247.98
500x1679	14	39	445	37-46	63-72	24-33	1	119	1.91	C	£ 266.22
500x1799	15	39	445	37-46	63-72	24-33	1	119	2.04	C	£ 285.30
500x1919	16	39	445	37-46	63-72	24-33	1	119	2.18	C	£ 303.55
600x239	2	39	545	37-46	63-72	24-33	1	119	0.30	C	£ 46.31
600x359	3	39	545	37-46	63-72	24-33	1	119	0.45	C	£ 66.14
600x479	4	39	545	37-46	63-72	24-33	1	119	0.61	C-E-D	£ 86.15
600x599	5	39	545	37-46	63-72	24-33	1	119	0.76	C-E-D	£ 106.12
600x719	6	39	545	37-46	63-72	24-33	1	119	0.91	C-E-D	£ 126.70
600x839	7	39	545	37-46	63-72	24-33	1	119	1.06	C-E-D	£ 146.31
600x959	8	39	545	37-46	63-72	24-33	1	119	1.21	C-E-D	£ 166.75
600x1079	9	39	545	37-46	63-72	24-33	1	119	1.36	C-E-D	£ 186.34
600x1199	10	39	545	37-46	63-72	24-33	1	119	1.51	C-E-D	£ 205.93
600x1319	11	39	545	37-46	63-72	24-33	1	119	1.66	C-E-D	£ 226.37
600x1439	12	39	545	37-46	63-72	24-33	1	119	1.81	C	£ 245.97
600x1559	13	39	545	37-46	63-72	24-33	1	119	1.96	C	£ 265.58
600x1679	14	39	545	37-46	63-72	24-33	1	119	2.11	C	£ 285.17
600x1799	15	39	545	37-46	63-72	24-33	1	119	2.26	C	£ 305.61
600x1919	16	39	545	37-46	63-72	24-33	1	119	2.41	C	£ 325.21
700x239	2	39	645	37-46	63-72	24-33	1	119	0.33	C	£ 50.77
700x359	3	39	645	37-46	63-72	24-33	1	119	0.50	C	£ 72.62
700x479	4	39	645	37-46	63-72	24-33	1	119	0.66	C-E-D	£ 94.65
700x599	5	39	645	37-46	63-72	24-33	1	119	0.83	C-E-D	£ 116.65
700x719	6	39	645	37-46	63-72	24-33	1	119	0.99	C-E-D	£ 139.24
700x839	7	39	645	37-46	63-72	24-33	1	119	1.16	C-E-D	£ 160.85
700x959	8	39	645	37-46	63-72	24-33	1	119	1.32	C-E-D	£ 183.31
700x1079	9	39	645	37-46	63-72	24-33	1	119	1.48	C-E-D	£ 204.93
700x1199	10	39	645	37-46	63-72	24-33	1	119	1.65	C-E-D	£ 226.54
700x1319	11	39	645	37-46	63-72	24-33	1	119	1.81	C-E-D	£ 249.00

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x239	62	213	81	277
300x359	94	319	122	415
300x479	125	426	162	553
300x599	156	532	203	691
300x719	187	638	243	830
300x839	218	745	284	968
300x959	250	851	324	1106
300x1079	281	957	365	1245
300x1199	312	1064	406	1383
300x1319	343	1170	446	1521
300x1439	374	1276	487	1659
300x1559	406	1383	527	1798
300x1679	437	1489	568	1936
300x1799	468	1596	608	2074
300x1919	499	1702	649	2212
400x239	85	290	111	377
400x359	128	435	166	565
400x479	170	580	221	754
400x599	213	725	276	942
400x719	255	870	332	1131
400x839	298	1015	387	1319
400x959	340	1160	442	1508
400x1079	383	1305	497	1696
400x1199	425	1450	553	1884
400x1319	468	1595	608	2073
400x1439	510	1739	663	2261
400x1559	553	1884	718	2450
400x1679	595	2029	774	2638
400x1799	638	2174	829	2827
400x1919	680	2319	884	3015
500x239	109	370	141	482
500x359	163	556	212	722
500x479	217	741	282	963
500x599	272	926	353	1204
500x719	326	1111	424	1445
500x839	380	1296	494	1685
500x959	434	1482	565	1926
500x1079	489	1667	635	2167
500x1199	543	1852	706	2408
500x1319	597	2037	777	2648
500x1439	652	2222	847	2889
500x1559	706	2408	918	3130
500x1679	760	2593	988	3371
500x1799	815	2778	1059	3611
500x1919	869	2963	1130	3852
600x239	133	454	173	591
600x359	200	681	260	886
600x479	266	909	346	1181
600x599	333	1136	433	1476
600x719	400	1363	520	1772
600x839	466	1590	606	2067
600x959	533	1817	693	2362
600x1079	599	2044	779	2658
600x1199	666	2271	866	2953
600x1319	733	2499	953	3248
600x1439	799	2726	1039	3543
600x1559	866	2953	1126	3839
600x1679	933	3180	1212	4134
600x1799	999	3407	1299	4429
600x1919	1066	3634	1385	4725
700x239	152	519	198	674
700x359	228	778	297	1011
700x479	304	1037	395	1348
700x599	380	1296	494	1685
700x719	456	1556	593	2022
700x839	532	1815	692	2359
700x959	608	2074	791	2696
700x1079	684	2333	890	3034
700x1199	760	2593	988	3371
700x1319	836	2852	1087	3708

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.44	2.23	0.01	390X274X74
2.16	3.16	0.02	390X394X74
2.88	3.87	0.02	390X514X74
3.60	4.81	0.02	390X634X74
4.30	5.67	0.03	390X754X74
5.02	6.50	0.03	390X874X74
5.74	7.32	0.03	390X994X74
6.46	8.15	0.04	390X1114X74
7.18	8.98	0.04	390X1234X74
7.89	9.79	0.04	390X1354X74
8.60	10.60	0.05	390X1474X74

BAMBOO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1439	12	39	645	37-46	63-72	24-33	1	119	1.98	C	£ 270.62
700x1559	13	39	645	37-46	63-72	24-33	1	119	2.14	C	£ 292.23
700x1679	14	39	645	37-46	63-72	24-33	1	119	2.31	C	£ 313.85
700x1799	15	39	645	37-46	63-72	24-33	1	119	2.47	C	£ 336.30
700x1919	16	39	645	37-46	63-72	24-33	1	119	2.64	C	£ 357.92
800x239	2	39	745	37-46	63-72	24-33	1	119	0.36	C	£ 53.68
800x359	3	39	745	37-46	63-72	24-33	1	119	0.54	C	£ 76.90
800x479	4	39	745	37-46	63-72	24-33	1	119	0.72	C-E-D	£ 100.27
800x599	5	39	745	37-46	63-72	24-33	1	119	0.90	C-E-D	£ 123.62
800x719	6	39	745	37-46	63-72	24-33	1	119	1.08	C-E-D	£ 147.58
800x839	7	39	745	37-46	63-72	24-33	1	119	1.26	C-E-D	£ 170.54
800x959	8	39	745	37-46	63-72	24-33	1	119	1.43	C-E-D	£ 194.36
800x1079	9	39	745	37-46	63-72	24-33	1	119	1.61	C-E-D	£ 217.33
800x1199	10	39	745	37-46	63-72	24-33	1	119	1.79	C-E-D	£ 240.30
800x1319	11	39	745	37-46	63-72	24-33	1	119	1.97	C-E-D	£ 264.12
800x1439	12	39	745	37-46	63-72	24-33	1	119	2.15	C	£ 287.09
800x1559	13	39	745	37-46	63-72	24-33	1	119	2.33	C	£ 310.06
800x1679	14	39	745	37-46	63-72	24-33	1	119	2.51	C	£ 333.03
800x1799	15	39	745	37-46	63-72	24-33	1	119	2.69	C	£ 356.84
800x1919	16	39	745	37-46	63-72	24-33	1	119	2.86	C	£ 379.81
900x239	2	39	845	37-46	63-72	24-33	1	119	0.39	C	£ 56.59
900x359	3	39	845	37-46	63-72	24-33	1	119	0.58	C	£ 81.15
900x479	4	39	845	37-46	63-72	24-33	1	119	0.78	C-E-D	£ 105.89
900x599	5	39	845	37-46	63-72	24-33	1	119	0.97	C-E-D	£ 130.60
900x719	6	39	845	37-46	63-72	24-33	1	119	1.16	C-E-D	£ 155.91
900x839	7	39	845	37-46	63-72	24-33	1	119	1.36	C-E-D	£ 180.24
900x959	8	39	845	37-46	63-72	24-33	1	119	1.55	C-E-D	£ 205.40
900x1079	9	39	845	37-46	63-72	24-33	1	119	1.74	C-E-D	£ 229.73
900x1199	10	39	845	37-46	63-72	24-33	1	119	1.93	C-E-D	£ 254.05
900x1319	11	39	845	37-46	63-72	24-33	1	119	2.13	C-E-D	£ 279.24
900x1439	12	39	845	37-46	63-72	24-33	1	119	2.32	C	£ 303.57
900x1559	13	39	845	37-46	63-72	24-33	1	119	2.51	C	£ 327.89
900x1679	14	39	845	37-46	63-72	24-33	1	119	2.71	C	£ 352.22
900x1799	15	39	845	37-46	63-72	24-33	1	119	2.90	C	£ 377.38
900x1919	16	39	845	37-46	63-72	24-33	1	119	3.09	C	£ 401.72
1000x239	2	39	945	37-46	63-72	24-33	1	119	0.42	C	£ 61.69
1000x359	3	39	945	37-46	63-72	24-33	1	119	0.63	C	£ 88.58
1000x479	4	39	945	37-46	63-72	24-33	1	119	0.83	C-E-D	£ 115.64
1000x599	5	39	945	37-46	63-72	24-33	1	119	1.04	C-E-D	£ 142.68
1000x719	6	39	945	37-46	63-72	24-33	1	119	1.25	C-E-D	£ 170.32
1000x839	7	39	945	37-46	63-72	24-33	1	119	1.46	C-E-D	£ 196.96
1000x959	8	39	945	37-46	63-72	24-33	1	119	1.66	C-E-D	£ 224.47
1000x1079	9	39	945	37-46	63-72	24-33	1	119	1.87	C-E-D	£ 251.11
1000x1199	10	39	945	37-46	63-72	24-33	1	119	2.08	C-E-D	£ 277.74
1000x1319	11	39	945	37-46	63-72	24-33	1	119	2.29	C-E-D	£ 305.25
1000x1439	12	39	945	37-46	63-72	24-33	1	119	2.49	C	£ 331.89
1000x1559	13	39	945	37-46	63-72	24-33	1	119	2.70	C	£ 358.52
1000x1679	14	39	945	37-46	63-72	24-33	1	119	2.91	C	£ 385.16
1000x1799	15	39	945	37-46	63-72	24-33	1	119	3.11	C	£ 412.67
1000x1919	16	39	945	37-46	63-72	24-33	1	119	3.32	C	£ 439.31
1200x239	2	39	1145	37-46	63-72	24-33	1	119	0.48	C	£ 69.10
1200x359	3	39	1145	37-46	63-72	24-33	1	119	0.71	C	£ 99.48
1200x479	4	39	1145	37-46	63-72	24-33	1	119	0.95	C-E-D	£ 130.04
1200x599	5	39	1145	37-46	63-72	24-33	1	119	1.18	C-E-D	£ 160.57
1200x719	6	39	1145	37-46	63-72	24-33	1	119	1.42	C-E-D	£ 191.72
1200x839	7	39	1145	37-46	63-72	24-33	1	119	1.66	C-E-D	£ 221.86
1200x959	8	39	1145	37-46	63-72	24-33	1	119	1.89	C-E-D	£ 252.86
1200x1079	9	39	1145	37-46	63-72	24-33	1	119	2.13	C-E-D	£ 282.99
1200x1199	10	39	1145	37-46	63-72	24-33	1	119	2.36	C-E-D	£ 313.13
1200x1319	11	39	1145	37-46	63-72	24-33	1	119	2.60	C-E-D	£ 344.14
1200x1439	12	39	1145	37-46	63-72	24-33	1	119	2.84	C	£ 374.28
1200x1559	13	39	1145	37-46	63-72	24-33	1	119	3.07	C	£ 404.41
1200x1679	14	39	1145	37-46	63-72	24-33	1	119	3.31	C	£ 434.54
1200x1799	15	39	1145	37-46	63-72	24-33	1	119	3.54	C	£ 465.55
1400x239	2	39	1345	37-46	63-72	24-33	1	119	0.53	C	£ 75.12
1400x359	3	39	1345	37-46	63-72	24-33	1	119	0.80	C	£ 108.32
1400x479	4	39	1345	37-46	63-72	24-33	1	119	1.06	C-E-D	£ 141.70
1400x599	5	39	1345	37-46	63-72	24-33	1	119	1.33	C-E-D	£ 175.04
1400x719	6	39	1345	37-46	63-72	24-33	1	119	1.59	C-E-D	£ 209.00
1400x839	7	39	1345	37-46	63-72	24-33	1	119	1.86	C-E-D	£ 241.94

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1439	912	3111	1186	4045
700x1559	988	3371	1285	4382
700x1679	1064	3630	1384	4719
700x1799	1141	3889	1483	5056
700x1919	1217	4148	1581	5393
800x239	170	580	221	754
800x359	255	870	332	1131
800x479	340	1160	442	1508
800x599	425	1450	553	1884
800x719	510	1739	663	2261
800x839	595	2029	774	2638
800x959	680	2319	884	3015
800x1079	765	2609	995	3392
800x1199	850	2899	1105	3769
800x1319	935	3189	1216	4146
800x1439	1020	3479	1326	4523
800x1559	1105	3769	1437	4900
800x1679	1190	4059	1547	5276
800x1799	1275	4349	1658	5653
800x1919	1360	4639	1768	6030
900x239	187	638	243	830
900x359	281	957	365	1245
900x479	374	1276	487	1659
900x599	468	1596	608	2074
900x719	561	1915	730	2489
900x839	655	2234	852	2904
900x959	749	2553	973	3319
900x1079	842	2872	1095	3734
900x1199	936	3191	1217	4148
900x1319	1029	3510	1338	4563
900x1439	1123	3829	1460	4978
900x1559	1217	4148	1582	5393
900x1679	1310	4468	1703	5808
900x1799	1404	4787	1825	6223
900x1919	1497	5106	1946	6637
1000x239	203	694	265	902
1000x359	305	1041	397	1353
1000x479	407	1388	529	1804
1000x599	509	1735	661	2255
1000x719	610	2081	794	2706
1000x839	712	2428	926	3157
1000x959	814	2775	1058	3608
1000x1079	916	3122	1190	4059
1000x1199	1017	3469	1323	4510
1000x1319	1119	3816	1455	4961
1000x1439	1221	4163	1587	5412
1000x1559	1323	4510	1719	5863
1000x1679	1424	4857	1852	6314
1000x1799	1526	5204	1984	6765
1000x1919	1628	5550	2116	7216
1200x239	234	797	304	1036
1200x359	350	1195	456	1553
1200x479	467	1593	607	2071
1200x599	584	1992	759	2589
1200x719	701	2390	911	3107
1200x839	818	2788	1063	3625
1200x959	934	3186	1215	4142
1200x1079	1051	3585	1367	4660
1200x1199	1168	3983	1518	5178
1200x1319	1285	4381	1670	5696
1200x1439	1402	4780	1822	6214
1200x1559	1518	5178	1974	6731
1200x1679	1635	5576	2126	7249
1200x1799	1752	5975	2278	7767
1400x239	268	915	349	1189
1400x359	402	1372	523	1784
1400x479	536	1829	697	2378
1400x599	671	2287	872	2973
1400x719	805	2744	1046	3567
1400x839	939	3201	1220	4162

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
15.05	18.24	0.09	790X1474X74
16.30	19.67	0.10	790X1594X74
17.56	21.12	0.11	790X1714X74
18.81	22.57	0.11	790X1834X74
20.07	24.02	0.12	790X1954X74
2.79	3.96	0.02	890X274X74
4.18	5.67	0.03	

BAMBOO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1400x959	8	39	1345	37-46	63-72	24-33	1	119	2.12	C-E-D	£ 275.77
1400x1079	9	39	1345	37-46	63-72	24-33	1	119	2.39	C-E-D	£ 308.72
1400x1199	10	39	1345	37-46	63-72	24-33	1	119	2.65	C-E-D	£ 341.66
1400x1319	11	39	1345	37-46	63-72	24-33	1	119	2.91	C-E-D	£ 375.50
1400x1439	12	39	1345	37-46	63-72	24-33	1	119	3.18	C	£ 408.44
1400x1559	13	39	1345	37-46	63-72	24-33	1	119	3.44	C	£ 441.39
1400x1679	14	39	1345	37-46	63-72	24-33	1	119	3.71	C	£ 474.35
1400x1799	15	39	1345	37-46	63-72	24-33	1	119	3.97	C	£ 508.16
1600x239	2	39	1545	37-46	63-72	24-33	1	119	0.59	C	£ 86.77
1600x359	3	39	1545	37-46	63-72	24-33	1	119	0.88	C	£ 125.59
1600x479	4	39	1545	37-46	63-72	24-33	1	119	1.18	C-E-D	£ 164.59
1600x599	5	39	1545	37-46	63-72	24-33	1	119	1.47	C-E-D	£ 203.56
1600x719	6	39	1545	37-46	63-72	24-33	1	119	1.76	C-E-D	£ 243.15
1600x839	7	39	1545	37-46	63-72	24-33	1	119	2.06	C-E-D	£ 281.72
1600x959	8	39	1545	37-46	63-72	24-33	1	119	2.35	C-E-D	£ 321.16
1600x1079	9	39	1545	37-46	63-72	24-33	1	119	2.64	C-E-D	£ 359.73
1600x1199	10	39	1545	37-46	63-72	24-33	1	119	2.94	C-E-D	£ 398.31
1800x239	2	39	1745	37-46	63-72	24-33	1	119	0.65	C	£ 94.77
1800x359	3	39	1745	37-46	63-72	24-33	1	119	0.97	C	£ 136.74
1800x479	4	39	1745	37-46	63-72	24-33	1	119	1.29	C-E-D	£ 178.88
1800x599	5	39	1745	37-46	63-72	24-33	1	119	1.61	C-E-D	£ 221.01
1800x719	6	39	1745	37-46	63-72	24-33	1	119	1.93	C-E-D	£ 263.75
1800x839	7	39	1745	37-46	63-72	24-33	1	119	2.26	C-E-D	£ 305.49
1800x959	8	39	1745	37-46	63-72	24-33	1	119	2.58	C-E-D	£ 348.09
1800x1079	9	39	1745	37-46	63-72	24-33	1	119	2.90	C-E-D	£ 389.82
1800x1199	10	39	1745	37-46	63-72	24-33	1	119	3.22	C-E-D	£ 431.54


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1400x959	1073	3659	1395	4756
1400x1079	1207	4116	1569	5351
1400x1199	1341	4573	1743	5945
1400x1319	1475	5030	1918	6540
1400x1439	1609	5488	2092	7134
1400x1559	1743	5945	2266	7729
1400x1679	1878	6402	2441	8323
1400x1799	2012	6860	2615	8918
1600x239	308	1050	400	1365
1600x359	462	1575	601	2048
1600x479	616	2100	801	2730
1600x599	770	2625	1001	3413
1600x719	924	3150	1201	4096
1600x839	1078	3676	1401	4778
1600x959	1232	4201	1601	5461
1600x1079	1386	4726	1802	6143
1600x1199	1540	5251	2002	6826
1800x239	354	1206	460	1567
1800x359	530	1809	690	2351
1800x479	707	2411	919	3135
1800x599	884	3014	1149	3919
1800x719	1061	3617	1379	4702
1800x839	1238	4220	1609	5486
1800x959	1414	4823	1839	6270
1800x1079	1591	5426	2068	7054
1800x1199	1768	6029	2298	7837

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
17.56	21.43	0.11	1490X994X74
19.75	23.95	0.13	1490X1114X74
21.95	26.49	0.14	1490X1234X74
24.14	29.02	0.15	1490X1354X74
26.33	31.56	0.17	1490X1474X74
28.52	34.09	0.18	1490X1594X74
30.72	36.64	0.19	1490X1714X74
32.92	39.18	0.21	1490X1834X74
4.93	6.73	0.04	1690X274X74
7.38	9.67	0.05	1690X394X74
9.83	12.40	0.07	1690X514X74
12.29	15.35	0.08	1690X634X74
14.75	18.26	0.10	1690X754X74
17.20	21.09	0.11	1690X874X74
19.66	23.94	0.13	1690X994X74
22.11	26.77	0.14	1690X1114X74
24.56	29.61	0.16	1690X1234X74
5.46	7.52	0.04	1890X274X74
8.18	10.56	0.06	1890X394X74
10.91	13.82	0.08	1890X514X74
13.63	17.03	0.09	1890X634X74
16.36	20.18	0.11	1890X754X74
19.08	23.34	0.13	1890X874X74
21.81	26.50	0.14	1890X994X74
24.53	29.64	0.16	1890X1114X74
27.25	32.79	0.18	1890X1234X74

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel