

BAMBOO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x239	2	52	245	52-61	78-87	26-35	1	119	0.22	C	£ 44.74
300x359	3	52	245	52-61	78-87	26-35	1	119	0.33	C	£ 63.50
300x479	4	52	245	52-61	78-87	26-35	1	119	0.43	C-E-D	£ 83.21
300x599	5	52	245	52-61	78-87	26-35	1	119	0.54	C-E-D	£ 102.11
300x719	6	52	245	52-61	78-87	26-35	1	119	0.65	C-E-D	£ 122.40
300x839	7	52	245	52-61	78-87	26-35	1	119	0.76	C-E-D	£ 141.32
300x959	8	52	245	52-61	78-87	26-35	1	119	0.86	C-E-D	£ 161.06
300x1079	9	52	245	52-61	78-87	26-35	1	119	0.97	C-E-D	£ 179.98
300x1199	10	52	245	52-61	78-87	26-35	1	119	1.08	C-E-D	£ 198.89
300x1319	11	52	245	52-61	78-87	26-35	1	119	1.18	C-E-D	£ 218.65
300x1439	12	52	245	52-61	78-87	26-35	1	119	1.29	C	£ 237.57
300x1559	13	52	245	52-61	78-87	26-35	1	119	1.40	C	£ 256.48
300x1679	14	52	245	52-61	78-87	26-35	1	119	1.51	C	£ 275.40
300x1799	15	52	245	52-61	78-87	26-35	1	119	1.61	C	£ 295.14
300x1919	16	52	245	52-61	78-87	26-35	1	119	1.72	C	£ 314.07
400x239	2	52	345	52-61	78-87	26-35	1	119	0.25	C	£ 49.32
400x359	3	52	345	52-61	78-87	26-35	1	119	0.37	C	£ 70.34
400x479	4	52	345	52-61	78-87	26-35	1	119	0.49	C-E-D	£ 92.29
400x599	5	52	345	52-61	78-87	26-35	1	119	0.61	C-E-D	£ 113.45
400x719	6	52	345	52-61	78-87	26-35	1	119	0.73	C-E-D	£ 135.99
400x839	7	52	345	52-61	78-87	26-35	1	119	0.86	C-E-D	£ 157.16
400x959	8	52	345	52-61	78-87	26-35	1	119	0.98	C-E-D	£ 179.15
400x1079	9	52	345	52-61	78-87	26-35	1	119	1.10	C-E-D	£ 200.32
400x1199	10	52	345	52-61	78-87	26-35	1	119	1.22	C-E-D	£ 221.49
400x1319	11	52	345	52-61	78-87	26-35	1	119	1.34	C-E-D	£ 243.50
400x1439	12	52	345	52-61	78-87	26-35	1	119	1.46	C	£ 264.66
400x1559	13	52	345	52-61	78-87	26-35	1	119	1.58	C	£ 285.82
400x1679	14	52	345	52-61	78-87	26-35	1	119	1.71	C	£ 306.99
400x1799	15	52	345	52-61	78-87	26-35	1	119	1.83	C	£ 329.00
400x1919	16	52	345	52-61	78-87	26-35	1	119	1.95	C	£ 350.17
500x239	2	52	445	52-61	78-87	26-35	1	119	0.28	C	£ 54.02
500x359	3	52	445	52-61	78-87	26-35	1	119	0.41	C	£ 77.28
500x479	4	52	445	52-61	78-87	26-35	1	119	0.55	C-E-D	£ 101.49
500x599	5	52	445	52-61	78-87	26-35	1	119	0.68	C-E-D	£ 124.91
500x719	6	52	445	52-61	78-87	26-35	1	119	0.82	C-E-D	£ 149.69
500x839	7	52	445	52-61	78-87	26-35	1	119	0.96	C-E-D	£ 173.11
500x959	8	52	445	52-61	78-87	26-35	1	119	1.09	C-E-D	£ 197.36
500x1079	9	52	445	52-61	78-87	26-35	1	119	1.23	C-E-D	£ 220.78
500x1199	10	52	445	52-61	78-87	26-35	1	119	1.36	C-E-D	£ 244.20
500x1319	11	52	445	52-61	78-87	26-35	1	119	1.50	C-E-D	£ 268.45
500x1439	12	52	445	52-61	78-87	26-35	1	119	1.63	C	£ 291.87
500x1559	13	52	445	52-61	78-87	26-35	1	119	1.77	C	£ 315.29
500x1679	14	52	445	52-61	78-87	26-35	1	119	1.91	C	£ 338.71
500x1799	15	52	445	52-61	78-87	26-35	1	119	2.04	C	£ 362.97
500x1919	16	52	445	52-61	78-87	26-35	1	119	2.18	C	£ 386.39
600x239	2	52	545	52-61	78-87	26-35	1	119	0.30	C	£ 58.48
600x359	3	52	545	52-61	78-87	26-35	1	119	0.45	C	£ 84.00
600x479	4	52	545	52-61	78-87	26-35	1	119	0.61	C-E-D	£ 110.46
600x599	5	52	545	52-61	78-87	26-35	1	119	0.76	C-E-D	£ 136.12
600x719	6	52	545	52-61	78-87	26-35	1	119	0.91	C-E-D	£ 163.16
600x839	7	52	545	52-61	78-87	26-35	1	119	1.06	C-E-D	£ 188.82
600x959	8	52	545	52-61	78-87	26-35	1	119	1.21	C-E-D	£ 215.34
600x1079	9	52	545	52-61	78-87	26-35	1	119	1.36	C-E-D	£ 241.00
600x1199	10	52	545	52-61	78-87	26-35	1	119	1.51	C-E-D	£ 266.67
600x1319	11	52	545	52-61	78-87	26-35	1	119	1.66	C-E-D	£ 293.18
600x1439	12	52	545	52-61	78-87	26-35	1	119	1.81	C	£ 318.85
600x1559	13	52	545	52-61	78-87	26-35	1	119	1.96	C	£ 344.52
600x1679	14	52	545	52-61	78-87	26-35	1	119	2.11	C	£ 370.19
600x1799	15	52	545	52-61	78-87	26-35	1	119	2.26	C	£ 396.69
600x1919	16	52	545	52-61	78-87	26-35	1	119	2.41	C	£ 422.37
700x239	2	52	645	52-61	78-87	26-35	1	119	0.33	C	£ 64.73
700x359	3	52	645	52-61	78-87	26-35	1	119	0.50	C	£ 93.18
700x479	4	52	645	52-61	78-87	26-35	1	119	0.66	C-E-D	£ 122.55
700x599	5	52	645	52-61	78-87	26-35	1	119	0.83	C-E-D	£ 151.12
700x719	6	52	645	52-61	78-87	26-35	1	119	0.99	C-E-D	£ 181.06
700x839	7	52	645	52-61	78-87	26-35	1	119	1.16	C-E-D	£ 209.64
700x959	8	52	645	52-61	78-87	26-35	1	119	1.32	C-E-D	£ 239.06
700x1079	9	52	645	52-61	78-87	26-35	1	119	1.48	C-E-D	£ 267.66
700x1199	10	52	645	52-61	78-87	26-35	1	119	1.65	C-E-D	£ 296.23
700x1319	11	52	645	52-61	78-87	26-35	1	119	1.81	C-E-D	£ 325.65

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x239	82	280	107	364
300x359	123	420	160	546
300x479	164	560	213	728
300x599	205	700	267	910
300x719	246	840	320	1092
300x839	287	980	374	1274
300x959	328	1120	427	1456
300x1079	369	1260	480	1638
300x1199	410	1400	534	1820
300x1319	452	1540	587	2002
300x1439	493	1680	640	2184
300x1559	534	1820	694	2365
300x1679	575	1960	747	2547
300x1799	616	2100	800	2729
300x1919	657	2239	854	2911
400x239	112	382	145	496
400x359	168	572	218	744
400x479	224	763	291	992
400x599	280	954	364	1240
400x719	336	1144	436	1488
400x839	392	1335	509	1736
400x959	448	1526	582	1984
400x1079	503	1717	654	2232
400x1199	559	1907	727	2480
400x1319	615	2098	800	2728
400x1439	671	2289	873	2976
400x1559	727	2480	945	3224
400x1679	783	2670	1018	3472
400x1799	839	2861	1091	3720
400x1919	895	3052	1163	3967
500x239	143	487	186	634
500x359	214	731	279	950
500x479	286	975	372	1267
500x599	357	1218	465	1584
500x719	429	1462	557	1901
500x839	500	1706	650	2218
500x959	572	1950	743	2534
500x1079	643	2193	836	2851
500x1199	715	2437	929	3168
500x1319	786	2681	1022	3485
500x1439	858	2924	1115	3802
500x1559	929	3168	1208	4118
500x1679	1001	3412	1301	4435
500x1799	1072	3655	1394	4752
500x1919	1143	3899	1486	5069
600x239	175	598	228	777
600x359	263	897	342	1166
600x479	351	1196	456	1554
600x599	438	1494	570	1943
600x719	526	1793	684	2331
600x839	614	2092	798	2720
600x959	701	2391	912	3108
600x1079	789	2690	1026	3497
600x1199	877	2989	1139	3886
600x1319	964	3288	1253	4274
600x1439	1052	3587	1367	4663
600x1559	1139	3886	1481	5051
600x1679	1227	4184	1595	5440
600x1799	1315	4483	1709	5828
600x1919	1402	4782	1823	6217
700x239	200	682	260	887
700x359	300	1024	390	1331
700x479	400	1365	520	1774
700x599	500	1706	650	2218
700x719	600	2047	780	2661
700x839	700	2388	910	3105
700x959	800	2729	1041	3548
700x1079	900	3071	1171	3992
700x1199	1001	3412	1301	4435
700x1319	1101	3753	1431	4879

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.95	2.75	0.01	390X274X87
2.92	3.83	0.02	390X394X87
3.89	4.90	0.02	390X514X87
4.86	5.98	0.03	390X634X87
5.82	7.22	0.03	390X754X87
6.80	8.31	0.03	390X874X87
7.77	9.38	0.04	390X994X87
8.74	10.46	0.04	390X1114X87
9.71	11.54	0.05	390X1234X87
10.68	12.61	0.05	390X1354X87
11.64	13.69	0.06	390X1474X87
12.61	14.75	0.06	390X1594X87
13.58	15.84	0.06	390X1714X87
14.55	16.90	0.07	390X1834X87
15.53	18.00	0.07	390X1954X87
16.50	19.08	0.07	390X2074X87
17.47	20.16	0.08	390X2194X87
18.44	21.24	0.08	390X2314X87
19.41	22.32	0.08	390X2434X87
20.38	23.40	0.09	390X2554X87
21.35	24.48	0.09	390X2674X87
22.32	25.56	0.09	390X2794X87
23.29	26.64	0.10	390X2914X87
24.26	27.72	0.10	390X3034X87
25.23	28.80	0.10	390X3154X87
26.20	29.88	0.11	390X3274X87
27.17	30.96	0.11	390X3394X87
28.14	32.04	0.11	390X3514X87
29.11	33.12	0.12	390X3634X87
30.08	34.20	0.12	390X3754X87
31.05	35.28	0.12	390X3874X87
32.02	36.36	0.13	390X3994X87
32.99	37.44	0.13	390X4114X87
33.96	38.52	0.13	390X4234X87
34.93	39.60	0.14	390X4354X87
35.90	40.68	0.14	390X4474X87
36.87	41.76	0.14	390X4594X87
37.84	42.84	0.15	390X4714X87
38.81	43.92	0.15	390X4834X87
39.78	45.00	0.15	390X4954X87
40.75	46.08	0.16	390X5074X87
41.72	47.16	0.16	390X5194X87
42.69	48.24	0.16	390X5314X87
43.66	49.32	0.17	390X5434X87
44.63	50.40	0.17	390X5554X87
45.60	51.48	0.17	390X5674X87
46.57	52.56	0.18	390X5794X87
47.54	53.64	0.18	390X5914X87
48.51	54.72	0.18	390X6034X87
49.48	55.80	0.19	390X6154X87
50.45	56.88	0.19	390X6274X87
51.42	57.96	0.19	390X6394X87
52.39	59.04	0.20	390X6514X87
53.36	60.12	0.20	390X6634X87
54.33	61.20	0.20	390X6754X87
55.30	62.28	0.21	390X6874X87
56.27	63.36	0.21	390X6994X87
57.24	64.44	0.21	390X7114X87
58.21	65.52	0.22	390X7234X87
59.18	66.60	0.22	390X7354X87
60.15	67.68	0.22	390X7474X87
61.12	68.76	0.23	390X7594X87
62.09	69.84	0.23	390X7714X87
63.06	70.92	0.23	390X7834X87
64.03	72.00	0.24	390X7954X87
65.00	73.08	0.24	390X8074X87
65.97	74.16	0.24	390X8194X87
66.94	75.24	0.25	390X8314X87
67.91	76.32	0.25	390X8434X87
68.88	77.40	0.25	390X8554X87
69.85	78.48	0.26	390X8674X87
70.82	79.56	0.26	390X8794X87
71.79	80.64	0.26	390X8914X87
72.76	81.72	0.27	390X9034X87
73.73	82.80	0.27	390X9154X87
74.70	83.88	0.27	390X9274X87
75.67	84.96	0.28	390X9394X87
76.64	86.04	0.28	390X9514X87
77.61	87.12	0.28	390X9634X87
78.58	88.20	0.29	390X9754X87
79.55	89.28	0.29	390X9874X87
80.52	90.36	0.29	390X9994X87
81.49	91.44	0.30	390X10194X87
82.46	92.52	0.30	390X10314X87
83.43	93.60	0.30	390X10434X87
84.40	94.68	0.31	390X10554X87
85.37	95.76	0.31	390X10674X87
86.34	96.84	0.31	390X10794X87
87.31	97.92	0.32	390X10914X87
88.28	99.00	0.32	390X11034X87
89.25	100.08	0.32	390X11154X87
90.22	101.16	0.33	390X11274X87
91.19	102.24	0.33	390X11394X87
92.16	103.32	0.33	390X11514X87
93.13	104.40	0.34	390X11634X87
94.10	105.48	0.34	390X11754X87
95.07	106.56	0.34	390X11874X87
96.04	107.64	0.35	390X11994X87
97.01	108.72	0.35	390X12114X87
97.98	109.80	0.35	390X12234X87
98.95	110.88	0.36	390X12354X87
99.92	111.96	0.36	390X12474X87
100.89	113.04	0.36	390X12594X87
101.86	114.12	0.37	390X12714X87
102.83	115.20	0.37	390X12834X87
103.80	116.28	0.37	390X12954X87
104.77	117.36	0.38	390X13074X87
105.74	118.44	0.38	390X13194X87
106.71	119.52	0.38	390X13314X87
107.68	120.60	0.39	390X13434X87
108.65	121.68	0.39	390X13554X87
109.62	122.76	0.39	390X13674X87
110.59	123.84	0.40	390X13794X87
111.56	124.92	0.40	390X13914X87
112.53	126.00	0.40	390X14034X87
113.50	127.08	0.41	390X14154X87
114.47	128.16	0.41	390X14274X87
115.44	129.24	0.41	390X14394X87
116.41	130.32	0.42	390X14514X87
117.38	131.40	0.42	390X14634X87
118.35	132.48	0.42	390X14754X87
119.32	133.56	0.43	390X14874X87
120.29	134.64	0.43	390X14994X87
121.26	135.72	0.43	390X15114X87
122.23	136.80	0.44	390X15234X87
123.20	137.88	0.44	390X15354X87
124.17	138.96	0.44	390X15474X87
125.14	140.04	0.45	390X15594X87
126.11	141.12	0.45	390X15714X87
127.08	142.20	0.45	390X15834X87
128.05	143.28	0.46	390X15954X87
129.02	144.36	0.46	390X16074X87
130.00	145.44	0.46	390X16194X87
130.97	146.52	0.47	390X16314X87
131.94	147.60	0.47	390X16434X87
132.91	148.68	0.47	390X16554X87
133.88	149.76	0.48	390X16674X87
134.85	150.84	0.48	390X16794X87
135.82	151.92	0.48	390X16914X87
136.79	153.00	0.49	390X17034X87
137.76	154.08	0.49	390X17154X87
138.73	155.16	0.49	390X17274X87
139.70	156.24	0.50	390X17394X87
140.67	157.32	0.50	390X17514X87
141.64	158.40	0.50	390X17634X87
142.61	159.48	0.51	390X17754X87
143.58	160.56	0.51	390X17874X87
144.55	161.64	0.51	390X17994X87
145.52	162.72	0.52	390X18114X87
146.49	163.80	0.52	390X18234X87
147.46	164.88	0.52	390X18354X87
148.43	165.96	0.53	390X18474X87
149.40	167.04	0.53	390X18594X87
150.37	168.12	0.53	390X18714X87
151.34	169.20	0.54	390X18834X87
152.31	170.28	0.54	390X18954X87
153.28	171.36	0.54	390X19074X87
154.25	172.44	0.55	390X19194X87
155.22	173.52	0.55	390X19314X87
156.19	174.60	0.55	390X19434X87
157.16	175.68	0.56	390X19554X87
158.13	176.76	0.56	390X19674X87
159.10	177.84	0.56	390X19794X87
160.07	178.92	0.57	390X19914X87
161.04	180.00	0.57	390X20034X87
162.01	181.08	0.57	390X20154X87
162.98	182.16	0.58	390X20274X87
163.95	183.24	0.58	390X20394X87
164.92	184.32	0.58	390X20514X87
165.89	185.40	0.59	390X20634X87
166.86	186.48	0.59	390X20754X87
167.83	187.56	0.59	390X20874X87
168.80	188.64	0.60	390X20994X87
169.77	189.72	0.60	390X21114X87
170.74	190.80	0.60	390X21234X87
171.71	191.88	0.61	390X21354X87
172.68	192.96	0.61	390X21474X87
173.65	194.04	0.61	390X21594X87
174.62	195.12	0.62	390X21714X87
175.59	196.20	0.62	390X21834X87
176.56	197.28	0.62	390X21954X87
177.53	198.36	0.63	390X22074X87
178.50	199.44	0.63	390X22194X87
179.47	200.52	0.63	390X22314X87
180.44	201.60	0.64	390X22434X87
181.41	202.68	0.64	390X22554X87
182.38	203.76	0.64	390X22674X87
183.35	204.84	0.65	390X22794X87
184.32	205.92	0.65	390X22914X87
185.29	207.00	0.65	390X23034X87
186.26	208.08	0.66	390X23154X87
187.23	209.16	0.66	390X23274X87
188.20	210.24	0.66	390X23394X87
189.17	211.32	0.67	390X23514X87
190.14	212.40	0.67	390X23634X87
191.11	213.48	0.67	390X23754X87
192.08	214.56	0.68	390X23874X87
193.05	215.64	0.68	390X23994X87
194.02	216.72	0.68	390X24114X87
194.99	217.80	0.69	390X24234X87
195.96	218.88	0.69	390X24354X87
196.93	219.96	0.69	390X24474X87
197.90	221.04	0.70	390X24594X87
198.87	222.12	0.70	390X24714X87
199.84	223.20	0.70	390X24834X87
200.81	224.28	0.71	390X24954X87
201.78	225.36	0.71	390X25074X87
202.75	226.44	0.71	390X25194X87
203.72	227.52	0.72	390X25314X87
204.69	228.60	0.72	390X25434X87
205.66	229.68	0.72	390X25554X87
206.63	230.76	0.73	390X25674X87
207.60	231.84	0.73	390X25794X87
208.57	232.92	0.73	390X25914X87
209.54	234.00	0.74	390X26034X87
210.51	235.08	0.74	390X26154X87
211.48	236.16	0.74	390X26274X87
212.45	237.24	0.75	390X26394X87
213.42	238.32	0.75	390X26514X87
214.39	239.40	0.75	390X26634X87
215.36	240.48	0.76	390X26754X87
216.33	241.56	0.76	390X26874X87
217.30	242.64	0.76	390X26994X87
218.27	243.72	0.77	390X27114X87
219.24	244.80	0.77	390X27234X87
220.21	245.88	0.77	390X27354X87
221.18	246.96	0.78	390X27474X87
222.15	248.04	0.78	390X27594X87
223.12	249.12	0.78	390X27714X87
224.09	250.20	0.79	390X27834X87
225.06	251.28	0.79	390X27954X87
226.03	252.36	0.79	390X28074X87
227.00	253.44	0.80	390X28194X87
227.97	254.52	0.80	390X28314X87
228.94	255.60	0.80	390X28434X87
229.91	256.68	0.81	390X28554X87
230.88	257.76	0.81	390X28674X87
231.85	258.84	0.81	390X28794X87
232.82	259.92	0.82	390X28914X87
233.79	261.00	0.82	390X29034X87
234.76	262.08	0.82	390X29154X87
235.73	263.16	0.83	390X29274X87
236.70	264.24	0.8	

BAMBOO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1439	12	52	645	52-61	78-87	26-35	1	119	1.98	C	£ 354.23
700x1559	13	52	645	52-61	78-87	26-35	1	119	2.14	C	£ 382.81
700x1679	14	52	645	52-61	78-87	26-35	1	119	2.31	C	£ 411.40
700x1799	15	52	645	52-61	78-87	26-35	1	119	2.47	C	£ 440.81
700x1919	16	52	645	52-61	78-87	26-35	1	119	2.64	C	£ 469.40
800x239	2	52	745	52-61	78-87	26-35	1	119	0.36	C	£ 69.43
800x359	3	52	745	52-61	78-87	26-35	1	119	0.54	C	£ 100.12
800x479	4	52	745	52-61	78-87	26-35	1	119	0.72	C-E-D	£ 131.75
800x599	5	52	745	52-61	78-87	26-35	1	119	0.90	C-E-D	£ 162.58
800x719	6	52	745	52-61	78-87	26-35	1	119	1.08	C-E-D	£ 194.78
800x839	7	52	745	52-61	78-87	26-35	1	119	1.26	C-E-D	£ 225.60
800x959	8	52	745	52-61	78-87	26-35	1	119	1.43	C-E-D	£ 257.27
800x1079	9	52	745	52-61	78-87	26-35	1	119	1.61	C-E-D	£ 288.11
800x1199	10	52	745	52-61	78-87	26-35	1	119	1.79	C-E-D	£ 318.94
800x1319	11	52	745	52-61	78-87	26-35	1	119	1.97	C-E-D	£ 350.62
800x1439	12	52	745	52-61	78-87	26-35	1	119	2.15	C	£ 381.44
800x1559	13	52	745	52-61	78-87	26-35	1	119	2.33	C	£ 412.28
800x1679	14	52	745	52-61	78-87	26-35	1	119	2.51	C	£ 443.11
800x1799	15	52	745	52-61	78-87	26-35	1	119	2.69	C	£ 474.78
800x1919	16	52	745	52-61	78-87	26-35	1	119	2.86	C	£ 505.63
900x239	2	52	845	52-61	78-87	26-35	1	119	0.39	C	£ 74.13
900x359	3	52	845	52-61	78-87	26-35	1	119	0.58	C	£ 107.08
900x479	4	52	845	52-61	78-87	26-35	1	119	0.78	C-E-D	£ 140.95
900x599	5	52	845	52-61	78-87	26-35	1	119	0.97	C-E-D	£ 174.04
900x719	6	52	845	52-61	78-87	26-35	1	119	1.16	C-E-D	£ 208.48
900x839	7	52	845	52-61	78-87	26-35	1	119	1.36	C-E-D	£ 241.57
900x959	8	52	845	52-61	78-87	26-35	1	119	1.55	C-E-D	£ 275.48
900x1079	9	52	845	52-61	78-87	26-35	1	119	1.74	C-E-D	£ 308.57
900x1199	10	52	845	52-61	78-87	26-35	1	119	1.93	C-E-D	£ 341.65
900x1319	11	52	845	52-61	78-87	26-35	1	119	2.13	C-E-D	£ 375.57
900x1439	12	52	845	52-61	78-87	26-35	1	119	2.32	C	£ 408.67
900x1559	13	52	845	52-61	78-87	26-35	1	119	2.51	C	£ 441.74
900x1679	14	52	845	52-61	78-87	26-35	1	119	2.71	C	£ 474.84
900x1799	15	52	845	52-61	78-87	26-35	1	119	2.90	C	£ 508.75
900x1919	16	52	845	52-61	78-87	26-35	1	119	3.09	C	£ 541.83
1000x239	2	52	945	52-61	78-87	26-35	1	119	0.42	C	£ 81.75
1000x359	3	52	945	52-61	78-87	26-35	1	119	0.63	C	£ 118.24
1000x479	4	52	945	52-61	78-87	26-35	1	119	0.83	C-E-D	£ 155.70
1000x599	5	52	945	52-61	78-87	26-35	1	119	1.04	C-E-D	£ 192.36
1000x719	6	52	945	52-61	78-87	26-35	1	119	1.25	C-E-D	£ 230.41
1000x839	7	52	945	52-61	78-87	26-35	1	119	1.46	C-E-D	£ 267.06
1000x959	8	52	945	52-61	78-87	26-35	1	119	1.66	C-E-D	£ 304.57
1000x1079	9	52	945	52-61	78-87	26-35	1	119	1.87	C-E-D	£ 341.21
1000x1199	10	52	945	52-61	78-87	26-35	1	119	2.08	C-E-D	£ 377.86
1000x1319	11	52	945	52-61	78-87	26-35	1	119	2.29	C-E-D	£ 415.37
1000x1439	12	52	945	52-61	78-87	26-35	1	119	2.49	C	£ 452.02
1000x1559	13	52	945	52-61	78-87	26-35	1	119	2.70	C	£ 488.66
1000x1679	14	52	945	52-61	78-87	26-35	1	119	2.91	C	£ 525.30
1000x1799	15	52	945	52-61	78-87	26-35	1	119	3.11	C	£ 562.82
1000x1919	16	52	945	52-61	78-87	26-35	1	119	3.32	C	£ 599.46
1200x239	2	52	1145	52-61	78-87	26-35	1	119	0.48	C	£ 92.87
1200x359	3	52	1145	52-61	78-87	26-35	1	119	0.71	C	£ 134.73
1200x479	4	52	1145	52-61	78-87	26-35	1	119	0.95	C-E-D	£ 177.54
1200x599	5	52	1145	52-61	78-87	26-35	1	119	1.18	C-E-D	£ 219.54
1200x719	6	52	1145	52-61	78-87	26-35	1	119	1.42	C-E-D	£ 262.95
1200x839	7	52	1145	52-61	78-87	26-35	1	119	1.66	C-E-D	£ 304.95
1200x959	8	52	1145	52-61	78-87	26-35	1	119	1.89	C-E-D	£ 347.81
1200x1079	9	52	1145	52-61	78-87	26-35	1	119	2.13	C-E-D	£ 389.82
1200x1199	10	52	1145	52-61	78-87	26-35	1	119	2.36	C-E-D	£ 431.81
1200x1319	11	52	1145	52-61	78-87	26-35	1	119	2.60	C-E-D	£ 474.68
1200x1439	12	52	1145	52-61	78-87	26-35	1	119	2.84	C	£ 516.69
1200x1559	13	52	1145	52-61	78-87	26-35	1	119	3.07	C	£ 558.69
1200x1679	14	52	1145	52-61	78-87	26-35	1	119	3.31	C	£ 600.67
1200x1799	15	52	1145	52-61	78-87	26-35	1	119	3.54	C	£ 643.55
1400x239	2	52	1345	52-61	78-87	26-35	1	119	0.53	C	£ 102.62
1400x359	3	52	1345	52-61	78-87	26-35	1	119	0.80	C	£ 149.15
1400x479	4	52	1345	52-61	78-87	26-35	1	119	1.06	C-E-D	£ 196.63
1400x599	5	52	1345	52-61	78-87	26-35	1	119	1.33	C-E-D	£ 243.30
1400x719	6	52	1345	52-61	78-87	26-35	1	119	1.59	C-E-D	£ 291.38
1400x839	7	52	1345	52-61	78-87	26-35	1	119	1.86	C-E-D	£ 338.04

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1439	1201	4094	1561	5322
700x1559	1301	4435	1691	5766
700x1679	1401	4776	1821	6209
700x1799	1501	5118	1951	6653
700x1919	1601	5459	2081	7096
800x239	224	763	291	992
800x359	336	1144	436	1488
800x479	448	1526	582	1984
800x599	559	1907	727	2480
800x719	671	2289	873	2976
800x839	783	2670	1018	3472
800x959	895	3052	1163	3967
800x1079	1007	3433	1309	4463
800x1199	1119	3815	1454	4959
800x1319	1231	4196	1600	5455
800x1439	1342	4578	1745	5951
800x1559	1454	4959	1891	6447
800x1679	1566	5341	2036	6943
800x1799	1678	5722	2182	7439
800x1919	1790	6104	2327	7935
900x239	246	840	320	1092
900x359	369	1260	480	1638
900x479	493	1680	640	2184
900x599	616	2100	800	2729
900x719	739	2519	960	3275
900x839	862	2939	1121	3821
900x959	985	3359	1281	4367
900x1079	1108	3779	1441	4913
900x1199	1231	4199	1601	5459
900x1319	1355	4619	1761	6005
900x1439	1478	5039	1921	6550
900x1559	1601	5459	2081	7096
900x1679	1724	5879	2241	7642
900x1799	1847	6299	2401	8188
900x1919	1970	6718	2561	8734
1000x239	268	913	348	1187
1000x359	402	1369	522	1780
1000x479	535	1826	696	2374
1000x599	669	2282	870	2967
1000x719	803	2739	1044	3561
1000x839	937	3195	1218	4154
1000x959	1071	3652	1392	4747
1000x1079	1205	4108	1566	5341
1000x1199	1339	4565	1740	5934
1000x1319	1473	5021	1914	6528
1000x1439	1606	5478	2088	7121
1000x1559	1740	5934	2262	7715
1000x1679	1874	6391	2436	8308
1000x1799	2008	6847	2610	8901
1000x1919	2142	7304	2784	9495
1200x239	307	1048	400	1363
1200x359	461	1572	599	2044
1200x479	615	2096	799	2725
1200x599	769	2621	999	3407
1200x719	922	3145	1199	4088
1200x839	1076	3669	1399	4769
1200x959	1230	4193	1598	5451
1200x1079	1383	4717	1798	6132
1200x1199	1537	5241	1998	6813
1200x1319	1691	5765	2198	7495
1200x1439	1844	6289	2398	8176
1200x1559	1998	6813	2598	8858
1200x1679	2152	7338	2797	9539
1200x1799	2305	7862	2997	10220
1400x239	353	1204	459	1565
1400x359	529	1805	688	2347
1400x479	706	2407	918	3129
1400x599	882	3009	1147	3911
1400x719	1059	3611	1376	4694
1400x839	1235	4212	1606	5476

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
22.51	25.74	0.11	790X1474X87
24.39	27.81	0.11	790X1594X87
26.26	29.87	0.12	790X1714X87
28.14	31.95	0.13	790X1834X87
30.02	34.02	0.14	790X1954X87
4.21	5.41	0.03	890X274X87

BAMBOO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1400x959	8	52	1345	52-61	78-87	26-35	1	119	2.12	C-E-D	£ 385.58
1400x1079	9	52	1345	52-61	78-87	26-35	1	119	2.39	C-E-D	£ 432.26
1400x1199	10	52	1345	52-61	78-87	26-35	1	119	2.65	C-E-D	£ 478.92
1400x1319	11	52	1345	52-61	78-87	26-35	1	119	2.91	C-E-D	£ 526.46
1400x1439	12	52	1345	52-61	78-87	26-35	1	119	3.18	C	£ 573.12
1400x1559	13	52	1345	52-61	78-87	26-35	1	119	3.44	C	£ 619.80
1400x1679	14	52	1345	52-61	78-87	26-35	1	119	3.71	C	£ 666.47
1400x1799	15	52	1345	52-61	78-87	26-35	1	119	3.97	C	£ 714.00
1600x239	2	52	1545	52-61	78-87	26-35	1	119	0.59	C	£ 117.99
1600x359	3	52	1545	52-61	78-87	26-35	1	119	0.88	C	£ 171.99
1600x479	4	52	1545	52-61	78-87	26-35	1	119	1.18	C-E-D	£ 226.96
1600x599	5	52	1545	52-61	78-87	26-35	1	119	1.47	C-E-D	£ 281.11
1600x719	6	52	1545	52-61	78-87	26-35	1	119	1.76	C-E-D	£ 336.67
1600x839	7	52	1545	52-61	78-87	26-35	1	119	2.06	C-E-D	£ 390.82
1600x959	8	52	1545	52-61	78-87	26-35	1	119	2.35	C-E-D	£ 445.82
1600x1079	9	52	1545	52-61	78-87	26-35	1	119	2.64	C-E-D	£ 499.97
1600x1199	10	52	1545	52-61	78-87	26-35	1	119	2.94	C-E-D	£ 554.12
1800x239	2	52	1745	52-61	78-87	26-35	1	119	0.65	C	£ 129.70
1800x359	3	52	1745	52-61	78-87	26-35	1	119	0.97	C	£ 188.71
1800x479	4	52	1745	52-61	78-87	26-35	1	119	1.29	C-E-D	£ 248.68
1800x599	5	52	1745	52-61	78-87	26-35	1	119	1.61	C-E-D	£ 307.84
1800x719	6	52	1745	52-61	78-87	26-35	1	119	1.93	C-E-D	£ 368.42
1800x839	7	52	1745	52-61	78-87	26-35	1	119	2.26	C-E-D	£ 427.58
1800x959	8	52	1745	52-61	78-87	26-35	1	119	2.58	C-E-D	£ 487.61
1800x1079	9	52	1745	52-61	78-87	26-35	1	119	2.90	C-E-D	£ 546.76
1800x1199	10	52	1745	52-61	78-87	26-35	1	119	3.22	C-E-D	£ 605.92


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				
1400x959	1412	4814	1835	6258
1400x1079	1588	5416	2065	7041
1400x1199	1765	6018	2294	7823
1400x1319	1941	6619	2524	8605
1400x1439	2118	7221	2753	9388
1400x1559	2294	7823	2982	10170
1400x1679	2471	8425	3212	10952
1400x1799	2647	9026	3441	11734
1600x239	405	1382	527	1796
1600x359	608	2073	790	2695
1600x479	810	2764	1054	3593
1600x599	1013	3455	1317	4491
1600x719	1216	4146	1580	5389
1600x839	1418	4836	1844	6287
1600x959	1621	5527	2107	7186
1600x1079	1824	6218	2371	8084
1600x1199	2026	6909	2634	8982
1800x239	465	1587	605	2063
1800x359	698	2380	907	3094
1800x479	931	3173	1210	4125
1800x599	1163	3966	1512	5156
1800x719	1396	4760	1815	6188
1800x839	1628	5553	2117	7219
1800x959	1861	6346	2419	8250
1800x1079	2094	7140	2722	9281
1800x1199	2326	7933	3024	10313

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
27.69	31.61	0.13	1490X994X87
31.15	35.41	0.15	1490X1114X87
34.61	39.21	0.16	1490X1234X87
38.07	43.01	0.18	1490X1354X87
41.53	46.82	0.20	1490X1474X87
44.99	50.62	0.21	1490X1594X87
48.45	54.44	0.23	1490X1714X87
51.91	58.24	0.24	1490X1834X87
7.83	9.67	0.05	1690X274X87
11.73	13.96	0.06	1690X394X87
15.64	18.26	0.08	1690X514X87
19.54	22.55	0.10	1690X634X87
23.45	27.01	0.12	1690X754X87
27.36	31.30	0.13	1690X874X87
31.26	35.59	0.15	1690X994X87
35.17	39.89	0.17	1690X1114X87
39.07	44.18	0.19	1690X1234X87
8.73	10.74	0.05	1890X274X87
13.09	15.51	0.07	1890X394X87
17.45	20.31	0.09	1890X514X87
21.80	25.25	0.11	1890X634X87
26.17	30.05	0.13	1890X754X87
30.53	34.85	0.15	1890X874X87
34.89	39.64	0.17	1890X994X87
39.24	44.41	0.19	1890X1114X87
43.60	49.21	0.21	1890X1234X87

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel