

BELLA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x286	5	51	245	35-44	73-82	22-31	9	50	0,36	C	£ 67.07
300x345	6	51	245	35-44	73-82	22-31	9	50	0,44	C	£ 78.93
300x404	7	51	245	35-44	73-82	22-31	9	50	0,51	C-E-D	£ 90.80
300x463	8	51	245	35-44	73-82	22-31	9	50	0,58	C-E-D	£ 103.55
300x522	9	51	245	35-44	73-82	22-31	9	50	0,65	C-E-D	£ 115.48
300x581	10	51	245	35-44	73-82	22-31	9	50	0,73	C-E-D	£ 127.40
300x640	11	51	245	35-44	73-82	22-31	9	50	0,80	C-E-D	£ 141.54
300x699	12	51	245	35-44	73-82	22-31	9	50	0,87	C-E-D	£ 153.46
300x758	13	51	245	35-44	73-82	22-31	9	50	0,95	C-E-D	£ 165.39
300x817	14	51	245	35-44	73-82	22-31	9	50	1,02	C-E-D	£ 177.32
300x876	15	51	245	35-44	73-82	22-31	9	50	1,09	C-E-D	£ 190.08
300x935	16	51	245	35-44	73-82	22-31	9	50	1,16	C-E-D	£ 202.00
300x994	17	51	245	35-44	73-82	22-31	9	50	1,24	C-E-D	£ 213.94
300x1053	18	51	245	35-44	73-82	22-31	9	50	1,31	C-E-D	£ 225.87
300x1112	19	51	245	35-44	73-82	22-31	9	50	1,38	C-E-D	£ 238.63
300x1171	20	51	245	35-44	73-82	22-31	9	50	1,45	C-E-D	£ 250.55
300x1230	21	51	245	35-44	73-82	22-31	9	50	1,53	C-E-D	£ 262.47
300x1289	22	51	245	35-44	73-82	22-31	9	50	1,60	C-E-D	£ 275.25
300x1348	23	51	245	35-44	73-82	22-31	9	50	1,67	C-E-D	£ 287.17
300x1407	24	51	245	35-44	73-82	22-31	9	50	1,75	C	£ 299.10
300x1466	25	51	245	35-44	73-82	22-31	9	50	1,82	C	£ 311.02
300x1525	26	51	245	35-44	73-82	22-31	9	50	1,89	C	£ 323.79
300x1584	27	51	245	35-44	73-82	22-31	9	50	1,96	C	£ 335.72
300x1643	28	51	245	35-44	73-82	22-31	9	50	2,04	C	£ 347.65
300x1702	29	51	245	35-44	73-82	22-31	9	50	2,11	C	£ 359.58
300x1761	30	51	245	35-44	73-82	22-31	9	50	2,18	C	£ 372.34
300x1820	31	51	245	35-44	73-82	22-31	9	50	2,25	C	£ 384.27
300x1879	32	51	245	35-44	73-82	22-31	9	50	2,33	C	£ 396.19
300x1938	33	51	245	35-44	73-82	22-31	9	50	2,40	C	£ 408.95
300x1997	34	51	245	35-44	73-82	22-31	9	50	2,47	C	£ 420.89
400x286	5	51	345	35-44	73-82	22-31	9	50	0,44	C	£ 71.18
400x345	6	51	345	35-44	73-82	22-31	9	50	0,52	C	£ 83.86
400x404	7	51	345	35-44	73-82	22-31	9	50	0,61	C-E-D	£ 96.53
400x463	8	51	345	35-44	73-82	22-31	9	50	0,70	C-E-D	£ 110.11
400x522	9	51	345	35-44	73-82	22-31	9	50	0,78	C-E-D	£ 122.83
400x581	10	51	345	35-44	73-82	22-31	9	50	0,87	C-E-D	£ 135.58
400x640	11	51	345	35-44	73-82	22-31	9	50	0,96	C-E-D	£ 150.51
400x699	12	51	345	35-44	73-82	22-31	9	50	1,04	C-E-D	£ 163.24
400x758	13	51	345	35-44	73-82	22-31	9	50	1,13	C-E-D	£ 175.98
400x817	14	51	345	35-44	73-82	22-31	9	50	1,22	C-E-D	£ 188.72
400x876	15	51	345	35-44	73-82	22-31	9	50	1,31	C-E-D	£ 202.29
400x935	16	51	345	35-44	73-82	22-31	9	50	1,39	C-E-D	£ 215.03
400x994	17	51	345	35-44	73-82	22-31	9	50	1,48	C-E-D	£ 227.76
400x1053	18	51	345	35-44	73-82	22-31	9	50	1,57	C-E-D	£ 240.51
400x1112	19	51	345	35-44	73-82	22-31	9	50	1,65	C-E-D	£ 254.07
400x1171	20	51	345	35-44	73-82	22-31	9	50	1,74	C-E-D	£ 266.81
400x1230	21	51	345	35-44	73-82	22-31	9	50	1,83	C-E-D	£ 279.55
400x1289	22	51	345	35-44	73-82	22-31	9	50	1,91	C-E-D	£ 293.13
400x1348	23	51	345	35-44	73-82	22-31	9	50	2,00	C-E-D	£ 305.85
400x1407	24	51	345	35-44	73-82	22-31	9	50	2,09	C	£ 318.60
400x1466	25	51	345	35-44	73-82	22-31	9	50	2,18	C	£ 331.33
400x1525	26	51	345	35-44	73-82	22-31	9	50	2,26	C	£ 344.89
400x1584	27	51	345	35-44	73-82	22-31	9	50	2,35	C	£ 357.64
400x1643	28	51	345	35-44	73-82	22-31	9	50	2,44	C	£ 370.37
400x1702	29	51	345	35-44	73-82	22-31	9	50	2,52	C	£ 383.12
400x1761	30	51	345	35-44	73-82	22-31	9	50	2,61	C	£ 396.68
400x1820	31	51	345	35-44	73-82	22-31	9	50	2,70	C	£ 409.43
400x1879	32	51	345	35-44	73-82	22-31	9	50	2,78	C	£ 422.16
400x1938	33	51	345	35-44	73-82	22-31	9	50	2,87	C	£ 435.74
400x1997	34	51	345	35-44	73-82	22-31	9	50	2,96	C	£ 448.47
500x286	5	51	445	35-44	73-82	22-31	9	50	0,51	C	£ 75.43
500x345	6	51	445	35-44	73-82	22-31	9	50	0,61	C	£ 88.90
500x404	7	51	445	35-44	73-82	22-31	9	50	0,71	C-E-D	£ 102.39
500x463	8	51	445	35-44	73-82	22-31	9	50	0,81	C-E-D	£ 116.78
500x522	9	51	445	35-44	73-82	22-31	9	50	0,91	C-E-D	£ 130.31
500x581	10	51	445	35-44	73-82	22-31	9	50	1,01	C-E-D	£ 143.86
500x640	11	51	445	35-44	73-82	22-31	9	50	1,11	C-E-D	£ 159.60
500x699	12	51	445	35-44	73-82	22-31	9	50	1,22	C-E-D	£ 173.15
500x758	13	51	445	35-44	73-82	22-31	9	50	1,32	C-E-D	£ 186.70
500x817	14	51	445	35-44	73-82	22-31	9	50	1,42	C-E-D	£ 200.23

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x286	145	494	188	643
300x345	174	593	226	771
300x404	203	692	264	900
300x463	232	791	301	1028
300x522	261	890	339	1157
300x581	290	989	377	1285
300x640	319	1087	415	1414
300x699	348	1186	452	1542
300x758	377	1285	490	1671
300x817	406	1384	528	1799
300x876	435	1483	565	1928
300x935	464	1582	603	2056
300x994	493	1680	641	2185
300x1053	522	1779	678	2313
300x1112	551	1878	716	2442
300x1171	580	1977	754	2570
300x1230	609	2076	791	2699
300x1289	638	2175	829	2827
300x1348	667	2274	867	2956
300x1407	696	2372	904	3084
300x1466	725	2471	942	3213
300x1525	754	2570	980	3341
300x1584	783	2669	1017	3470
300x1643	812	2768	1055	3598
300x1702	841	2867	1093	3727
300x1761	870	2965	1131	3855
300x1820	899	3064	1168	3984
300x1879	928	3163	1206	4112
300x1938	957	3262	1244	4241
300x1997	986	3361	1281	4369
400x286	198	674	257	876
400x345	237	808	308	1051
400x404	277	943	359	1226
400x463	316	1078	411	1401
400x522	356	1212	462	1576
400x581	395	1347	514	1751
400x640	435	1482	565	1926
400x699	474	1616	616	2101
400x758	514	1751	668	2277
400x817	553	1886	719	2452
400x876	593	2021	770	2627
400x935	632	2155	822	2802
400x994	672	2290	873	2977
400x1053	711	2425	924	3152
400x1112	751	2559	976	3327
400x1171	790	2694	1027	3502
400x1230	830	2829	1078	3677
400x1289	869	2964	1130	3853
400x1348	909	3098	1181	4028
400x1407	948	3233	1233	4203
400x1466	988	3368	1284	4378
400x1525	1027	3502	1335	4553
400x1584	1067	3637	1387	4728
400x1643	1106	3772	1438	4903
400x1702	1146	3907	1489	5078
400x1761	1185	4041	1541	5254
400x1820	1225	4176	1592	5429
400x1879	1264	4311	1643	5604
400x1938	1304	4445	1695	5779
400x1997	1343	4580	1746	5954
500x286	252	861	328	1119
500x345	303	1033	394	1342
500x404	353	1205	459	1566
500x463	404	1377	525	1790
500x522	454	1549	590	2014
500x581	505	1721	656	2237
500x640	555	1893	722	2461
500x699	606	2065	787	2685
500x758	656	2237	853	2909
500x817	707	2409	919	3132

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1,98	2,81	0,02	390X321X86
2,37	3,27	0,02	390X380X86
2,77	3,72	0,02	390X439X86
3,17	4,17	0,02	390X498X86
3,57	4,62	0,02	390X557X86
3,97	5,08	0,03	39

BELLA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x876	15	51	445	35-44	73-82	22-31	9	50	1.52	C-E-D	£ 214.62
500x935	16	51	445	35-44	73-82	22-31	9	50	1.62	C-E-D	£ 228.17
500x994	17	51	445	35-44	73-82	22-31	9	50	1.72	C-E-D	£ 241.72
500x1053	18	51	445	35-44	73-82	22-31	9	50	1.82	C-E-D	£ 255.25
500x1112	19	51	445	35-44	73-82	22-31	9	50	1.92	C-E-D	£ 269.64
500x1171	20	51	445	35-44	73-82	22-31	9	50	2.03	C-E-D	£ 283.19
500x1230	21	51	445	35-44	73-82	22-31	9	50	2.13	C-E-D	£ 296.73
500x1289	22	51	445	35-44	73-82	22-31	9	50	2.23	C-E-D	£ 311.12
500x1348	23	51	445	35-44	73-82	22-31	9	50	2.33	C-E-D	£ 324.65
500x1407	24	51	445	35-44	73-82	22-31	9	50	2.43	C	£ 338.20
500x1466	25	51	445	35-44	73-82	22-31	9	50	2.53	C	£ 351.75
500x1525	26	51	445	35-44	73-82	22-31	9	50	2.63	C	£ 366.14
500x1584	27	51	445	35-44	73-82	22-31	9	50	2.74	C	£ 379.68
500x1643	28	51	445	35-44	73-82	22-31	9	50	2.84	C	£ 393.23
500x1702	29	51	445	35-44	73-82	22-31	9	50	2.94	C	£ 406.77
500x1761	30	51	445	35-44	73-82	22-31	9	50	3.04	C	£ 421.16
500x1820	31	51	445	35-44	73-82	22-31	9	50	3.14	C	£ 434.70
500x1879	32	51	445	35-44	73-82	22-31	9	50	3.24	C	£ 448.24
500x1938	33	51	445	35-44	73-82	22-31	9	50	3.34	C	£ 462.63
500x1997	34	51	445	35-44	73-82	22-31	9	50	3.44	C	£ 476.18
600x286	5	51	545	35-44	73-82	22-31	9	50	0.58	C	£ 79.43
600x345	6	51	545	35-44	73-82	22-31	9	50	0.69	C	£ 93.71
600x404	7	51	545	35-44	73-82	22-31	9	50	0.81	C-E-D	£ 108.01
600x463	8	51	545	35-44	73-82	22-31	9	50	0.92	C-E-D	£ 123.20
600x522	9	51	545	35-44	73-82	22-31	9	50	1.04	C-E-D	£ 137.56
600x581	10	51	545	35-44	73-82	22-31	9	50	1.16	C-E-D	£ 151.91
600x640	11	51	545	35-44	73-82	22-31	9	50	1.27	C-E-D	£ 168.46
600x699	12	51	545	35-44	73-82	22-31	9	50	1.39	C-E-D	£ 182.81
600x758	13	51	545	35-44	73-82	22-31	9	50	1.50	C-E-D	£ 197.16
600x817	14	51	545	35-44	73-82	22-31	9	50	1.62	C-E-D	£ 211.52
600x876	15	51	545	35-44	73-82	22-31	9	50	1.73	C-E-D	£ 226.71
600x935	16	51	545	35-44	73-82	22-31	9	50	1.85	C-E-D	£ 241.07
600x994	17	51	545	35-44	73-82	22-31	9	50	1.97	C-E-D	£ 255.42
600x1053	18	51	545	35-44	73-82	22-31	9	50	2.08	C-E-D	£ 269.77
600x1112	19	51	545	35-44	73-82	22-31	9	50	2.20	C-E-D	£ 284.96
600x1171	20	51	545	35-44	73-82	22-31	9	50	2.31	C-E-D	£ 299.32
600x1230	21	51	545	35-44	73-82	22-31	9	50	2.43	C-E-D	£ 313.68
600x1289	22	51	545	35-44	73-82	22-31	9	50	2.54	C-E-D	£ 328.87
600x1348	23	51	545	35-44	73-82	22-31	9	50	2.66	C-E-D	£ 343.23
600x1407	24	51	545	35-44	73-82	22-31	9	50	2.77	C	£ 357.58
600x1466	25	51	545	35-44	73-82	22-31	9	50	2.89	C	£ 371.93
600x1525	26	51	545	35-44	73-82	22-31	9	50	3.01	C	£ 387.13
600x1584	27	51	545	35-44	73-82	22-31	9	50	3.12	C	£ 401.49
600x1643	28	51	545	35-44	73-82	22-31	9	50	3.24	C	£ 415.84
600x1702	29	51	545	35-44	73-82	22-31	9	50	3.35	C	£ 430.19
600x1761	30	51	545	35-44	73-82	22-31	9	50	3.47	C	£ 445.38
600x1820	31	51	545	35-44	73-82	22-31	9	50	3.58	C	£ 459.74
600x1879	32	51	545	35-44	73-82	22-31	9	50	3.70	C	£ 474.09
600x1938	33	51	545	35-44	73-82	22-31	9	50	3.82	C	£ 489.28
600x1997	34	51	545	35-44	73-82	22-31	9	50	3.93	C	£ 503.63
700x286	5	51	645	35-44	73-82	22-31	9	50	0.65	C	£ 87.34
700x345	6	51	645	35-44	73-82	22-31	9	50	0.78	C	£ 103.13
700x404	7	51	645	35-44	73-82	22-31	9	50	0.91	C-E-D	£ 118.91
700x463	8	51	645	35-44	73-82	22-31	9	50	1.04	C-E-D	£ 135.59
700x522	9	51	645	35-44	73-82	22-31	9	50	1.17	C-E-D	£ 151.45
700x581	10	51	645	35-44	73-82	22-31	9	50	1.30	C-E-D	£ 167.30
700x640	11	51	645	35-44	73-82	22-31	9	50	1.43	C-E-D	£ 185.35
700x699	12	51	645	35-44	73-82	22-31	9	50	1.56	C-E-D	£ 201.19
700x758	13	51	645	35-44	73-82	22-31	9	50	1.69	C-E-D	£ 217.04
700x817	14	51	645	35-44	73-82	22-31	9	50	1.82	C-E-D	£ 232.90
700x876	15	51	645	35-44	73-82	22-31	9	50	1.95	C-E-D	£ 249.58
700x935	16	51	645	35-44	73-82	22-31	9	50	2.08	C-E-D	£ 265.43
700x994	17	51	645	35-44	73-82	22-31	9	50	2.21	C-E-D	£ 281.29
700x1053	18	51	645	35-44	73-82	22-31	9	50	2.34	C-E-D	£ 297.14
700x1112	19	51	645	35-44	73-82	22-31	9	50	2.47	C-E-D	£ 313.82
700x1171	20	51	645	35-44	73-82	22-31	9	50	2.60	C-E-D	£ 329.67
700x1230	21	51	645	35-44	73-82	22-31	9	50	2.73	C-E-D	£ 345.53
700x1289	22	51	645	35-44	73-82	22-31	9	50	2.86	C-E-D	£ 362.22
700x1348	23	51	645	35-44	73-82	22-31	9	50	2.99	C-E-D	£ 378.06
700x1407	24	51	645	35-44	73-82	22-31	9	50	3.12	C	£ 393.91

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x876	757	2582	984	3356
500x935	808	2754	1050	3580
500x994	858	2926	1115	3803
500x1053	908	3098	1181	4027
500x1112	959	3270	1247	4251
500x1171	1009	3442	1312	4475
500x1230	1060	3614	1378	4698
500x1289	1110	3786	1443	4922
500x1348	1161	3958	1509	5146
500x1407	1211	4130	1575	5370
500x1466	1262	4303	1640	5593
500x1525	1312	4475	1706	5817
500x1584	1363	4647	1771	6041
500x1643	1413	4819	1837	6264
500x1702	1464	4991	1903	6488
500x1761	1514	5163	1968	6712
500x1820	1565	5335	2034	6936
500x1879	1615	5507	2100	7159
500x1938	1665	5679	2165	7383
500x1997	1716	5851	2231	7607
600x286	310	1055	402	1372
600x345	371	1266	483	1646
600x404	433	1478	563	1921
600x463	495	1689	644	2195
600x522	557	1900	724	2470
600x581	619	2111	805	2744
600x640	681	2322	885	3018
600x699	743	2533	966	3293
600x758	805	2744	1046	3567
600x817	867	2955	1127	3842
600x876	929	3166	1207	4116
600x935	990	3377	1288	4390
600x994	1052	3588	1368	4665
600x1053	1114	3799	1448	4939
600x1112	1176	4011	1529	5214
600x1171	1238	4222	1609	5488
600x1230	1300	4433	1690	5762
600x1289	1362	4644	1770	6037
600x1348	1424	4855	1851	6311
600x1407	1486	5066	1931	6586
600x1466	1548	5277	2012	6860
600x1525	1609	5488	2092	7134
600x1584	1671	5699	2173	7409
600x1643	1733	5910	2253	7683
600x1702	1795	6121	2334	7958
600x1761	1857	6332	2414	8232
600x1820	1919	6543	2495	8506
600x1879	1981	6755	2575	8781
600x1938	2043	6966	2656	9055
600x1997	2105	7177	2736	9330
700x286	353	1205	459	1566
700x345	424	1446	551	1879
700x404	495	1687	643	2193
700x463	565	1928	735	2506
700x522	636	2168	827	2819
700x581	707	2409	919	3132
700x640	777	2650	1010	3445
700x699	848	2891	1102	3759
700x758	919	3132	1194	4072
700x817	989	3373	1286	4385
700x876	1060	3614	1378	4698
700x935	1131	3855	1470	5012
700x994	1201	4096	1562	5325
700x1053	1272	4337	1653	5638
700x1112	1342	4578	1745	5951
700x1171	1413	4819	1837	6264
700x1230	1484	5060	1929	6578
700x1289	1554	5301	2021	6891
700x1348	1625	5542	2113	7204
700x1407	1696	5783	2205	7517

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
8.22	10.14	0.05	590X911X86
8.77	10.77	0.05	590X970X86
9.31	11.38	0.06	590X1029X86
9.85	11.99	0.06	590X1088X86
10.40	12.61	0.06	590X1147X86
10.95	13.24	0.07	590X1206X86
11.50	13.86	0.07	590X1265X86
12.05	14.49	0.07	590X1324X86
12.60	15.11	0.08	590X1383X86
13.14	15.73	0.08	590X1442X86
13.69	16.35	0.08	590X1501X86
14.24	16.98	0.08	590X1560X86
14.79	17.59	0.09	590X1619X86
15.34	18.23	0.09	590X1678X86
15.88	18.84	0.09	590X1737X86
16.43	19.47	0.10	590X1796X86
16.98	20.09	0.10	590X1855X86
17.53	20.71	0.10	590X1914X86
18.08	21.34	0.11	590X1973X86
18.63	21.96	0.11	590X2032X86
3.11	4.22	0.02	690X321X86
3.73	4.92	0.03	690X380X86
4.35	5.62	0.03	690X439X86
4.98	6.34	0.03	690X498X86
5.60	7.05	0.04	690X557X86
6.23	7.75	0.04	690X616X86
6.86	8.63	0.05	690X675X86
7.47	9.32	0.05	690X734X86
8.10	10.05	0.05	690X793X86
8.72	10.74	0.06	690X852X86
9.35	11.46	0.06	690X911X86
9.97	12.16	0.06	690X970X86
10.60	12.88	0.07	690X1029X86
11.21	13.57	0.07	690X1088X86
11.84	14.29	0.07	690X1147X86
12.46	14.99	0.08	690X1206X86
13.09	15.71	0.08	690X1265X86
13.71	16.41	0.08	690X1324X86
14.34	17.14	0.09	690X1383X86
14.95	17.82	0.09	690X1442X86
15.58	18.54	0.09	690X1501X86
16.20	19.24	0.10	690X1560X86
16.83	19.97	0.10	690X1619X86
17.45	20.66	0.10	690X1678X86
18.07	21.37	0.11	690X1737X86
18.70	22.08	0.11	690X1796X86
19.32	22.79	0.12	690X1855X86
19.95	23.50	0.12	690X1914X86
20.57	24.20	0.12	690X1973X86
21.20	24.91	0.13	690X2032X86
4.18	4.68	0.03	790X321X86
4.18	5.47	0.03	790X380X86
4.88	6.26	0.03	790X439X86
5.58	7.06	0.04	790X498X86
6.28	7.86	0.04	790X557X86
6.98	8.66	0.05	790X616X86
7.68	9.60	0.05	790X675X86
8.38	10.40	0.05	790X734X86
9.08	11.19	0.06	790X793X86
9.78	12.00	0.06	790X852X86
10.48	12.79	0.07	790X911X86
11.18	13.59	0.07	790X970X86
11.88	14.38	0.07	790X1029X86
12.57	15.17	0.08	790X1088X86
13.27	15.96	0.08	790X1147X86
13.97	16.76	0.09	790X1206X86
14.67	17.55	0.09	790X1265X86
15.37	18.36	0.09	790X1324X86
16.07	19.14	0.10	790X1383X86
16.76	19.92	0.10	790X1442X86

BELLA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1466	25	51	645	35-44	73-82	22-31	9	50	3.25	C	£ 409.77
700x1525	26	51	645	35-44	73-82	22-31	9	50	3.38	C	£ 426.45
700x1584	27	51	645	35-44	73-82	22-31	9	50	3.51	C	£ 442.30
700x1643	28	51	645	35-44	73-82	22-31	9	50	3.64	C	£ 458.16
700x1702	29	51	645	35-44	73-82	22-31	9	50	3.77	C	£ 474.01
700x1761	30	51	645	35-44	73-82	22-31	9	50	3.90	C	£ 490.70
700x1820	31	51	645	35-44	73-82	22-31	9	50	4.03	C	£ 506.54
700x1879	32	51	645	35-44	73-82	22-31	9	50	4.16	C	£ 522.39
700x1938	33	51	645	35-44	73-82	22-31	9	50	4.29	C	£ 539.09
700x1997	34	51	645	35-44	73-82	22-31	9	50	4.42	C	£ 554.93
800x286	5	51	745	35-44	73-82	22-31	9	50	0.72	C	£ 91.58
800x345	6	51	745	35-44	73-82	22-31	9	50	0.87	C	£ 108.18
800x404	7	51	745	35-44	73-82	22-31	9	50	1.01	C-E-D	£ 124.77
800x463	8	51	745	35-44	73-82	22-31	9	50	1.15	C-E-D	£ 142.26
800x522	9	51	745	35-44	73-82	22-31	9	50	1.30	C-E-D	£ 158.92
800x581	10	51	745	35-44	73-82	22-31	9	50	1.44	C-E-D	£ 175.59
800x640	11	51	745	35-44	73-82	22-31	9	50	1.59	C-E-D	£ 194.44
800x699	12	51	745	35-44	73-82	22-31	9	50	1.73	C-E-D	£ 211.10
800x758	13	51	745	35-44	73-82	22-31	9	50	1.87	C-E-D	£ 227.76
800x817	14	51	745	35-44	73-82	22-31	9	50	2.02	C-E-D	£ 244.41
800x876	15	51	745	35-44	73-82	22-31	9	50	2.16	C-E-D	£ 261.92
800x935	16	51	745	35-44	73-82	22-31	9	50	2.31	C-E-D	£ 278.58
800x994	17	51	745	35-44	73-82	22-31	9	50	2.45	C-E-D	£ 295.23
800x1053	18	51	745	35-44	73-82	22-31	9	50	2.60	C-E-D	£ 311.90
800x1112	19	51	745	35-44	73-82	22-31	9	50	2.74	C-E-D	£ 329.39
800x1171	20	51	745	35-44	73-82	22-31	9	50	2.88	C-E-D	£ 346.05
800x1230	21	51	745	35-44	73-82	22-31	9	50	3.03	C-E-D	£ 362.71
800x1289	22	51	745	35-44	73-82	22-31	9	50	3.17	C-E-D	£ 380.22
800x1348	23	51	745	35-44	73-82	22-31	9	50	3.32	C-E-D	£ 396.86
800x1407	24	51	745	35-44	73-82	22-31	9	50	3.46	C	£ 413.53
800x1466	25	51	745	35-44	73-82	22-31	9	50	3.61	C	£ 430.19
800x1525	26	51	745	35-44	73-82	22-31	9	50	3.75	C	£ 447.68
800x1584	27	51	745	35-44	73-82	22-31	9	50	3.89	C	£ 464.35
800x1643	28	51	745	35-44	73-82	22-31	9	50	4.04	C	£ 481.01
800x1702	29	51	745	35-44	73-82	22-31	9	50	4.18	C	£ 497.66
800x1761	30	51	745	35-44	73-82	22-31	9	50	4.33	C	£ 515.16
800x1820	31	51	745	35-44	73-82	22-31	9	50	4.47	C	£ 531.83
800x1879	32	51	745	35-44	73-82	22-31	9	50	4.61	C	£ 548.48
800x1938	33	51	745	35-44	73-82	22-31	9	50	4.76	C	£ 565.98
800x1997	34	51	745	35-44	73-82	22-31	9	50	4.90	C	£ 582.64
900x286	5	51	845	35-44	73-82	22-31	9	50	0.79	C	£ 95.82
900x345	6	51	845	35-44	73-82	22-31	9	50	0.95	C	£ 113.22
900x404	7	51	845	35-44	73-82	22-31	9	50	1.11	C-E-D	£ 130.62
900x463	8	51	845	35-44	73-82	22-31	9	50	1.27	C-E-D	£ 148.93
900x522	9	51	845	35-44	73-82	22-31	9	50	1.43	C-E-D	£ 166.40
900x581	10	51	845	35-44	73-82	22-31	9	50	1.59	C-E-D	£ 183.87
900x640	11	51	845	35-44	73-82	22-31	9	50	1.74	C-E-D	£ 203.53
900x699	12	51	845	35-44	73-82	22-31	9	50	1.90	C-E-D	£ 221.00
900x758	13	51	845	35-44	73-82	22-31	9	50	2.06	C-E-D	£ 238.47
900x817	14	51	845	35-44	73-82	22-31	9	50	2.22	C-E-D	£ 255.94
900x876	15	51	845	35-44	73-82	22-31	9	50	2.38	C-E-D	£ 274.25
900x935	16	51	845	35-44	73-82	22-31	9	50	2.54	C-E-D	£ 291.72
900x994	17	51	845	35-44	73-82	22-31	9	50	2.69	C-E-D	£ 309.18
900x1053	18	51	845	35-44	73-82	22-31	9	50	2.85	C-E-D	£ 326.65
900x1112	19	51	845	35-44	73-82	22-31	9	50	3.01	C-E-D	£ 344.96
900x1171	20	51	845	35-44	73-82	22-31	9	50	3.17	C-E-D	£ 362.43
900x1230	21	51	845	35-44	73-82	22-31	9	50	3.33	C-E-D	£ 379.90
900x1289	22	51	845	35-44	73-82	22-31	9	50	3.49	C-E-D	£ 398.21
900x1348	23	51	845	35-44	73-82	22-31	9	50	3.65	C-E-D	£ 415.68
900x1407	24	51	845	35-44	73-82	22-31	9	50	3.80	C	£ 433.15
900x1466	25	51	845	35-44	73-82	22-31	9	50	3.96	C	£ 450.61
900x1525	26	51	845	35-44	73-82	22-31	9	50	4.12	C	£ 468.92
900x1584	27	51	845	35-44	73-82	22-31	9	50	4.28	C	£ 486.38
900x1643	28	51	845	35-44	73-82	22-31	9	50	4.44	C	£ 503.85
900x1702	29	51	845	35-44	73-82	22-31	9	50	4.60	C	£ 521.32
900x1761	30	51	845	35-44	73-82	22-31	9	50	4.76	C	£ 539.62
900x1820	31	51	845	35-44	73-82	22-31	9	50	4.91	C	£ 557.09
900x1879	32	51	845	35-44	73-82	22-31	9	50	5.07	C	£ 574.57
900x1938	33	51	845	35-44	73-82	22-31	9	50	5.23	C	£ 592.87
900x1997	34	51	845	35-44	73-82	22-31	9	50	5.39	C	£ 610.34

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1466	1766	6024	2296	7831
700x1525	1837	6264	2388	8144
700x1584	1908	6505	2480	8457
700x1643	1978	6746	2572	8770
700x1702	2049	6987	2664	9083
700x1761	2120	7228	2756	9397
700x1820	2190	7469	2847	9710
700x1879	2261	7710	2939	10023
700x1938	2332	7951	3031	10336
700x1997	2402	8192	3123	10650
800x286	395	1347	514	1751
800x345	474	1616	616	2101
800x404	553	1886	719	2452
800x463	632	2155	822	2802
800x522	711	2425	924	3152
800x581	790	2694	1027	3502
800x640	869	2964	1130	3853
800x699	948	3233	1233	4203
800x758	1027	3502	1335	4553
800x817	1106	3772	1438	4903
800x876	1185	4041	1541	5254
800x935	1264	4311	1643	5604
800x994	1343	4580	1746	5954
800x1053	1422	4849	1849	6304
800x1112	1501	5119	1951	6654
800x1171	1580	5388	2054	7005
800x1230	1659	5658	2157	7355
800x1289	1738	5927	2260	7705
800x1348	1817	6196	2362	8055
800x1407	1896	6466	2465	8406
800x1466	1975	6735	2568	8756
800x1525	2054	7005	2670	9106
800x1584	2133	7274	2773	9456
800x1643	2212	7544	2876	9807
800x1702	2291	7813	2979	10157
800x1761	2370	8082	3081	10507
800x1820	2449	8352	3184	10857
800x1879	2528	8621	3287	11208
800x1938	2607	8891	3389	11558
800x1997	2686	9160	3492	11908
900x286	435	1483	565	1928
900x345	522	1779	678	2313
900x404	609	2076	791	2699
900x463	696	2372	904	3084
900x522	783	2669	1017	3470
900x581	870	2965	1131	3855
900x640	957	3262	1244	4241
900x699	1044	3559	1357	4626
900x758	1131	3855	1470	5012
900x817	1217	4152	1583	5397
900x876	1304	4448	1696	5783
900x935	1391	4745	1809	6168
900x994	1478	5041	1922	6554
900x1053	1565	5338	2035	6939
900x1112	1652	5634	2148	7325
900x1171	1739	5931	2261	7710
900x1230	1826	6227	2374	8096
900x1289	1913	6524	2487	8481
900x1348	2000	6820	2600	8867
900x1407	2087	7117	2713	9252
900x1466	2174	7414	2826	9638
900x1525	2261	7710	2939	10023
900x1584	2348	8007	3052	10409
900x1643	2435	8303	3165	10794
900x1702	2522	8600	3278	11180
900x1761	2609	8896	3392	11565
900x1820	2696	9193	3505	11951
900x1879	2783	9489	3618	12336
900x1938	2870	9786	3731	12722
900x1997	2957	10082	3844	13107

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
17.46	20.73	0.11	790X1501X86
18.16	21.52	0.11	790X1560X86
18.87	22.33	0.11	790X1619X86
19.57	23.12	0.12	790X1678X86
20.26	23.90	0.12	790X1737X86
20.96	24.70	0.13	790X1796X86
21.66	25.50	0.13	790X1855X86
22.36	26.29	0.14	790X1914X86
23.06	27.10	0.14	790X1973X86
23.76	27.88	0.14	790X2032X86
3.87	5.15	0.03	890X321X86
4.63	6.02	0.03	890X380X86
5.41	6.91	0.04	890X439X86
6.19	7.79	0.04	890X498X86
6.96	8.67	0.05	890X557X86
7.74	9.56	0.05	890X616X86
8.51	10.59	0.06	890X675X86
9.28	11.47	0.06	890X734X86
10.06	12.36	0.07	890X793X86
10.83	13.23	0.07	890X852X86
11.61	14.12	0.07	890X911X86
12.38	14.98	0.08	890X970X86
13.16	15.87	0.08	890X1029X86
13.93	16.74	0.09	890X1088X86
14.70	17.63	0.09	890X1147X86
15.48	18.51	0.10	890X1206X86
16.25	19.39	0.10	890X1265X86
17.03	20.27	0.11	890X1324X86
17.81	21.16	0.11	890X1383X86
18.57	22.03	0.12	890X1442X86
19.35	22.92	0.12	890X1501X86
20.13	23.80	0.12	890X1560X86
20.90	24.68	0.13	890X1619X86
21.68	25.57	0.13	890X1678X86
22.44	26.43	0.14	890X1737X86
23.22	27.32	0.14	890X1796X86
24.00	28.21	0.15	890X1855X86
24.77	29.08	0.15	890X1914X86
25.55	29.97	0.16	890X1973X86
26.32	30.84	0.16	890X2032X86
4.24	5.61	0.03	990X321X86
5.09	6.59	0.04	990X380X86
5.94	7.55	0.04	990X439X86
6.79	8.51	0.05	990X498X86
7.64	9.48	0.05	990X557X86
8.49	10.44	0.06	990X616X86
9.34	11.57	0.06	990X675X86
10.18	12.52	0.07	990X734X86
11.04	13.51	0.07	990X793X86
11.89	14.47	0.08	990X852X86
12.74	15.44	0.08	990X911X86
13.59	16.40	0.09	990X970X86
14.44	17.37	0.09	990X1029X86
15.28	18.32	0.10	990X1088X86
16.14	19.31	0.10	990X1147X86
16.99	20.28	0.11	990X1206X86
17.84	21.25	0.11	990X1265X86
18.69	22.21	0.12	990X1324X86
19.54	23.18	0.12	990X1383X86
20.38	24.13	0.13	990X1442X86
21.23	25.10	0.13	990X1501X86
22.09	26.08	0.14	990X1560X86
22.94	27.04	0.14	990X1619X86
23.79	28.00	0.15	990X1678X86
24.63	28.95	0.15	990X1737X86
25.48	29.92	0.16	990X1796X86
26.33	30.89	0.16	990X1855X86
27.18	31.86	0.17	990X1914X86
28.04	32.83	0.17	990X1973X86
28.89	33.80	0.18	990X2032X86

BELLA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x286	5	51	945	35-44	73-82	22-31	9	50	0.86	C	£ 103.77
1000x345	6	51	945	35-44	73-82	22-31	9	50	1.04	C	£ 122.64
1000x404	7	51	945	35-44	73-82	22-31	9	50	1.21	C-E-D	£ 141.54
1000x463	8	51	945	35-44	73-82	22-31	9	50	1.38	C-E-D	£ 161.36
1000x522	9	51	945	35-44	73-82	22-31	9	50	1.56	C-E-D	£ 180.31
1000x581	10	51	945	35-44	73-82	22-31	9	50	1.73	C-E-D	£ 199.27
1000x640	11	51	945	35-44	73-82	22-31	9	50	1.90	C-E-D	£ 220.50
1000x699	12	51	945	35-44	73-82	22-31	9	50	2.07	C-E-D	£ 239.45
1000x758	13	51	945	35-44	73-82	22-31	9	50	2.25	C-E-D	£ 258.41
1000x817	14	51	945	35-44	73-82	22-31	9	50	2.42	C-E-D	£ 277.37
1000x876	15	51	945	35-44	73-82	22-31	9	50	2.59	C-E-D	£ 297.19
1000x935	16	51	945	35-44	73-82	22-31	9	50	2.77	C-E-D	£ 316.14
1000x994	17	51	945	35-44	73-82	22-31	9	50	2.94	C-E-D	£ 335.09
1000x1053	18	51	945	35-44	73-82	22-31	9	50	3.11	C-E-D	£ 354.06
1000x1112	19	51	945	35-44	73-82	22-31	9	50	3.28	C-E-D	£ 373.88
1000x1171	20	51	945	35-44	73-82	22-31	9	50	3.46	C-E-D	£ 392.83
1000x1230	21	51	945	35-44	73-82	22-31	9	50	3.63	C-E-D	£ 411.78
1000x1289	22	51	945	35-44	73-82	22-31	9	50	3.80	C-E-D	£ 431.61
1000x1348	23	51	945	35-44	73-82	22-31	9	50	3.97	C-E-D	£ 450.57
1000x1407	24	51	945	35-44	73-82	22-31	9	50	4.15	C	£ 469.52
1000x1466	25	51	945	35-44	73-82	22-31	9	50	4.32	C	£ 488.47
1000x1525	26	51	945	35-44	73-82	22-31	9	50	4.49	C	£ 508.30
1000x1584	27	51	945	35-44	73-82	22-31	9	50	4.67	C	£ 527.25
1000x1643	28	51	945	35-44	73-82	22-31	9	50	4.84	C	£ 546.21
1000x1702	29	51	945	35-44	73-82	22-31	9	50	5.01	C	£ 565.17
1000x1761	30	51	945	35-44	73-82	22-31	9	50	5.18	C	£ 585.00
1000x1820	31	51	945	35-44	73-82	22-31	9	50	5.36	C	£ 603.94
1000x1879	32	51	945	35-44	73-82	22-31	9	50	5.53	C	£ 622.89
1000x1938	33	51	945	35-44	73-82	22-31	9	50	5.70	C	£ 642.73
1000x1997	34	51	945	35-44	73-82	22-31	9	50	5.88	C	£ 661.68
1200x286	5	51	1145	35-44	73-82	22-31	9	50	1.01	C	£ 116.12
1200x345	6	51	1145	35-44	73-82	22-31	9	50	1.21	C	£ 137.39
1200x404	7	51	1145	35-44	73-82	22-31	9	50	1.41	C-E-D	£ 158.67
1200x463	8	51	1145	35-44	73-82	22-31	9	50	1.61	C-E-D	£ 180.89
1200x522	9	51	1145	35-44	73-82	22-31	9	50	1.81	C-E-D	£ 202.24
1200x581	10	51	1145	35-44	73-82	22-31	9	50	2.01	C-E-D	£ 223.57
1200x640	11	51	1145	35-44	73-82	22-31	9	50	2.22	C-E-D	£ 247.19
1200x699	12	51	1145	35-44	73-82	22-31	9	50	2.42	C-E-D	£ 268.54
1200x758	13	51	1145	35-44	73-82	22-31	9	50	2.62	C-E-D	£ 289.89
1200x817	14	51	1145	35-44	73-82	22-31	9	50	2.82	C-E-D	£ 311.24
1200x876	15	51	1145	35-44	73-82	22-31	9	50	3.02	C-E-D	£ 333.45
1200x935	16	51	1145	35-44	73-82	22-31	9	50	3.22	C-E-D	£ 354.80
1200x994	17	51	1145	35-44	73-82	22-31	9	50	3.42	C-E-D	£ 376.13
1200x1053	18	51	1145	35-44	73-82	22-31	9	50	3.63	C-E-D	£ 397.48
1200x1112	19	51	1145	35-44	73-82	22-31	9	50	3.83	C-E-D	£ 419.69
1200x1171	20	51	1145	35-44	73-82	22-31	9	50	4.03	C-E-D	£ 441.05
1200x1230	21	51	1145	35-44	73-82	22-31	9	50	4.23	C-E-D	£ 462.39
1200x1289	22	51	1145	35-44	73-82	22-31	9	50	4.43	C-E-D	£ 484.61
1200x1348	23	51	1145	35-44	73-82	22-31	9	50	4.63	C-E-D	£ 505.95
1400x286	5	51	1345	35-44	73-82	22-31	9	50	1.15	C	£ 124.92
1400x345	6	51	1345	35-44	73-82	22-31	9	50	1.38	C	£ 147.86
1400x404	7	51	1345	35-44	73-82	22-31	9	50	1.61	C-E-D	£ 170.82
1400x463	8	51	1345	35-44	73-82	22-31	9	50	1.84	C-E-D	£ 194.71
1400x522	9	51	1345	35-44	73-82	22-31	9	50	2.07	C-E-D	£ 217.74
1400x581	10	51	1345	35-44	73-82	22-31	9	50	2.30	C-E-D	£ 240.75
1400x640	11	51	1345	35-44	73-82	22-31	9	50	2.53	C-E-D	£ 266.07
1400x699	12	51	1345	35-44	73-82	22-31	9	50	2.76	C-E-D	£ 289.08
1400x758	13	51	1345	35-44	73-82	22-31	9	50	2.99	C-E-D	£ 312.11
1400x817	14	51	1345	35-44	73-82	22-31	9	50	3.22	C-E-D	£ 335.13
1400x876	15	51	1345	35-44	73-82	22-31	9	50	3.45	C-E-D	£ 359.03
1400x935	16	51	1345	35-44	73-82	22-31	9	50	3.68	C-E-D	£ 382.04
1400x994	17	51	1345	35-44	73-82	22-31	9	50	3.91	C-E-D	£ 405.07
1400x1053	18	51	1345	35-44	73-82	22-31	9	50	4.14	C-E-D	£ 428.09
1400x1112	19	51	1345	35-44	73-82	22-31	9	50	4.37	C-E-D	£ 451.98
1400x1171	20	51	1345	35-44	73-82	22-31	9	50	4.60	C-E-D	£ 475.01
1400x1230	21	51	1345	35-44	73-82	22-31	9	50	4.83	C-E-D	£ 498.03
1400x1289	22	51	1345	35-44	73-82	22-31	9	50	5.06	C-E-D	£ 521.93
1400x1348	23	51	1345	35-44	73-82	22-31	9	50	5.29	C-E-D	£ 544.95
1600x286	5	51	1545	35-44	73-82	22-31	9	50	1.29	C	£ 147.89
1600x345	6	51	1545	35-44	73-82	22-31	9	50	1.55	C	£ 175.36

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x286	473	1612	615	2095
1000x345	567	1934	737	2515
1000x404	662	2257	860	2934
1000x463	756	2579	983	3353
1000x522	851	2901	1106	3772
1000x581	945	3224	1229	4191
1000x640	1040	3546	1352	4610
1000x699	1134	3869	1475	5029
1000x758	1229	4191	1598	5448
1000x817	1324	4513	1721	5867
1000x876	1418	4836	1843	6286
1000x935	1513	5158	1966	6705
1000x994	1607	5480	2089	7124
1000x1053	1702	5803	2212	7544
1000x1112	1796	6125	2335	7963
1000x1171	1891	6448	2458	8382
1000x1230	1985	6770	2581	8801
1000x1289	2080	7092	2704	9220
1000x1348	2174	7415	2827	9639
1000x1407	2269	7737	2950	10058
1000x1466	2363	8059	3072	10477
1000x1525	2458	8382	3195	10896
1000x1584	2553	8704	3318	11315
1000x1643	2647	9026	3441	11734
1000x1702	2742	9349	3564	12154
1000x1761	2836	9671	3687	12573
1000x1820	2931	9994	3810	12992
1000x1879	3025	10316	3933	13411
1000x1938	3120	10638	4056	13830
1000x1997	3214	10961	4179	14249
1200x286	543	1851	706	2406
1200x345	651	2221	847	2887
1200x404	760	2591	988	3368
1200x463	868	2961	1129	3849
1200x522	977	3331	1270	4331
1200x581	1085	3701	1411	4812
1200x640	1194	4072	1552	5293
1200x699	1303	4442	1693	5774
1200x758	1411	4812	1834	6255
1200x817	1520	5182	1976	6736
1200x876	1628	5552	2117	7218
1200x935	1737	5922	2258	7699
1200x994	1845	6292	2399	8180
1200x1053	1954	6662	2540	8661
1200x1112	2062	7033	2681	9142
1200x1171	2171	7403	2822	9624
1200x1230	2279	7773	2963	10105
1200x1289	2388	8143	3104	10586
1200x1348	2497	8513	3245	11067
1400x286	623	2125	810	2762
1400x345	748	2550	972	3315
1400x404	872	2975	1134	3867
1400x463	997	3400	1296	4420
1400x522	1122	3825	1458	4972
1400x581	1246	4250	1620	5525
1400x640	1371	4675	1782	6077
1400x699	1496	5100	1944	6630
1400x758	1620	5525	2106	7182
1400x817	1745	5950	2268	7735
1400x876	1869	6375	2430	8287
1400x935	1994	6800	2592	8840
1400x994	2119	7225	2754	9392
1400x1053	2243	7650	2916	9944
1400x1112	2368	8075	3078	10497
1400x1171	2493	8500	3240	11049
1400x1230	2617	8925	3402	11602
1400x1289	2742	9350	3564	12154
1400x1348	2866	9774	3726	12707
1600x286	715	2440	930	3172
1600x345	859	2928	1116	3806

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
4.62	6.08	0.04	1090X321X86
5.54	7.12	0.04	1090X380X86
6.46	8.18	0.05	1090X439X86
7.39	9.23	0.05	1090X498X

BELLA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1600x404	7	51	1545	35-44	73-82	22-31	9	50	1,81	C-E-D	£ 202,83
1600x463	8	51	1545	35-44	73-82	22-31	9	50	2,07	C-E-D	£ 231,24
1600x522	9	51	1545	35-44	73-82	22-31	9	50	2,33	C-E-D	£ 258,78
1600x581	10	51	1545	35-44	73-82	22-31	9	50	2,59	C-E-D	£ 286,31
1600x640	11	51	1545	35-44	73-82	22-31	9	50	2,84	C-E-D	£ 316,12
1600x699	12	51	1545	35-44	73-82	22-31	9	50	3,10	C-E-D	£ 343,66
1600x758	13	51	1545	35-44	73-82	22-31	9	50	3,36	C-E-D	£ 371,20
1600x817	14	51	1545	35-44	73-82	22-31	9	50	3,62	C-E-D	£ 398,74
1600x876	15	51	1545	35-44	73-82	22-31	9	50	3,88	C-E-D	£ 427,15
1600x935	16	51	1545	35-44	73-82	22-31	9	50	4,14	C-E-D	£ 454,69
1600x994	17	51	1545	35-44	73-82	22-31	9	50	4,40	C-E-D	£ 482,24
1800x286	5	51	1745	35-44	73-82	22-31	9	50	1,44	C	£ 159,73
1800x345	6	51	1745	35-44	73-82	22-31	9	50	1,72	C	£ 189,23
1800x404	7	51	1745	35-44	73-82	22-31	9	50	2,01	C-E-D	£ 218,74
1800x463	8	51	1745	35-44	73-82	22-31	9	50	2,30	C-E-D	£ 249,18
1800x522	9	51	1745	35-44	73-82	22-31	9	50	2,58	C-E-D	£ 278,75
1800x581	10	51	1745	35-44	73-82	22-31	9	50	2,87	C-E-D	£ 308,33
1800x640	11	51	1745	35-44	73-82	22-31	9	50	3,16	C-E-D	£ 340,18
1800x699	12	51	1745	35-44	73-82	22-31	9	50	3,45	C-E-D	£ 369,75
1800x758	13	51	1745	35-44	73-82	22-31	9	50	3,73	C-E-D	£ 399,32
1800x817	14	51	1745	35-44	73-82	22-31	9	50	4,02	C-E-D	£ 428,91
1800x876	15	51	1745	35-44	73-82	22-31	9	50	4,31	C-E-D	£ 459,34
1800x935	16	51	1745	35-44	73-82	22-31	9	50	4,60	C-E-D	£ 488,91
1800x994	17	51	1745	35-44	73-82	22-31	9	50	4,88	C-E-D	£ 518,49

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1600x404	1002	3416	1302	4440
1600x463	1145	3904	1488	5075
1600x522	1288	4391	1674	5709
1600x581	1431	4879	1860	6343
1600x640	1574	5367	2046	6978
1600x699	1717	5855	2232	7612
1600x758	1860	6343	2418	8246
1600x817	2003	6831	2604	8881
1600x876	2146	7319	2790	9515
1600x935	2289	7807	2976	10149
1600x994	2433	8295	3162	10784
1800x286	821	2801	1068	3642
1800x345	986	3361	1281	4370
1800x404	1150	3922	1495	5098
1800x463	1314	4482	1709	5826
1800x522	1479	5042	1922	6555
1800x581	1643	5602	2136	7283
1800x640	1807	6163	2349	8011
1800x699	1972	6723	2563	8740
1800x758	2136	7283	2777	9468
1800x817	2300	7843	2990	10196
1800x876	2464	8404	3204	10925
1800x935	2629	8964	3417	11653
1800x994	2793	9524	3631	12381

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
9,59	11,96	0,07	1690X439X86
10,96	13,52	0,08	1690X498X86
12,33	15,09	0,09	1690X557X86
13,70	16,64	0,09	1690X616X86
15,08	18,38	0,10	1690X675X86
16,45	19,94	0,11	1690X734X86
17,82	21,50	0,12	1690X793X86
19,19	23,06	0,13	1690X852X86
20,56	24,62	0,14	1690X911X86
21,93	26,17	0,15	1690X970X86
23,30	27,74	0,15	1690X1029X86
7,60	9,77	0,06	1890X321X86
9,13	11,50	0,07	1890X380X86
10,65	13,24	0,08	1890X439X86
12,17	14,97	0,09	1890X498X86
13,69	16,69	0,10	1890X557X86
15,21	18,59	0,11	1890X616X86
16,74	20,34	0,11	1890X675X86
18,26	22,07	0,12	1890X734X86
19,78	23,80	0,13	1890X793X86
21,30	25,54	0,14	1890X852X86
22,82	27,26	0,15	1890X911X86
24,34	29,00	0,16	1890X970X86
25,87	30,73	0,17	1890X1029X86

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel