

BELLA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x286	5	77	245	64-73	103-112	26-35	9	50	0.36	C	£ 77.52
300x345	6	77	245	64-73	103-112	26-35	9	50	0.44	C	£ 91.13
300x404	7	77	245	64-73	103-112	26-35	9	50	0.51	C-E-D	£ 104.77
300x463	8	77	245	64-73	103-112	26-35	9	50	0.58	C-E-D	£ 119.42
300x522	9	77	245	64-73	103-112	26-35	9	50	0.65	C-E-D	£ 133.22
300x581	10	77	245	64-73	103-112	26-35	9	50	0.73	C-E-D	£ 147.03
300x640	11	77	245	64-73	103-112	26-35	9	50	0.80	C-E-D	£ 163.04
300x699	12	77	245	64-73	103-112	26-35	9	50	0.87	C-E-D	£ 176.85
300x758	13	77	245	64-73	103-112	26-35	9	50	0.95	C-E-D	£ 190.67
300x817	14	77	245	64-73	103-112	26-35	9	50	1.02	C-E-D	£ 204.49
300x876	15	77	245	64-73	103-112	26-35	9	50	1.09	C-E-D	£ 219.13
300x935	16	77	245	64-73	103-112	26-35	9	50	1.16	C-E-D	£ 232.95
300x994	17	77	245	64-73	103-112	26-35	9	50	1.24	C-E-D	£ 246.75
300x1053	18	77	245	64-73	103-112	26-35	9	50	1.31	C-E-D	£ 260.57
300x1112	19	77	245	64-73	103-112	26-35	9	50	1.38	C-E-D	£ 275.21
300x1171	20	77	245	64-73	103-112	26-35	9	50	1.45	C-E-D	£ 289.03
300x1230	21	77	245	64-73	103-112	26-35	9	50	1.53	C-E-D	£ 302.84
300x1289	22	77	245	64-73	103-112	26-35	9	50	1.60	C-E-D	£ 317.49
300x1348	23	77	245	64-73	103-112	26-35	9	50	1.67	C-E-D	£ 331.30
300x1407	24	77	245	64-73	103-112	26-35	9	50	1.75	C	£ 345.11
300x1466	25	77	245	64-73	103-112	26-35	9	50	1.82	C	£ 358.92
300x1525	26	77	245	64-73	103-112	26-35	9	50	1.89	C	£ 373.57
300x1584	27	77	245	64-73	103-112	26-35	9	50	1.96	C	£ 387.39
300x1643	28	77	245	64-73	103-112	26-35	9	50	2.04	C	£ 401.20
300x1702	29	77	245	64-73	103-112	26-35	9	50	2.11	C	£ 415.02
300x1761	30	77	245	64-73	103-112	26-35	9	50	2.18	C	£ 429.66
300x1820	31	77	245	64-73	103-112	26-35	9	50	2.25	C	£ 443.48
300x1879	32	77	245	64-73	103-112	26-35	9	50	2.33	C	£ 457.28
300x1938	33	77	245	64-73	103-112	26-35	9	50	2.40	C	£ 471.93
300x1997	34	77	245	64-73	103-112	26-35	9	50	2.47	C	£ 485.74
400x286	5	77	345	64-73	103-112	26-35	9	50	0.44	C	£ 84.20
400x345	6	77	345	64-73	103-112	26-35	9	50	0.52	C	£ 99.14
400x404	7	77	345	64-73	103-112	26-35	9	50	0.61	C-E-D	£ 114.09
400x463	8	77	345	64-73	103-112	26-35	9	50	0.70	C-E-D	£ 130.06
400x522	9	77	345	64-73	103-112	26-35	9	50	0.78	C-E-D	£ 145.19
400x581	10	77	345	64-73	103-112	26-35	9	50	0.87	C-E-D	£ 160.32
400x640	11	77	345	64-73	103-112	26-35	9	50	0.96	C-E-D	£ 177.65
400x699	12	77	345	64-73	103-112	26-35	9	50	1.04	C-E-D	£ 192.77
400x758	13	77	345	64-73	103-112	26-35	9	50	1.13	C-E-D	£ 207.90
400x817	14	77	345	64-73	103-112	26-35	9	50	1.22	C-E-D	£ 223.04
400x876	15	77	345	64-73	103-112	26-35	9	50	1.31	C-E-D	£ 239.02
400x935	16	77	345	64-73	103-112	26-35	9	50	1.39	C-E-D	£ 254.14
400x994	17	77	345	64-73	103-112	26-35	9	50	1.48	C-E-D	£ 269.27
400x1053	18	77	345	64-73	103-112	26-35	9	50	1.57	C-E-D	£ 284.40
400x1112	19	77	345	64-73	103-112	26-35	9	50	1.65	C-E-D	£ 300.37
400x1171	20	77	345	64-73	103-112	26-35	9	50	1.74	C-E-D	£ 315.50
400x1230	21	77	345	64-73	103-112	26-35	9	50	1.83	C-E-D	£ 330.64
400x1289	22	77	345	64-73	103-112	26-35	9	50	1.91	C-E-D	£ 346.61
400x1348	23	77	345	64-73	103-112	26-35	9	50	2.00	C-E-D	£ 361.73
400x1407	24	77	345	64-73	103-112	26-35	9	50	2.09	C	£ 376.86
400x1466	25	77	345	64-73	103-112	26-35	9	50	2.18	C	£ 392.00
400x1525	26	77	345	64-73	103-112	26-35	9	50	2.26	C	£ 407.96
400x1584	27	77	345	64-73	103-112	26-35	9	50	2.35	C	£ 423.10
400x1643	28	77	345	64-73	103-112	26-35	9	50	2.44	C	£ 438.23
400x1702	29	77	345	64-73	103-112	26-35	9	50	2.52	C	£ 453.36
400x1761	30	77	345	64-73	103-112	26-35	9	50	2.61	C	£ 469.33
400x1820	31	77	345	64-73	103-112	26-35	9	50	2.70	C	£ 484.46
400x1879	32	77	345	64-73	103-112	26-35	9	50	2.78	C	£ 499.59
400x1938	33	77	345	64-73	103-112	26-35	9	50	2.87	C	£ 515.57
400x1997	34	77	345	64-73	103-112	26-35	9	50	2.96	C	£ 530.69
500x286	5	77	445	64-73	103-112	26-35	9	50	0.51	C	£ 91.21
500x345	6	77	445	64-73	103-112	26-35	9	50	0.61	C	£ 107.46
500x404	7	77	445	64-73	103-112	26-35	9	50	0.71	C-E-D	£ 123.74
500x463	8	77	445	64-73	103-112	26-35	9	50	0.81	C-E-D	£ 141.02
500x522	9	77	445	64-73	103-112	26-35	9	50	0.91	C-E-D	£ 157.48
500x581	10	77	445	64-73	103-112	26-35	9	50	1.01	C-E-D	£ 173.93
500x640	11	77	445	64-73	103-112	26-35	9	50	1.11	C-E-D	£ 192.57
500x699	12	77	445	64-73	103-112	26-35	9	50	1.22	C-E-D	£ 209.02
500x758	13	77	445	64-73	103-112	26-35	9	50	1.32	C-E-D	£ 225.48
500x817	14	77	445	64-73	103-112	26-35	9	50	1.42	C-E-D	£ 241.92

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x286	191	652	249	848
300x345	230	783	298	1018
300x404	268	913	348	1187
300x463	306	1044	398	1357
300x522	344	1174	448	1526
300x581	383	1305	497	1696
300x640	421	1435	547	1866
300x699	459	1566	597	2035
300x758	497	1696	647	2205
300x817	536	1827	696	2374
300x876	574	1957	746	2544
300x935	612	2087	796	2714
300x994	650	2218	846	2883
300x1053	689	2348	895	3053
300x1112	727	2479	945	3223
300x1171	765	2609	995	3392
300x1230	803	2740	1044	3562
300x1289	842	2870	1094	3731
300x1348	880	3001	1144	3901
300x1407	918	3131	1194	4071
300x1466	957	3262	1243	4240
300x1525	995	3392	1293	4410
300x1584	1033	3523	1343	4579
300x1643	1071	3653	1393	4749
300x1702	1110	3784	1442	4919
300x1761	1148	3914	1492	5088
300x1820	1186	4044	1542	5258
300x1879	1224	4175	1592	5427
300x1938	1263	4305	1641	5597
300x1997	1301	4436	1691	5767
400x286	261	889	339	1156
400x345	313	1067	407	1387
400x404	365	1245	474	1618
400x463	417	1422	542	1849
400x522	469	1600	610	2080
400x581	521	1778	678	2311
400x640	574	1956	746	2542
400x699	626	2134	813	2774
400x758	678	2311	881	3005
400x817	730	2489	949	3236
400x876	782	2667	1017	3467
400x935	834	2845	1085	3698
400x994	886	3023	1152	3929
400x1053	939	3200	1220	4160
400x1112	991	3378	1288	4392
400x1171	1043	3556	1356	4623
400x1230	1095	3734	1423	4854
400x1289	1147	3912	1491	5085
400x1348	1199	4089	1559	5316
400x1407	1251	4267	1627	5547
400x1466	1303	4445	1695	5778
400x1525	1356	4623	1762	6009
400x1584	1408	4800	1830	6241
400x1643	1460	4978	1898	6472
400x1702	1512	5156	1966	6703
400x1761	1564	5334	2033	6934
400x1820	1616	5512	2101	7165
400x1879	1668	5689	2169	7396
400x1938	1721	5867	2237	7627
400x1997	1773	6045	2305	7859
500x286	333	1136	433	1477
500x345	400	1363	520	1772
500x404	466	1590	606	2067
500x463	533	1817	693	2362
500x522	600	2044	779	2658
500x581	666	2272	866	2953
500x640	733	2499	953	3248
500x699	799	2726	1039	3544
500x758	866	2953	1126	3839
500x817	933	3180	1212	4134

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.68	3.66	0.02	410X333X119
3.21	4.26	0.02	410X392X119
3.75	4.86	0.03	410X451X119</

BELLA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x876	15	77	445	64-73	103-112	26-35	9	50	1.52	C-E-D	£ 259.22
500x935	16	77	445	64-73	103-112	26-35	9	50	1.62	C-E-D	£ 275.67
500x994	17	77	445	64-73	103-112	26-35	9	50	1.72	C-E-D	£ 292.11
500x1053	18	77	445	64-73	103-112	26-35	9	50	1.82	C-E-D	£ 308.57
500x1112	19	77	445	64-73	103-112	26-35	9	50	1.92	C-E-D	£ 325.85
500x1171	20	77	445	64-73	103-112	26-35	9	50	2.03	C-E-D	£ 342.31
500x1230	21	77	445	64-73	103-112	26-35	9	50	2.13	C-E-D	£ 358.75
500x1289	22	77	445	64-73	103-112	26-35	9	50	2.23	C-E-D	£ 376.05
500x1348	23	77	445	64-73	103-112	26-35	9	50	2.33	C-E-D	£ 392.49
500x1407	24	77	445	64-73	103-112	26-35	9	50	2.43	C	£ 408.95
500x1466	25	77	445	64-73	103-112	26-35	9	50	2.53	C	£ 425.40
500x1525	26	77	445	64-73	103-112	26-35	9	50	2.63	C	£ 442.69
500x1584	27	77	445	64-73	103-112	26-35	9	50	2.74	C	£ 459.14
500x1643	28	77	445	64-73	103-112	26-35	9	50	2.84	C	£ 475.60
500x1702	29	77	445	64-73	103-112	26-35	9	50	2.94	C	£ 492.04
500x1761	30	77	445	64-73	103-112	26-35	9	50	3.04	C	£ 509.32
500x1820	31	77	445	64-73	103-112	26-35	9	50	3.14	C	£ 525.77
500x1879	32	77	445	64-73	103-112	26-35	9	50	3.24	C	£ 542.22
500x1938	33	77	445	64-73	103-112	26-35	9	50	3.34	C	£ 559.52
500x1997	34	77	445	64-73	103-112	26-35	9	50	3.44	C	£ 575.96
600x286	5	77	545	64-73	103-112	26-35	9	50	0.58	C	£ 96.88
600x345	6	77	545	64-73	103-112	26-35	9	50	0.69	C	£ 114.46
600x404	7	77	545	64-73	103-112	26-35	9	50	0.81	C-E-D	£ 132.04
600x463	8	77	545	64-73	103-112	26-35	9	50	0.92	C-E-D	£ 150.65
600x522	9	77	545	64-73	103-112	26-35	9	50	1.04	C-E-D	£ 168.42
600x581	10	77	545	64-73	103-112	26-35	9	50	1.16	C-E-D	£ 186.19
600x640	11	77	545	64-73	103-112	26-35	9	50	1.27	C-E-D	£ 206.15
600x699	12	77	545	64-73	103-112	26-35	9	50	1.39	C-E-D	£ 223.92
600x758	13	77	545	64-73	103-112	26-35	9	50	1.50	C-E-D	£ 241.69
600x817	14	77	545	64-73	103-112	26-35	9	50	1.62	C-E-D	£ 259.47
600x876	15	77	545	64-73	103-112	26-35	9	50	1.73	C-E-D	£ 278.07
600x935	16	77	545	64-73	103-112	26-35	9	50	1.85	C-E-D	£ 295.84
600x994	17	77	545	64-73	103-112	26-35	9	50	1.97	C-E-D	£ 313.62
600x1053	18	77	545	64-73	103-112	26-35	9	50	2.08	C-E-D	£ 331.39
600x1112	19	77	545	64-73	103-112	26-35	9	50	2.20	C-E-D	£ 349.99
600x1171	20	77	545	64-73	103-112	26-35	9	50	2.31	C-E-D	£ 367.76
600x1230	21	77	545	64-73	103-112	26-35	9	50	2.43	C-E-D	£ 385.53
600x1289	22	77	545	64-73	103-112	26-35	9	50	2.54	C-E-D	£ 404.14
600x1348	23	77	545	64-73	103-112	26-35	9	50	2.66	C-E-D	£ 421.92
600x1407	24	77	545	64-73	103-112	26-35	9	50	2.77	C	£ 439.68
600x1466	25	77	545	64-73	103-112	26-35	9	50	2.89	C	£ 457.45
600x1525	26	77	545	64-73	103-112	26-35	9	50	3.01	C	£ 476.06
600x1584	27	77	545	64-73	103-112	26-35	9	50	3.12	C	£ 493.84
600x1643	28	77	545	64-73	103-112	26-35	9	50	3.24	C	£ 511.60
600x1702	29	77	545	64-73	103-112	26-35	9	50	3.35	C	£ 529.37
600x1761	30	77	545	64-73	103-112	26-35	9	50	3.47	C	£ 547.98
600x1820	31	77	545	64-73	103-112	26-35	9	50	3.58	C	£ 565.75
600x1879	32	77	545	64-73	103-112	26-35	9	50	3.70	C	£ 583.51
600x1938	33	77	545	64-73	103-112	26-35	9	50	3.82	C	£ 602.13
600x1997	34	77	545	64-73	103-112	26-35	9	50	3.93	C	£ 619.90
700x286	5	77	645	64-73	103-112	26-35	9	50	0.65	C	£ 108.67
700x345	6	77	645	64-73	103-112	26-35	9	50	0.78	C	£ 128.25
700x404	7	77	645	64-73	103-112	26-35	9	50	0.91	C-E-D	£ 147.85
700x463	8	77	645	64-73	103-112	26-35	9	50	1.04	C-E-D	£ 168.46
700x522	9	77	645	64-73	103-112	26-35	9	50	1.17	C-E-D	£ 188.24
700x581	10	77	645	64-73	103-112	26-35	9	50	1.30	C-E-D	£ 208.01
700x640	11	77	645	64-73	103-112	26-35	9	50	1.43	C-E-D	£ 229.98
700x699	12	77	645	64-73	103-112	26-35	9	50	1.56	C-E-D	£ 249.75
700x758	13	77	645	64-73	103-112	26-35	9	50	1.69	C-E-D	£ 269.54
700x817	14	77	645	64-73	103-112	26-35	9	50	1.82	C-E-D	£ 289.31
700x876	15	77	645	64-73	103-112	26-35	9	50	1.95	C-E-D	£ 309.92
700x935	16	77	645	64-73	103-112	26-35	9	50	2.08	C-E-D	£ 329.70
700x994	17	77	645	64-73	103-112	26-35	9	50	2.21	C-E-D	£ 349.48
700x1053	18	77	645	64-73	103-112	26-35	9	50	2.34	C-E-D	£ 369.26
700x1112	19	77	645	64-73	103-112	26-35	9	50	2.47	C-E-D	£ 389.87
700x1171	20	77	645	64-73	103-112	26-35	9	50	2.60	C-E-D	£ 409.65
700x1230	21	77	645	64-73	103-112	26-35	9	50	2.73	C-E-D	£ 429.43
700x1289	22	77	645	64-73	103-112	26-35	9	50	2.86	C-E-D	£ 450.04
700x1348	23	77	645	64-73	103-112	26-35	9	50	2.99	C-E-D	£ 469.81
700x1407	24	77	645	64-73	103-112	26-35	9	50	3.12	C	£ 489.59

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x876	999	3407	1299	4429
500x935	1066	3634	1386	4725
500x994	1132	3862	1472	5020
500x1053	1199	4089	1559	5315
500x1112	1266	4316	1645	5611
500x1171	1332	4543	1732	5906
500x1230	1399	4770	1819	6201
500x1289	1465	4997	1905	6497
500x1348	1532	5224	1992	6792
500x1407	1599	5452	2078	7087
500x1466	1665	5679	2165	7382
500x1525	1732	5906	2252	7678
500x1584	1799	6133	2338	7973
500x1643	1865	6360	2425	8268
500x1702	1932	6587	2511	8564
500x1761	1998	6815	2598	8859
500x1820	2065	7042	2685	9154
500x1879	2132	7269	2771	9449
500x1938	2198	7496	2858	9745
500x1997	2265	7723	2944	10040
600x286	409	1393	531	1811
600x345	490	1672	637	2173
600x404	572	1950	743	2535
600x463	654	2229	850	2897
600x522	735	2507	956	3260
600x581	817	2786	1062	3622
600x640	899	3065	1168	3984
600x699	980	3343	1275	4346
600x758	1062	3622	1381	4708
600x817	1144	3900	1487	5070
600x876	1226	4179	1593	5433
600x935	1307	4458	1699	5795
600x994	1389	4736	1806	6157
600x1053	1471	5015	1912	6519
600x1112	1552	5293	2018	6881
600x1171	1634	5572	2124	7244
600x1230	1716	5851	2230	7606
600x1289	1797	6129	2337	7968
600x1348	1879	6408	2443	8330
600x1407	1961	6686	2549	8692
600x1466	2043	6965	2655	9054
600x1525	2124	7244	2761	9417
600x1584	2206	7522	2868	9779
600x1643	2288	7801	2974	10141
600x1702	2369	8079	3080	10503
600x1761	2451	8358	3186	10865
600x1820	2533	8637	3293	11227
600x1879	2614	8915	3399	11590
600x1938	2696	9194	3505	11952
600x1997	2778	9472	3611	12314
700x286	466	1590	606	2067
700x345	560	1908	727	2481
700x404	653	2226	849	2894
700x463	746	2544	970	3307
700x522	839	2862	1091	3721
700x581	933	3180	1212	4134
700x640	1026	3498	1334	4548
700x699	1119	3816	1455	4961
700x758	1212	4134	1576	5374
700x817	1306	4452	1697	5788
700x876	1399	4770	1819	6201
700x935	1492	5088	1940	6615
700x994	1585	5406	2061	7028
700x1053	1679	5724	2182	7441
700x1112	1772	6042	2303	7855
700x1171	1865	6360	2425	8268
700x1230	1958	6678	2546	8682
700x1289	2052	6996	2667	9095
700x1348	2145	7314	2788	9508
700x1407	2238	7632	2910	9922

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
11.79	13.99	0.07	610X923X119
12.58	14.87	0.08	610X982X119
13.36	15.72	0.08	610X1041X119
14.14	16.59	0.08	610X1100X119
14.93	17.47	0.09	610X1159X119
15.72	18.34	0.09	610X1218X119
16.51	19.22	0.10	610X1277X119
17.30	20.09	0.10	610X1336X119
18.08	20.95	0.11	610X1395X119
18.86	21.83	0.11	610X1454X119
19.65	22.69	0.11	610X1513X119
20.44	23.59	0.12	610X1572X119
21.23	24.45	0.12	610X1631X119
22.01	25.32	0.13	610X1690X119
22.79	26.19	0.13	610X1749X119
23.58	27.05	0.14	610X1808X119
24.37	27.94	0.14	610X1867X119
25.16	28.80	0.14	610X1926X119
25.94	29.67	0.15	610X1985X119
26.73	30.54	0.15	610X2044X119
4.55	5.73	0.03	710X333X119
5.45	6.72	0.04	710X392X119
6.36	7.72	0.04	710X451X119
7.28	8.74	0.05	710X510X119
8.19	9.75	0.05	710X569X119
9.10	10.75	0.06	710X628X119
10.02	11.92	0.06	710X687X119
10.92	12.92	0.07	710X746X119
11.83	13.93	0.07	710X805X119
12.74	14.93	0.08	710X864X119
13.66	15.94	0.08	710X923X119
14.57	16.95	0.09	710X982X119
15.48	17.95	0.09	710X1041X119
16.38	18.95	0.10	710X1100X119
17.30	19.96	0.10	710X1159X119
18.21	20.97	0.11	710X1218X119
19.12	21.97	0.11	710X1277X119
20.03	22.99	0.12	710X1336X119
20.95	24.01	0.12	710X1395X119
21.85	24.99	0.13	710X1454X119
22.76	26.00	0.13	710X1513X119
23.68	27.02	0.14	710X1572X119
24.59	28.03	0.14	710X1631X119
25.50	29.03	0.15	710X1690X119
26.40	30.03	0.15	710X1749X119
27.32	31.05	0.16	710X1808X119
28.23	32.04	0.16	710X1867X119
29.14	33.05	0.17	710X1926X119
30.05	34.06	0.17	710X1985X119
30.97	35.07	0.18	710X2044X119
5.17	6.58	0.04	810X333X119
6.20	7.70	0.04	810X392X119
7.24	8.85	0.05	810X451X119
8.27	9.99	0.05	810X510X119
9.31	11.14	0.06	810X569X119
10.35	12.28	0.07	810X628X119
11.39	13.51	0.07	810X687X119
12.41	14.71	0.08	810X746X119
13.45	15.85	0.08	810X805X119
14.49	17.00	0.09	810X864X119
15.52	18.14	0.09	810X923X119
16.56	19.29	0.10	810X982X119
17.60	20.43	0.11	810X1041X119
18.62	21.57	0.11	810X1100X119
19.66	22.71	0.12	810X1159X119
20.70	23.86	0.12	810X1218X119
21.74	25.01	0.13	810X1277X119
22.77	26.14	0.13	810X1336X119
23.81	27.28	0.14	810X1395X119
24.84	28.42	0.15	810X1454X119

BELLA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1466	25	77	645	64-73	103-112	26-35	9	50	3.25	C	£ 509.37
700x1525	26	77	645	64-73	103-112	26-35	9	50	3.38	C	£ 529.98
700x1584	27	77	645	64-73	103-112	26-35	9	50	3.51	C	£ 549.75
700x1643	28	77	645	64-73	103-112	26-35	9	50	3.64	C	£ 569.54
700x1702	29	77	645	64-73	103-112	26-35	9	50	3.77	C	£ 589.31
700x1761	30	77	645	64-73	103-112	26-35	9	50	3.90	C	£ 609.92
700x1820	31	77	645	64-73	103-112	26-35	9	50	4.03	C	£ 629.69
700x1879	32	77	645	64-73	103-112	26-35	9	50	4.16	C	£ 649.48
700x1938	33	77	645	64-73	103-112	26-35	9	50	4.29	C	£ 670.09
700x1997	34	77	645	64-73	103-112	26-35	9	50	4.42	C	£ 689.86
800x286	5	77	745	64-73	103-112	26-35	9	50	0.72	C	£ 115.68
800x345	6	77	745	64-73	103-112	26-35	9	50	0.87	C	£ 136.58
800x404	7	77	745	64-73	103-112	26-35	9	50	1.01	C-E-D	£ 157.49
800x463	8	77	745	64-73	103-112	26-35	9	50	1.15	C-E-D	£ 179.43
800x522	9	77	745	64-73	103-112	26-35	9	50	1.30	C-E-D	£ 200.52
800x581	10	77	745	64-73	103-112	26-35	9	50	1.44	C-E-D	£ 221.61
800x640	11	77	745	64-73	103-112	26-35	9	50	1.59	C-E-D	£ 244.91
800x699	12	77	745	64-73	103-112	26-35	9	50	1.73	C-E-D	£ 266.00
800x758	13	77	745	64-73	103-112	26-35	9	50	1.87	C-E-D	£ 287.11
800x817	14	77	745	64-73	103-112	26-35	9	50	2.02	C-E-D	£ 308.20
800x876	15	77	745	64-73	103-112	26-35	9	50	2.16	C-E-D	£ 330.13
800x935	16	77	745	64-73	103-112	26-35	9	50	2.31	C-E-D	£ 351.23
800x994	17	77	745	64-73	103-112	26-35	9	50	2.45	C-E-D	£ 372.33
800x1053	18	77	745	64-73	103-112	26-35	9	50	2.60	C-E-D	£ 393.42
800x1112	19	77	745	64-73	103-112	26-35	9	50	2.74	C-E-D	£ 415.35
800x1171	20	77	745	64-73	103-112	26-35	9	50	2.88	C-E-D	£ 436.45
800x1230	21	77	745	64-73	103-112	26-35	9	50	3.03	C-E-D	£ 457.54
800x1289	22	77	745	64-73	103-112	26-35	9	50	3.17	C-E-D	£ 479.48
800x1348	23	77	745	64-73	103-112	26-35	9	50	3.32	C-E-D	£ 500.57
800x1407	24	77	745	64-73	103-112	26-35	9	50	3.46	C	£ 521.67
800x1466	25	77	745	64-73	103-112	26-35	9	50	3.61	C	£ 542.77
800x1525	26	77	745	64-73	103-112	26-35	9	50	3.75	C	£ 564.69
800x1584	27	77	745	64-73	103-112	26-35	9	50	3.89	C	£ 585.80
800x1643	28	77	745	64-73	103-112	26-35	9	50	4.04	C	£ 606.89
800x1702	29	77	745	64-73	103-112	26-35	9	50	4.18	C	£ 627.99
800x1761	30	77	745	64-73	103-112	26-35	9	50	4.33	C	£ 649.92
800x1820	31	77	745	64-73	103-112	26-35	9	50	4.47	C	£ 671.02
800x1879	32	77	745	64-73	103-112	26-35	9	50	4.61	C	£ 692.11
800x1938	33	77	745	64-73	103-112	26-35	9	50	4.76	C	£ 714.05
800x1997	34	77	745	64-73	103-112	26-35	9	50	4.90	C	£ 735.14
900x286	5	77	845	64-73	103-112	26-35	9	50	0.79	C	£ 122.69
900x345	6	77	845	64-73	103-112	26-35	9	50	0.95	C	£ 144.91
900x404	7	77	845	64-73	103-112	26-35	9	50	1.11	C-E-D	£ 167.14
900x463	8	77	845	64-73	103-112	26-35	9	50	1.27	C-E-D	£ 190.40
900x522	9	77	845	64-73	103-112	26-35	9	50	1.43	C-E-D	£ 212.81
900x581	10	77	845	64-73	103-112	26-35	9	50	1.59	C-E-D	£ 235.23
900x640	11	77	845	64-73	103-112	26-35	9	50	1.74	C-E-D	£ 259.85
900x699	12	77	845	64-73	103-112	26-35	9	50	1.90	C-E-D	£ 282.25
900x758	13	77	845	64-73	103-112	26-35	9	50	2.06	C-E-D	£ 304.67
900x817	14	77	845	64-73	103-112	26-35	9	50	2.22	C-E-D	£ 327.09
900x876	15	77	845	64-73	103-112	26-35	9	50	2.38	C-E-D	£ 350.33
900x935	16	77	845	64-73	103-112	26-35	9	50	2.54	C-E-D	£ 372.76
900x994	17	77	845	64-73	103-112	26-35	9	50	2.69	C-E-D	£ 395.17
900x1053	18	77	845	64-73	103-112	26-35	9	50	2.85	C-E-D	£ 417.58
900x1112	19	77	845	64-73	103-112	26-35	9	50	3.01	C-E-D	£ 440.84
900x1171	20	77	845	64-73	103-112	26-35	9	50	3.17	C-E-D	£ 463.24
900x1230	21	77	845	64-73	103-112	26-35	9	50	3.33	C-E-D	£ 485.67
900x1289	22	77	845	64-73	103-112	26-35	9	50	3.49	C-E-D	£ 508.93
900x1348	23	77	845	64-73	103-112	26-35	9	50	3.65	C-E-D	£ 531.33
900x1407	24	77	845	64-73	103-112	26-35	9	50	3.80	C	£ 553.75
900x1466	25	77	845	64-73	103-112	26-35	9	50	3.96	C	£ 576.17
900x1525	26	77	845	64-73	103-112	26-35	9	50	4.12	C	£ 599.41
900x1584	27	77	845	64-73	103-112	26-35	9	50	4.28	C	£ 621.84
900x1643	28	77	845	64-73	103-112	26-35	9	50	4.44	C	£ 644.25
900x1702	29	77	845	64-73	103-112	26-35	9	50	4.60	C	£ 666.66
900x1761	30	77	845	64-73	103-112	26-35	9	50	4.76	C	£ 689.92
900x1820	31	77	845	64-73	103-112	26-35	9	50	4.91	C	£ 712.34
900x1879	32	77	845	64-73	103-112	26-35	9	50	5.07	C	£ 734.75
900x1938	33	77	845	64-73	103-112	26-35	9	50	5.23	C	£ 758.00
900x1997	34	77	845	64-73	103-112	26-35	9	50	5.39	C	£ 780.42

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1466	2331	7950	3031	10335
700x1525	2425	8268	3152	10749
700x1584	2518	8586	3273	11162
700x1643	2611	8904	3395	11576
700x1702	2704	9222	3516	11989
700x1761	2798	9540	3637	12402
700x1820	2891	9858	3758	12816
700x1879	2984	10176	3880	13229
700x1938	3078	10494	4001	13643
700x1997	3171	10812	4122	14056
800x286	521	1778	678	2311
800x345	626	2134	813	2774
800x404	730	2489	949	3236
800x463	834	2845	1085	3698
800x522	939	3200	1220	4160
800x581	1043	3556	1356	4623
800x640	1147	3912	1491	5085
800x699	1251	4267	1627	5547
800x758	1356	4623	1762	6009
800x817	1460	4978	1898	6472
800x876	1564	5334	2033	6934
800x935	1668	5689	2169	7396
800x994	1773	6045	2305	7859
800x1053	1877	6401	2440	8321
800x1112	1981	6756	2576	8783
800x1171	2086	7112	2711	9245
800x1230	2190	7467	2847	9708
800x1289	2294	7823	2982	10170
800x1348	2398	8179	3118	10632
800x1407	2503	8534	3253	11094
800x1466	2607	8890	3389	11557
800x1525	2711	9245	3525	12019
800x1584	2816	9601	3660	12481
800x1643	2920	9957	3796	12943
800x1702	3024	10312	3931	13406
800x1761	3128	10668	4067	13868
800x1820	3233	11023	4202	14330
800x1879	3337	11379	4338	14793
800x1938	3441	11734	4474	15255
800x1997	3545	12090	4609	15717
900x286	574	1957	746	2544
900x345	689	2348	895	3053
900x404	803	2740	1044	3562
900x463	918	3131	1194	4071
900x522	1033	3523	1343	4579
900x581	1148	3914	1492	5088
900x640	1263	4305	1641	5597
900x699	1377	4697	1791	6106
900x758	1492	5088	1940	6615
900x817	1607	5480	2089	7123
900x876	1722	5871	2238	7632
900x935	1836	6262	2387	8141
900x994	1951	6654	2537	8650
900x1053	2066	7045	2686	9159
900x1112	2181	7437	2835	9668
900x1171	2296	7828	2984	10176
900x1230	2410	8219	3133	10685
900x1289	2525	8611	3283	11194
900x1348	2640	9002	3432	11703
900x1407	2755	9394	3581	12212
900x1466	2869	9785	3730	12720
900x1525	2984	10176	3880	13229
900x1584	3099	10568	4029	13738
900x1643	3214	10959	4178	14247
900x1702	3329	11351	4327	14756
900x1761	3443	11742	4476	15264
900x1820	3558	12133	4626	15773
900x1879	3673	12525	4775	16282
900x1938	3788	12916	4924	16791
900x1997	3902	13308	5073	17300

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
25.87	29.55	0.15	810X1513X119
26.91	30.70	0.16	810X1572X119
27.95	31.85	0.16	810X1631X119
28.99	33.00	0.17	810X1690X119
30.01	34.11	0.17	810X1749X119
31.05	35.26	0.18	810X1808X119
32.09	36.41	0.18	810X1867X119
33.12	37.59	0.19	810X1926X119
34.16	38.70	0.20	810X1985X119
35.20	39.84	0.20	810X2044X119
5.79	7.30	0.04	910X333X119
6.95	8.57	0.05	910X392X119
8.11	9.85	0.05	910X451X119
9.27	11.13	0.06	910X510X119
10.43	12.40	0.07	910X569X119
11.59	13.68	0.07	910X628X119
12.75	15.12	0.08	910X687X119
13.91	16.39	0.09	910X746X119
15.07	17.68	0.09	910X805X119
16.23	18.95	0.10	910X864X119
17.39	20.22	0.10	910X923X119
18.55	21.50	0.11	910X982X119
19.71	22.77	0.12	910X1041X119
20.87	24.04	0.12	910X1100X119
22.03	25.34	0.13	910X1159X119
23.19	26.61	0.14	910X1218X119
24.35	27.88	0.14	910X1277X119
25.51	29.17	0.15	910X1336X119
26.67	30.44	0.16	910X1395X119
27.83	31.71	0.16	910X1454X119
28.99	33.00	0.17	910X1513X119
30.15	34.27	0.18	910X1572X119
31.31	35.55	0.18	910X1631X119
32.47	36.83	0.19	910X1690X119
33.62	38.09	0.19	910X1749X119
34.79	39.38	0.20	910X1808X119
35.95	40.66	0.21	910X1867X119
37.11	41.93	0.21	910X1926X119
38.27	43.21	0.22	910X1985X119
39.43	44.48	0.23	910X2044X119
6.42	8.03	0.05	1010X333X119
7.69	9.43	0.05	1010X392X119
8.98	10.85	0.06	1010X451X119
10.27	12.27	0.07	1010X510X119
11.55	13.67	0.07	1010X569X119
12.84	15.09	0.08	1010X628X119
14.12	16.66	0.09	1010X687X119
15.40	18.06	0.09	1010X746X119
16.69	19.48	0.10	1010X805X119
17.97	20.89	0.11	1010X864X119
19.26	22.30	0.12	1010X923X119
20.54	23.71	0.12	1010X982X119
21.83	25.13	0.13	1010X1041X119
23.11	26.53	0.14	1010X1100X119
24.39	27.95	0.14	1010X1159X119
25.68	29.36	0.15	1010X1218X119
26.96	30.77	0.16	1010X1277X119
28.25	33.61	0.17	1010X1336X119
29.54	35.01	0.18	1010X1395X119
30.81	36.43	0.19	1010X1454X119
32.10	37.84	0.19	1010X1513X119
33.39	39.25	0.20	1010X1572X119
34.67	40.66	0.21	1010X1631X119
35.96	42.07	0.21	1010X1690X119
37.23	43.48	0.22	1010X1749X119
38.52	44.86	0.22	1010X1808X119
39.81	46.29	0.23	1010X1867X119
41.09	47.70	0.24	1010X1926X119
42.38	49.12	0.25	1010X1985X119
43.66	50.54	0.25	1010X2044X119

BELLA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x286	5	77	945	64-73	103-112	26-35	9	50	0.86	C	£ 134.51
1000x345	6	77	945	64-73	103-112	26-35	9	50	1.04	C	£ 158.92
1000x404	7	77	945	64-73	103-112	26-35	9	50	1.21	C-E-D	£ 183.35
1000x463	8	77	945	64-73	103-112	26-35	9	50	1.38	C-E-D	£ 208.82
1000x522	9	77	945	64-73	103-112	26-35	9	50	1.56	C-E-D	£ 233.43
1000x581	10	77	945	64-73	103-112	26-35	9	50	1.73	C-E-D	£ 258.05
1000x640	11	77	945	64-73	103-112	26-35	9	50	1.90	C-E-D	£ 284.93
1000x699	12	77	945	64-73	103-112	26-35	9	50	2.07	C-E-D	£ 309.55
1000x758	13	77	945	64-73	103-112	26-35	9	50	2.25	C-E-D	£ 334.17
1000x817	14	77	945	64-73	103-112	26-35	9	50	2.42	C-E-D	£ 358.78
1000x876	15	77	945	64-73	103-112	26-35	9	50	2.59	C-E-D	£ 384.27
1000x935	16	77	945	64-73	103-112	26-35	9	50	2.77	C-E-D	£ 408.88
1000x994	17	77	945	64-73	103-112	26-35	9	50	2.94	C-E-D	£ 433.49
1000x1053	18	77	945	64-73	103-112	26-35	9	50	3.11	C-E-D	£ 458.11
1000x1112	19	77	945	64-73	103-112	26-35	9	50	3.28	C-E-D	£ 483.59
1000x1171	20	77	945	64-73	103-112	26-35	9	50	3.46	C-E-D	£ 508.21
1000x1230	21	77	945	64-73	103-112	26-35	9	50	3.63	C-E-D	£ 532.82
1000x1289	22	77	945	64-73	103-112	26-35	9	50	3.80	C-E-D	£ 558.30
1000x1348	23	77	945	64-73	103-112	26-35	9	50	3.97	C-E-D	£ 582.92
1000x1407	24	77	945	64-73	103-112	26-35	9	50	4.15	C	£ 607.53
1000x1466	25	77	945	64-73	103-112	26-35	9	50	4.32	C	£ 632.15
1000x1525	26	77	945	64-73	103-112	26-35	9	50	4.49	C	£ 657.63
1000x1584	27	77	945	64-73	103-112	26-35	9	50	4.67	C	£ 682.24
1000x1643	28	77	945	64-73	103-112	26-35	9	50	4.84	C	£ 706.86
1000x1702	29	77	945	64-73	103-112	26-35	9	50	5.01	C	£ 731.46
1000x1761	30	77	945	64-73	103-112	26-35	9	50	5.18	C	£ 756.95
1000x1820	31	77	945	64-73	103-112	26-35	9	50	5.36	C	£ 781.56
1000x1879	32	77	945	64-73	103-112	26-35	9	50	5.53	C	£ 806.17
1000x1938	33	77	945	64-73	103-112	26-35	9	50	5.70	C	£ 831.66
1000x1997	34	77	945	64-73	103-112	26-35	9	50	5.88	C	£ 856.27
1200x286	5	77	1145	64-73	103-112	26-35	9	50	1.01	C	£ 152.59
1200x345	6	77	1145	64-73	103-112	26-35	9	50	1.21	C	£ 180.46
1200x404	7	77	1145	64-73	103-112	26-35	9	50	1.41	C-E-D	£ 208.34
1200x463	8	77	1145	64-73	103-112	26-35	9	50	1.61	C-E-D	£ 237.27
1200x522	9	77	1145	64-73	103-112	26-35	9	50	1.81	C-E-D	£ 265.34
1200x581	10	77	1145	64-73	103-112	26-35	9	50	2.01	C-E-D	£ 293.40
1200x640	11	77	1145	64-73	103-112	26-35	9	50	2.22	C-E-D	£ 323.74
1200x699	12	77	1145	64-73	103-112	26-35	9	50	2.42	C-E-D	£ 351.79
1200x758	13	77	1145	64-73	103-112	26-35	9	50	2.62	C-E-D	£ 379.86
1200x817	14	77	1145	64-73	103-112	26-35	9	50	2.82	C-E-D	£ 407.92
1200x876	15	77	1145	64-73	103-112	26-35	9	50	3.02	C-E-D	£ 436.86
1200x935	16	77	1145	64-73	103-112	26-35	9	50	3.22	C-E-D	£ 464.93
1200x994	17	77	1145	64-73	103-112	26-35	9	50	3.42	C-E-D	£ 492.98
1200x1053	18	77	1145	64-73	103-112	26-35	9	50	3.63	C-E-D	£ 521.05
1200x1112	19	77	1145	64-73	103-112	26-35	9	50	3.83	C-E-D	£ 549.97
1200x1171	20	77	1145	64-73	103-112	26-35	9	50	4.03	C-E-D	£ 578.05
1200x1230	21	77	1145	64-73	103-112	26-35	9	50	4.23	C-E-D	£ 606.10
1200x1289	22	77	1145	64-73	103-112	26-35	9	50	4.43	C-E-D	£ 635.04
1200x1348	23	77	1145	64-73	103-112	26-35	9	50	4.63	C-E-D	£ 663.09
1400x286	5	77	1345	64-73	103-112	26-35	9	50	1.15	C	£ 167.14
1400x345	6	77	1345	64-73	103-112	26-35	9	50	1.38	C	£ 197.75
1400x404	7	77	1345	64-73	103-112	26-35	9	50	1.61	C-E-D	£ 228.36
1400x463	8	77	1345	64-73	103-112	26-35	9	50	1.84	C-E-D	£ 260.02
1400x522	9	77	1345	64-73	103-112	26-35	9	50	2.07	C-E-D	£ 290.83
1400x581	10	77	1345	64-73	103-112	26-35	9	50	2.30	C-E-D	£ 321.62
1400x640	11	77	1345	64-73	103-112	26-35	9	50	2.53	C-E-D	£ 354.70
1400x699	12	77	1345	64-73	103-112	26-35	9	50	2.76	C-E-D	£ 385.49
1400x758	13	77	1345	64-73	103-112	26-35	9	50	2.99	C-E-D	£ 416.31
1400x817	14	77	1345	64-73	103-112	26-35	9	50	3.22	C-E-D	£ 447.10
1400x876	15	77	1345	64-73	103-112	26-35	9	50	3.45	C-E-D	£ 478.77
1400x935	16	77	1345	64-73	103-112	26-35	9	50	3.68	C-E-D	£ 509.56
1400x994	17	77	1345	64-73	103-112	26-35	9	50	3.91	C-E-D	£ 540.36
1400x1053	18	77	1345	64-73	103-112	26-35	9	50	4.14	C-E-D	£ 571.16
1400x1112	19	77	1345	64-73	103-112	26-35	9	50	4.37	C-E-D	£ 602.83
1400x1171	20	77	1345	64-73	103-112	26-35	9	50	4.60	C-E-D	£ 633.63
1400x1230	21	77	1345	64-73	103-112	26-35	9	50	4.83	C-E-D	£ 664.43
1400x1289	22	77	1345	64-73	103-112	26-35	9	50	5.06	C-E-D	£ 696.10
1400x1348	23	77	1345	64-73	103-112	26-35	9	50	5.29	C-E-D	£ 726.90
1600x286	5	77	1545	64-73	103-112	26-35	9	50	1.29	C	£ 195.91
1600x345	6	77	1545	64-73	103-112	26-35	9	50	1.55	C	£ 232.09

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1000x286	624	2127	811	2766
1000x345	749	2553	973	3319
1000x404	873	2978	1135	3872
1000x463	998	3404	1298	4425
1000x522	1123	3829	1460	4978
1000x581	1248	4255	1622	5531
1000x640	1373	4680	1784	6085
1000x699	1497	5106	1947	6638
1000x758	1622	5531	2109	7191
1000x817	1747	5957	2271	7744
1000x876	1872	6382	2433	8297
1000x935	1996	6808	2595	8850
1000x994	2121	7233	2758	9403
1000x1053	2246	7659	2920	9957
1000x1112	2371	8084	3082	10510
1000x1171	2496	8510	3244	11063
1000x1230	2620	8935	3406	11616
1000x1289	2745	9361	3569	12169
1000x1348	2870	9786	3731	12722
1000x1407	2995	10212	3893	13275
1000x1466	3119	10637	4055	13829
1000x1525	3244	11063	4217	14382
1000x1584	3369	11488	4380	14935
1000x1643	3494	11914	4542	15488
1000x1702	3619	12339	4704	16041
1000x1761	3743	12765	4866	16594
1000x1820	3868	13190	5029	17147
1000x1879	3993	13616	5191	17700
1000x1938	4118	14041	5353	18254
1000x1997	4242	14467	5515	18807
1200x286	716	2443	931	3176
1200x345	860	2931	1117	3811
1200x404	1003	3420	1304	4446
1200x463	1146	3908	1490	5081
1200x522	1289	4397	1676	5716
1200x581	1433	4885	1862	6351
1200x640	1576	5374	2049	6986
1200x699	1719	5862	2235	7621
1200x758	1862	6351	2421	8256
1200x817	2006	6839	2607	8891
1200x876	2149	7328	2794	9526
1200x935	2292	7817	2980	10162
1200x994	2436	8305	3166	10797
1200x1053	2579	8794	3352	11432
1200x1112	2722	9282	3539	12067
1200x1171	2865	9771	3725	12702
1200x1230	3009	10259	3911	13337
1200x1289	3152	10748	4097	13972
1200x1348	3295	11236	4284	14607
1400x286	822	2805	1069	3646
1400x345	987	3366	1283	4375
1400x404	1151	3926	1497	5104
1400x463	1316	4487	1711	5834
1400x522	1480	5048	1925	6563
1400x581	1645	5609	2138	7292
1400x640	1809	6170	2352	8021
1400x699	1974	6731	2566	8750
1400x758	2138	7292	2780	9479
1400x817	2303	7853	2994	10209
1400x876	2467	8414	3208	10938
1400x935	2632	8975	3421	11667
1400x994	2796	9536	3635	12396
1400x1053	2961	10096	3849	13125
1400x1112	3125	10657	4063	13855
1400x1171	3290	11218	4277	14584
1400x1230	3454	11779	4491	15313
1400x1289	3619	12340	4704	16042
1400x1348	3783	12901	4918	16771
1600x286	944	3220	1228	4186
1600x345	1133	3864	1473	5023

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
7.04	8.75	0.05	1110X333X119
8.44	10.29	0.06	1110X392X119
9.85	11.85	0.06	1110X451X119
11.26	13.39	0.07	1110X510X119
12.67	14.93	0.08	1110X569X119
14.08	16.49	0.09	1110X628X119
15.49	18.19	0.10	1110X687X119
16.89	19.73	0.10	1110X746X119
18.30	21.29	0.11	1110X805X119
19.71	22.83	0.12	1110X864X119
21.13	24.39	0.13	1110X923X119
22.54	25.93	0.13	1110X982X119
23.95	27.48	0.14	1110X1041X119
25.35	29.03	0.15	1110X1100X119
26.76	30.57	0.16	1110X1159X119
28.17	32.12	0.17	1110X1218X119
29.58	33.66	0.17	1110X1277X119
30.99	35.21	0.18	1110X1336X119
32.40	36.76	0.19	1110X1395X119
33.80	38.30	0.20	1110X1454X119
35.21	39.85	0.20	1110X1513X119
36.62	41.40	0.21	1110X1572X119
38.03	42.95	0.22	1110X1631X119
39.44	44.50	0.23	1110X1690X119
40.84	46.03	0.24	1110X1749X119
42.26	47.59	0.24	1110X1808X119
43.67	49.14	0.25	1110X1867X119
45.08	50.68	0.26	1110X1926X119
46.49	52.23	0.27	1110X1985X119
47.90	53.81	0.27	1110X2044X119
8.28	10.20	0.06	1310X333X119
9.93	12.02	0.07	1310X392X119
11.59	13.84	0.08	1310X451X119
13.25	15.66	0.08	1310X510X119
14.91	17.48	0.09	1310X569X119
16.57	19.29	0.10	1310X628X119
18.23	21.27	0.11	1310X687X119
19.88	23.08	0.12	1310X746X119
21.54	24.90	0.13	1310X805X119
23.20	26.71	0.14	1310X864X119
24.86	28.54	0.15	1310X923X119
26.52	30.37	0.16	1310X982X119
28.18	32.18	0.17	1310X1041X119
29.83	34.01	0.18	1310X1100X119
31.49	35.81	0.19	1310X1159X119
33.15	37.64	0.19	1310X1218X119
34.81	39.45	0.20	1310X1277X119
36.47	41.26	0.21	1310X1336X119
38.13	43.08	0.22	1310X1395X119
9.53	11.67	0.06	1510X333X119
11.43	13.76	0.08	1510X392X119
13.34	15.85	0.09	1510X451X119
15.25	17.93	0.10	1510X510X119
17.15	20.01	0.11	1510X569X119
19.06	22.11	0.12	1510X628X119
20.97	24.35	0.13	1510X687X119
22.87	26.43	0.14	1510X746X119
24.78	28.53	0.15	1510X805X119
26.69	30.61	0.16	1510X864X119
28.60	32.70	0.17	1510X923X119
30.50	34.79	0.18	1510X982X119
32.41	36.87	0.19	1510X1041X119
34.31	38.95	0.20	1510X1100X119
36.22	41.04	0.21	1510X1159X119
38.13	43.13	0.22	1510X1218X119
40.04	45.23	0.23	1510X1277X119
41.95	47.33	0.25	1510X1336X119
43.86	49.41	0.26	1510X1395X119
10.73	13.09	0.07	1710X333X119
12.89	15.46	0.08	1710X392X119

BELLA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1600x404	7	77	1545	64-73	103-112	26-35	9	50	1,81	C-E-D	£ 268.28
1600x463	8	77	1545	64-73	103-112	26-35	9	50	2,07	C-E-D	£ 305.51
1600x522	9	77	1545	64-73	103-112	26-35	9	50	2,33	C-E-D	£ 341.89
1600x581	10	77	1545	64-73	103-112	26-35	9	50	2,59	C-E-D	£ 378.26
1600x640	11	77	1545	64-73	103-112	26-35	9	50	2,84	C-E-D	£ 416.91
1600x699	12	77	1545	64-73	103-112	26-35	9	50	3,10	C-E-D	£ 453.28
1600x758	13	77	1545	64-73	103-112	26-35	9	50	3,36	C-E-D	£ 489.66
1600x817	14	77	1545	64-73	103-112	26-35	9	50	3,62	C-E-D	£ 526.03
1600x876	15	77	1545	64-73	103-112	26-35	9	50	3,88	C-E-D	£ 563.28
1600x935	16	77	1545	64-73	103-112	26-35	9	50	4,14	C-E-D	£ 599.64
1600x994	17	77	1545	64-73	103-112	26-35	9	50	4,40	C-E-D	£ 636.02
1800x286	5	77	1745	64-73	103-112	26-35	9	50	1,44	C	£ 216.27
1800x345	6	77	1745	64-73	103-112	26-35	9	50	1,72	C	£ 255.54
1800x404	7	77	1745	64-73	103-112	26-35	9	50	2,01	C-E-D	£ 294.83
1800x463	8	77	1745	64-73	103-112	26-35	9	50	2,30	C-E-D	£ 335.15
1800x522	9	77	1745	64-73	103-112	26-35	9	50	2,58	C-E-D	£ 374.61
1800x581	10	77	1745	64-73	103-112	26-35	9	50	2,87	C-E-D	£ 414.09
1800x640	11	77	1745	64-73	103-112	26-35	9	50	3,16	C-E-D	£ 455.83
1800x699	12	77	1745	64-73	103-112	26-35	9	50	3,45	C-E-D	£ 495.30
1800x758	13	77	1745	64-73	103-112	26-35	9	50	3,73	C-E-D	£ 534.76
1800x817	14	77	1745	64-73	103-112	26-35	9	50	4,02	C-E-D	£ 574.23
1800x876	15	77	1745	64-73	103-112	26-35	9	50	4,31	C-E-D	£ 614.57
1800x935	16	77	1745	64-73	103-112	26-35	9	50	4,60	C-E-D	£ 654.03
1800x994	17	77	1745	64-73	103-112	26-35	9	50	4,88	C-E-D	£ 693.49
2000x286	5	77	1945	64-73	103-112	26-35	9	50	1,58	C	£ 226.78
2000x345	6	77	1945	64-73	103-112	26-35	9	50	1,89	C	£ 268.78
2000x404	7	77	1945	64-73	103-112	26-35	9	50	2,21	C-E-D	£ 310.80
2000x463	8	77	1945	64-73	103-112	26-35	9	50	2,53	C-E-D	£ 353.87
2000x522	9	77	1945	64-73	103-112	26-35	9	50	2,84	C-E-D	£ 396.07
2000x581	10	77	1945	64-73	103-112	26-35	9	50	3,16	C-E-D	£ 438.28
2000x640	11	77	1945	64-73	103-112	26-35	9	50	3,47	C-E-D	£ 482.75
2000x699	12	77	1945	64-73	103-112	26-35	9	50	3,79	C-E-D	£ 524.96
2000x758	13	77	1945	64-73	103-112	26-35	9	50	4,11	C-E-D	£ 567.15
2000x817	14	77	1945	64-73	103-112	26-35	9	50	4,42	C-E-D	£ 609.35
2000x876	15	77	1945	64-73	103-112	26-35	9	50	4,74	C-E-D	£ 652.43
2000x935	16	77	1945	64-73	103-112	26-35	9	50	5,05	C-E-D	£ 694.63
2000x994	17	77	1945	64-73	103-112	26-35	9	50	5,37	C-E-D	£ 736.83


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1600x404	1322	4508	1719	5861
1600x463	1511	5152	1964	6698
1600x522	1700	5796	2210	7535
1600x581	1889	6440	2455	8372
1600x640	2077	7084	2701	9209
1600x699	2266	7728	2946	10047
1600x758	2455	8372	3192	10884
1600x817	2644	9016	3437	11721
1600x876	2833	9660	3683	12558
1600x935	3022	10304	3928	13396
1600x994	3211	10948	4174	14233
1800x286	1084	3697	1409	4806
1800x345	1301	4437	1691	5768
1800x404	1518	5176	1973	6729
1800x463	1735	5916	2255	7690
1800x522	1952	6655	2537	8651
1800x581	2168	7394	2819	9613
1800x640	2385	8134	3101	10574
1800x699	2602	8873	3383	11535
1800x758	2819	9613	3665	12497
1800x817	3036	10352	3947	13458
1800x876	3253	11092	4228	14419
1800x935	3470	11831	4510	15380
1800x994	3686	12570	4792	16342
2000x286	1245	4245	1618	5518
2000x345	1494	5094	1942	6622
2000x404	1743	5943	2266	7726
2000x463	1992	6792	2589	8830
2000x522	2241	7641	2913	9933
2000x581	2490	8490	3237	11037
2000x640	2739	9339	3560	12141
2000x699	2988	10188	3884	13244
2000x758	3237	11037	4208	14348
2000x817	3486	11886	4531	15452
2000x876	3735	12735	4855	16555
2000x935	3984	13584	5179	17659
2000x994	4233	14433	5502	18763

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
15.04	17.80	0.10	1710X451X119
17.19	20.15	0.11	1710X510X119
19.34	22.50	0.12	1710X569X119
21.48	24.85	0.13	1710X628X119
23.64	27.37	0.14	1710X687X119
25.79	29.72	0.16	1710X746X119
27.94	32.08	0.17	1710X805X119
30.08	34.42	0.18	1710X864X119
32.23	36.78	0.19	1710X923X119
34.38	39.11	0.20	1710X982X119
36.54	41.48	0.22	1710X1041X119
11.98	14.44	0.08	1910X333X119
14.78	19.06	0.09	1910X392X119
16.78	19.67	0.11	1910X451X119
19.18	22.29	0.12	1910X510X119
21.58	24.91	0.13	1910X569X119
23.97	27.52	0.15	1910X628X119
26.38	30.32	0.16	1910X687X119
28.78	32.95	0.17	1910X746X119
31.17	35.56	0.19	1910X805X119
33.57	38.18	0.20	1910X864X119
35.97	40.80	0.21	1910X923X119
38.36	43.41	0.23	1910X982X119
40.77	46.04	0.24	1910X1041X119
13.22	16.00	0.09	2110X333X119
15.88	18.90	0.10	2110X392X119
18.53	21.80	0.12	2110X451X119
21.17	24.68	0.13	2110X510X119
23.82	27.57	0.15	2110X569X119
26.46	30.63	0.16	2110X628X119
29.12	33.53	0.18	2110X687X119
31.76	36.41	0.19	2110X746X119
34.41	39.31	0.21	2110X805X119
37.05	42.19	0.22	2110X864X119
39.70	45.09	0.24	2110X923X119
42.35	47.98	0.25	2110X982X119
45.00	50.87	0.27	2110X1041X119

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel