

BESTO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x240	3	85	245	62-71	111-120	26-35	4	76	0.27	C	£ 39.35
300x320	4	85	245	62-71	111-120	26-35	4	76	0.36	C	£ 50.31
300x400	5	85	245	62-71	111-120	26-35	4	76	0.45	C-E-D	£ 60.46
300x480	6	85	245	62-71	111-120	26-35	4	76	0.53	C-E-D	£ 70.88
300x560	7	85	245	62-71	111-120	26-35	4	76	0.62	C-E-D	£ 81.29
300x640	8	85	245	62-71	111-120	26-35	4	76	0.71	C-E-D	£ 93.82
300x720	9	85	245	62-71	111-120	26-35	4	76	0.80	C-E-D	£ 104.24
300x800	10	85	245	62-71	111-120	26-35	4	76	0.89	C-E-D	£ 114.64
300x880	11	85	245	62-71	111-120	26-35	4	76	0.97	C-E-D	£ 125.86
300x960	12	85	245	62-71	111-120	26-35	4	76	1.06	C-E-D	£ 136.28
300x1040	13	85	245	62-71	111-120	26-35	4	76	1.15	C-E-D	£ 146.69
300x1120	14	85	245	62-71	111-120	26-35	4	76	1.24	C-E-D	£ 157.11
300x1200	15	85	245	62-71	111-120	26-35	4	76	1.33	C-E-D	£ 168.31
300x1280	16	85	245	62-71	111-120	26-35	4	76	1.42	C-E-D	£ 178.73
300x1360	17	85	245	62-71	111-120	26-35	4	76	1.50	C-E-D	£ 189.14
300x1440	18	85	245	62-71	111-120	26-35	4	76	1.59	C	£ 199.56
300x1520	19	85	245	62-71	111-120	26-35	4	76	1.68	C	£ 210.78
300x1600	20	85	245	62-71	111-120	26-35	4	76	1.77	C	£ 221.18
300x1680	21	85	245	62-71	111-120	26-35	4	76	1.86	C	£ 231.59
300x1760	22	85	245	62-71	111-120	26-35	4	76	1.94	C	£ 242.82
300x1840	23	85	245	62-71	111-120	26-35	4	76	2.03	C	£ 253.23
300x1920	24	85	245	62-71	111-120	26-35	4	76	2.12	C	£ 263.65
400x240	3	85	345	62-71	111-120	26-35	4	76	0.31	C	£ 41.99
400x320	4	85	345	62-71	111-120	26-35	4	76	0.41	C	£ 53.80
400x400	5	85	345	62-71	111-120	26-35	4	76	0.52	C-E-D	£ 64.82
400x480	6	85	345	62-71	111-120	26-35	4	76	0.62	C-E-D	£ 76.08
400x560	7	85	345	62-71	111-120	26-35	4	76	0.72	C-E-D	£ 87.34
400x640	8	85	345	62-71	111-120	26-35	4	76	0.82	C-E-D	£ 100.73
400x720	9	85	345	62-71	111-120	26-35	4	76	0.93	C-E-D	£ 111.99
400x800	10	85	345	62-71	111-120	26-35	4	76	1.03	C-E-D	£ 123.25
400x880	11	85	345	62-71	111-120	26-35	4	76	1.13	C-E-D	£ 135.32
400x960	12	85	345	62-71	111-120	26-35	4	76	1.23	C-E-D	£ 146.59
400x1040	13	85	345	62-71	111-120	26-35	4	76	1.34	C-E-D	£ 157.85
400x1120	14	85	345	62-71	111-120	26-35	4	76	1.44	C-E-D	£ 169.11
400x1200	15	85	345	62-71	111-120	26-35	4	76	1.54	C-E-D	£ 181.19
400x1280	16	85	345	62-71	111-120	26-35	4	76	1.64	C-E-D	£ 192.45
400x1360	17	85	345	62-71	111-120	26-35	4	76	1.75	C-E-D	£ 203.72
400x1440	18	85	345	62-71	111-120	26-35	4	76	1.85	C	£ 214.98
400x1520	19	85	345	62-71	111-120	26-35	4	76	1.95	C	£ 227.05
400x1600	20	85	345	62-71	111-120	26-35	4	76	2.05	C	£ 238.31
400x1680	21	85	345	62-71	111-120	26-35	4	76	2.16	C	£ 249.58
400x1760	22	85	345	62-71	111-120	26-35	4	76	2.26	C	£ 261.64
400x1840	23	85	345	62-71	111-120	26-35	4	76	2.36	C	£ 272.91
400x1920	24	85	345	62-71	111-120	26-35	4	76	2.46	C	£ 284.18
500x240	3	85	445	62-71	111-120	26-35	4	76	0.36	C	£ 44.94
500x320	4	85	445	62-71	111-120	26-35	4	76	0.47	C	£ 57.61
500x400	5	85	445	62-71	111-120	26-35	4	76	0.59	C-E-D	£ 69.48
500x480	6	85	445	62-71	111-120	26-35	4	76	0.71	C-E-D	£ 81.60
500x560	7	85	445	62-71	111-120	26-35	4	76	0.82	C-E-D	£ 93.71
500x640	8	85	445	62-71	111-120	26-35	4	76	0.94	C-E-D	£ 107.95
500x720	9	85	445	62-71	111-120	26-35	4	76	1.06	C-E-D	£ 120.06
500x800	10	85	445	62-71	111-120	26-35	4	76	1.17	C-E-D	£ 132.17
500x880	11	85	445	62-71	111-120	26-35	4	76	1.29	C-E-D	£ 145.09
500x960	12	85	445	62-71	111-120	26-35	4	76	1.41	C-E-D	£ 157.21
500x1040	13	85	445	62-71	111-120	26-35	4	76	1.52	C-E-D	£ 169.33
500x1120	14	85	445	62-71	111-120	26-35	4	76	1.64	C-E-D	£ 181.44
500x1200	15	85	445	62-71	111-120	26-35	4	76	1.76	C-E-D	£ 194.37
500x1280	16	85	445	62-71	111-120	26-35	4	76	1.87	C-E-D	£ 206.48
500x1360	17	85	445	62-71	111-120	26-35	4	76	1.99	C-E-D	£ 218.59
500x1440	18	85	445	62-71	111-120	26-35	4	76	2.11	C	£ 230.72
500x1520	19	85	445	62-71	111-120	26-35	4	76	2.22	C	£ 243.64
500x1600	20	85	445	62-71	111-120	26-35	4	76	2.34	C	£ 255.75
500x1680	21	85	445	62-71	111-120	26-35	4	76	2.46	C	£ 267.87
500x1760	22	85	445	62-71	111-120	26-35	4	76	2.57	C	£ 280.79
500x1840	23	85	445	62-71	111-120	26-35	4	76	2.69	C	£ 292.90
500x1920	24	85	445	62-71	111-120	26-35	4	76	2.81	C	£ 305.03
600x240	3	85	545	62-71	111-120	26-35	4	76	0.40	C	£ 46.61
600x320	4	85	545	62-71	111-120	26-35	4	76	0.53	C	£ 60.13
600x400	5	85	545	62-71	111-120	26-35	4	76	0.66	C-E-D	£ 72.84
600x480	6	85	545	62-71	111-120	26-35	4	76	0.79	C-E-D	£ 85.81

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x240	58	199	76	258
300x320	78	265	101	345
300x400	97	331	126	431
300x480	117	398	152	517
300x560	136	464	177	603
300x640	155	530	202	689
300x720	175	596	227	775
300x800	194	663	253	862
300x880	214	729	278	948
300x960	233	795	303	1034
300x1040	253	862	328	1120
300x1120	272	928	354	1206
300x1200	292	994	379	1292
300x1280	311	1060	404	1378
300x1360	330	1127	430	1465
300x1440	350	1193	455	1551
300x1520	369	1259	480	1637
300x1600	389	1325	505	1723
300x1680	408	1392	531	1809
300x1760	428	1458	556	1895
300x1840	447	1524	581	1982
300x1920	466	1591	606	2068
400x240	79	271	103	352
400x320	106	361	138	470
400x400	132	452	172	587
400x480	159	542	207	704
400x560	185	632	241	822
400x640	212	723	275	939
400x720	238	813	310	1057
400x800	265	903	344	1174
400x880	291	993	379	1291
400x960	318	1084	413	1409
400x1040	344	1174	448	1526
400x1120	371	1264	482	1644
400x1200	397	1355	516	1761
400x1280	424	1445	551	1879
400x1360	450	1535	585	1996
400x1440	477	1626	620	2113
400x1520	503	1716	654	2231
400x1600	530	1806	689	2348
400x1680	556	1897	723	2466
400x1760	583	1987	757	2583
400x1840	609	2077	792	2700
400x1920	636	2168	826	2818
500x240	102	346	132	450
500x320	135	462	176	600
500x400	169	577	220	750
500x480	203	692	264	900
500x560	237	808	308	1050
500x640	271	923	352	1200
500x720	305	1038	396	1350
500x800	338	1154	440	1500
500x880	372	1269	484	1650
500x960	406	1385	528	1800
500x1040	440	1500	572	1950
500x1120	474	1615	616	2100
500x1200	508	1731	660	2250
500x1280	541	1846	704	2400
500x1360	575	1962	748	2550
500x1440	609	2077	792	2700
500x1520	643	2192	836	2850
500x1600	677	2308	880	3000
500x1680	711	2423	924	3150
500x1760	744	2538	968	3300
500x1840	778	2654	1012	3450
500x1920	812	2769	1056	3600
600x240	125	425	162	552
600x320	166	566	216	736
600x400	208	708	270	920
600x480	249	849	324	1104

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.62	2.57	0.02	430X287X127
2.16	3.19	0.03	430X367X127
2.70	3.83	0.03	430X447X127
3.23	4.44	0.03	430X527X127
3.77	5.09	0.04	430X607X127
4.31	5.87	0.04	430X6

BESTO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x560	7	85	545	62-71	111-120	26-35	4	76	0.92	C-E-D	£ 98.78
600x640	8	85	545	62-71	111-120	26-35	4	76	1.05	C-E-D	£ 113.86
600x720	9	85	545	62-71	111-120	26-35	4	76	1.18	C-E-D	£ 126.84
600x800	10	85	545	62-71	111-120	26-35	4	76	1.32	C-E-D	£ 139.81
600x880	11	85	545	62-71	111-120	26-35	4	76	1.45	C-E-D	£ 153.58
600x960	12	85	545	62-71	111-120	26-35	4	76	1.58	C-E-D	£ 166.55
600x1040	13	85	545	62-71	111-120	26-35	4	76	1.71	C-E-D	£ 179.51
600x1120	14	85	545	62-71	111-120	26-35	4	76	1.84	C-E-D	£ 192.48
600x1200	15	85	545	62-71	111-120	26-35	4	76	1.97	C-E-D	£ 206.25
600x1280	16	85	545	62-71	111-120	26-35	4	76	2.10	C-E-D	£ 219.22
600x1360	17	85	545	62-71	111-120	26-35	4	76	2.23	C-E-D	£ 232.19
600x1440	18	85	545	62-71	111-120	26-35	4	76	2.36	C	£ 245.16
600x1520	19	85	545	62-71	111-120	26-35	4	76	2.50	C	£ 258.93
600x1600	20	85	545	62-71	111-120	26-35	4	76	2.63	C	£ 271.90
600x1680	21	85	545	62-71	111-120	26-35	4	76	2.76	C	£ 284.88
600x1760	22	85	545	62-71	111-120	26-35	4	76	2.89	C	£ 298.65
600x1840	23	85	545	62-71	111-120	26-35	4	76	3.02	C	£ 311.62
600x1920	24	85	545	62-71	111-120	26-35	4	76	3.15	C	£ 324.59
700x240	3	85	645	62-71	111-120	26-35	4	76	0.44	C	£ 52.14
700x320	4	85	645	62-71	111-120	26-35	4	76	0.59	C	£ 66.94
700x400	5	85	645	62-71	111-120	26-35	4	76	0.73	C-E-D	£ 80.93
700x480	6	85	645	62-71	111-120	26-35	4	76	0.88	C-E-D	£ 95.18
700x560	7	85	645	62-71	111-120	26-35	4	76	1.02	C-E-D	£ 109.41
700x640	8	85	645	62-71	111-120	26-35	4	76	1.17	C-E-D	£ 125.77
700x720	9	85	645	62-71	111-120	26-35	4	76	1.31	C-E-D	£ 140.01
700x800	10	85	645	62-71	111-120	26-35	4	76	1.46	C-E-D	£ 154.25
700x880	11	85	645	62-71	111-120	26-35	4	76	1.60	C-E-D	£ 169.31
700x960	12	85	645	62-71	111-120	26-35	4	76	1.75	C-E-D	£ 183.55
700x1040	13	85	645	62-71	111-120	26-35	4	76	1.89	C-E-D	£ 197.79
700x1120	14	85	645	62-71	111-120	26-35	4	76	2.04	C-E-D	£ 212.02
700x1200	15	85	645	62-71	111-120	26-35	4	76	2.19	C-E-D	£ 227.07
700x1280	16	85	645	62-71	111-120	26-35	4	76	2.33	C-E-D	£ 241.32
700x1360	17	85	645	62-71	111-120	26-35	4	76	2.48	C-E-D	£ 255.56
700x1440	18	85	645	62-71	111-120	26-35	4	76	2.62	C	£ 269.80
700x1520	19	85	645	62-71	111-120	26-35	4	76	2.77	C	£ 284.85
700x1600	20	85	645	62-71	111-120	26-35	4	76	2.91	C	£ 299.08
700x1680	21	85	645	62-71	111-120	26-35	4	76	3.06	C	£ 313.33
700x1760	22	85	645	62-71	111-120	26-35	4	76	3.20	C	£ 328.38
700x1840	23	85	645	62-71	111-120	26-35	4	76	3.35	C	£ 342.62
700x1920	24	85	645	62-71	111-120	26-35	4	76	3.49	C	£ 356.86
800x320	4	85	745	62-71	111-120	26-35	4	76	0.64	C	£ 70.76
800x400	5	85	745	62-71	111-120	26-35	4	76	0.80	C-E-D	£ 85.59
800x480	6	85	745	62-71	111-120	26-35	4	76	0.96	C-E-D	£ 100.69
800x560	7	85	745	62-71	111-120	26-35	4	76	1.12	C-E-D	£ 115.79
800x640	8	85	745	62-71	111-120	26-35	4	76	1.28	C-E-D	£ 132.99
800x720	9	85	745	62-71	111-120	26-35	4	76	1.44	C-E-D	£ 148.09
800x800	10	85	745	62-71	111-120	26-35	4	76	1.60	C-E-D	£ 163.17
800x880	11	85	745	62-71	111-120	26-35	4	76	1.76	C-E-D	£ 179.07
800x960	12	85	745	62-71	111-120	26-35	4	76	1.92	C-E-D	£ 194.17
800x1040	13	85	745	62-71	111-120	26-35	4	76	2.08	C-E-D	£ 209.26
800x1120	14	85	745	62-71	111-120	26-35	4	76	2.24	C-E-D	£ 224.36
800x1200	15	85	745	62-71	111-120	26-35	4	76	2.40	C-E-D	£ 240.25
800x1280	16	85	745	62-71	111-120	26-35	4	76	2.56	C-E-D	£ 255.35
800x1360	17	85	745	62-71	111-120	26-35	4	76	2.72	C-E-D	£ 270.45
800x1440	18	85	745	62-71	111-120	26-35	4	76	2.88	C	£ 285.54
800x1520	19	85	745	62-71	111-120	26-35	4	76	3.04	C	£ 301.44
800x1600	20	85	745	62-71	111-120	26-35	4	76	3.20	C	£ 316.52
800x1680	21	85	745	62-71	111-120	26-35	4	76	3.36	C	£ 331.62
800x1760	22	85	745	62-71	111-120	26-35	4	76	3.52	C	£ 347.53
800x1840	23	85	745	62-71	111-120	26-35	4	76	3.68	C	£ 362.62
800x1920	24	85	745	62-71	111-120	26-35	4	76	3.84	C	£ 377.72
900x240	3	85	845	62-71	111-120	26-35	4	76	0.53	C	£ 58.06
900x320	4	85	845	62-71	111-120	26-35	4	76	0.70	C	£ 74.57
900x400	5	85	845	62-71	111-120	26-35	4	76	0.87	C-E-D	£ 90.25
900x480	6	85	845	62-71	111-120	26-35	4	76	1.05	C-E-D	£ 106.20
900x560	7	85	845	62-71	111-120	26-35	4	76	1.22	C-E-D	£ 122.15
900x640	8	85	845	62-71	111-120	26-35	4	76	1.40	C-E-D	£ 140.21
900x720	9	85	845	62-71	111-120	26-35	4	76	1.57	C-E-D	£ 156.16
900x800	10	85	845	62-71	111-120	26-35	4	76	1.74	C-E-D	£ 172.10
900x880	11	85	845	62-71	111-120	26-35	4	76	1.92	C-E-D	£ 188.85

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x560	291	991	378	1288
600x640	332	1132	432	1472
600x720	374	1274	486	1656
600x800	415	1415	540	1840
600x880	457	1557	593	2024
600x960	498	1698	647	2208
600x1040	540	1840	701	2392
600x1120	581	1981	755	2576
600x1200	623	2123	809	2760
600x1280	664	2264	863	2944
600x1360	706	2406	917	3127
600x1440	747	2547	971	3311
600x1520	789	2689	1025	3495
600x1600	830	2830	1079	3679
600x1680	872	2972	1133	3863
600x1760	913	3113	1187	4047
600x1840	955	3255	1241	4231
600x1920	996	3396	1295	4415
700x240	142	485	185	630
700x320	189	646	246	840
700x400	237	808	308	1050
700x480	284	969	370	1260
700x560	332	1131	431	1470
700x640	379	1292	493	1680
700x720	426	1454	554	1890
700x800	474	1615	616	2100
700x880	521	1777	677	2310
700x960	568	1938	739	2520
700x1040	616	2100	801	2730
700x1120	663	2262	862	2940
700x1200	711	2423	924	3150
700x1280	758	2585	985	3360
700x1360	805	2746	1047	3570
700x1440	853	2908	1108	3780
700x1520	900	3069	1170	3990
700x1600	947	3231	1232	4200
700x1680	995	3392	1293	4410
700x1760	1042	3554	1355	4620
700x1840	1090	3715	1416	4830
700x1920	1137	3877	1478	5040
800x320	212	723	275	939
800x400	265	903	344	1174
800x480	318	1084	413	1409
800x560	371	1264	482	1644
800x640	424	1445	551	1879
800x720	477	1626	620	2113
800x800	530	1806	689	2348
800x880	583	1987	757	2583
800x960	636	2168	826	2818
800x1040	689	2348	895	3053
800x1120	742	2529	964	3287
800x1200	795	2709	1033	3522
800x1280	848	2889	1102	3757
800x1360	900	3071	1171	3992
800x1440	953	3251	1239	4227
800x1520	1006	3432	1308	4461
800x1600	1059	3612	1377	4696
800x1680	1112	3793	1446	4931
800x1760	1165	3974	1515	5166
800x1840	1218	4154	1584	5401
800x1920	1271	4335	1653	5635
900x240	175	596	227	775
900x320	233	795	303	1034
900x400	292	994	379	1292
900x480	350	1193	455	1551
900x560	408	1392	531	1809
900x640	466	1591	606	2068
900x720	525	1789	682	2326
900x800	583	1988	758	2585
900x880	641	2187	834	2843

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
5.49	7.13	0.06	730X607X127
6.27	8.21	0.07	730X687X127
7.06	9.14	0.08	730X767X127
7.84	10.06	0.08	730X847X127
8.63	10.98	0.09	730X927X127
9.40	11.88	0.10	730X1007X127
10.19	12.80	0.11	730X1087X127
10.97	13.71	0.11	730X1167X127
11.75	14.63	0.12	730X1247X127
12.54	15.55	0.13	730X1327X127
13.32	16.47	0.14	730X1407X127
14.10	17.38	0.14	730X1487X127
14.88	18.30	0.15	730X1567X127
15.67	19.21	0.16	730X1647X127
16.45	20.14	0.17	730X1727X127
17.24	21.06	0.17	730X1807X127
18.02	21.97	0.18	730X1887X127
18.79	22.88	0.19	730X1967X127
2.61	3.95	0.04	830X287X127
3.47	4.96	0.04	830X367X127
4.34	5.98	0.05	830X447X127
5.20	6.98	0.06	830X527X127
6.06	7.99	0.07	830X607X127
6.93	9.16	0.08	830X687X127
7.79	10.19	0.09	830X767X127
8.66	11.20	0.09	830X847X127
9.53	12.22	0.10	830X927X127
10.38	13.23	0.11	830X1007X127
11.25	14.22	0.12	830X1087X127
12.12	15.25	0.13	830X1167X127
12.98	16.25	0.14	830X1247X127
13.85	17.27	0.14	830X1327X127
14.71	18.28	0.15	830X1407X127
15.57	19.31	0.16	830X1487X127
16.44	20.30	0.17	830X1567X127
17.30	21.31	0.18	830X1647X127
18.17	22.33	0.19	830X1727X127
19.04	23.34	0.20	830X1807X127
19.90	24.36	0.20	830X1887X127
20.76	25.36	0.21	830X1967X127
3.80	5.41	0.05	930X367X127
4.75	6.52	0.06	930X447X127
5.69	7.62	0.07	930X527X127
6.63	8.72	0.08	930X607X127
7.58	9.99	0.09	930X687X127
8.53	11.10	0.10	930X767X127
9.48	12.21	0.11	930X847X127
10.43	13.33	0.11	930X927X127
11.36	14.43	0.12	930X1007X127
12.31	15.53	0.13	930X1087X127
13.26	16.65	0.14	930X1167X127
14.21	17.76	0.15	930X1247X127
15.16	18.87	0.16	930X1327X127
16.10	19.97	0.17	930X1407X127
17.04	21.07	0.18	930X1487X127
17.99	22.19	0.19	930X1567X127
18.94	23.29	0.20	930X1647X127
19.89	24.41	0.21	930X1727X127
20.84	25.53	0.22	930X1807X127
21.78	26.63	0.23	930X1887X127
22.72	27.72	0.24	930X1967X127
3.10	4.64	0.04	1030X287X127
4.13	5.85	0.05	1030X367X127
5.16	7.05	0.06	1030X447X127
6.18	8.25	0.07	1030X527X127
7.21	9.46	0.08	1030X607X127
8.24	10.82	0.09	1030X687X127
9.27	12.03	0.11	1030X767X127
10.30	13.24	0.12	1030X847X127
11.33	14.44	0.13	1030X927X127

BESTO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
900x960	12	85	845	62-71	111-120	26-35	4	76	2,09	C-E-D	£ 204.80
900x1040	13	85	845	62-71	111-120	26-35	4	76	2,27	C-E-D	£ 220.75
900x1120	14	85	845	62-71	111-120	26-35	4	76	2,44	C-E-D	£ 236.69
900x1200	15	85	845	62-71	111-120	26-35	4	76	2,61	C-E-D	£ 253.44
900x1280	16	85	845	62-71	111-120	26-35	4	76	2,79	C-E-D	£ 269.39
900x1360	17	85	845	62-71	111-120	26-35	4	76	2,96	C-E-D	£ 285.33
900x1440	18	85	845	62-71	111-120	26-35	4	76	3,14	C	£ 301.28
900x1520	19	85	845	62-71	111-120	26-35	4	76	3,31	C	£ 318.03
900x1600	20	85	845	62-71	111-120	26-35	4	76	3,48	C	£ 333.98
900x1680	21	85	845	62-71	111-120	26-35	4	76	3,66	C	£ 349.93
900x1760	22	85	845	62-71	111-120	26-35	4	76	3,83	C	£ 366.67
900x1840	23	85	845	62-71	111-120	26-35	4	76	4,01	C	£ 382.63
900x1920	24	85	845	62-71	111-120	26-35	4	76	4,18	C	£ 398.57
1000x240	3	85	945	62-71	111-120	26-35	4	76	0,57	C	£ 61.02
1000x320	4	85	945	62-71	111-120	26-35	4	76	0,76	C	£ 78.38
1000x400	5	85	945	62-71	111-120	26-35	4	76	0,95	C-E-D	£ 94.92
1000x480	6	85	945	62-71	111-120	26-35	4	76	1,13	C-E-D	£ 111.72
1000x560	7	85	945	62-71	111-120	26-35	4	76	1,32	C-E-D	£ 128.51
1000x640	8	85	945	62-71	111-120	26-35	4	76	1,51	C-E-D	£ 147.42
1000x720	9	85	945	62-71	111-120	26-35	4	76	1,70	C-E-D	£ 164.22
1000x800	10	85	945	62-71	111-120	26-35	4	76	1,89	C-E-D	£ 181.02
1000x880	11	85	945	62-71	111-120	26-35	4	76	2,08	C-E-D	£ 198.62
1000x960	12	85	945	62-71	111-120	26-35	4	76	2,26	C-E-D	£ 215.43
1000x1040	13	85	945	62-71	111-120	26-35	4	76	2,45	C-E-D	£ 232.22
1000x1120	14	85	945	62-71	111-120	26-35	4	76	2,64	C-E-D	£ 249.02
1000x1200	15	85	945	62-71	111-120	26-35	4	76	2,83	C-E-D	£ 266.62
1000x1280	16	85	945	62-71	111-120	26-35	4	76	3,02	C-E-D	£ 283.42
1000x1360	17	85	945	62-71	111-120	26-35	4	76	3,21	C-E-D	£ 300.22
1000x1440	18	85	945	62-71	111-120	26-35	4	76	3,39	C	£ 317.01
1000x1520	19	85	945	62-71	111-120	26-35	4	76	3,58	C	£ 334.61
1000x1600	20	85	945	62-71	111-120	26-35	4	76	3,77	C	£ 351.42
1000x1680	21	85	945	62-71	111-120	26-35	4	76	3,96	C	£ 368.22
1000x1760	22	85	945	62-71	111-120	26-35	4	76	4,15	C	£ 385.82
1000x1840	23	85	945	62-71	111-120	26-35	4	76	4,34	C	£ 402.62
1000x1920	24	85	945	62-71	111-120	26-35	4	76	4,52	C	£ 419.41
1200x240	3	85	1145	62-71	111-120	26-35	4	76	0,66	C	£ 68.27
1200x320	4	85	1145	62-71	111-120	26-35	4	76	0,87	C	£ 87.74
1200x400	5	85	1145	62-71	111-120	26-35	4	76	1,09	C-E-D	£ 106.41
1200x480	6	85	1145	62-71	111-120	26-35	4	76	1,31	C-E-D	£ 125.34
1200x560	7	85	1145	62-71	111-120	26-35	4	76	1,52	C-E-D	£ 144.26
1200x640	8	85	1145	62-71	111-120	26-35	4	76	1,74	C-E-D	£ 165.30
1200x720	9	85	1145	62-71	111-120	26-35	4	76	1,96	C-E-D	£ 184.22
1200x800	10	85	1145	62-71	111-120	26-35	4	76	2,17	C-E-D	£ 203.14
1200x880	11	85	1145	62-71	111-120	26-35	4	76	2,39	C-E-D	£ 222.88
1200x960	12	85	1145	62-71	111-120	26-35	4	76	2,61	C-E-D	£ 241.79
1200x1040	13	85	1145	62-71	111-120	26-35	4	76	2,82	C-E-D	£ 260.72
1200x1120	14	85	1145	62-71	111-120	26-35	4	76	3,04	C-E-D	£ 279.64
1200x1200	15	85	1145	62-71	111-120	26-35	4	76	3,26	C-E-D	£ 299.37
1200x1280	16	85	1145	62-71	111-120	26-35	4	76	3,48	C-E-D	£ 318.30
1200x1360	17	85	1145	62-71	111-120	26-35	4	76	3,69	C-E-D	£ 337.22
1200x1440	18	85	1145	62-71	111-120	26-35	4	76	3,91	C	£ 356.14
1400x240	3	85	1345	62-71	111-120	26-35	4	76	0,74	C	£ 74.19
1400x320	4	85	1345	62-71	111-120	26-35	4	76	0,99	C	£ 95.36
1400x400	5	85	1345	62-71	111-120	26-35	4	76	1,23	C-E-D	£ 115.73
1400x480	6	85	1345	62-71	111-120	26-35	4	76	1,48	C-E-D	£ 136.36
1400x560	7	85	1345	62-71	111-120	26-35	4	76	1,72	C-E-D	£ 157.00
1400x640	8	85	1345	62-71	111-120	26-35	4	76	1,97	C-E-D	£ 179.74
1400x720	9	85	1345	62-71	111-120	26-35	4	76	2,21	C-E-D	£ 200.36
1400x800	10	85	1345	62-71	111-120	26-35	4	76	2,46	C-E-D	£ 220.99
1400x880	11	85	1345	62-71	111-120	26-35	4	76	2,71	C-E-D	£ 242.42
1400x960	12	85	1345	62-71	111-120	26-35	4	76	2,95	C-E-D	£ 263.05
1400x1040	13	85	1345	62-71	111-120	26-35	4	76	3,20	C-E-D	£ 283.69
1400x1120	14	85	1345	62-71	111-120	26-35	4	76	3,44	C-E-D	£ 304.31
1400x1200	15	85	1345	62-71	111-120	26-35	4	76	3,69	C-E-D	£ 325.74
1400x1280	16	85	1345	62-71	111-120	26-35	4	76	3,93	C-E-D	£ 346.37
1400x1360	17	85	1345	62-71	111-120	26-35	4	76	4,18	C-E-D	£ 366.99
1400x1440	18	85	1345	62-71	111-120	26-35	4	76	4,42	C	£ 387.62
1600x240	3	85	1545	62-71	111-120	26-35	4	76	0,83	C	£ 81.38
1600x320	4	85	1545	62-71	111-120	26-35	4	76	1,10	C	£ 104.69
1600x400	5	85	1545	62-71	111-120	26-35	4	76	1,38	C-E-D	£ 127.18

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
900x960	700	2386	910	3102
900x1040	758	2585	985	3360
900x1120	816	2783	1061	3618
900x1200	875	2982	1137	3877
900x1280	933	3181	1213	4135
900x1360	991	3380	1288	4394
900x1440	1049	3579	1364	4652
900x1520	1108	3777	1440	4911
900x1600	1166	3976	1516	5169
900x1680	1224	4175	1592	5428
900x1760	1283	4374	1667	5686
900x1840	1341	4573	1743	5945
900x1920	1399	4772	1819	6203
1000x240	190	648	247	843
1000x320	254	865	330	1124
1000x400	317	1081	412	1405
1000x480	380	1297	494	1686
1000x560	444	1513	577	1967
1000x640	507	1729	659	2248
1000x720	570	1945	742	2529
1000x800	634	2161	824	2810
1000x880	697	2377	906	3091
1000x960	761	2594	989	3372
1000x1040	824	2810	1071	3653
1000x1120	887	3026	1154	3934
1000x1200	951	3242	1236	4215
1000x1280	1014	3458	1318	4496
1000x1360	1077	3674	1401	4777
1000x1440	1141	3890	1483	5057
1000x1520	1204	4107	1566	5338
1000x1600	1268	4323	1648	5619
1000x1680	1331	4539	1730	5900
1000x1760	1394	4755	1813	6181
1000x1840	1458	4971	1895	6462
1000x1920	1521	5187	1978	6743
1200x240	218	744	284	968
1200x320	291	993	378	1290
1200x400	364	1241	473	1613
1200x480	437	1489	568	1936
1200x560	509	1737	662	2258
1200x640	582	1985	757	2581
1200x720	655	2233	851	2903
1200x800	728	2482	946	3226
1200x880	801	2730	1041	3549
1200x960	873	2978	1135	3871
1200x1040	946	3226	1230	4194
1200x1120	1019	3474	1324	4516
1200x1200	1092	3722	1419	4839
1200x1280	1164	3970	1514	5162
1200x1360	1237	4219	1608	5484
1200x1440	1310	4467	1703	5807
1400x240	251	855	326	1111
1400x320	334	1140	434	1482
1400x400	418	1425	543	1852
1400x480	501	1710	652	2222
1400x560	585	1994	760	2593
1400x640	668	2279	869	2963
1400x720	752	2564	978	3334
1400x800	836	2849	1086	3704
1400x880	919	3134	1195	4074
1400x960	1003	3419	1303	4445
1400x1040	1086	3704	1412	4815
1400x1120	1170	3989	1521	5186
1400x1200	1253	4274	1629	5556
1400x1280	1337	4559	1738	5926
1400x1360	1420	4844	1847	6297
1400x1440	1504	5129	1955	6667
1600x240	288	981	374	1276
1600x320	384	1309	499	1701
1600x400	480	1636	624	2126

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
12.35	15.65	0.14	1030X1007X127
13.38	16.84	0.15	1030X1087X127
14.41	18.05	0.16	1030X1167X127
15.44	19.26	0.17	1030X1247X127
16.47	20.47	0.18	1030X1327X127
17.50	21.67	0.19	1030X1407X127
18.51	22.85	0.20	1030X1487X127
19.55	24.08	0.21	1030X1567X127
20.57	25.27	0.22	1030X1647X127
21.60	26.49	0.23	1030X1727X127
22.63	27.68	0.24	1030X1807X127
23.66	28.89	0.25	1030X1887X127
24.68	30.09	0.26	1030X1967X127
3.34	4.97	0.05	1130X287X127
4.46	6.30	0.06	1130X367X127
5.57	7.57	0.07	1130X447X127
6.67	8.89	0.08	1130X527X127
7.78	10.18	0.09	1130X607X127
8.89	11.64	0.10	1130X687X127
10.00	12.94	0.12	1130X767X127
11.11	14.23	0.13	1130X847X127
12.23	15.53	0.14	1130X927X127
13.33	16.85	0.15	1130X1007X127
14.44	18.15	0.16	1130X1087X127
15.55	19.45	0.17	1130X1167X127
16.66	20.75	0.18	1130X1247X127
17.77	22.05	0.20	1130X1327X127
18.89	23.37	0.21	1130X1407X127
19.99	24.67	0.22	1130X1487X127
21.10	25.95	0.23	1130X1567X127
22.21	27.25	0.24	1130X1647X127
23.32	28.55	0.25	1130X1727X127
24.43	29.86	0.26	1130X1807X127
25.55	31.16	0.28	1130X1887X127
26.65	32.30	0.29	1130X1967X127
3.83	5.68	0.05	1330X287X127
5.11	7.17	0.07	1330X367X127
6.38	8.67	0.08	1330X447X127
7.65	10.16	0.09	1330X527X127
8.92	11.65	0.11	1330X607X127
10.20	13.31	0.12	1330X687X127
11.48	14.81	0.13	1330X767X127
12.75	16.30	0.15	1330X847X127
14.03	17.80	0.16	1330X927X127
15.29	19.27	0.18	1330X1007X127
16.57	20.76	0.19	1330X1087X127
17.84	22.26	0.20	1330X1167X127
19.12	23.75	0.22	1330X1247X127
20.39	25.25	0.23	1330X1327X127
21.67	26.75	0.24	1330X1407X127
22.93	28.23	0.26	1330X1487X127
4.32	6.37	0.06	1530X287X127
5.76	8.05	0.08	1530X367X127
7.20	9.74	0.09	1530X447X127
8.63	11.42	0.11	1530X527X127
10.07	13.11	0.12	1530X607X127
11.51	14.86	0.14	1530X687X127
12.95	16.65	0.15	1530X767X127
14.39	18.34	0.17	1530X847X127
15.83	20.02	0.19	1530X927X127
17.25	21.69	0.20	1530X1007X127
18.69	23.38	0.22	1530X1087X127
20.13	25.07	0.23	1530X1167X127
21.57	26.76	0.25	1530X1247X127
23.01	28.44	0.26	1530X1327X127
24.45	30.14	0.28	1530X1407X127
25.88	31.81	0.29	1530X1487X127
4.82	7.06	0.07	1730X287X127
6.42	8.95	0.09	1730X367X127
8.02	10.81	0.10	1730X447X127

BESTO

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1600x480	6	85	1545	62-71	111-120	26-35	4	76	1.65	C-E-D	£ 149.94
1600x560	7	85	1545	62-71	111-120	26-35	4	76	1.92	C-E-D	£ 172.70
1600x640	8	85	1545	62-71	111-120	26-35	4	76	2.20	C-E-D	£ 197.57
1600x720	9	85	1545	62-71	111-120	26-35	4	76	2.47	C-E-D	£ 220.31
1600x800	10	85	1545	62-71	111-120	26-35	4	76	2.75	C-E-D	£ 243.07
1600x880	11	85	1545	62-71	111-120	26-35	4	76	3.02	C-E-D	£ 266.63
1600x960	12	85	1545	62-71	111-120	26-35	4	76	3.29	C-E-D	£ 289.38
1800x1040	13	85	1545	62-71	111-120	26-35	4	76	3.57	C-E-D	£ 312.13
1800x240	3	85	1745	62-71	111-120	26-35	4	76	0.91	C	£ 91.69
1800x320	4	85	1745	62-71	111-120	26-35	4	76	1.22	C	£ 116.92
1800x400	5	85	1745	62-71	111-120	26-35	4	76	1.52	C-E-D	£ 141.33
1800x480	6	85	1745	62-71	111-120	26-35	4	76	1.82	C-E-D	£ 166.00
1800x560	7	85	1745	62-71	111-120	26-35	4	76	2.12	C-E-D	£ 190.66
1800x640	8	85	1745	62-71	111-120	26-35	4	76	2.43	C-E-D	£ 217.44
1800x720	9	85	1745	62-71	111-120	26-35	4	76	2.73	C-E-D	£ 242.12
1800x800	10	85	1745	62-71	111-120	26-35	4	76	3.03	C-E-D	£ 266.78
1800x880	11	85	1745	62-71	111-120	26-35	4	76	3.33	C-E-D	£ 292.26
1800x960	12	85	1745	62-71	111-120	26-35	4	76	3.64	C-E-D	£ 316.92

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1600x480	576	1963	748	2552
1600x560	672	2290	873	2977
1600x640	767	2617	998	3402
1600x720	863	2944	1122	3827
1600x800	959	3271	1247	4253
1600x880	1055	3598	1372	4678
1600x960	1151	3926	1497	5103
1800x1040	1247	4253	1621	5529
1800x240	330	1127	430	1465
1800x320	441	1502	573	1953
1800x400	551	1878	716	2441
1800x480	661	2254	859	2930
1800x560	771	2629	1002	3418
1800x640	881	3005	1146	3906
1800x720	991	3380	1289	4395
1800x800	1101	3756	1432	4883
1800x880	1212	4132	1575	5371
1800x960	1322	4507	1718	5859

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
9.61	12.69	0.12	1730X527X127
11.21	14.56	0.14	1730X607X127
12.82	16.61	0.16	1730X687X127
14.42	18.49	0.17	1730X767X127
16.02	20.36	0.19	1730X847X127
17.63	22.26	0.21	1730X927X127
19.22	24.11	0.23	1730X1007X127
20.82	26.00	0.24	1730X1087X127
5.31	7.64	0.08	1930X287X127
7.07	9.70	0.09	1930X367X127
8.84	11.76	0.11	1930X447X127
10.59	13.82	0.13	1930X527X127
12.36	16.05	0.15	1930X607X127
14.13	18.13	0.17	1930X687X127
15.89	20.19	0.19	1930X767X127
17.66	22.27	0.21	1930X847X127
19.42	24.33	0.23	1930X927X127
21.18	26.40	0.25	1930X1007X127

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel