

BIANCO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x333	4	39	245	42-51	66-75	26-35	3	80	0,35	C	£ 64.55
300x417	5	39	245	42-51	66-75	26-35	3	80	0,44	C-E-D	£ 78.74
300x501	6	39	245	42-51	66-75	26-35	3	80	0,52	C-E-D	£ 93.00
300x585	7	39	245	42-51	66-75	26-35	3	80	0,61	C-E-D	£ 107.24
300x669	8	39	245	42-51	66-75	26-35	3	80	0,70	C-E-D	£ 123.70
300x753	9	39	245	42-51	66-75	26-35	3	80	0,79	C-E-D	£ 137.94
300x837	10	39	245	42-51	66-75	26-35	3	80	0,87	C-E-D	£ 152.20
300x921	11	39	245	42-51	66-75	26-35	3	80	0,96	C-E-D	£ 167.29
300x1005	12	39	245	42-51	66-75	26-35	3	80	1,05	C-E-D	£ 181.54
300x1089	13	39	245	42-51	66-75	26-35	3	80	1,13	C-E-D	£ 195.80
300x1173	14	39	245	42-51	66-75	26-35	3	80	1,22	C-E-D	£ 210.05
300x1257	15	39	245	42-51	66-75	26-35	3	80	1,31	C-E-D	£ 225.14
300x1341	16	39	245	42-51	66-75	26-35	3	80	1,39	C-E-D	£ 239.39
300x1425	17	39	245	42-51	66-75	26-35	3	80	1,48	C	£ 253.65
300x1509	18	39	245	42-51	66-75	26-35	3	80	1,57	C	£ 267.89
300x1593	19	39	245	42-51	66-75	26-35	3	80	1,65	C	£ 282.99
300x1677	20	39	245	42-51	66-75	26-35	3	80	1,74	C	£ 297.25
300x1761	21	39	245	42-51	66-75	26-35	3	80	1,83	C	£ 311.49
300x1845	22	39	245	42-51	66-75	26-35	3	80	1,91	C	£ 326.59
300x1929	23	39	245	42-51	66-75	26-35	3	80	2,00	C	£ 340.84
400x333	4	39	345	42-51	66-75	26-35	3	80	0,41	C	£ 69.29
400x417	5	39	345	42-51	66-75	26-35	3	80	0,51	C-E-D	£ 84.64
400x501	6	39	345	42-51	66-75	26-35	3	80	0,61	C-E-D	£ 100.06
400x585	7	39	345	42-51	66-75	26-35	3	80	0,71	C-E-D	£ 115.46
400x669	8	39	345	42-51	66-75	26-35	3	80	0,81	C-E-D	£ 133.09
400x753	9	39	345	42-51	66-75	26-35	3	80	0,91	C-E-D	£ 148.50
400x837	10	39	345	42-51	66-75	26-35	3	80	1,01	C-E-D	£ 163.92
400x921	11	39	345	42-51	66-75	26-35	3	80	1,12	C-E-D	£ 180.18
400x1005	12	39	345	42-51	66-75	26-35	3	80	1,22	C-E-D	£ 195.60
400x1089	13	39	345	42-51	66-75	26-35	3	80	1,32	C-E-D	£ 211.02
400x1173	14	39	345	42-51	66-75	26-35	3	80	1,42	C-E-D	£ 226.43
400x1257	15	39	345	42-51	66-75	26-35	3	80	1,52	C-E-D	£ 242.69
400x1341	16	39	345	42-51	66-75	26-35	3	80	1,62	C-E-D	£ 258.11
400x1425	17	39	345	42-51	66-75	26-35	3	80	1,72	C	£ 273.53
400x1509	18	39	345	42-51	66-75	26-35	3	80	1,82	C	£ 288.94
400x1593	19	39	345	42-51	66-75	26-35	3	80	1,93	C	£ 305.19
400x1677	20	39	345	42-51	66-75	26-35	3	80	2,03	C	£ 320.62
400x1761	21	39	345	42-51	66-75	26-35	3	80	2,13	C	£ 336.03
400x1845	22	39	345	42-51	66-75	26-35	3	80	2,23	C	£ 352.30
400x1929	23	39	345	42-51	66-75	26-35	3	80	2,33	C	£ 367.71
500x333	4	39	445	42-51	66-75	26-35	3	80	0,47	C	£ 74.15
500x417	5	39	445	42-51	66-75	26-35	3	80	0,58	C-E-D	£ 90.65
500x501	6	39	445	42-51	66-75	26-35	3	80	0,70	C-E-D	£ 107.23
500x585	7	39	445	42-51	66-75	26-35	3	80	0,81	C-E-D	£ 123.82
500x669	8	39	445	42-51	66-75	26-35	3	80	0,93	C-E-D	£ 142.60
500x753	9	39	445	42-51	66-75	26-35	3	80	1,04	C-E-D	£ 159.18
500x837	10	39	445	42-51	66-75	26-35	3	80	1,16	C-E-D	£ 175.76
500x921	11	39	445	42-51	66-75	26-35	3	80	1,27	C-E-D	£ 193.19
500x1005	12	39	445	42-51	66-75	26-35	3	80	1,39	C-E-D	£ 209.77
500x1089	13	39	445	42-51	66-75	26-35	3	80	1,50	C-E-D	£ 226.35
500x1173	14	39	445	42-51	66-75	26-35	3	80	1,62	C-E-D	£ 242.94
500x1257	15	39	445	42-51	66-75	26-35	3	80	1,74	C-E-D	£ 260.36
500x1341	16	39	445	42-51	66-75	26-35	3	80	1,85	C-E-D	£ 276.94
500x1425	17	39	445	42-51	66-75	26-35	3	80	1,97	C	£ 293.52
500x1509	18	39	445	42-51	66-75	26-35	3	80	2,08	C	£ 310.11
500x1593	19	39	445	42-51	66-75	26-35	3	80	2,20	C	£ 327.53
500x1677	20	39	445	42-51	66-75	26-35	3	80	2,31	C	£ 344.11
500x1761	21	39	445	42-51	66-75	26-35	3	80	2,43	C	£ 360.69
500x1845	22	39	445	42-51	66-75	26-35	3	80	2,54	C	£ 378.12
500x1929	23	39	445	42-51	66-75	26-35	3	80	2,66	C	£ 394.70
600x333	4	39	545	42-51	66-75	26-35	3	80	0,52	C	£ 78.76
600x417	5	39	545	42-51	66-75	26-35	3	80	0,65	C-E-D	£ 96.44
600x501	6	39	545	42-51	66-75	26-35	3	80	0,78	C-E-D	£ 114.19
600x585	7	39	545	42-51	66-75	26-35	3	80	0,91	C-E-D	£ 131.93
600x669	8	39	545	42-51	66-75	26-35	3	80	1,04	C-E-D	£ 151.87
600x753	9	39	545	42-51	66-75	26-35	3	80	1,17	C-E-D	£ 169.62
600x837	10	39	545	42-51	66-75	26-35	3	80	1,30	C-E-D	£ 187.37
600x921	11	39	545	42-51	66-75	26-35	3	80	1,43	C-E-D	£ 205.95
600x1005	12	39	545	42-51	66-75	26-35	3	80	1,56	C-E-D	£ 223.71
600x1089	13	39	545	42-51	66-75	26-35	3	80	1,69	C-E-D	£ 241.46

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x333	126	431	164	560
300x417	158	538	205	700
300x501	189	646	246	840
300x585	221	753	287	979
300x669	253	861	328	1119
300x753	284	969	369	1259
300x837	316	1076	410	1399
300x921	347	1184	451	1539
300x1005	379	1292	492	1679
300x1089	410	1399	533	1819
300x1173	442	1507	574	1959
300x1257	473	1614	615	2099
300x1341	505	1722	657	2239
300x1425	537	1830	698	2379
300x1509	568	1937	739	2519
300x1593	600	2045	780	2658
300x1677	631	2153	821	2798
300x1761	663	2260	862	2938
300x1845	694	2368	903	3078
300x1929	726	2476	944	3218
400x333	172	587	224	763
400x417	215	733	280	953
400x501	258	880	336	1144
400x585	301	1027	391	1335
400x669	344	1173	447	1525
400x753	387	1320	503	1716
400x837	430	1467	559	1907
400x921	473	1613	615	2097
400x1005	516	1760	671	2288
400x1089	559	1907	727	2479
400x1173	602	2053	783	2669
400x1257	645	2200	839	2860
400x1341	688	2347	895	3051
400x1425	731	2494	951	3242
400x1509	774	2640	1007	3432
400x1593	817	2787	1062	3623
400x1677	860	2934	1118	3814
400x1761	903	3080	1174	4004
400x1845	946	3227	1230	4195
400x1929	989	3374	1286	4386
500x333	220	750	286	974
500x417	275	937	357	1218
500x501	330	1124	429	1462
500x585	385	1312	500	1705
500x669	440	1499	572	1949
500x753	495	1687	643	2193
500x837	550	1874	714	2436
500x921	604	2061	786	2680
500x1005	659	2249	857	2923
500x1089	714	2436	929	3167
500x1173	769	2623	1000	3411
500x1257	824	2811	1072	3654
500x1341	879	2998	1143	3898
500x1425	934	3186	1214	4141
500x1509	989	3373	1286	4385
500x1593	1044	3560	1357	4629
500x1677	1099	3748	1429	4872
500x1761	1154	3935	1500	5116
500x1845	1209	4123	1572	5359
500x1929	1264	4310	1643	5603
600x333	270	919	350	1195
600x417	337	1149	438	1494
600x501	404	1379	526	1793
600x585	472	1609	613	2091
600x669	539	1839	701	2390
600x753	607	2069	789	2689
600x837	674	2298	876	2988
600x921	741	2528	964	3287
600x1005	809	2758	1051	3585
600x1089	876	2988	1139	3884

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.28	3.14	0.02	390X368X74
2.85	3.79	0.02	390X452X74
3.41	4.43	0.02	390X536X74
3.98	5.07	0.02	390X620X74
4.55	5.88	0.03	390X704X74
5.12	6.52	0.03	390X788X74
5.69	7.17	0.03	390X872X74
6.26	7.80	0.03	390X956X74
6.82	8.44	0.04	390X1040X74
7.39	9.09	0.04	390X1124X74
7.96	9.73	0.04	390X1208X74
8.53	10.37	0.04	390X1292X74
9.10	11.02	0.04	390X1376X74
9.67	11.66	0.05	390X1460X74
10.23	12.29	0.05	390X1544X74
10.80	12.94	0.05	390X1628X74
11.37	13.58	0.05	390X1712X74
11.94	14.22	0.06	390X1796X74
12.51	14.88	0.06	390X1880X74
13.08	15.51	0.06	390X1964X74
2.72	3.68	0.02	490X368X74
3.45	4.62	0.02	490X452X74
4.07	5.22	0.02	490X536X74
4.73	5.97	0.03	490X620X74
5.43	6.91	0.03	490X704X74
6.11	7.68	0.03	490X788X74
6.79	8.44	0.04	490X872X74
7.47	9.22	0.04	490X956X74
8.14	9.99	0.04	490X1040X74
8.82	10.74	0.05	490X1124X74
9.50	11.51	0.05	490X1208X74
10.18	12.29	0.05	490X1292X74
10.86	13.05	0.05	490X1376X74
11.54	13.82	0.06	490X1460X74
12.21	14.58	0.06	490X1544X74
12.89	15.35	0.06	490X1628X74
13.57	16.12	0.07	490X1712X74
14.25	16.89	0.07	490X1796X74
14.93	17.66	0.07	490X1880X74
15.61	18.42	0.08	490X1964X74
3.16	4.22	0.02	590X368X74
3.95	5.12	0.02	590X452X74
4.73	6.00	0.03	590X536X74
5.52	6.89	0.03	590X620X74
6.31	7.94	0.04	590X704X74
7.10	8.84	0.04	590X788X74
7.89	9.73	0.04	590X872X74
8.68	10.63	0.05	590X956X74
9.46	11.52	0.05	590X1040X74
10.25	12.40	0.05	590X1124X74
11.04	13.30	0.06	590X1208X74
11.83	14.20	0.06	590X1292X74
12.62	15.08	0.07	590X1376X74
13.41	15.98	0.07	590X1460X74
14.18	16.87	0.07	590X1544X74
14.98	17.75	0.08	590X1628X74
15.76	18.64	0.08	590X1712X74
16.55	19.54	0.08	590X1796X74
17.34	20.43	0.09	590X1880X74
18.13	21.33	0.09	590X1964X74
3.60	4.75	0.02	690X368X74
4.50	5.77	0.03	690X452X74
5.39	6.78	0.03	690X536X74
6.29	7.80	0.04	690X620X74
7.19	8.98	0.04	690X704X74
8.09	10.00	0.05	690X788X74
8.99	11.03	0.05	690X872X74
9.89	12.02	0.05	690X956X74
10.78	13.05	0.06	690X1040X74
11.67	14.06	0.06	690X1124X74

BIANCO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1173	14	39	545	42-51	66-75	26-35	3	80	1.82	C-E-D	£ 259.20
600x1257	15	39	545	42-51	66-75	26-35	3	80	1.95	C-E-D	£ 277.79
600x1341	16	39	545	42-51	66-75	26-35	3	80	2.08	C-E-D	£ 295.53
600x1425	17	39	545	42-51	66-75	26-35	3	80	2.21	C	£ 313.28
600x1509	18	39	545	42-51	66-75	26-35	3	80	2.34	C	£ 331.03
600x1593	19	39	545	42-51	66-75	26-35	3	80	2.47	C	£ 349.62
600x1677	20	39	545	42-51	66-75	26-35	3	80	2.60	C	£ 367.36
600x1761	21	39	545	42-51	66-75	26-35	3	80	2.73	C	£ 385.12
600x1845	22	39	545	42-51	66-75	26-35	3	80	2.86	C	£ 403.71
600x1929	23	39	545	42-51	66-75	26-35	3	80	2.99	C	£ 421.45
700x333	4	39	645	42-51	66-75	26-35	3	80	0.58	C	£ 86.44
700x417	5	39	645	42-51	66-75	26-35	3	80	0.72	C-E-D	£ 105.92
700x501	6	39	645	42-51	66-75	26-35	3	80	0.87	C-E-D	£ 125.49
700x585	7	39	645	42-51	66-75	26-35	3	80	1.01	C-E-D	£ 145.04
700x669	8	39	645	42-51	66-75	26-35	3	80	1.16	C-E-D	£ 166.80
700x753	9	39	645	42-51	66-75	26-35	3	80	1.30	C-E-D	£ 186.36
700x837	10	39	645	42-51	66-75	26-35	3	80	1.44	C-E-D	£ 205.93
700x921	11	39	645	42-51	66-75	26-35	3	80	1.59	C-E-D	£ 226.32
700x1005	12	39	645	42-51	66-75	26-35	3	80	1.73	C-E-D	£ 245.88
700x1089	13	39	645	42-51	66-75	26-35	3	80	1.88	C-E-D	£ 265.45
700x1173	14	39	645	42-51	66-75	26-35	3	80	2.02	C-E-D	£ 285.01
700x1257	15	39	645	42-51	66-75	26-35	3	80	2.16	C-E-D	£ 305.40
700x1341	16	39	645	42-51	66-75	26-35	3	80	2.31	C-E-D	£ 324.97
700x1425	17	39	645	42-51	66-75	26-35	3	80	2.45	C	£ 344.53
700x1509	18	39	645	42-51	66-75	26-35	3	80	2.60	C	£ 364.09
700x1593	19	39	645	42-51	66-75	26-35	3	80	2.74	C	£ 384.50
700x1677	20	39	645	42-51	66-75	26-35	3	80	2.88	C	£ 404.05
700x1761	21	39	645	42-51	66-75	26-35	3	80	3.03	C	£ 423.61
700x1845	22	39	645	42-51	66-75	26-35	3	80	3.17	C	£ 444.02
700x1929	23	39	645	42-51	66-75	26-35	3	80	3.32	C	£ 463.58
800x333	4	39	745	42-51	66-75	26-35	3	80	0.64	C	£ 91.30
800x417	5	39	745	42-51	66-75	26-35	3	80	0.80	C-E-D	£ 111.94
800x501	6	39	745	42-51	66-75	26-35	3	80	0.95	C-E-D	£ 132.68
800x585	7	39	745	42-51	66-75	26-35	3	80	1.11	C-E-D	£ 153.39
800x669	8	39	745	42-51	66-75	26-35	3	80	1.27	C-E-D	£ 176.32
800x753	9	39	745	42-51	66-75	26-35	3	80	1.43	C-E-D	£ 197.04
800x837	10	39	745	42-51	66-75	26-35	3	80	1.59	C-E-D	£ 217.77
800x921	11	39	745	42-51	66-75	26-35	3	80	1.75	C-E-D	£ 239.34
800x1005	12	39	745	42-51	66-75	26-35	3	80	1.90	C-E-D	£ 260.06
800x1089	13	39	745	42-51	66-75	26-35	3	80	2.06	C-E-D	£ 280.78
800x1173	14	39	745	42-51	66-75	26-35	3	80	2.22	C-E-D	£ 301.51
800x1257	15	39	745	42-51	66-75	26-35	3	80	2.38	C-E-D	£ 323.08
800x1341	16	39	745	42-51	66-75	26-35	3	80	2.54	C-E-D	£ 343.80
800x1425	17	39	745	42-51	66-75	26-35	3	80	2.70	C	£ 364.53
800x1509	18	39	745	42-51	66-75	26-35	3	80	2.85	C	£ 385.25
800x1593	19	39	745	42-51	66-75	26-35	3	80	3.01	C	£ 406.81
800x1677	20	39	745	42-51	66-75	26-35	3	80	3.17	C	£ 427.55
800x1761	21	39	745	42-51	66-75	26-35	3	80	3.33	C	£ 448.27
800x1845	22	39	745	42-51	66-75	26-35	3	80	3.49	C	£ 469.84
800x1929	23	39	745	42-51	66-75	26-35	3	80	3.65	C	£ 490.57
900x333	4	39	845	42-51	66-75	26-35	3	80	0.69	C	£ 96.15
900x417	5	39	845	42-51	66-75	26-35	3	80	0.87	C-E-D	£ 117.96
900x501	6	39	845	42-51	66-75	26-35	3	80	1.04	C-E-D	£ 139.86
900x585	7	39	845	42-51	66-75	26-35	3	80	1.21	C-E-D	£ 161.75
900x669	8	39	845	42-51	66-75	26-35	3	80	1.38	C-E-D	£ 185.83
900x753	9	39	845	42-51	66-75	26-35	3	80	1.56	C-E-D	£ 207.72
900x837	10	39	845	42-51	66-75	26-35	3	80	1.73	C-E-D	£ 229.62
900x921	11	39	845	42-51	66-75	26-35	3	80	1.90	C-E-D	£ 252.34
900x1005	12	39	845	42-51	66-75	26-35	3	80	2.08	C-E-D	£ 274.23
900x1089	13	39	845	42-51	66-75	26-35	3	80	2.25	C-E-D	£ 296.13
900x1173	14	39	845	42-51	66-75	26-35	3	80	2.42	C-E-D	£ 318.01
900x1257	15	39	845	42-51	66-75	26-35	3	80	2.59	C-E-D	£ 340.75
900x1341	16	39	845	42-51	66-75	26-35	3	80	2.77	C-E-D	£ 362.64
900x1425	17	39	845	42-51	66-75	26-35	3	80	2.94	C	£ 384.52
900x1509	18	39	845	42-51	66-75	26-35	3	80	3.11	C	£ 406.42
900x1593	19	39	845	42-51	66-75	26-35	3	80	3.28	C	£ 429.15
900x1677	20	39	845	42-51	66-75	26-35	3	80	3.46	C	£ 451.03
900x1761	21	39	845	42-51	66-75	26-35	3	80	3.63	C	£ 472.93
900x1845	22	39	845	42-51	66-75	26-35	3	80	3.80	C	£ 495.67
900x1929	23	39	845	42-51	66-75	26-35	3	80	3.97	C	£ 517.55

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1173	944	3218	1227	4183
600x1257	1011	3448	1314	4482
600x1341	1078	3677	1402	4781
600x1425	1146	3907	1490	5079
600x1509	1213	4137	1577	5378
600x1593	1281	4367	1665	5677
600x1677	1348	4597	1752	5976
600x1761	1415	4827	1840	6274
600x1845	1483	5056	1928	6573
600x1929	1550	5286	2015	6872
700x333	308	1049	400	1364
700x417	385	1312	500	1705
700x501	462	1574	600	2046
700x585	539	1836	700	2387
700x669	615	2099	800	2728
700x753	692	2361	900	3069
700x837	769	2623	1000	3411
700x921	846	2886	1100	3752
700x1005	923	3148	1200	4093
700x1089	1000	3411	1300	4434
700x1173	1077	3673	1400	4775
700x1257	1154	3935	1500	5116
700x1341	1231	4198	1600	5457
700x1425	1308	4460	1700	5798
700x1509	1385	4722	1800	6139
700x1593	1462	4985	1900	6480
700x1677	1539	5247	2000	6821
700x1761	1616	5509	2100	7162
700x1845	1693	5772	2200	7503
700x1929	1770	6034	2300	7844
800x333	344	1173	447	1525
800x417	430	1467	559	1907
800x501	516	1760	671	2288
800x585	602	2053	783	2669
800x669	688	2347	895	3051
800x753	774	2640	1007	3432
800x837	860	2934	1118	3814
800x921	946	3227	1230	4195
800x1005	1032	3520	1342	4576
800x1089	1118	3814	1454	4958
800x1173	1204	4107	1566	5339
800x1257	1290	4400	1678	5720
800x1341	1376	4694	1789	6102
800x1425	1462	4987	1901	6483
800x1509	1548	5280	2013	6864
800x1593	1635	5574	2125	7246
800x1677	1721	5867	2237	7627
800x1761	1807	6160	2349	8008
800x1845	1893	6454	2460	8390
800x1929	1979	6747	2572	8771
900x333	379	1292	492	1679
900x417	473	1614	615	2099
900x501	568	1937	739	2519
900x585	663	2260	862	2938
900x669	758	2583	985	3358
900x753	852	2906	1108	3778
900x837	947	3229	1231	4198
900x921	1042	3552	1354	4617
900x1005	1136	3875	1477	5037
900x1089	1231	4198	1600	5457
900x1173	1326	4520	1723	5877
900x1257	1420	4843	1846	6296
900x1341	1515	5166	1970	6716
900x1425	1610	5489	2093	7136
900x1509	1704	5812	2216	7556
900x1593	1799	6135	2339	7975
900x1677	1894	6458	2462	8395
900x1761	1988	6781	2585	8815
900x1845	2083	7104	2708	9235
900x1929	2178	7427	2831	9654

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
12.57	15.07	0.07	690X1208X74
13.47	16.10	0.07	690X1292X74
14.37	17.12	0.08	690X1376X74
15.27	18.13	0.08	690X1460X74
16.16	19.14	0.08	690X1544X74
17.06	20.16	0.09	690X1628X74
17.96	21.17	0.09	690X1712X74
18.86	22.20	0.10	690X1796X74
19.76	23.22	0.10	690X1880X74
20.66	24.23	0.11	690X1964X74
4.04	5.29	0.03	790X368X74
5.05	6.42	0.03	790X452X74
6.05	7.57	0.04	790X536X74
7.06	8.71	0.04	790X620X74
8.07	10.02	0.05	790X704X74
9.08	11.16	0.05	790X788X74
10.08	12.29	0.06	790X872X74
11.09	13.44	0.06	790X956X74
12.09	14.57	0.07	790X1040X74
13.10	15.72	0.07	790X1124X74
14.11	16.87	0.08	790X1208X74
15.12	18.00	0.08	790X1292X74
16.13	19.15	0.09	790X1376X74
17.14	20.29	0.09	790X1460X74
18.14	21.43	0.10	790X1544X74
19.15	22.58	0.10	790X1628X74
20.16	23.72	0.11	790X1712X74
21.17	24.86	0.11	790X1796X74
22.18	26.00	0.11	790X1880X74
23.18	27.15	0.12	790X1964X74
4.48	5.83	0.03	890X368X74
5.60	7.09	0.03	890X452X74
6.71	8.36	0.04	890X536X74
7.83	9.62	0.05	890X620X74
8.94	11.03	0.05	890X704X74
10.06	12.31	0.06	890X788X74
11.18	13.58	0.06	890X872X74
12.30	14.85	0.07	890X956X74
13.41	16.12	0.07	890X1040X74
14.53	17.38	0.08	890X1124X74
15.65	18.64	0.08	890X1208X74
16.77	19.92	0.09	890X1292X74
17.89	21.19	0.10	890X1376X74
19.01	22.45	0.10	890X1460X74
20.11	23.70	0.11	890X1544X74
21.23	24.97	0.11	890X1628X74
22.35	26.24	0.12	890X1712X74
23.47	27.52	0.12	890X1796X74
24.59	28.79	0.13	890X1880X74
25.71	30.06	0.13	890X1964X74
4.92	6.35	0.03	990X368X74
6.15	7.75	0.04	990X452X74
7.37	9.14	0.04	990X536X74
8.59	10.52	0.05	990X620X74
9.82	12.08	0.06	990X704X74
11.05	13.47	0.06	990X788X74
12.28	14.87	0.07	990X872X74
13.51	16.25	0.08	990X956X74
14.73	17.65	0.08	990X1040X74
15.96	19.04	0.09	990X1124X74
17.19	20.43	0.09	990X1208X74
18.41	21.82	0.10	990X1292X74
19.64	23.22	0.11	990X1376X74
20.87	24.62	0.11	990X1460X74
22.09	26.00	0.12	990X1544X74
23.32	27.39	0.12	990X1628X74
24.55	28.78	0.13	990X1712X74
25.78	30.17	0.14	990X1796X74
27.01	31.58	0.14	990X1880X74
28.23	32.95	0.15	990X1964X74

BIANCO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x333	4	39	945	42-51	66-75	26-35	3	80	0,75	C	£ 104.74
1000x417	5	39	945	42-51	66-75	26-35	3	80	0,94	C-E-D	£ 128.57
1000x501	6	39	945	42-51	66-75	26-35	3	80	1,13	C-E-D	£ 152.49
1000x585	7	39	945	42-51	66-75	26-35	3	80	1,31	C-E-D	£ 176.39
1000x669	8	39	945	42-51	66-75	26-35	3	80	1,50	C-E-D	£ 202.58
1000x753	9	39	945	42-51	66-75	26-35	3	80	1,69	C-E-D	£ 226.49
1000x837	10	39	945	42-51	66-75	26-35	3	80	1,87	C-E-D	£ 250.41
1000x921	11	39	945	42-51	66-75	26-35	3	80	2,06	C-E-D	£ 275.18
1000x1005	12	39	945	42-51	66-75	26-35	3	80	2,25	C-E-D	£ 299.09
1000x1089	13	39	945	42-51	66-75	26-35	3	80	2,43	C-E-D	£ 323.00
1000x1173	14	39	945	42-51	66-75	26-35	3	80	2,62	C-E-D	£ 346.91
1000x1257	15	39	945	42-51	66-75	26-35	3	80	2,81	C-E-D	£ 371.69
1000x1341	16	39	945	42-51	66-75	26-35	3	80	2,99	C-E-D	£ 395.61
1000x1425	17	39	945	42-51	66-75	26-35	3	80	3,18	C	£ 419.50
1000x1509	18	39	945	42-51	66-75	26-35	3	80	3,37	C	£ 443.42
1000x1593	19	39	945	42-51	66-75	26-35	3	80	3,56	C	£ 468.20
1000x1677	20	39	945	42-51	66-75	26-35	3	80	3,74	C	£ 492.11
1000x1761	21	39	945	42-51	66-75	26-35	3	80	3,93	C	£ 516.02
1000x1845	22	39	945	42-51	66-75	26-35	3	80	4,12	C	£ 540.80
1000x1929	23	39	945	42-51	66-75	26-35	3	80	4,30	C	£ 564.70
1200x333	4	39	1145	42-51	66-75	26-35	3	80	0,87	C	£ 117.49
1200x417	5	39	1145	42-51	66-75	26-35	3	80	1,08	C-E-D	£ 144.41
1200x501	6	39	1145	42-51	66-75	26-35	3	80	1,30	C-E-D	£ 171.41
1200x585	7	39	1145	42-51	66-75	26-35	3	80	1,51	C-E-D	£ 198.41
1200x669	8	39	1145	42-51	66-75	26-35	3	80	1,73	C-E-D	£ 227.68
1200x753	9	39	1145	42-51	66-75	26-35	3	80	1,94	C-E-D	£ 254.68
1200x837	10	39	1145	42-51	66-75	26-35	3	80	2,16	C-E-D	£ 281.67
1200x921	11	39	1145	42-51	66-75	26-35	3	80	2,37	C-E-D	£ 309.54
1200x1005	12	39	1145	42-51	66-75	26-35	3	80	2,59	C-E-D	£ 336.55
1200x1089	13	39	1145	42-51	66-75	26-35	3	80	2,81	C-E-D	£ 363.55
1200x1173	14	39	1145	42-51	66-75	26-35	3	80	3,02	C-E-D	£ 390.54
1200x1257	15	39	1145	42-51	66-75	26-35	3	80	3,24	C-E-D	£ 418.40
1200x1341	16	39	1145	42-51	66-75	26-35	3	80	3,45	C-E-D	£ 445.40
1200x1425	17	39	1145	42-51	66-75	26-35	3	80	3,67	C	£ 472.40
1400x333	4	39	1345	42-51	66-75	26-35	3	80	0,98	C	£ 127.56
1400x417	5	39	1345	42-51	66-75	26-35	3	80	1,22	C-E-D	£ 156.89
1400x501	6	39	1345	42-51	66-75	26-35	3	80	1,47	C-E-D	£ 186.31
1400x585	7	39	1345	42-51	66-75	26-35	3	80	1,71	C-E-D	£ 215.72
1400x669	8	39	1345	42-51	66-75	26-35	3	80	1,96	C-E-D	£ 247.41
1400x753	9	39	1345	42-51	66-75	26-35	3	80	2,20	C-E-D	£ 276.83
1400x837	10	39	1345	42-51	66-75	26-35	3	80	2,44	C-E-D	£ 306.25
1400x921	11	39	1345	42-51	66-75	26-35	3	80	2,69	C-E-D	£ 336.53
1400x1005	12	39	1345	42-51	66-75	26-35	3	80	2,93	C-E-D	£ 365.95
1400x1089	13	39	1345	42-51	66-75	26-35	3	80	3,18	C-E-D	£ 395.36
1400x1173	14	39	1345	42-51	66-75	26-35	3	80	3,42	C-E-D	£ 424.76
1400x1257	15	39	1345	42-51	66-75	26-35	3	80	3,67	C-E-D	£ 455.05
1400x1341	16	39	1345	42-51	66-75	26-35	3	80	3,91	C-E-D	£ 484.46
1600x333	4	39	1545	42-51	66-75	26-35	3	80	1,09	C	£ 148.82
1600x417	5	39	1545	42-51	66-75	26-35	3	80	1,37	C-E-D	£ 183.35
1600x501	6	39	1545	42-51	66-75	26-35	3	80	1,64	C-E-D	£ 217.99
1600x585	7	39	1545	42-51	66-75	26-35	3	80	1,91	C-E-D	£ 252.62
1600x669	8	39	1545	42-51	66-75	26-35	3	80	2,19	C-E-D	£ 289.52
1600x753	9	39	1545	42-51	66-75	26-35	3	80	2,46	C-E-D	£ 324.14
1600x837	10	39	1545	42-51	66-75	26-35	3	80	2,73	C-E-D	£ 358.76
1600x921	11	39	1545	42-51	66-75	26-35	3	80	3,00	C-E-D	£ 394.26
1600x1005	12	39	1545	42-51	66-75	26-35	3	80	3,28	C-E-D	£ 428.90
1800x333	4	39	1745	42-51	66-75	26-35	3	80	1,21	C	£ 161.49
1800x417	5	39	1745	42-51	66-75	26-35	3	80	1,51	C-E-D	£ 198.80
1800x501	6	39	1745	42-51	66-75	26-35	3	80	1,81	C-E-D	£ 236.17
1800x585	7	39	1745	42-51	66-75	26-35	3	80	2,11	C-E-D	£ 273.55
1800x669	8	39	1745	42-51	66-75	26-35	3	80	2,41	C-E-D	£ 313.19
1800x753	9	39	1745	42-51	66-75	26-35	3	80	2,72	C-E-D	£ 350.59
1800x837	10	39	1745	42-51	66-75	26-35	3	80	3,02	C-E-D	£ 387.96
1800x921	11	39	1745	42-51	66-75	26-35	3	80	3,32	C-E-D	£ 426.21
1800x1005	12	39	1745	42-51	66-75	26-35	3	80	3,62	C-E-D	£ 463.59
2000x333	4	39	1945	42-51	66-75	26-35	3	80	1,32	C	£ 170.29
2000x417	5	39	1945	42-51	66-75	26-35	3	80	1,65	C-E-D	£ 210.00
2000x501	6	39	1945	42-51	66-75	26-35	3	80	1,98	C-E-D	£ 249.80
2000x585	7	39	1945	42-51	66-75	26-35	3	80	2,31	C-E-D	£ 289.59
2000x669	8	39	1945	42-51	66-75	26-35	3	80	2,64	C-E-D	£ 331.67

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x333	412	1404	535	1825
1000x417	515	1755	669	2282
1000x501	618	2106	803	2738
1000x585	721	2457	937	3194
1000x669	824	2808	1071	3651
1000x753	926	3159	1204	4107
1000x837	1029	3510	1338	4563
1000x921	1132	3861	1472	5020
1000x1005	1235	4212	1606	5476
1000x1089	1338	4563	1740	5932
1000x1173	1441	4914	1873	6389
1000x1257	1544	5265	2007	6845
1000x1341	1647	5616	2141	7301
1000x1425	1750	5967	2275	7758
1000x1509	1853	6318	2409	8214
1000x1593	1956	6669	2543	8670
1000x1677	2059	7020	2676	9126
1000x1761	2162	7371	2810	9583
1000x1845	2265	7722	2944	10039
1000x1929	2368	8073	3078	10495
1200x333	473	1612	615	2096
1200x417	591	2015	768	2620
1200x501	709	2418	922	3144
1200x585	827	2821	1076	3668
1200x669	946	3224	1229	4191
1200x753	1064	3627	1383	4715
1200x837	1182	4030	1536	5239
1200x921	1300	4433	1690	5763
1200x1005	1418	4836	1844	6287
1200x1089	1536	5239	1997	6811
1200x1173	1655	5642	2151	7335
1200x1257	1773	6045	2305	7859
1200x1341	1891	6448	2458	8383
1200x1425	2009	6851	2612	8907
1400x333	543	1851	706	2406
1400x417	679	2314	882	3008
1400x501	814	2776	1058	3609
1400x585	950	3239	1235	4211
1400x669	1086	3702	1411	4812
1400x753	1221	4165	1588	5414
1400x837	1357	4627	1764	6016
1400x921	1493	5090	1941	6617
1400x1005	1628	5553	2117	7219
1400x1089	1764	6016	2293	7820
1400x1173	1900	6478	2470	8422
1400x1257	2036	6941	2646	9023
1400x1341	2171	7404	2823	9625
1600x333	623	2125	810	2763
1600x417	779	2657	1013	3453
1600x501	935	3188	1215	4144
1600x585	1091	3719	1418	4835
1600x669	1246	4250	1620	5526
1600x753	1402	4782	1823	6216
1600x837	1558	5313	2025	6907
1600x921	1714	5844	2228	7598
1600x1005	1870	6376	2431	8288
1800x333	716	2440	930	3172
1800x417	894	3050	1163	3965
1800x501	1073	3660	1395	4758
1800x585	1252	4270	1628	5551
1800x669	1431	4880	1860	6344
1800x753	1610	5490	2093	7137
1800x837	1789	6100	2326	7930
1800x921	1968	6710	2558	8723
1800x1005	2147	7320	2791	9516
2000x333	822	2802	1068	3642
2000x417	1027	3502	1335	4553
2000x501	1232	4202	1602	5463
2000x585	1438	4903	1869	6374
2000x669	1643	5603	2136	7284

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
5.36	6.89	0.03	1090X368X74
6.70	8.42	0.04	1090X452X74
8.02	9.93	0.05	1090X536X74
9.36	11.43	0.06	1090X620X74
10.70	13.12	0.06	1090X704X74
12.04	14.64	0.07	1090X788X74
13.38	16.15	0.08	1090X872X74
14.72	17.67	0.08	1090X956X74
16.05	19.19	0.09	1090X1040X74
17.38	20.68	0.10	1090X1124X74
18.72	22.21	0.10	1090X1208X74
20.06	23.74	0.11	1090X1292X74
21.40	25.24	0.12	1090X1376X74
22.74	26.77	0.12	1090X1460X74
24.07	28.29	0.13	1090X1544X74
25.41	29.79	0.14	1090X1628X74
26.74	31.31	0.14	1090X1712X74
28.08	32.83	0.15	1090X1796X74
29.42	34.34	0.16	1090X1880X74
30.76	35.85	0.16	1090X1964X74
6.24	7.96	0.04	1290X368X74
7.79	9.73	0.05	1290X452X74
9.34	11.48	0.06	1290X536X74
10.90	13.26	0.06	1290X620X74
12.46	15.19	0.07	1290X704X74
14.02	16.96	0.08	1290X788X74
15.57	18.72	0.09	1290X872X74
17.13	20.49	0.10	1290X956X74
18.68	22.25	0.10	1290X1040X74
20.24	24.02	0.11	1290X1124X74
21.80	25.79	0.12	1290X1208X74
23.36	27.55	0.13	1290X1292X74
24.91	29.31	0.14	1290X1376X74
26.47	31.09	0.14	1290X1460X74
7.11	9.02	0.05	1490X368X74
8.89	11.04	0.05	1490X452X74
10.66	13.06	0.06	1490X536X74
12.44	15.07	0.07	1490X620X74
14.22	17.25	0.08	1490X704X74
15.99	19.29	0.09	1490X788X74
17.77	21.27	0.10	1490X872X74
19.55	23.30	0.11	1490X956X74
21.32	25.32	0.12	1490X1040X74
23.09	27.33	0.13	1490X1124X74
24.87	29.33	0.14	1490X1208X74
26.65	31.37	0.15	1490X1292X74
28.43	33.39	0.16	1490X1376X74
7.96	10.06	0.05	1690X368X74
9.95	12.33	0.06	1690X452X74
11.95	14.60	0.07	1690X536X74
13.93	16.85	0.08	1690X620X74
15.92	19.27	0.09	1690X704X74
17.91	21.53	0.10	1690X788X74
19.90	23.78	0.11	1690X872X74
21.89	26.05	0.12	1690X956X74
23.88	28.32	0.14	1690X1040X74
8.84	11.12	0.06	1890X368X74
11.05	13.65	0.07	1890X452X74
13.26	16.15	0.08	1890X536X74
15.47	18.66	0.09	1890X620X74
17.68	21.33	0.10	1890X704X74
19.89	23.84	0.12	1890X788X74
22.09	26.34	0.13	1890X872X74
24.31	28.86	0.14	1890X956X74
26.52	31.37	0.15	1890X1040X74
9.72	12.21	0.06	2090X368X74
12.15	14.97	0.07	2090X452X74
14.58	17.74	0.09	2090X536X74
17.01	20.65	0.10	2090X620X74
19.44	23.41	0.11	2090X704X74

BIANCO		TECHNICAL INFORMATION										(For connection types, please refer to the last page)				HEAT OUTPUTS INFORMATION						LOGISTICS INFORMATION			
Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat		Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)				
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L				mm	Watt	Btu	Watt	Btu	kg	kg	m³	mm				
2000x753	9	39	1945	42-51	66-75	26-35	3	80	2.97	C-E-D	£ 371.47	2000x753	1849	6304	2403	8195	21.86	26.17	0.13	2090X788X74					
2000x837	10	39	1945	42-51	66-75	26-35	3	80	3.30	C-E-D	£ 411.26	2000x837	2054	7004	2670	9105	24.29	28.92	0.14	2090X872X74					
2000x921	11	39	1945	42-51	66-75	26-35	3	80	3.63	C-E-D	£ 451.93	2000x921	2259	7704	2937	10016	26.73	31.69	0.15	2090X956X74					
2000x1005	12	39	1945	42-51	66-75	26-35	3	80	3.96	C-E-D	£ 491.72	2000x1005	2465	8405	3204	10926	29.15	34.45	0.17	2090X1040X74					

CONNECTIONS TYPE

SX

ZX

YP

YL

AX

P3

✓

✓

✓

✓

✓

✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel