

CHIMO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x300	3	57	245	35-44	79-88	22-31	5	100	0.29	C	£ 52.42
300x395	4	57	245	35-44	79-88	22-31	5	100	0.39	C	£ 67.40
300x490	5	57	245	35-44	79-88	22-31	5	100	0.48	C-E-D	£ 81.71
300x585	6	57	245	35-44	79-88	22-31	5	100	0.57	C-E-D	£ 96.03
300x680	7	57	245	35-44	79-88	22-31	5	100	0.67	C-E-D	£ 111.72
300x775	8	57	245	35-44	79-88	22-31	5	100	0.76	C-E-D	£ 126.88
300x870	9	57	245	35-44	79-88	22-31	5	100	0.85	C-E-D	£ 141.22
300x965	10	57	245	35-44	79-88	22-31	5	100	0.94	C-E-D	£ 155.53
300x1060	11	57	245	35-44	79-88	22-31	5	100	1.04	C-E-D	£ 170.70
300x1155	12	57	245	35-44	79-88	22-31	5	100	1.13	C-E-D	£ 185.03
300x1250	13	57	245	35-44	79-88	22-31	5	100	1.22	C-E-D	£ 199.35
300x1345	14	57	245	35-44	79-88	22-31	5	100	1.32	C-E-D	£ 213.67
300x1440	15	57	245	35-44	79-88	22-31	5	100	1.41	C	£ 228.85
300x1535	16	57	245	35-44	79-88	22-31	5	100	1.50	C	£ 243.17
300x1630	17	57	245	35-44	79-88	22-31	5	100	1.60	C	£ 257.50
300x1725	18	57	245	35-44	79-88	22-31	5	100	1.69	C	£ 271.82
300x1820	19	57	245	35-44	79-88	22-31	5	100	1.78	C	£ 286.98
300x1915	20	57	245	35-44	79-88	22-31	5	100	1.88	C	£ 301.31
400x300	3	57	345	35-44	79-88	22-31	5	100	0.34	C	£ 56.75
400x395	4	57	345	35-44	79-88	22-31	5	100	0.44	C	£ 73.13
400x490	5	57	345	35-44	79-88	22-31	5	100	0.55	C-E-D	£ 88.86
400x585	6	57	345	35-44	79-88	22-31	5	100	0.66	C-E-D	£ 104.59
400x680	7	57	345	35-44	79-88	22-31	5	100	0.77	C-E-D	£ 121.70
400x775	8	57	345	35-44	79-88	22-31	5	100	0.87	C-E-D	£ 138.26
400x870	9	57	345	35-44	79-88	22-31	5	100	0.98	C-E-D	£ 154.01
400x965	10	57	345	35-44	79-88	22-31	5	100	1.09	C-E-D	£ 169.74
400x1060	11	57	345	35-44	79-88	22-31	5	100	1.19	C-E-D	£ 186.32
400x1155	12	57	345	35-44	79-88	22-31	5	100	1.30	C-E-D	£ 202.06
400x1250	13	57	345	35-44	79-88	22-31	5	100	1.41	C-E-D	£ 217.80
400x1345	14	57	345	35-44	79-88	22-31	5	100	1.52	C-E-D	£ 233.53
400x1440	15	57	345	35-44	79-88	22-31	5	100	1.62	C	£ 250.12
400x1535	16	57	345	35-44	79-88	22-31	5	100	1.73	C	£ 265.85
400x1630	17	57	345	35-44	79-88	22-31	5	100	1.84	C	£ 281.59
400x1725	18	57	345	35-44	79-88	22-31	5	100	1.95	C	£ 297.32
400x1820	19	57	345	35-44	79-88	22-31	5	100	2.05	C	£ 313.89
400x1915	20	57	345	35-44	79-88	22-31	5	100	2.16	C	£ 329.64
500x300	3	57	445	35-44	79-88	22-31	5	100	0.38	C	£ 61.06
500x395	4	57	445	35-44	79-88	22-31	5	100	0.50	C	£ 78.87
500x490	5	57	445	35-44	79-88	22-31	5	100	0.62	C-E-D	£ 96.01
500x585	6	57	445	35-44	79-88	22-31	5	100	0.74	C-E-D	£ 113.16
500x680	7	57	445	35-44	79-88	22-31	5	100	0.87	C-E-D	£ 131.66
500x775	8	57	445	35-44	79-88	22-31	5	100	0.99	C-E-D	£ 149.65
500x870	9	57	445	35-44	79-88	22-31	5	100	1.11	C-E-D	£ 166.80
500x965	10	57	445	35-44	79-88	22-31	5	100	1.23	C-E-D	£ 183.95
500x1060	11	57	445	35-44	79-88	22-31	5	100	1.35	C-E-D	£ 201.94
500x1155	12	57	445	35-44	79-88	22-31	5	100	1.47	C-E-D	£ 219.10
500x1250	13	57	445	35-44	79-88	22-31	5	100	1.60	C-E-D	£ 236.23
500x1345	14	57	445	35-44	79-88	22-31	5	100	1.72	C-E-D	£ 253.39
500x1440	15	57	445	35-44	79-88	22-31	5	100	1.84	C	£ 271.37
500x1535	16	57	445	35-44	79-88	22-31	5	100	1.96	C	£ 288.53
500x1630	17	57	445	35-44	79-88	22-31	5	100	2.08	C	£ 305.67
500x1725	18	57	445	35-44	79-88	22-31	5	100	2.20	C	£ 322.83
500x1820	19	57	445	35-44	79-88	22-31	5	100	2.33	C	£ 340.82
500x1915	20	57	445	35-44	79-88	22-31	5	100	2.45	C	£ 357.96
600x300	3	57	545	35-44	79-88	22-31	5	100	0.42	C	£ 65.39
600x395	4	57	545	35-44	79-88	22-31	5	100	0.56	C	£ 84.61
600x490	5	57	545	35-44	79-88	22-31	5	100	0.69	C-E-D	£ 103.15
600x585	6	57	545	35-44	79-88	22-31	5	100	0.83	C-E-D	£ 121.72
600x680	7	57	545	35-44	79-88	22-31	5	100	0.97	C-E-D	£ 141.64
600x775	8	57	545	35-44	79-88	22-31	5	100	1.10	C-E-D	£ 161.03
600x870	9	57	545	35-44	79-88	22-31	5	100	1.24	C-E-D	£ 179.60
600x965	10	57	545	35-44	79-88	22-31	5	100	1.37	C-E-D	£ 198.16
600x1060	11	57	545	35-44	79-88	22-31	5	100	1.51	C-E-D	£ 217.56
600x1155	12	57	545	35-44	79-88	22-31	5	100	1.65	C-E-D	£ 236.12
600x1250	13	57	545	35-44	79-88	22-31	5	100	1.78	C-E-D	£ 254.68
600x1345	14	57	545	35-44	79-88	22-31	5	100	1.92	C-E-D	£ 273.24
600x1440	15	57	545	35-44	79-88	22-31	5	100	2.05	C	£ 292.64
600x1535	16	57	545	35-44	79-88	22-31	5	100	2.19	C	£ 311.21
600x1630	17	57	545	35-44	79-88	22-31	5	100	2.33	C	£ 329.76
600x1725	18	57	545	35-44	79-88	22-31	5	100	2.46	C	£ 348.33

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x300	110	376	143	489
300x395	147	501	191	652
300x490	184	626	239	814
300x585	220	752	287	977
300x680	257	877	334	1140
300x775	294	1002	382	1303
300x870	331	1128	430	1466
300x965	367	1253	478	1629
300x1060	404	1378	525	1792
300x1155	441	1504	573	1955
300x1250	478	1629	621	2117
300x1345	514	1754	669	2280
300x1440	551	1879	716	2443
300x1535	588	2005	764	2606
300x1630	625	2130	812	2769
300x1725	661	2255	860	2932
300x1820	698	2381	908	3095
300x1915	735	2506	955	3258
400x300	150	512	195	666
400x395	200	683	260	888
400x490	250	854	325	1110
400x585	300	1024	391	1332
400x680	351	1195	456	1554
400x775	401	1366	521	1776
400x870	451	1537	586	1998
400x965	501	1707	651	2220
400x1060	551	1878	716	2442
400x1155	601	2049	781	2664
400x1250	651	2220	846	2886
400x1345	701	2390	911	3108
400x1440	751	2561	976	3330
400x1535	801	2732	1041	3551
400x1630	851	2903	1107	3773
400x1725	901	3073	1172	3995
400x1820	951	3244	1237	4217
400x1915	1001	3415	1302	4439
500x300	192	654	249	851
500x395	256	873	333	1134
500x490	320	1091	416	1418
500x585	384	1309	499	1702
500x680	448	1527	582	1985
500x775	512	1745	665	2269
500x870	576	1963	748	2552
500x965	640	2181	832	2836
500x1060	704	2400	915	3119
500x1155	768	2618	998	3403
500x1250	832	2836	1081	3687
500x1345	896	3054	1164	3970
500x1440	960	3272	1247	4254
500x1535	1024	3490	1331	4537
500x1630	1088	3708	1414	4821
500x1725	1151	3927	1497	5105
500x1820	1215	4145	1580	5388
500x1915	1279	4363	1663	5672
600x300	235	803	306	1043
600x395	314	1070	408	1391
600x490	392	1338	510	1739
600x585	471	1605	612	2087
600x680	549	1873	714	2435
600x775	628	2140	816	2783
600x870	706	2408	918	3130
600x965	785	2675	1020	3478
600x1060	863	2943	1122	3826
600x1155	942	3211	1224	4174
600x1250	1020	3478	1326	4522
600x1345	1098	3746	1428	4869
600x1440	1177	4013	1530	5217
600x1535	1255	4281	1632	5565
600x1630	1334	4548	1734	5913
600x1725	1412	4816	1836	6261

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.02	2.87	0.02	400X340X97
2.68	3.64	0.02	400X435X97
3.33	4.38	0.03	400X530X97
3.98	5.13	0.03	400X625X97
4.63	6.05	0.03	400X720X97
5.29	6.81	0.04	400X815X97
5.94	7.57	0.04	400X910X97
6.60	8.32	0.04	400X1005X97
7.25	9.06	0.05	400X1100X97
7.90	9.81	0.05	400X1195X97
8.55	10.56	0.06	400X1290X97
9.21	11.32	0.06	400X1385X97
9.86	12.07	0.06	400X1480X97
10.52	12.84	0.07	400X1575X97
11.17	13.59	0.07	400X1670X97
11.82	14.34	0.07	400X1765X97
12.47	15.08	0.08	400X1860X97
13.13	15.84	0.08	400X1955X97
2.42	3.38	0.02	500X340X97
3.21	4.29	0.03	500X435X97
3.99	5.18	0.03	500X530X97
4.77	6.08	0.04	500X625X97
5.56	7.15	0.04	500X720X97
6.34	8.05	0.04	500X815X97
7.13	8.95	0.05	500X910X97
7.92	9.86	0.05	500X1005X97
8.70	10.76	0.06	500X1100X97
9.48	11.65	0.06	500X1195X97
10.27	12.56	0.07	500X1290X97
11.05	13.45	0.07	500X1385X97
11.84	14.37	0.08	500X1480X97
12.63	15.28	0.08	500X1575X97
13.41	16.18	0.09	500X1670X97
14.19	17.07	0.09	500X1765X97
14.98	17.97	0.10	500X1860X97
15.77	18.88	0.10	500X1955X97
2.81	3.87	0.02	600X340X97
3.73	4.92	0.03	600X435X97
4.65	5.98	0.04	600X530X97
5.56	7.03	0.04	600X625X97
6.48	8.24	0.05	600X720X97
7.40	9.30	0.05	600X815X97
8.32	10.35	0.06	600X910X97
9.24	11.41	0.06	600X1005X97
10.15	12.44	0.07	600X1100X97
11.06	13.49	0.07	600X1195X97
11.98	14.54	0.08	600X1290X97
12.90	15.60	0.09	600X1385X97
13.82	16.65	0.09	600X1480X97
14.74	17.71	0.10	600X1575X97
15.66	18.77	0.10	600X1670X97
16.57	19.81	0.11	600X1765X97
17.48	20.86	0.11	600X1860X97
18.40	21.90	0.12	600X1955X97
3.21	4.40	0.03	700X340X97
4.26	5.58	0.03	700X435X97
5.31	6.78	0.04	700X530X97
6.35	7.98	0.05	700X625X97
7.40	9.34	0.05	700X720X97
8.45	10.54	0.06	700X815X97
9.50	11.74	0.07	700X910X97
10.55	12.95	0.07	700X1005X97
11.61	14.14	0.08	700X1100X97
12.65	15.34	0.09	700X1195X97
13.70	16.54	0.09	700X1290X97
14.75	17.75	0.10	700X1385X97
15.80	18.95	0.11	700X1480X97
16.85	20.15	0.11	700X1575X97
17.90	21.35	0.12	700X1670X97
18.94	22.54	0.12	700X1765X97

CHIMO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1820	19	57	545	35-44	79-88	22-31	5	100	2.60	C	£ 367.74
600x1915	20	57	545	35-44	79-88	22-31	5	100	2.73	C	£ 386.29
700x300	3	57	645	35-44	79-88	22-31	5	100	0.46	C	£ 71.91
700x395	4	57	645	35-44	79-88	22-31	5	100	0.61	C	£ 93.18
700x490	5	57	645	35-44	79-88	22-31	5	100	0.76	C-E-D	£ 113.81
700x585	6	57	645	35-44	79-88	22-31	5	100	0.92	C-E-D	£ 134.44
700x680	7	57	645	35-44	79-88	22-31	5	100	1.07	C-E-D	£ 156.44
700x775	8	57	645	35-44	79-88	22-31	5	100	1.22	C-E-D	£ 177.90
700x870	9	57	645	35-44	79-88	22-31	5	100	1.37	C-E-D	£ 198.54
700x965	10	57	645	35-44	79-88	22-31	5	100	1.52	C-E-D	£ 219.18
700x1060	11	57	645	35-44	79-88	22-31	5	100	1.67	C-E-D	£ 240.65
700x1155	12	57	645	35-44	79-88	22-31	5	100	1.82	C-E-D	£ 261.28
700x1250	13	57	645	35-44	79-88	22-31	5	100	1.97	C-E-D	£ 281.91
700x1345	14	57	645	35-44	79-88	22-31	5	100	2.12	C-E-D	£ 302.55
700x1440	15	57	645	35-44	79-88	22-31	5	100	2.27	C	£ 324.03
700x1535	16	57	645	35-44	79-88	22-31	5	100	2.42	C	£ 344.65
700x1630	17	57	645	35-44	79-88	22-31	5	100	2.57	C	£ 365.29
700x1725	18	57	645	35-44	79-88	22-31	5	100	2.72	C	£ 385.93
700x1820	19	57	645	35-44	79-88	22-31	5	100	2.87	C	£ 407.40
700x1915	20	57	645	35-44	79-88	22-31	5	100	3.02	C	£ 428.03
800x300	3	57	745	35-44	79-88	22-31	5	100	0.51	C	£ 76.42
800x395	4	57	745	35-44	79-88	22-31	5	100	0.67	C	£ 99.12
800x490	5	57	745	35-44	79-88	22-31	5	100	0.84	C-E-D	£ 121.16
800x585	6	57	745	35-44	79-88	22-31	5	100	1.00	C-E-D	£ 143.21
800x680	7	57	745	35-44	79-88	22-31	5	100	1.17	C-E-D	£ 166.61
800x775	8	57	745	35-44	79-88	22-31	5	100	1.33	C-E-D	£ 189.48
800x870	9	57	745	35-44	79-88	22-31	5	100	1.49	C-E-D	£ 211.54
800x965	10	57	745	35-44	79-88	22-31	5	100	1.66	C-E-D	£ 233.59
800x1060	11	57	745	35-44	79-88	22-31	5	100	1.82	C-E-D	£ 256.47
800x1155	12	57	745	35-44	79-88	22-31	5	100	1.99	C-E-D	£ 278.52
800x1250	13	57	745	35-44	79-88	22-31	5	100	2.15	C-E-D	£ 300.56
800x1345	14	57	745	35-44	79-88	22-31	5	100	2.32	C-E-D	£ 322.61
800x1440	15	57	745	35-44	79-88	22-31	5	100	2.48	C	£ 345.49
800x1535	16	57	745	35-44	79-88	22-31	5	100	2.65	C	£ 367.54
800x1630	17	57	745	35-44	79-88	22-31	5	100	2.81	C	£ 389.58
800x1725	18	57	745	35-44	79-88	22-31	5	100	2.98	C	£ 411.63
800x1820	19	57	745	35-44	79-88	22-31	5	100	3.14	C	£ 434.52
800x1915	20	57	745	35-44	79-88	22-31	5	100	3.31	C	£ 456.57
900x300	3	57	845	35-44	79-88	22-31	5	100	0.55	C	£ 80.96
900x395	4	57	845	35-44	79-88	22-31	5	100	0.73	C	£ 105.07
900x490	5	57	845	35-44	79-88	22-31	5	100	0.91	C-E-D	£ 128.52
900x585	6	57	845	35-44	79-88	22-31	5	100	1.09	C-E-D	£ 151.97
900x680	7	57	845	35-44	79-88	22-31	5	100	1.27	C-E-D	£ 176.79
900x775	8	57	845	35-44	79-88	22-31	5	100	1.44	C-E-D	£ 201.09
900x870	9	57	845	35-44	79-88	22-31	5	100	1.62	C-E-D	£ 224.53
900x965	10	57	845	35-44	79-88	22-31	5	100	1.80	C-E-D	£ 247.99
900x1060	11	57	845	35-44	79-88	22-31	5	100	1.98	C-E-D	£ 272.29
900x1155	12	57	845	35-44	79-88	22-31	5	100	2.16	C-E-D	£ 295.74
900x1250	13	57	845	35-44	79-88	22-31	5	100	2.34	C-E-D	£ 319.20
900x1345	14	57	845	35-44	79-88	22-31	5	100	2.52	C-E-D	£ 342.67
900x1440	15	57	845	35-44	79-88	22-31	5	100	2.70	C	£ 366.97
900x1535	16	57	845	35-44	79-88	22-31	5	100	2.88	C	£ 390.42
900x1630	17	57	845	35-44	79-88	22-31	5	100	3.05	C	£ 413.88
900x1725	18	57	845	35-44	79-88	22-31	5	100	3.23	C	£ 437.34
900x1820	19	57	845	35-44	79-88	22-31	5	100	3.41	C	£ 461.64
900x1915	20	57	845	35-44	79-88	22-31	5	100	3.59	C	£ 485.10
1000x300	3	57	945	35-44	79-88	22-31	5	100	0.59	C	£ 88.65
1000x395	4	57	945	35-44	79-88	22-31	5	100	0.79	C	£ 115.11
1000x490	5	57	945	35-44	79-88	22-31	5	100	0.98	C-E-D	£ 140.90
1000x585	6	57	945	35-44	79-88	22-31	5	100	1.17	C-E-D	£ 166.69
1000x680	7	57	945	35-44	79-88	22-31	5	100	1.37	C-E-D	£ 193.88
1000x775	8	57	945	35-44	79-88	22-31	5	100	1.56	C-E-D	£ 220.54
1000x870	9	57	945	35-44	79-88	22-31	5	100	1.75	C-E-D	£ 246.34
1000x965	10	57	945	35-44	79-88	22-31	5	100	1.95	C-E-D	£ 272.13
1000x1060	11	57	945	35-44	79-88	22-31	5	100	2.14	C-E-D	£ 298.79
1000x1155	12	57	945	35-44	79-88	22-31	5	100	2.33	C-E-D	£ 324.58
1000x1250	13	57	945	35-44	79-88	22-31	5	100	2.53	C-E-D	£ 350.37
1000x1345	14	57	945	35-44	79-88	22-31	5	100	2.72	C-E-D	£ 376.16
1000x1440	15	57	945	35-44	79-88	22-31	5	100	2.91	C	£ 402.82
1000x1535	16	57	945	35-44	79-88	22-31	5	100	3.10	C	£ 428.61

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1820	1491	5083	1938	6608
600x1915	1569	5351	2040	6956
700x300	269	916	349	1191
700x395	358	1222	466	1588
700x490	448	1527	582	1985
700x585	537	1832	699	2382
700x680	627	2138	815	2779
700x775	716	2443	931	3176
700x870	806	2749	1048	3573
700x965	896	3054	1164	3970
700x1060	985	3359	1281	4367
700x1155	1075	3665	1397	4764
700x1250	1164	3970	1514	5161
700x1345	1254	4276	1630	5558
700x1440	1343	4581	1746	5955
700x1535	1433	4886	1863	6352
700x1630	1523	5192	1979	6749
700x1725	1612	5497	2096	7146
700x1820	1702	5803	2212	7543
700x1915	1791	6108	2329	7940
800x300	300	1024	391	1332
800x395	401	1366	521	1776
800x490	501	1707	651	2220
800x585	601	2049	781	2664
800x680	701	2390	911	3108
800x775	801	2732	1041	3551
800x870	901	3073	1172	3995
800x965	1001	3415	1302	4439
800x1060	1102	3756	1432	4883
800x1155	1202	4098	1562	5327
800x1250	1302	4439	1692	5771
800x1345	1402	4781	1823	6215
800x1440	1502	5122	1953	6659
800x1535	1602	5464	2083	7103
800x1630	1702	5805	2213	7547
800x1725	1803	6147	2343	7991
800x1820	1903	6488	2474	8435
800x1915	2003	6830	2604	8879
900x300	331	1128	430	1466
900x395	441	1504	573	1955
900x490	551	1879	716	2443
900x585	661	2255	860	2932
900x680	772	2631	1003	3420
900x775	882	3007	1146	3909
900x870	992	3383	1290	4398
900x965	1102	3759	1433	4886
900x1060	1213	4135	1576	5375
900x1155	1323	4511	1720	5864
900x1250	1433	4886	1863	6352
900x1345	1543	5262	2006	6841
900x1440	1653	5638	2149	7330
900x1535	1764	6014	2293	7818
900x1630	1874	6390	2436	8307
900x1725	1984	6766	2579	8795
900x1820	2094	7142	2723	9284
900x1915	2205	7518	2866	9773
1000x300	359	1226	467	1594
1000x395	479	1634	623	2125
1000x490	599	2043	779	2656
1000x585	719	2452	935	3187
1000x680	839	2860	1090	3718
1000x775	959	3269	1246	4250
1000x870	1078	3678	1402	4781
1000x965	1198	4086	1558	5312
1000x1060	1318	4495	1714	5843
1000x1155	1438	4903	1869	6374
1000x1250	1558	5312	2025	6906
1000x1345	1678	5721	2181	7437
1000x1440	1797	6129	2337	7968
1000x1535	1917	6538	2492	8499

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
19.99	23.74	0.13	700X1860X97
21.04	24.93	0.14	700X1955X97
3.61	4.89	0.03	800X340X97
4.79	6.23	0.04	800X435X97
5.97	7.58	0.05	800X530X97
7.14	8.93	0.05	800X625X97
8.33	10.44	0.06	800X720X97
9.51	11.79	0.07	800X815X97
10.69	13.14	0.08	800X910X97
11.87	14.49	0.08	800X1005X97
13.06	15.84	0.09	800X1100X97
14.23	17.18	0.10	800X1195X97
15.41	18.53	0.11	800X1290X97
16.59	19.87	0.11	800X1385X97
17.78	21.24	0.12	800X1480X97
18.96	22.58	0.13	800X1575X97
20.14	23.93	0.13	800X1670X97
21.31	25.28	0.14	800X1765X97
22.50	26.64	0.15	800X1860X97
23.68	27.97	0.16	800X1955X97
4.00	5.38	0.03	900X340X97
5.32	6.89	0.04	900X435X97
6.63	8.38	0.05	900X530X97
7.93	9.87	0.06	900X625X97
9.25	11.54	0.07	900X720X97
10.56	13.03	0.08	900X815X97
11.88	14.53	0.08	900X910X97
13.19	16.03	0.09	900X1005X97
14.51	17.53	0.10	900X1100X97
15.81	19.02	0.11	900X1195X97
17.13	20.52	0.12	900X1290X97
18.44	22.02	0.13	900X1385X97
19.76	23.53	0.13	900X1480X97
21.07	25.02	0.14	900X1575X97
22.38	26.52	0.15	900X1670X97
23.69	28.02	0.16	900X1765X97
25.00	29.52	0.17	900X1860X97
26.32	31.01	0.18	900X1955X97
4.40	5.89	0.04	1000X340X97
5.84	7.54	0.05	1000X435X97
7.29	9.18	0.06	1000X530X97
8.73	10.83	0.07	1000X625X97
10.17	12.64	0.07	1000X720X97
11.62	14.28	0.08	1000X815X97
13.07	15.93	0.09	1000X910X97
14.51	17.58	0.10	1000X1005X97
15.96	19.23	0.11	1000X1100X97
17.39	20.85	0.12	1000X1195X97
18.84	22.51	0.13	1000X1290X97
20.29	24.17	0.14	1000X1385X97
21.73	25.80	0.15	1000X1480X97
23.18	27.46	0.16	1000X1575X97
24.63	29.12	0.17	1000X1670X97
26.06	30.75	0.18	1000X1765X97
27.51	32.40	0.19	1000X1860X97
28.96	34.05	0.19	1000X1955X97
4.79	6.38	0.04	1100X340X97
6.37	8.18	0.05	1100X435X97
7.95	9.98	0.06	1100X530X97
9.52	11.78	0.07	1100X625X97
11.10	13.74	0.08	1100X720X97
12.67	15.53	0.09	1100X815X97
14.25	17.33	0.10	1100X910X97
15.83	19.13	0.11	1100X1005X97
17.41	20.92	0.12	1100X1100X97
18.98	22.71	0.13	1100X1195X97
20.56	24.50	0.14	1100X1290X97
22.13	26.30	0.15	1100X1385X97
23.71	28.10	0.16	1100X1480X97
25.29	29.90	0.17	1100X1575X97

CHIMO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x1630	17	57	945	35-44	79-88	22-31	5	100	3.30	C	£ 454.40
1000x1725	18	57	945	35-44	79-88	22-31	5	100	3.49	C	£ 480.19
1000x1820	19	57	945	35-44	79-88	22-31	5	100	3.68	C	£ 506.85
1000x1915	20	57	945	35-44	79-88	22-31	5	100	3.88	C	£ 532.64
1200x300	3	57	1145	35-44	79-88	22-31	5	100	0.68	C	£ 100.10
1200x395	4	57	1145	35-44	79-88	22-31	5	100	0.90	C	£ 130.17
1200x490	5	57	1145	35-44	79-88	22-31	5	100	1.12	C-E-D	£ 159.56
1200x585	6	57	1145	35-44	79-88	22-31	5	100	1.34	C-E-D	£ 188.97
1200x680	7	57	1145	35-44	79-88	22-31	5	100	1.57	C-E-D	£ 219.79
1200x775	8	57	1145	35-44	79-88	22-31	5	100	1.79	C-E-D	£ 250.05
1200x870	9	57	1145	35-44	79-88	22-31	5	100	2.01	C-E-D	£ 279.46
1200x965	10	57	1145	35-44	79-88	22-31	5	100	2.23	C-E-D	£ 308.86
1200x1060	11	57	1145	35-44	79-88	22-31	5	100	2.45	C-E-D	£ 339.13
1200x1155	12	57	1145	35-44	79-88	22-31	5	100	2.68	C-E-D	£ 368.55
1200x1250	13	57	1145	35-44	79-88	22-31	5	100	2.90	C-E-D	£ 397.95
1200x1345	14	57	1145	35-44	79-88	22-31	5	100	3.12	C-E-D	£ 427.35
1200x1440	15	57	1145	35-44	79-88	22-31	5	100	3.34	C	£ 457.62
1400x300	3	57	1345	35-44	79-88	22-31	5	100	0.76	C	£ 109.48
1400x395	4	57	1345	35-44	79-88	22-31	5	100	1.02	C	£ 142.48
1400x490	5	57	1345	35-44	79-88	22-31	5	100	1.27	C-E-D	£ 174.82
1400x585	6	57	1345	35-44	79-88	22-31	5	100	1.52	C-E-D	£ 207.14
1400x680	7	57	1345	35-44	79-88	22-31	5	100	1.77	C-E-D	£ 240.88
1400x775	8	57	1345	35-44	79-88	22-31	5	100	2.02	C-E-D	£ 274.08
1400x870	9	57	1345	35-44	79-88	22-31	5	100	2.27	C-E-D	£ 306.42
1400x965	10	57	1345	35-44	79-88	22-31	5	100	2.52	C-E-D	£ 338.76
1400x1060	11	57	1345	35-44	79-88	22-31	5	100	2.77	C-E-D	£ 371.95
1400x1155	12	57	1345	35-44	79-88	22-31	5	100	3.02	C-E-D	£ 404.28
1400x1250	13	57	1345	35-44	79-88	22-31	5	100	3.27	C-E-D	£ 436.62
1400x1345	14	57	1345	35-44	79-88	22-31	5	100	3.52	C-E-D	£ 468.95
1400x1440	15	57	1345	35-44	79-88	22-31	5	100	3.77	C	£ 502.15
1600x300	3	57	1545	35-44	79-88	22-31	5	100	0.85	C	£ 127.30
1600x395	4	57	1545	35-44	79-88	22-31	5	100	1.13	C	£ 166.05
1600x490	5	57	1545	35-44	79-88	22-31	5	100	1.41	C-E-D	£ 204.10
1600x585	6	57	1545	35-44	79-88	22-31	5	100	1.69	C-E-D	£ 242.18
1600x680	7	57	1545	35-44	79-88	22-31	5	100	1.97	C-E-D	£ 281.65
1600x775	8	57	1545	35-44	79-88	22-31	5	100	2.25	C-E-D	£ 320.59
1600x870	9	57	1545	35-44	79-88	22-31	5	100	2.52	C-E-D	£ 358.68
1600x965	10	57	1545	35-44	79-88	22-31	5	100	2.80	C-E-D	£ 396.74
1600x1060	11	57	1545	35-44	79-88	22-31	5	100	3.08	C-E-D	£ 435.69
1800x300	3	57	1745	35-44	79-88	22-31	5	100	0.94	C	£ 140.30
1800x395	4	57	1745	35-44	79-88	22-31	5	100	1.24	C	£ 182.32
1800x490	5	57	1745	35-44	79-88	22-31	5	100	1.55	C-E-D	£ 223.66
1800x585	6	57	1745	35-44	79-88	22-31	5	100	1.86	C-E-D	£ 265.00
1800x680	7	57	1745	35-44	79-88	22-31	5	100	2.17	C-E-D	£ 307.74
1800x775	8	57	1745	35-44	79-88	22-31	5	100	2.47	C-E-D	£ 349.95
1800x870	9	57	1745	35-44	79-88	22-31	5	100	2.78	C-E-D	£ 391.31
1800x965	10	57	1745	35-44	79-88	22-31	5	100	3.09	C-E-D	£ 432.65
1800x1060	11	57	1745	35-44	79-88	22-31	5	100	3.40	C-E-D	£ 474.85


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x1630	2037	6947	2648	9030
1000x1725	2157	7355	2804	9562
1000x1820	2277	7764	2960	10093
1000x1915	2397	8172	3116	10624
1200x300	413	1407	537	1830
1200x395	550	1877	715	2440
1200x490	688	2346	894	3050
1200x585	826	2815	1073	3659
1200x680	963	3284	1252	4269
1200x775	1101	3753	1431	4879
1200x870	1238	4222	1610	5489
1200x965	1376	4692	1789	6099
1200x1060	1513	5161	1967	6709
1200x1155	1651	5630	2146	7319
1200x1250	1789	6099	2325	7929
1200x1345	1926	6568	2504	8539
1200x1440	2064	7037	2683	9149
1400x300	474	1616	616	2101
1400x395	632	2155	821	2801
1400x490	790	2693	1027	3501
1400x585	948	3232	1232	4202
1400x680	1106	3771	1438	4902
1400x775	1264	4309	1643	5602
1400x870	1422	4848	1848	6302
1400x965	1580	5387	2054	7003
1400x1060	1738	5925	2259	7703
1400x1155	1896	6464	2464	8403
1400x1250	2054	7003	2670	9104
1400x1345	2212	7541	2875	9804
1400x1440	2370	8080	3080	10504
1600x300	544	1855	707	2412
1600x395	725	2474	943	3216
1600x490	907	3092	1179	4020
1600x585	1088	3711	1415	4824
1600x680	1270	4329	1650	5628
1600x775	1451	4948	1886	6432
1600x870	1632	5566	2122	7236
1600x965	1814	6185	2358	8040
1600x1060	1995	6803	2594	8844
1800x300	625	2130	812	2769
1800x395	833	2840	1083	3693
1800x490	1041	3551	1354	4616
1800x585	1249	4261	1624	5539
1800x680	1458	4971	1895	6462
1800x775	1666	5681	2166	7385
1800x870	1874	6391	2436	8308
1800x965	2082	7101	2707	9231
1800x1060	2291	7811	2978	10155

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
26.87	31.70	0.18	1100X1670X97
28.44	33.49	0.19	1100X1765X97
30.02	35.29	0.20	1100X1860X97
31.59	36.81	0.21	1100X1955X97
5.58	7.39	0.05	1300X340X97
7.43	9.49	0.06	1300X435X97
9.27	11.58	0.07	1300X530X97
11.10	13.67	0.08	1300X625X97
12.94	15.93	0.10	1300X720X97
14.78	18.02	0.11	1300X815X97
16.63	20.12	0.12	1300X910X97
18.47	22.21	0.13	1300X1005X97
20.31	24.30	0.14	1300X1100X97
22.14	26.39	0.16	1300X1195X97
23.98	28.48	0.17	1300X1290X97
25.83	30.59	0.18	1300X1385X97
27.67	32.68	0.19	1300X1480X97
6.38	8.40	0.05	1500X340X97
8.48	10.79	0.07	1500X435X97
10.59	13.18	0.08	1500X530X97
12.68	15.56	0.10	1500X625X97
14.79	18.12	0.11	1500X720X97
16.90	20.52	0.12	1500X815X97
19.00	22.91	0.14	1500X910X97
21.11	25.30	0.15	1500X1005X97
23.21	27.68	0.17	1500X1100X97
25.31	30.07	0.18	1500X1195X97
27.41	32.46	0.19	1500X1290X97
29.52	34.86	0.21	1500X1385X97
31.63	37.26	0.22	1500X1480X97
7.15	9.37	0.06	1700X340X97
9.51	12.06	0.08	1700X435X97
11.87	14.74	0.09	1700X530X97
14.24	17.43	0.11	1700X625X97
16.60	20.27	0.12	1700X720X97
18.96	22.96	0.14	1700X815X97
21.32	25.64	0.16	1700X910X97
23.67	28.30	0.17	1700X1005X97
26.04	31.00	0.19	1700X1100X97
7.94	10.51	0.07	1900X340X97
10.56	13.48	0.09	1900X435X97
13.19	16.46	0.10	1900X530X97
15.82	19.62	0.12	1900X625X97
18.44	22.58	0.14	1900X720X97
21.07	25.57	0.16	1900X815X97
23.69	28.55	0.17	1900X910X97
26.31	31.53	0.19	1900X1005X97
28.95	34.51	0.21	1900X1100X97

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel