

CHIMO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x300	3	88	245	56-65	100-109	12-21	5	100	0.29	C	£ 62.04
300x395	4	88	245	56-65	100-109	12-21	5	100	0.39	C	£ 80.33
300x490	5	88	245	56-65	100-109	12-21	5	100	0.48	C-E-D	£ 98.07
300x585	6	88	245	56-65	100-109	12-21	5	100	0.57	C-E-D	£ 115.83
300x680	7	88	245	56-65	100-109	12-21	5	100	0.67	C-E-D	£ 133.59
300x775	8	88	245	56-65	100-109	12-21	5	100	0.76	C-E-D	£ 152.18
300x870	9	88	245	56-65	100-109	12-21	5	100	0.85	C-E-D	£ 169.94
300x965	10	88	245	56-65	100-109	12-21	5	100	0.94	C-E-D	£ 187.69
300x1060	11	88	245	56-65	100-109	12-21	5	100	1.04	C-E-D	£ 206.29
300x1155	12	88	245	56-65	100-109	12-21	5	100	1.13	C-E-D	£ 224.05
300x1250	13	88	245	56-65	100-109	12-21	5	100	1.22	C-E-D	£ 241.80
300x1345	14	88	245	56-65	100-109	12-21	5	100	1.32	C-E-D	£ 259.57
300x1440	15	88	245	56-65	100-109	12-21	5	100	1.41	C	£ 278.16
300x1535	16	88	245	56-65	100-109	12-21	5	100	1.50	C	£ 295.92
300x1630	17	88	245	56-65	100-109	12-21	5	100	1.60	C	£ 313.66
300x1725	18	88	245	56-65	100-109	12-21	5	100	1.69	C	£ 331.43
300x1820	19	88	245	56-65	100-109	12-21	5	100	1.78	C	£ 350.03
300x1915	20	88	245	56-65	100-109	12-21	5	100	1.88	C	£ 367.78
400x300	3	88	345	56-65	100-109	12-21	5	100	0.34	C	£ 69.75
400x395	4	88	345	56-65	100-109	12-21	5	100	0.44	C	£ 90.57
400x490	5	88	345	56-65	100-109	12-21	5	100	0.55	C-E-D	£ 110.85
400x585	6	88	345	56-65	100-109	12-21	5	100	0.66	C-E-D	£ 131.14
400x680	7	88	345	56-65	100-109	12-21	5	100	0.77	C-E-D	£ 151.43
400x775	8	88	345	56-65	100-109	12-21	5	100	0.87	C-E-D	£ 172.56
400x870	9	88	345	56-65	100-109	12-21	5	100	0.98	C-E-D	£ 192.85
400x965	10	88	345	56-65	100-109	12-21	5	100	1.09	C-E-D	£ 213.16
400x1060	11	88	345	56-65	100-109	12-21	5	100	1.19	C-E-D	£ 234.28
400x1155	12	88	345	56-65	100-109	12-21	5	100	1.30	C-E-D	£ 254.57
400x1250	13	88	345	56-65	100-109	12-21	5	100	1.41	C-E-D	£ 274.87
400x1345	14	88	345	56-65	100-109	12-21	5	100	1.52	C-E-D	£ 295.16
400x1440	15	88	345	56-65	100-109	12-21	5	100	1.62	C	£ 316.29
400x1535	16	88	345	56-65	100-109	12-21	5	100	1.73	C	£ 336.58
400x1630	17	88	345	56-65	100-109	12-21	5	100	1.84	C	£ 356.87
400x1725	18	88	345	56-65	100-109	12-21	5	100	1.95	C	£ 377.17
400x1820	19	88	345	56-65	100-109	12-21	5	100	2.05	C	£ 398.30
400x1915	20	88	345	56-65	100-109	12-21	5	100	2.16	C	£ 418.59
500x300	3	88	445	56-65	100-109	12-21	5	100	0.38	C	£ 77.78
500x395	4	88	445	56-65	100-109	12-21	5	100	0.50	C	£ 101.14
500x490	5	88	445	56-65	100-109	12-21	5	100	0.62	C-E-D	£ 123.94
500x585	6	88	445	56-65	100-109	12-21	5	100	0.74	C-E-D	£ 146.78
500x680	7	88	445	56-65	100-109	12-21	5	100	0.87	C-E-D	£ 169.60
500x775	8	88	445	56-65	100-109	12-21	5	100	0.99	C-E-D	£ 193.28
500x870	9	88	445	56-65	100-109	12-21	5	100	1.11	C-E-D	£ 216.10
500x965	10	88	445	56-65	100-109	12-21	5	100	1.23	C-E-D	£ 238.94
500x1060	11	88	445	56-65	100-109	12-21	5	100	1.35	C-E-D	£ 262.59
500x1155	12	88	445	56-65	100-109	12-21	5	100	1.47	C-E-D	£ 285.43
500x1250	13	88	445	56-65	100-109	12-21	5	100	1.60	C-E-D	£ 308.25
500x1345	14	88	445	56-65	100-109	12-21	5	100	1.72	C-E-D	£ 331.09
500x1440	15	88	445	56-65	100-109	12-21	5	100	1.84	C	£ 354.74
500x1535	16	88	445	56-65	100-109	12-21	5	100	1.96	C	£ 377.57
500x1630	17	88	445	56-65	100-109	12-21	5	100	2.08	C	£ 400.40
500x1725	18	88	445	56-65	100-109	12-21	5	100	2.20	C	£ 423.23
500x1820	19	88	445	56-65	100-109	12-21	5	100	2.33	C	£ 446.90
500x1915	20	88	445	56-65	100-109	12-21	5	100	2.45	C	£ 469.72
600x300	3	88	545	56-65	100-109	12-21	5	100	0.42	C	£ 84.47
600x395	4	88	545	56-65	100-109	12-21	5	100	0.56	C	£ 110.36
600x490	5	88	545	56-65	100-109	12-21	5	100	0.69	C-E-D	£ 135.71
600x585	6	88	545	56-65	100-109	12-21	5	100	0.83	C-E-D	£ 161.08
600x680	7	88	545	56-65	100-109	12-21	5	100	0.97	C-E-D	£ 186.44
600x775	8	88	545	56-65	100-109	12-21	5	100	1.10	C-E-D	£ 212.64
600x870	9	88	545	56-65	100-109	12-21	5	100	1.24	C-E-D	£ 238.00
600x965	10	88	545	56-65	100-109	12-21	5	100	1.37	C-E-D	£ 263.37
600x1060	11	88	545	56-65	100-109	12-21	5	100	1.51	C-E-D	£ 289.57
600x1155	12	88	545	56-65	100-109	12-21	5	100	1.65	C-E-D	£ 314.93
600x1250	13	88	545	56-65	100-109	12-21	5	100	1.78	C-E-D	£ 340.29
600x1345	14	88	545	56-65	100-109	12-21	5	100	1.92	C-E-D	£ 365.66
600x1440	15	88	545	56-65	100-109	12-21	5	100	2.05	C	£ 391.86
600x1535	16	88	545	56-65	100-109	12-21	5	100	2.19	C	£ 417.23
600x1630	17	88	545	56-65	100-109	12-21	5	100	2.33	C	£ 442.59
600x1725	18	88	545	56-65	100-109	12-21	5	100	2.46	C	£ 467.95

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x300	165	562	214	731
300x395	220	749	286	974
300x490	275	937	357	1218
300x585	330	1124	429	1461
300x680	385	1311	500	1705
300x775	439	1499	571	1948
300x870	494	1686	643	2192
300x965	549	1873	714	2435
300x1060	604	2061	786	2679
300x1155	659	2248	857	2922
300x1250	714	2435	928	3166
300x1345	769	2623	1000	3409
300x1440	824	2810	1071	3653
300x1535	879	2997	1143	3897
300x1630	934	3185	1214	4140
300x1725	989	3372	1286	4384
300x1820	1044	3559	1357	4627
300x1915	1099	3747	1428	4871
400x300	225	766	292	996
400x395	299	1021	389	1328
400x490	374	1276	487	1659
400x585	449	1532	584	1991
400x680	524	1787	681	2323
400x775	599	2042	779	2655
400x870	674	2298	876	2987
400x965	749	2553	973	3319
400x1060	824	2808	1071	3651
400x1155	898	3063	1168	3983
400x1250	973	3319	1265	4314
400x1345	1048	3574	1363	4646
400x1440	1123	3829	1460	4978
400x1535	1198	4085	1557	5310
400x1630	1273	4340	1655	5642
400x1725	1348	4595	1752	5974
400x1820	1422	4850	1849	6306
400x1915	1497	5106	1946	6638
500x300	287	979	373	1272
500x395	383	1305	497	1696
500x490	478	1631	622	2120
500x585	574	1957	746	2544
500x680	670	2283	870	2968
500x775	765	2609	995	3392
500x870	861	2935	1119	3816
500x965	956	3262	1243	4240
500x1060	1052	3588	1368	4664
500x1155	1148	3914	1492	5088
500x1250	1243	4240	1616	5512
500x1345	1339	4566	1741	5936
500x1440	1435	4892	1865	6360
500x1535	1530	5219	1989	6784
500x1630	1626	5545	2114	7208
500x1725	1722	5871	2238	7632
500x1820	1817	6197	2362	8056
500x1915	1913	6523	2487	8480
600x300	352	1200	458	1560
600x395	469	1600	610	2080
600x490	587	2000	763	2600
600x585	704	2400	915	3120
600x680	821	2800	1068	3640
600x775	938	3200	1220	4160
600x870	1056	3600	1373	4680
600x965	1173	4000	1525	5200
600x1060	1290	4400	1678	5720
600x1155	1408	4800	1830	6240
600x1250	1525	5200	1983	6760
600x1345	1642	5600	2135	7281
600x1440	1760	6000	2288	7801
600x1535	1877	6400	2440	8321
600x1630	1994	6800	2593	8841
600x1725	2112	7200	2745	9361

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.95	3.85	0.02	410X347X130
3.92	4.94	0.03	410X442X130
4.88	5.99	0.03	410X537X130
5.83	7.05	0.04	410X632X130
6.79	8.12	0.04	410X727X130
7.75	9.17	0.05	410X822X130
8.72	10.25	0.05	410X917X130
9.68	11.31	0.06	410X1012X130
10.64	12.39	0.06	410X1107X130
11.59	13.43	0.07	410X1202X130
12.55	14.50	0.07	410X1297X130
13.52	15.59	0.08	410X1392X130
14.48	16.64	0.08	410X1487X130
15.44	17.70	0.09	410X1582X130
16.40	18.76	0.09	410X1677X130
17.36	19.84	0.10	410X1772X130
18.32	20.89	0.10	410X1867X130
19.28	21.96	0.11	410X1962X130
3.67	4.69	0.03	510X347X130
4.88	6.01	0.03	510X442X130
6.08	7.33	0.04	510X537X130
7.27	8.65	0.05	510X632X130
8.47	9.97	0.05	510X727X130
9.67	11.29	0.06	510X822X130
10.88	12.62	0.07	510X917X130
12.08	13.95	0.07	510X1012X130
13.28	15.26	0.08	510X1107X130
14.47	16.58	0.08	510X1202X130
15.67	17.90	0.09	510X1297X130
16.88	19.23	0.10	510X1392X130
18.08	20.55	0.10	510X1487X130
19.28	21.88	0.11	510X1582X130
20.48	23.20	0.12	510X1677X130
21.68	24.52	0.12	510X1772X130
22.88	25.84	0.13	510X1867X130
24.08	27.16	0.14	510X1962X130
4.39	5.50	0.03	610X347X130
5.84	7.10	0.04	610X442X130
7.28	8.68	0.05	610X537X130
8.71	10.25	0.06	610X632X130
10.15	11.82	0.06	610X727X130
11.59	13.41	0.07	610X822X130
13.04	15.00	0.08	610X917X130
14.48	16.57	0.09	610X1012X130
15.92	18.15	0.09	610X1107X130
17.35	19.73	0.10	610X1202X130
18.79	21.31	0.11	610X1297X130
20.24	22.89	0.12	610X1392X130
21.68	24.47	0.12	610X1487X130
23.12	26.05	0.13	610X1582X130
24.56	27.62	0.14	610X1677X130
26.00	29.20	0.15	610X1772X130
27.44	30.79	0.15	610X1867X130
28.88	32.37	0.16	610X1962X130
5.11	6.23	0.04	710X347X130
6.80	8.05	0.05	710X442X130
8.48	9.89	0.05	710X537X130
10.15	11.74	0.06	710X632X130
11.83	13.57	0.07	710X727X130
13.51	15.40	0.08	710X822X130
15.20	17.24	0.09	710X917X130
16.88	19.08	0.10	710X1012X130
18.56	20.91	0.11	710X1107X130
20.23	22.74	0.12	710X1202X130
21.91	24.57	0.12	710X1297X130
23.60	26.43	0.13	710X1392X130
25.28	28.26	0.14	710X1487X130
26.96	30.09	0.15	710X1582X130
28.64	31.93	0.16	710X1677X130
30.32	33.76	0.17	710X1772X130

CHIMO DOUBLE**TECHNICAL INFORMATION**

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume L	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm			
600x1820	19	88	545	56-65	100-109	12-21	5	100	2.60	C	£ 494.16
600x1915	20	88	545	56-65	100-109	12-21	5	100	2.73	C	£ 519.51
700x300	3	88	645	56-65	100-109	12-21	5	100	0.46	C	£ 95.82
700x395	4	88	645	56-65	100-109	12-21	5	100	0.61	C	£ 124.92
700x490	5	88	645	56-65	100-109	12-21	5	100	0.76	C-E-D	£ 153.47
700x585	6	88	645	56-65	100-109	12-21	5	100	0.92	C-E-D	£ 182.02
700x680	7	88	645	56-65	100-109	12-21	5	100	1.07	C-E-D	£ 210.58
700x775	8	88	645	56-65	100-109	12-21	5	100	1.22	C-E-D	£ 239.98
700x870	9	88	645	56-65	100-109	12-21	5	100	1.37	C-E-D	£ 268.53
700x965	10	88	645	56-65	100-109	12-21	5	100	1.52	C-E-D	£ 297.10
700x1060	11	88	645	56-65	100-109	12-21	5	100	1.67	C-E-D	£ 326.50
700x1155	12	88	645	56-65	100-109	12-21	5	100	1.82	C-E-D	£ 355.05
700x1250	13	88	645	56-65	100-109	12-21	5	100	1.97	C-E-D	£ 383.61
700x1345	14	88	645	56-65	100-109	12-21	5	100	2.12	C-E-D	£ 412.18
700x1440	15	88	645	56-65	100-109	12-21	5	100	2.27	C	£ 441.57
700x1535	16	88	645	56-65	100-109	12-21	5	100	2.42	C	£ 470.13
700x1630	17	88	645	56-65	100-109	12-21	5	100	2.57	C	£ 498.69
700x1725	18	88	645	56-65	100-109	12-21	5	100	2.72	C	£ 527.25
700x1820	19	88	645	56-65	100-109	12-21	5	100	2.87	C	£ 556.65
700x1915	20	88	645	56-65	100-109	12-21	5	100	3.02	C	£ 585.21
800x300	3	88	745	56-65	100-109	12-21	5	100	0.51	C	£ 103.86
800x395	4	88	745	56-65	100-109	12-21	5	100	0.67	C	£ 135.49
800x490	5	88	745	56-65	100-109	12-21	5	100	0.84	C-E-D	£ 166.56
800x585	6	88	745	56-65	100-109	12-21	5	100	1.00	C-E-D	£ 197.66
800x680	7	88	745	56-65	100-109	12-21	5	100	1.17	C-E-D	£ 228.76
800x775	8	88	745	56-65	100-109	12-21	5	100	1.33	C-E-D	£ 260.69
800x870	9	88	745	56-65	100-109	12-21	5	100	1.49	C-E-D	£ 291.78
800x965	10	88	745	56-65	100-109	12-21	5	100	1.66	C-E-D	£ 322.88
800x1060	11	88	745	56-65	100-109	12-21	5	100	1.82	C-E-D	£ 354.82
800x1155	12	88	745	56-65	100-109	12-21	5	100	1.99	C-E-D	£ 385.91
800x1250	13	88	745	56-65	100-109	12-21	5	100	2.15	C-E-D	£ 417.00
800x1345	14	88	745	56-65	100-109	12-21	5	100	2.32	C-E-D	£ 448.10
800x1440	15	88	745	56-65	100-109	12-21	5	100	2.48	C	£ 480.04
800x1535	16	88	745	56-65	100-109	12-21	5	100	2.65	C	£ 511.12
800x1630	17	88	745	56-65	100-109	12-21	5	100	2.81	C	£ 542.22
800x1725	18	88	745	56-65	100-109	12-21	5	100	2.98	C	£ 573.32
800x1820	19	88	745	56-65	100-109	12-21	5	100	3.14	C	£ 605.26
800x1915	20	88	745	56-65	100-109	12-21	5	100	3.31	C	£ 636.34
900x300	3	88	845	56-65	100-109	12-21	5	100	0.55	C	£ 111.89
900x395	4	88	845	56-65	100-109	12-21	5	100	0.73	C	£ 146.06
900x490	5	88	845	56-65	100-109	12-21	5	100	0.91	C-E-D	£ 179.67
900x585	6	88	845	56-65	100-109	12-21	5	100	1.09	C-E-D	£ 213.30
900x680	7	88	845	56-65	100-109	12-21	5	100	1.27	C-E-D	£ 246.94
900x775	8	88	845	56-65	100-109	12-21	5	100	1.44	C-E-D	£ 281.41
900x870	9	88	845	56-65	100-109	12-21	5	100	1.62	C-E-D	£ 315.03
900x965	10	88	845	56-65	100-109	12-21	5	100	1.80	C-E-D	£ 348.66
900x1060	11	88	845	56-65	100-109	12-21	5	100	1.98	C-E-D	£ 383.13
900x1155	12	88	845	56-65	100-109	12-21	5	100	2.16	C-E-D	£ 416.76
900x1250	13	88	845	56-65	100-109	12-21	5	100	2.34	C-E-D	£ 450.39
900x1345	14	88	845	56-65	100-109	12-21	5	100	2.52	C-E-D	£ 484.02
900x1440	15	88	845	56-65	100-109	12-21	5	100	2.70	C	£ 518.49
900x1535	16	88	845	56-65	100-109	12-21	5	100	2.88	C	£ 552.12
900x1630	17	88	845	56-65	100-109	12-21	5	100	3.05	C	£ 585.75
900x1725	18	88	845	56-65	100-109	12-21	5	100	3.23	C	£ 619.39
900x1820	19	88	845	56-65	100-109	12-21	5	100	3.41	C	£ 653.86
900x1915	20	88	845	56-65	100-109	12-21	5	100	3.59	C	£ 687.48
1000x300	3	88	945	56-65	100-109	12-21	5	100	0.59	C	£ 124.37
1000x395	4	88	945	56-65	100-109	12-21	5	100	0.79	C	£ 162.42
1000x490	5	88	945	56-65	100-109	12-21	5	100	0.98	C-E-D	£ 199.91
1000x585	6	88	945	56-65	100-109	12-21	5	100	1.17	C-E-D	£ 237.42
1000x680	7	88	945	56-65	100-109	12-21	5	100	1.37	C-E-D	£ 274.93
1000x775	8	88	945	56-65	100-109	12-21	5	100	1.56	C-E-D	£ 313.29
1000x870	9	88	945	56-65	100-109	12-21	5	100	1.75	C-E-D	£ 350.80
1000x965	10	88	945	56-65	100-109	12-21	5	100	1.95	C-E-D	£ 388.30
1000x1060	11	88	945	56-65	100-109	12-21	5	100	2.14	C-E-D	£ 426.68
1000x1155	12	88	945	56-65	100-109	12-21	5	100	2.33	C-E-D	£ 464.19
1000x1250	13	88	945	56-65	100-109	12-21	5	100	2.53	C-E-D	£ 501.69
1000x1345	14	88	945	56-65	100-109	12-21	5	100	2.72	C-E-D	£ 539.20
1000x1440	15	88	945	56-65	100-109	12-21	5	100	2.91	C	£ 577.58
1000x1535	16	88	945	56-65	100-109	12-21	5	100	3.10	C	£ 615.08

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1820	2229	7601	2898	9881
600x1915	2346	8001	3050	10401
700x300	402	1370	522	1781
700x395	536	1827	696	2374
700x490	670	2283	870	2968
700x585	803	2740	1044	3562
700x680	937	3196	1219	4155
700x775	1071	3653	1393	4749
700x870	1205	4110	1567	5342
700x965	1339	4566	1741	5936
700x1060	1473	5023	1915	6530
700x1155	1607	5479	2089	7123
700x1250	1741	5936	2263	7717
700x1345	1875	6393	2437	8310
700x1440	2009	6849	2611	8904
700x1535	2142	7306	2785	9498
700x1630	2276	7763	2959	10091
700x1725	2410	8219	3133	10685
700x1820	2544	8676	3307	11278
700x1915	2678	9132	3482	11872
800x300	449	1532	584	1991
800x395	599	2042	779	2655
800x490	749	2553	973	3319
800x585	898	3063	1168	3983
800x680	1048	3574	1363	4646
800x775	1198	4085	1557	5310
800x870	1348	4595	1752	5974
800x965	1497	5106	1946	6638
800x1060	1647	5616	2141	7301
800x1155	1797	6127	2336	7965
800x1250	1946	6638	2530	8629
800x1345	2096	7148	2725	9293
800x1440	2246	7659	2920	9956
800x1535	2396	8169	3114	10620
800x1630	2545	8680	3309	11284
800x1725	2695	9190	3504	11948
800x1820	2845	9701	3698	12611
800x1915	2995	10212	3893	13275
900x300	494	1686	643	2192
900x395	659	2248	857	2922
900x490	824	2810	1071	3653
900x585	989	3372	1286	4384
900x680	1154	3934	1500	5114
900x775	1318	4496	1714	5845
900x870	1483	5058	1928	6575
900x965	1648	5620	2143	7306
900x1060	1813	6182	2357	8036
900x1155	1978	6744	2571	8767
900x1250	2143	7306	2785	9498
900x1345	2307	7868	2999	10228
900x1440	2472	8430	3214	10959
900x1535	2637	8992	3428	11689
900x1630	2802	9554	3642	12420
900x1725	2967	10116	3856	13151
900x1820	3131	10678	4071	13881
900x1915	3296	11240	4285	14612
1000x300	538	1833	699	2383
1000x395	717	2444	932	3177
1000x490	896	3055	1165	3971
1000x585	1075	3666	1397	4765
1000x680	1254	4277	1630	5560
1000x775	1433	4888	1863	6354
1000x870	1612	5499	2096	7148
1000x965	1792	6110	2329	7942
1000x1060	1971	6720	2562	8737
1000x1155	2150	7331	2795	9531
1000x1250	2329	7942	3028	10325
1000x1345	2508	8553	3261	11119
1000x1440	2687	9164	3494	11913
1000x1535	2867	9775	3727	12708

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H X W X D)
kg	kg	m³	mm
32.00	35.60	0.18	710X1867X130
33.68	37.43	0.19	710X1962X130
5.83	7.17	0.04	810X347X130
7.76	9.28	0.05	810X442X130
9.68	11.37	0.06	810X537X130
11.59	13.45	0.07	810X632X130
13.51	15.55	0.08	810X727X130
15.43	17.64	0.09	810X822X130
17.36	19.74	0.10	810X917X130
19.28	21.83	0.11	810X1012X130
21.20	23.93	0.12	810X1107X130
23.11	26.01	0.13	810X1202X130
25.03	28.10	0.14	810X1297X130
26.96	30.21	0.15	810X1392X130
28.88	32.30	0.16	810X1487X130
30.80	34.39	0.17	810X1582X130
32.72	36.48	0.18	810X1677X130
34.64	38.58	0.19	810X1772X130
36.56	40.67	0.20	810X1867X130
38.48	42.76	0.21	810X1962X130
6.55	8.00	0.05	910X347X130
8.72	10.37	0.06	910X442X130
10.88	12.71	0.07	910X537X130
13.03	15.05	0.08	910X632X130
15.19	17.40	0.09	910X727X130
17.35	19.75	0.10	910X822X130
19.52	22.11	0.11	910X917X130
21.68	24.47	0.12	910X1012X130
23.84	26.81	0.14	910X1107X130
25.99	29.15	0.15	910X1202X130
28.15	31.50	0.16	910X1297X130
30.32	33.87	0.17	910X1392X130
32.48	36.22	0.18	910X1487X130
34.64	38.56	0.19	910X1582X130
36.80	40.92	0.20	910X1677X130
38.96	43.27	0.21	910X1772X130
41.12	45.62	0.23	910X1867X130
43.28	47.96	0.24	910X1962X130
7.27	8.84	0.05	1010X347X130
9.68	11.45	0.06	1010X442X130
12.08	14.05	0.08	1010X537X130
14.47	16.66	0.09	1010X632X130
16.87	19.27	0.10	1010X727X130
19.27	21.87	0.11	1010X822X130
21.68	24.48	0.13	1010X917X130
24.08	27.10	0.14	1010X1012X130
26.48	29.70	0.15	1010X1107X130
28.87	32.29	0.16	1010X1202X130
31.27	34.91	0.18	1010X1297X130
33.68	37.53	0.19	1010X1392X130
36.08	40.12	0.20	1010X1487X130
38.48	42.73	0.21	1010X1582X130
40.88	45.35	0.23	1010X1677X130
43.28	47.95	0.24	1010X1772X130
45.68	50.56	0.25	1010X1867X130
48.08	53.16	0.26	1010X1962X130
7.99	9.66	0.06	1110X347X130
10.44	12.53	0.07	1110X442X130
13.28	15.40	0.08	1110X537X130
15.91	18.26	0.11	1110X632X130
18.55	21.12	0.11	1110X727X130
21.19	23.98	0.12	1110X822X130
23.84	26.86	0.14	1110X917X130
26.48	29.72	0.15	1110X1012X130
29.12	32.59	0.16	1110X1107X130
31.75	35.44	0.18	1110X1202X130
34.39	38.30	0.19	1110X1297X130
37.04	41.17	0.21	1110X1392X130
39.68	44.04	0.22	1110X1487X130
42.32	46.91	0.23	1110X1582X130

CHIMO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x1630	17	88	945	56-65	100-109	12-21	5	100	3,30	C	£ 652.59
1000x1725	18	88	945	56-65	100-109	12-21	5	100	3,49	C	£ 690.10
1000x1820	19	88	945	56-65	100-109	12-21	5	100	3,68	C	£ 728.47
1000x1915	20	88	945	56-65	100-109	12-21	5	100	3,88	C	£ 765.97
1200x300	3	88	1145	56-65	100-109	12-21	5	100	0,68	C	£ 143.09
1200x395	4	88	1145	56-65	100-109	12-21	5	100	0,90	C	£ 187.08
1200x490	5	88	1145	56-65	100-109	12-21	5	100	1,12	C-E-D	£ 230.52
1200x585	6	88	1145	56-65	100-109	12-21	5	100	1,34	C-E-D	£ 273.97
1200x680	7	88	1145	56-65	100-109	12-21	5	100	1,57	C-E-D	£ 317.42
1200x775	8	88	1145	56-65	100-109	12-21	5	100	1,79	C-E-D	£ 361.73
1200x870	9	88	1145	56-65	100-109	12-21	5	100	2,01	C-E-D	£ 405.18
1200x965	10	88	1145	56-65	100-109	12-21	5	100	2,23	C-E-D	£ 448.64
1200x1060	11	88	1145	56-65	100-109	12-21	5	100	2,45	C-E-D	£ 492.96
1200x1155	12	88	1145	56-65	100-109	12-21	5	100	2,68	C-E-D	£ 536.41
1200x1250	13	88	1145	56-65	100-109	12-21	5	100	2,90	C-E-D	£ 579.85
1200x1345	14	88	1145	56-65	100-109	12-21	5	100	3,12	C-E-D	£ 623.30
1200x1440	15	88	1145	56-65	100-109	12-21	5	100	3,34	C	£ 667.62
1400x300	3	88	1345	56-65	100-109	12-21	5	100	0,76	C	£ 159.75
1400x395	4	88	1345	56-65	100-109	12-21	5	100	1,02	C	£ 209.00
1400x490	5	88	1345	56-65	100-109	12-21	5	100	1,27	C-E-D	£ 257.69
1400x585	6	88	1345	56-65	100-109	12-21	5	100	1,52	C-E-D	£ 306.41
1400x680	7	88	1345	56-65	100-109	12-21	5	100	1,77	C-E-D	£ 355.12
1400x775	8	88	1345	56-65	100-109	12-21	5	100	2,02	C-E-D	£ 404.68
1400x870	9	88	1345	56-65	100-109	12-21	5	100	2,27	C-E-D	£ 453.40
1400x965	10	88	1345	56-65	100-109	12-21	5	100	2,52	C-E-D	£ 502.11
1400x1060	11	88	1345	56-65	100-109	12-21	5	100	2,77	C-E-D	£ 551.68
1400x1155	12	88	1345	56-65	100-109	12-21	5	100	3,02	C-E-D	£ 600.39
1400x1250	13	88	1345	56-65	100-109	12-21	5	100	3,27	C-E-D	£ 649.10
1400x1345	14	88	1345	56-65	100-109	12-21	5	100	3,52	C-E-D	£ 697.81
1400x1440	15	88	1345	56-65	100-109	12-21	5	100	3,77	C	£ 747.39
1600x300	3	88	1545	56-65	100-109	12-21	5	100	0,85	C	£ 184.89
1600x395	4	88	1545	56-65	100-109	12-21	5	100	1,13	C	£ 242.21
1600x490	5	88	1545	56-65	100-109	12-21	5	100	1,41	C-E-D	£ 298.97
1600x585	6	88	1545	56-65	100-109	12-21	5	100	1,69	C-E-D	£ 355.75
1600x680	7	88	1545	56-65	100-109	12-21	5	100	1,97	C-E-D	£ 412.53
1600x775	8	88	1545	56-65	100-109	12-21	5	100	2,25	C-E-D	£ 470.17
1600x870	9	88	1545	56-65	100-109	12-21	5	100	2,52	C-E-D	£ 526.95
1600x965	10	88	1545	56-65	100-109	12-21	5	100	2,80	C-E-D	£ 583.72
1600x1060	11	88	1545	56-65	100-109	12-21	5	100	3,08	C-E-D	£ 641.38
1800x300	3	88	1745	56-65	100-109	12-21	5	100	0,94	C	£ 206.62
1800x395	4	88	1745	56-65	100-109	12-21	5	100	1,24	C	£ 269.54
1800x490	5	88	1745	56-65	100-109	12-21	5	100	1,55	C-E-D	£ 331.90
1800x585	6	88	1745	56-65	100-109	12-21	5	100	1,86	C-E-D	£ 394.29
1800x680	7	88	1745	56-65	100-109	12-21	5	100	2,17	C-E-D	£ 456.65
1800x775	8	88	1745	56-65	100-109	12-21	5	100	2,47	C-E-D	£ 519.90
1800x870	9	88	1745	56-65	100-109	12-21	5	100	2,78	C-E-D	£ 582.29
1800x965	10	88	1745	56-65	100-109	12-21	5	100	3,09	C-E-D	£ 644.66
1800x1060	11	88	1745	56-65	100-109	12-21	5	100	3,40	C-E-D	£ 707.91


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x1630	3046	10386	3960	13502
1000x1725	3225	10997	4192	14296
1000x1820	3404	11608	4425	15090
1000x1915	3583	12219	4658	15885
1200x300	617	2104	802	2736
1200x395	823	2806	1070	3648
1200x490	1029	3507	1337	4560
1200x585	1234	4209	1605	5471
1200x680	1440	4910	1872	6383
1200x775	1646	5612	2139	7295
1200x870	1851	6313	2407	8207
1200x965	2057	7015	2674	9119
1200x1060	2263	7716	2942	10031
1200x1155	2469	8418	3209	10943
1200x1250	2674	9119	3476	11855
1200x1345	2880	9821	3744	12767
1200x1440	3086	10522	4011	13679
1400x300	709	2416	921	3141
1400x395	945	3222	1228	4188
1400x490	1181	4027	1535	5235
1400x585	1417	4832	1842	6282
1400x680	1653	5638	2149	7329
1400x775	1889	6443	2456	8376
1400x870	2126	7249	2763	9423
1400x965	2362	8054	3070	10470
1400x1060	2598	8859	3377	11517
1400x1155	2834	9665	3685	12564
1400x1250	3070	10470	3992	13611
1400x1345	3307	11276	4299	14658
1400x1440	3543	12081	4606	15705
1600x300	814	2774	1058	3606
1600x395	1085	3699	1410	4809
1600x490	1356	4624	1763	6011
1600x585	1627	5548	2115	7213
1600x680	1898	6473	2468	8415
1600x775	2169	7398	2820	9617
1600x870	2441	8323	3173	10819
1600x965	2712	9247	3525	12021
1600x1060	2983	10172	3878	13224
1800x300	934	3185	1214	4141
1800x395	1245	4247	1619	5521
1800x490	1557	5309	2024	6901
1800x585	1868	6370	2429	8282
1800x680	2180	7432	2833	9662
1800x775	2491	8494	3238	11042
1800x870	2802	9556	3643	12422
1800x965	3114	10617	4048	13802
1800x1060	3425	11679	4452	15183

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
44.96	49.77	0.25	1110X1677X130
47.60	52.64	0.26	1110X1772X130
50.24	55.50	0.27	1110X1867X130
52.88	58.47	0.29	1110X1962X130
9.43	11.33	0.06	1310X347X130
12.56	14.72	0.08	1310X442X130
15.68	18.09	0.10	1310X537X130
18.79	21.46	0.11	1310X632X130
21.91	24.84	0.13	1310X727X130
25.03	28.22	0.14	1310X822X130
28.16	31.59	0.16	1310X917X130
31.28	34.99	0.18	1310X1012X130
34.40	38.37	0.19	1310X1107X130
37.51	41.72	0.21	1310X1202X130
40.63	45.10	0.23	1310X1297X130
43.76	48.50	0.24	1310X1392X130
46.88	51.88	0.26	1310X1487X130
10.87	12.99	0.07	1510X347X130
14.48	16.89	0.09	1510X442X130
18.08	20.77	0.11	1510X537X130
21.67	24.67	0.13	1510X632X130
25.27	28.56	0.15	1510X727X130
28.87	32.44	0.17	1510X822X130
32.48	36.35	0.19	1510X917X130
36.08	40.25	0.20	1510X1012X130
39.68	44.13	0.22	1510X1107X130
43.27	48.01	0.24	1510X1202X130
46.87	51.91	0.26	1510X1297X130
50.48	55.81	0.28	1510X1392X130
54.08	59.70	0.30	1510X1487X130
12.29	14.63	0.08	1710X347X130
16.37	19.04	0.10	1710X442X130
20.44	23.44	0.12	1710X537X130
24.52	27.84	0.15	1710X632X130
28.59	32.24	0.17	1710X727X130
32.66	36.63	0.19	1710X822X130
36.74	41.05	0.21	1710X917X130
40.81	45.43	0.23	1710X1012X130
44.89	49.85	0.25	1710X1107X130
13.73	16.17	0.09	1910X347X130
18.29	21.08	0.11	1910X442X130
22.84	25.99	0.14	1910X537X130
27.40	30.92	0.16	1910X632X130
31.95	35.83	0.19	1910X727X130
36.50	40.73	0.21	1910X822X130
41.06	45.66	0.23	1910X917X130
45.61	50.57	0.26	1910X1012X130
50.17	55.49	0.28	1910X1107X130

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel