

DIAMOND

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiolator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x296	3	40	245	35-44	72-81	22-31	4	96	0.29	C	£ 50.77
300x396	4	40	245	35-44	72-81	22-31	4	96	0.39	C	£ 66.16
300x496	5	40	245	35-44	72-81	22-31	4	96	0.48	C-E-D	£ 80.83
300x596	6	40	245	35-44	72-81	22-31	4	96	0.58	C-E-D	£ 95.51
300x696	7	40	245	35-44	72-81	22-31	4	96	0.67	C-E-D	£ 111.56
300x796	8	40	245	35-44	72-81	22-31	4	96	0.77	C-E-D	£ 127.07
300x896	9	40	245	35-44	72-81	22-31	4	96	0.87	C-E-D	£ 141.75
300x996	10	40	245	35-44	72-81	22-31	4	96	0.96	C-E-D	£ 156.43
300x1096	11	40	245	35-44	72-81	22-31	4	96	1.06	C-E-D	£ 171.95
300x1196	12	40	245	35-44	72-81	22-31	4	96	1.15	C-E-D	£ 186.63
300x1296	13	40	245	35-44	72-81	22-31	4	96	1.25	C-E-D	£ 201.31
300x1396	14	40	245	35-44	72-81	22-31	4	96	1.35	C-E-D	£ 215.98
300x1496	15	40	245	35-44	72-81	22-31	4	96	1.44	C	£ 231.51
300x1596	16	40	245	35-44	72-81	22-31	4	96	1.54	C	£ 246.19
300x1696	17	40	245	35-44	72-81	22-31	4	96	1.63	C	£ 260.87
300x1796	18	40	245	35-44	72-81	22-31	4	96	1.73	C	£ 275.54
300x1896	19	40	245	35-44	72-81	22-31	4	96	1.83	C	£ 291.06
300x1996	20	40	245	35-44	72-81	22-31	4	96	1.92	C	£ 305.75
400x296	3	40	345	35-44	72-81	22-31	4	96	0.33	C	£ 55.11
400x396	4	40	345	35-44	72-81	22-31	4	96	0.44	C	£ 71.93
400x496	5	40	345	35-44	72-81	22-31	4	96	0.55	C-E-D	£ 88.03
400x596	6	40	345	35-44	72-81	22-31	4	96	0.66	C-E-D	£ 104.13
400x696	7	40	345	35-44	72-81	22-31	4	96	0.77	C-E-D	£ 121.59
400x796	8	40	345	35-44	72-81	22-31	4	96	0.88	C-E-D	£ 138.53
400x896	9	40	345	35-44	72-81	22-31	4	96	0.99	C-E-D	£ 154.63
400x996	10	40	345	35-44	72-81	22-31	4	96	1.10	C-E-D	£ 170.74
400x1096	11	40	345	35-44	72-81	22-31	4	96	1.22	C-E-D	£ 187.68
400x1196	12	40	345	35-44	72-81	22-31	4	96	1.33	C-E-D	£ 203.79
400x1296	13	40	345	35-44	72-81	22-31	4	96	1.44	C-E-D	£ 219.89
400x1396	14	40	345	35-44	72-81	22-31	4	96	1.55	C-E-D	£ 235.98
400x1496	15	40	345	35-44	72-81	22-31	4	96	1.66	C	£ 252.93
400x1596	16	40	345	35-44	72-81	22-31	4	96	1.77	C	£ 269.03
400x1696	17	40	345	35-44	72-81	22-31	4	96	1.88	C	£ 285.14
400x1796	18	40	345	35-44	72-81	22-31	4	96	1.99	C	£ 301.24
400x1896	19	40	345	35-44	72-81	22-31	4	96	2.10	C	£ 318.19
400x1996	20	40	345	35-44	72-81	22-31	4	96	2.21	C	£ 334.28
500x296	3	40	445	35-44	72-81	22-31	4	96	0.38	C	£ 59.58
500x396	4	40	445	35-44	72-81	22-31	4	96	0.50	C	£ 77.81
500x496	5	40	445	35-44	72-81	22-31	4	96	0.63	C-E-D	£ 95.34
500x596	6	40	445	35-44	72-81	22-31	4	96	0.75	C-E-D	£ 112.87
500x696	7	40	445	35-44	72-81	22-31	4	96	0.87	C-E-D	£ 131.75
500x796	8	40	445	35-44	72-81	22-31	4	96	1.00	C-E-D	£ 150.12
500x896	9	40	445	35-44	72-81	22-31	4	96	1.12	C-E-D	£ 167.63
500x996	10	40	445	35-44	72-81	22-31	4	96	1.25	C-E-D	£ 185.17
500x1096	11	40	445	35-44	72-81	22-31	4	96	1.37	C-E-D	£ 203.53
500x1196	12	40	445	35-44	72-81	22-31	4	96	1.50	C-E-D	£ 221.05
500x1296	13	40	445	35-44	72-81	22-31	4	96	1.62	C-E-D	£ 238.58
500x1396	14	40	445	35-44	72-81	22-31	4	96	1.75	C-E-D	£ 256.12
500x1496	15	40	445	35-44	72-81	22-31	4	96	1.87	C	£ 274.47
500x1596	16	40	445	35-44	72-81	22-31	4	96	2.00	C	£ 292.00
500x1696	17	40	445	35-44	72-81	22-31	4	96	2.12	C	£ 309.52
500x1796	18	40	445	35-44	72-81	22-31	4	96	2.24	C	£ 327.05
500x1896	19	40	445	35-44	72-81	22-31	4	96	2.37	C	£ 345.42
500x1996	20	40	445	35-44	72-81	22-31	4	96	2.49	C	£ 362.94
600x296	3	40	545	35-44	72-81	22-31	4	96	0.42	C	£ 63.80
600x396	4	40	545	35-44	72-81	22-31	4	96	0.56	C	£ 83.46
600x496	5	40	545	35-44	72-81	22-31	4	96	0.70	C-E-D	£ 102.41
600x596	6	40	545	35-44	72-81	22-31	4	96	0.84	C-E-D	£ 121.36
600x696	7	40	545	35-44	72-81	22-31	4	96	0.97	C-E-D	£ 141.67
600x796	8	40	545	35-44	72-81	22-31	4	96	1.11	C-E-D	£ 161.46
600x896	9	40	545	35-44	72-81	22-31	4	96	1.25	C-E-D	£ 180.41
600x996	10	40	545	35-44	72-81	22-31	4	96	1.39	C-E-D	£ 199.35
600x1096	11	40	545	35-44	72-81	22-31	4	96	1.53	C-E-D	£ 219.14
600x1196	12	40	545	35-44	72-81	22-31	4	96	1.67	C-E-D	£ 238.09
600x1296	13	40	545	35-44	72-81	22-31	4	96	1.81	C-E-D	£ 257.04
600x1396	14	40	545	35-44	72-81	22-31	4	96	1.95	C-E-D	£ 276.00
600x1496	15	40	545	35-44	72-81	22-31	4	96	2.09	C	£ 295.79
600x1596	16	40	545	35-44	72-81	22-31	4	96	2.22	C	£ 314.73
600x1696	17	40	545	35-44	72-81	22-31	4	96	2.36	C	£ 333.68
600x1796	18	40	545	35-44	72-81	22-31	4	96	2.50	C	£ 352.63

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x296	115	393	150	511
300x396	154	524	200	681
300x496	192	655	250	851
300x596	230	786	300	1021
300x696	269	917	349	1192
300x796	307	1048	399	1362
300x896	346	1179	449	1532
300x996	384	1309	499	1702
300x1096	422	1440	549	1873
300x1196	461	1571	599	2043
300x1296	499	1702	649	2213
300x1396	538	1833	699	2383
300x1496	576	1964	749	2553
300x1596	614	2095	799	2724
300x1696	653	2226	849	2894
300x1796	691	2357	899	3064
300x1896	730	2488	948	3234
300x1996	768	2619	998	3405
400x296	157	535	204	696
400x396	209	714	272	928
400x496	262	892	340	1160
400x596	314	1071	408	1392
400x696	366	1249	476	1624
400x796	419	1428	544	1856
400x896	471	1606	612	2088
400x996	523	1784	680	2320
400x1096	576	1963	748	2552
400x1196	628	2141	816	2784
400x1296	680	2320	884	3016
400x1396	733	2498	952	3248
400x1496	785	2677	1020	3480
400x1596	837	2855	1088	3712
400x1696	890	3034	1157	3944
400x1796	942	3212	1225	4176
400x1896	994	3391	1293	4408
400x1996	1047	3569	1361	4640
500x296	201	684	261	889
500x396	267	912	348	1186
500x496	334	1140	435	1482
500x596	401	1368	521	1778
500x696	468	1596	608	2075
500x796	535	1824	695	2371
500x896	602	2052	782	2667
500x996	669	2280	869	2964
500x1096	735	2508	956	3260
500x1196	802	2736	1043	3557
500x1296	869	2964	1130	3853
500x1396	936	3192	1217	4149
500x1496	1003	3420	1304	4446
500x1596	1070	3648	1391	4742
500x1696	1137	3876	1478	5038
500x1796	1203	4104	1564	5335
500x1896	1270	4332	1651	5631
500x1996	1337	4560	1738	5928
600x296	246	839	320	1091
600x396	328	1118	426	1454
600x496	410	1398	533	1818
600x596	492	1678	640	2181
600x696	574	1957	746	2545
600x796	656	2237	853	2908
600x896	738	2517	959	3272
600x996	820	2796	1066	3635
600x1096	902	3075	1173	3999
600x1196	984	3355	1279	4362
600x1296	1066	3635	1386	4726
600x1396	1148	3915	1492	5089
600x1496	1230	4194	1599	5453
600x1596	1312	4474	1706	5816
600x1696	1394	4754	1812	6180
600x1796	1476	5033	1919	6543

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.02	2.85	0.01	390X331X75
2.69	3.61	0.02	390X431X75
3.37	4.38	0.02	390X531X75
4.03	5.13	0.02	390X631X75
4.71	6.06	0.03	390X731X75
5.38	6.81	0.03	390X831X75
6.05	7.57	0.03	390X931X75
6.73	8.34	0.04	390X1031X75
7.40	9.11	0.04	390X1131X75
8.06	9.86	0.04	390X1231X75
8.74	10.61	0.04	390X13

DIAMOND

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1896	19	40	545	35-44	72-81	22-31	4	96	2.64	C	£ 372.42
600x1996	20	40	545	35-44	72-81	22-31	4	96	2.78	C	£ 391.37
700x296	3	40	645	35-44	72-81	22-31	4	96	0.46	C	£ 70.49
700x396	4	40	645	35-44	72-81	22-31	4	96	0.62	C	£ 92.24
700x496	5	40	645	35-44	72-81	22-31	4	96	0.77	C-E-D	£ 113.27
700x596	6	40	645	35-44	72-81	22-31	4	96	0.92	C-E-D	£ 134.30
700x696	7	40	645	35-44	72-81	22-31	4	96	1.07	C-E-D	£ 156.69
700x796	8	40	645	35-44	72-81	22-31	4	96	1.23	C-E-D	£ 178.56
700x896	9	40	645	35-44	72-81	22-31	4	96	1.38	C-E-D	£ 199.60
700x996	10	40	645	35-44	72-81	22-31	4	96	1.53	C-E-D	£ 220.63
700x1096	11	40	645	35-44	72-81	22-31	4	96	1.69	C-E-D	£ 242.50
700x1196	12	40	645	35-44	72-81	22-31	4	96	1.84	C-E-D	£ 263.54
700x1296	13	40	645	35-44	72-81	22-31	4	96	1.99	C-E-D	£ 284.57
700x1396	14	40	645	35-44	72-81	22-31	4	96	2.15	C-E-D	£ 305.60
700x1496	15	40	645	35-44	72-81	22-31	4	96	2.30	C	£ 327.47
700x1596	16	40	645	35-44	72-81	22-31	4	96	2.45	C	£ 348.51
700x1696	17	40	645	35-44	72-81	22-31	4	96	2.61	C	£ 369.54
700x1796	18	40	645	35-44	72-81	22-31	4	96	2.76	C	£ 390.58
700x1896	19	40	645	35-44	72-81	22-31	4	96	2.91	C	£ 412.45
700x1996	20	40	645	35-44	72-81	22-31	4	96	3.07	C	£ 433.48
800x296	3	40	745	35-44	72-81	22-31	4	96	0.51	C	£ 74.94
800x396	4	40	745	35-44	72-81	22-31	4	96	0.67	C	£ 98.12
800x496	5	40	745	35-44	72-81	22-31	4	96	0.84	C-E-D	£ 120.57
800x596	6	40	745	35-44	72-81	22-31	4	96	1.01	C-E-D	£ 143.03
800x696	7	40	745	35-44	72-81	22-31	4	96	1.17	C-E-D	£ 166.84
800x796	8	40	745	35-44	72-81	22-31	4	96	1.34	C-E-D	£ 190.14
800x896	9	40	745	35-44	72-81	22-31	4	96	1.51	C-E-D	£ 212.60
800x996	10	40	745	35-44	72-81	22-31	4	96	1.68	C-E-D	£ 235.05
800x1096	11	40	745	35-44	72-81	22-31	4	96	1.84	C-E-D	£ 258.35
800x1196	12	40	745	35-44	72-81	22-31	4	96	2.01	C-E-D	£ 280.81
800x1296	13	40	745	35-44	72-81	22-31	4	96	2.18	C-E-D	£ 303.27
800x1396	14	40	745	35-44	72-81	22-31	4	96	2.35	C-E-D	£ 325.72
800x1496	15	40	745	35-44	72-81	22-31	4	96	2.51	C	£ 349.02
800x1596	16	40	745	35-44	72-81	22-31	4	96	2.68	C	£ 371.47
800x1696	17	40	745	35-44	72-81	22-31	4	96	2.85	C	£ 393.94
800x1796	18	40	745	35-44	72-81	22-31	4	96	3.02	C	£ 416.39
800x1896	19	40	745	35-44	72-81	22-31	4	96	3.18	C	£ 439.68
800x1996	20	40	745	35-44	72-81	22-31	4	96	3.35	C	£ 462.14
900x296	3	40	845	35-44	72-81	22-31	4	96	0.55	C	£ 79.40
900x396	4	40	845	35-44	72-81	22-31	4	96	0.73	C	£ 104.01
900x496	5	40	845	35-44	72-81	22-31	4	96	0.91	C-E-D	£ 127.88
900x596	6	40	845	35-44	72-81	22-31	4	96	1.09	C-E-D	£ 151.77
900x696	7	40	845	35-44	72-81	22-31	4	96	1.27	C-E-D	£ 177.00
900x796	8	40	845	35-44	72-81	22-31	4	96	1.46	C-E-D	£ 201.73
900x896	9	40	845	35-44	72-81	22-31	4	96	1.64	C-E-D	£ 225.60
900x996	10	40	845	35-44	72-81	22-31	4	96	1.82	C-E-D	£ 249.48
900x1096	11	40	845	35-44	72-81	22-31	4	96	2.00	C-E-D	£ 274.20
900x1196	12	40	845	35-44	72-81	22-31	4	96	2.18	C-E-D	£ 298.08
900x1296	13	40	845	35-44	72-81	22-31	4	96	2.37	C-E-D	£ 321.97
900x1396	14	40	845	35-44	72-81	22-31	4	96	2.55	C-E-D	£ 345.84
900x1496	15	40	845	35-44	72-81	22-31	4	96	2.73	C	£ 370.57
900x1596	16	40	845	35-44	72-81	22-31	4	96	2.91	C	£ 394.44
900x1696	17	40	845	35-44	72-81	22-31	4	96	3.09	C	£ 418.32
900x1796	18	40	845	35-44	72-81	22-31	4	96	3.27	C	£ 442.21
900x1896	19	40	845	35-44	72-81	22-31	4	96	3.46	C	£ 466.92
900x1996	20	40	845	35-44	72-81	22-31	4	96	3.64	C	£ 490.81
1000x296	3	40	945	35-44	72-81	22-31	4	96	0.59	C	£ 86.97
1000x396	4	40	945	35-44	72-81	22-31	4	96	0.79	C	£ 113.96
1000x496	5	40	945	35-44	72-81	22-31	4	96	0.98	C-E-D	£ 140.21
1000x596	6	40	945	35-44	72-81	22-31	4	96	1.18	C-E-D	£ 166.44
1000x696	7	40	945	35-44	72-81	22-31	4	96	1.37	C-E-D	£ 194.09
1000x796	8	40	945	35-44	72-81	22-31	4	96	1.57	C-E-D	£ 221.19
1000x896	9	40	945	35-44	72-81	22-31	4	96	1.77	C-E-D	£ 247.44
1000x996	10	40	945	35-44	72-81	22-31	4	96	1.96	C-E-D	£ 273.69
1000x1096	11	40	945	35-44	72-81	22-31	4	96	2.16	C-E-D	£ 300.79
1000x1196	12	40	945	35-44	72-81	22-31	4	96	2.36	C-E-D	£ 327.04
1000x1296	13	40	945	35-44	72-81	22-31	4	96	2.55	C-E-D	£ 353.28
1000x1396	14	40	945	35-44	72-81	22-31	4	96	2.75	C-E-D	£ 379.52
1000x1496	15	40	945	35-44	72-81	22-31	4	96	2.94	C	£ 406.63
1000x1596	16	40	945	35-44	72-81	22-31	4	96	3.14	C	£ 432.88

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1896	1558	5313	2025	6907
600x1996	1640	5592	2132	7270
700x296	281	958	365	1245
700x396	374	1277	487	1660
700x496	468	1596	608	2075
700x596	562	1915	730	2490
700x696	655	2234	852	2905
700x796	749	2553	973	3319
700x896	842	2873	1095	3734
700x996	936	3192	1217	4149
700x1096	1030	3511	1338	4564
700x1196	1123	3830	1460	4979
700x1296	1217	4149	1582	5394
700x1396	1310	4469	1704	5809
700x1496	1404	4788	1825	6224
700x1596	1498	5107	1947	6639
700x1696	1591	5426	2069	7054
700x1796	1685	5745	2190	7469
700x1896	1778	6064	2312	7884
700x1996	1872	6384	2434	8299
800x296	314	1071	408	1392
800x396	419	1428	544	1856
800x496	523	1784	680	2320
800x596	628	2141	816	2784
800x696	733	2498	952	3248
800x796	837	2855	1088	3712
800x896	942	3212	1225	4176
800x996	1047	3569	1361	4640
800x1096	1151	3926	1497	5104
800x1196	1256	4283	1633	5568
800x1296	1361	4640	1769	6032
800x1396	1465	4997	1905	6496
800x1496	1570	5353	2041	6959
800x1596	1675	5710	2177	7423
800x1696	1779	6067	2313	7887
800x1796	1884	6424	2449	8351
800x1896	1989	6781	2585	8815
800x1996	2093	7138	2721	9279
900x296	346	1179	449	1532
900x396	461	1571	599	2043
900x496	576	1964	749	2553
900x596	691	2357	899	3064
900x696	806	2750	1048	3575
900x796	922	3143	1198	4085
900x896	1037	3536	1348	4596
900x996	1152	3928	1498	5107
900x1096	1267	4321	1647	5618
900x1196	1382	4714	1797	6128
900x1296	1498	5107	1947	6639
900x1396	1613	5500	2097	7150
900x1496	1728	5893	2246	7660
900x1596	1843	6285	2396	8171
900x1696	1958	6678	2546	8682
900x1796	2074	7071	2696	9192
900x1896	2189	7464	2845	9703
900x1996	2304	7857	2995	10214
1000x296	376	1281	488	1666
1000x396	501	1708	651	2221
1000x496	626	2135	814	2776
1000x596	751	2562	977	3331
1000x696	877	2989	1140	3886
1000x796	1002	3416	1302	4441
1000x896	1127	3844	1465	4997
1000x996	1252	4271	1628	5552
1000x1096	1378	4698	1791	6107
1000x1196	1503	5125	1954	6662
1000x1296	1628	5552	2116	7217
1000x1396	1753	5979	2279	7772
1000x1496	1879	6406	2442	8328
1000x1596	2004	6833	2605	8883

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
20.34	23.87	0.10	690X1931X75
21.41	25.08	0.11	690X2031X75
3.61	4.80	0.02	790X331X75
4.82	6.17	0.03	790X431X75
6.02	7.53	0.04	790X531X75
7.22	8.90	0.04	790X631X75
8.42	10.41	0.05	790X731X75
9.63	11.79	0.05	790X831X75
10.83	13.14	0.06	790X931X75
12.04	14.51	0.07	790X1031X75
13.24	15.88	0.07	790X1131X75
14.44	17.23	0.08	790X1231X75
15.64	18.60	0.08	790X1331X75
16.85	19.96	0.09	790X1431X75
18.05	21.32	0.10	790X1531X75
19.26	22.69	0.10	790X1631X75
20.46	24.05	0.11	790X1731X75
21.66	25.42	0.11	790X1831X75
22.86	26.77	0.12	790X1931X75
24.07	28.13	0.13	790X2031X75
4.01	5.28	0.03	890X331X75
5.35	6.81	0.03	890X431X75
6.69	8.32	0.04	890X531X75
8.02	9.84	0.05	890X631X75
9.35	11.51	0.05	890X731X75
10.69	13.02	0.06	890X831X75
12.03	14.54	0.07	890X931X75
13.37	16.05	0.07	890X1031X75
14.70	17.56	0.08	890X1131X75
16.03	19.08	0.09	890X1231X75
17.37	20.59	0.09	890X1331X75
18.71	22.11	0.10	890X1431X75
20.05	23.62	0.11	890X1531X75
21.38	25.13	0.11	890X1631X75
22.72	26.66	0.12	890X1731X75
24.05	28.15	0.13	890X1831X75
25.39	29.68	0.13	890X1931X75
26.72	31.18	0.14	890X2031X75
4.41	5.78	0.03	990X331X75
5.88	7.45	0.04	990X431X75
7.35	9.11	0.04	990X531X75
8.81	10.77	0.05	990X631X75
10.28	12.59	0.06	990X731X75
11.75	14.26	0.07	990X831X75
13.22	15.93	0.07	990X931X75
14.69	17.59	0.08	990X1031X75
16.17	19.27	0.09	990X1131X75
17.63	20.92	0.10	990X1231X75
19.10	22.59	0.10	990X1331X75
20.57	24.26	0.11	990X1431X75
22.04	25.92	0.12	990X1531X75
23.51	27.59	0.13	990X1631X75
24.98	29.24	0.13	990X1731X75
26.44	30.91	0.14	990X1831X75
27.91	32.58	0.15	990X1931X75
29.38	34.24	0.16	990X2031X75
4.81	6.26	0.03	1090X331X75
6.41	8.08	0.04	1090X431X75
8.02	9.91	0.05	1090X531X75
9.61	11.70	0.06	1090X631X75
11.21	13.60	0.06	1090X731X75
12.82	15.50	0.07	1090X831X75
14.42	17.32	0.08	1090X931X75
16.02	19.14	0.09	1090X1031X75
17.63	20.95	0.10	1090X1131X75
19.22	22.76	0.11	1090X1231X75
20.82	24.57	0.11	1090X1331X75
22.43	26.40	0.12	1090X1431X75
24.03	28.21	0.13	1090X1531X75
25.63	30.02	0.14	1090X1631X75

DIAMOND

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x1696	17	40	945	35-44	72-81	22-31	4	96	3.34	C	£ 459.11
1000x1796	18	40	945	35-44	72-81	22-31	4	96	3.53	C	£ 485.36
1000x1896	19	40	945	35-44	72-81	22-31	4	96	3.73	C	£ 512.46
1000x1996	20	40	945	35-44	72-81	22-31	4	96	3.92	C	£ 538.71
1200x296	3	40	1145	35-44	72-81	22-31	4	96	0.68	C	£ 98.29
1200x396	4	40	1145	35-44	72-81	22-31	4	96	0.90	C	£ 128.91
1200x496	5	40	1145	35-44	72-81	22-31	4	96	1.13	C-E-D	£ 158.78
1200x596	6	40	1145	35-44	72-81	22-31	4	96	1.35	C-E-D	£ 188.66
1200x696	7	40	1145	35-44	72-81	22-31	4	96	1.58	C-E-D	£ 219.95
1200x796	8	40	1145	35-44	72-81	22-31	4	96	1.80	C-E-D	£ 250.70
1200x896	9	40	1145	35-44	72-81	22-31	4	96	2.02	C-E-D	£ 280.57
1200x996	10	40	1145	35-44	72-81	22-31	4	96	2.25	C-E-D	£ 310.45
1200x1096	11	40	1145	35-44	72-81	22-31	4	96	2.47	C-E-D	£ 341.20
1200x1196	12	40	1145	35-44	72-81	22-31	4	96	2.70	C-E-D	£ 371.08
1200x1296	13	40	1145	35-44	72-81	22-31	4	96	2.92	C-E-D	£ 400.96
1200x1396	14	40	1145	35-44	72-81	22-31	4	96	3.15	C-E-D	£ 430.85
1400x296	3	40	1345	35-44	72-81	22-31	4	96	0.76	C	£ 107.54
1400x396	4	40	1345	35-44	72-81	22-31	4	96	1.02	C	£ 141.11
1400x496	5	40	1345	35-44	72-81	22-31	4	96	1.27	C-E-D	£ 173.94
1400x596	6	40	1345	35-44	72-81	22-31	4	96	1.52	C-E-D	£ 206.77
1400x696	7	40	1345	35-44	72-81	22-31	4	96	1.78	C-E-D	£ 241.01
1400x796	8	40	1345	35-44	72-81	22-31	4	96	2.03	C-E-D	£ 274.71
1400x896	9	40	1345	35-44	72-81	22-31	4	96	2.28	C-E-D	£ 307.55
1400x996	10	40	1345	35-44	72-81	22-31	4	96	2.53	C-E-D	£ 340.37
1400x1096	11	40	1345	35-44	72-81	22-31	4	96	2.79	C-E-D	£ 374.07
1400x1196	12	40	1345	35-44	72-81	22-31	4	96	3.04	C-E-D	£ 406.91
1400x1296	13	40	1345	35-44	72-81	22-31	4	96	3.29	C-E-D	£ 439.73
1400x1396	14	40	1345	35-44	72-81	22-31	4	96	3.55	C-E-D	£ 472.57
1600x296	3	40	1545	35-44	72-81	22-31	4	96	0.85	C	£ 125.23
1600x396	4	40	1545	35-44	72-81	22-31	4	96	1.13	C	£ 164.57
1600x496	5	40	1545	35-44	72-81	22-31	4	96	1.41	C-E-D	£ 203.16
1600x596	6	40	1545	35-44	72-81	22-31	4	96	1.69	C-E-D	£ 241.74
1600x696	7	40	1545	35-44	72-81	22-31	4	96	1.98	C-E-D	£ 281.75
1600x796	8	40	1545	35-44	72-81	22-31	4	96	2.26	C-E-D	£ 321.21
1600x896	9	40	1545	35-44	72-81	22-31	4	96	2.54	C-E-D	£ 359.81
1600x996	10	40	1545	35-44	72-81	22-31	4	96	2.82	C-E-D	£ 398.40
1800x296	3	40	1745	35-44	72-81	22-31	4	96	0.93	C	£ 136.79
1800x396	4	40	1745	35-44	72-81	22-31	4	96	1.24	C	£ 179.42
1800x496	5	40	1745	35-44	72-81	22-31	4	96	1.55	C-E-D	£ 221.30
1800x596	6	40	1745	35-44	72-81	22-31	4	96	1.87	C-E-D	£ 263.18
1800x696	7	40	1745	35-44	72-81	22-31	4	96	2.18	C-E-D	£ 306.49
1800x796	8	40	1745	35-44	72-81	22-31	4	96	2.49	C-E-D	£ 349.24
1800x896	9	40	1745	35-44	72-81	22-31	4	96	2.80	C-E-D	£ 391.13
1800x996	10	40	1745	35-44	72-81	22-31	4	96	3.11	C-E-D	£ 433.01

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1000x1696	2129	7260	2768	9438
1000x1796	2254	7687	2931	9993
1000x1896	2379	8114	3093	10548
1000x1996	2505	8541	3256	11103
1200x296	431	1471	561	1912
1200x396	575	1961	748	2550
1200x496	719	2452	935	3187
1200x596	863	2942	1122	3825
1200x696	1007	3432	1309	4462
1200x796	1150	3923	1495	5099
1200x896	1294	4413	1682	5737
1200x996	1438	4903	1869	6374
1200x1096	1582	5394	2056	7012
1200x1196	1725	5884	2243	7649
1200x1296	1869	6374	2430	8287
1200x1396	2013	6865	2617	8924
1400x296	495	1689	644	2196
1400x396	660	2252	859	2927
1400x496	825	2815	1073	3659
1400x596	991	3378	1288	4391
1400x696	1156	3941	1502	5123
1400x796	1321	4504	1717	5855
1400x896	1486	5067	1932	6587
1400x996	1651	5630	2146	7319
1400x1096	1816	6193	2361	8051
1400x1196	1981	6756	2575	8782
1400x1296	2146	7319	2790	9514
1400x1396	2311	7882	3005	10246
1600x296	569	1939	739	2521
1600x396	758	2586	986	3361
1600x496	948	3232	1232	4202
1600x596	1137	3878	1479	5042
1600x696	1327	4525	1725	5882
1600x796	1516	5171	1971	6722
1600x896	1706	5817	2218	7563
1600x996	1896	6464	2464	8403
1800x296	653	2226	849	2894
1800x396	871	2969	1132	3859
1800x496	1088	3711	1415	4824
1800x596	1306	4453	1698	5789
1800x696	1523	5195	1981	6754
1800x796	1741	5937	2263	7718
1800x896	1959	6679	2546	8683
1800x996	2176	7422	2829	9648

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
27.24	31.84	0.15	1090X1731X75
28.83	33.65	0.15	1090X1831X75
30.43	35.46	0.16	1090X1931X75
32.04	37.13	0.17	1090X2031X75
5.61	7.25	0.04	1290X331X75
7.48	9.36	0.05	1290X431X75
9.34	11.47	0.06	1290X531X75
11.20	13.58	0.07	1290X631X75
13.07	15.86	0.08	1290X731X75
14.94	17.99	0.09	1290X831X75
16.81	20.10	0.10	1290X931X75
18.68	22.21	0.10	1290X1031X75
20.55	24.34	0.11	1290X1131X75
22.41	26.45	0.12	1290X1231X75
24.28	28.58	0.13	1290X1331X75
26.14	30.68	0.14	1290X1431X75
6.40	8.21	0.04	1490X331X75
8.54	10.64	0.05	1490X431X75
10.67	13.05	0.06	1490X531X75
12.80	15.47	0.08	1490X631X75
14.93	18.04	0.09	1490X731X75
17.07	20.47	0.10	1490X831X75
19.20	22.89	0.11	1490X931X75
21.33	25.30	0.12	1490X1031X75
23.47	27.73	0.13	1490X1131X75
25.59	30.13	0.14	1490X1231X75
27.73	32.56	0.15	1490X1331X75
29.86	34.98	0.16	1490X1431X75
7.18	9.17	0.05	1690X331X75
9.57	11.89	0.06	1690X431X75
11.96	14.59	0.07	1690X531X75
14.36	17.31	0.08	1690X631X75
16.75	20.19	0.10	1690X731X75
19.14	22.90	0.11	1690X831X75
21.53	25.61	0.12	1690X931X75
23.92	28.32	0.14	1690X1031X75
7.98	10.14	0.05	1890X331X75
10.63	13.15	0.07	1890X431X75
13.29	16.16	0.08	1890X531X75
15.95	19.34	0.09	1890X631X75
18.61	22.37	0.11	1890X731X75
21.27	25.38	0.12	1890X831X75
23.92	28.39	0.14	1890X931X75
26.58	31.39	0.15	1890X1031X75

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel