

FLAT LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x294	3	37	245	43-52	61-70	26-35	6	94	0.26	C	£ 41.07
300x394	4	37	245	43-52	61-70	26-35	6	94	0.35	C	£ 52.83
300x494	5	37	245	43-52	61-70	26-35	6	94	0.44	C-E-D	£ 63.88
300x594	6	37	245	43-52	61-70	26-35	6	94	0.53	C-E-D	£ 74.94
300x694	7	37	245	43-52	61-70	26-35	6	94	0.61	C-E-D	£ 87.35
300x794	8	37	245	43-52	61-70	26-35	6	94	0.70	C-E-D	£ 99.24
300x894	9	37	245	43-52	61-70	26-35	6	94	0.79	C-E-D	£ 110.29
300x994	10	37	245	43-52	61-70	26-35	6	94	0.88	C-E-D	£ 121.34
300x1094	11	37	245	43-52	61-70	26-35	6	94	0.96	C-E-D	£ 133.22
300x1194	12	37	245	43-52	61-70	26-35	6	94	1.05	C-E-D	£ 144.29
300x1294	13	37	245	43-52	61-70	26-35	6	94	1.14	C-E-D	£ 155.34
300x1394	14	37	245	43-52	61-70	26-35	6	94	1.22	C-E-D	£ 166.39
300x1494	15	37	245	43-52	61-70	26-35	6	94	1.31	C	£ 178.28
300x1594	16	37	245	43-52	61-70	26-35	6	94	1.40	C	£ 189.33
300x1694	17	37	245	43-52	61-70	26-35	6	94	1.49	C	£ 200.38
300x1794	18	37	245	43-52	61-70	26-35	6	94	1.57	C	£ 211.44
300x1894	19	37	245	43-52	61-70	26-35	6	94	1.66	C	£ 223.33
300x1994	20	37	245	43-52	61-70	26-35	6	94	1.75	C	£ 234.38
400x294	3	37	345	43-52	61-70	26-35	6	94	0.31	C	£ 45.52
400x394	4	37	345	43-52	61-70	26-35	6	94	0.41	C	£ 58.62
400x494	5	37	345	43-52	61-70	26-35	6	94	0.51	C-E-D	£ 71.02
400x594	6	37	345	43-52	61-70	26-35	6	94	0.61	C-E-D	£ 83.40
400x694	7	37	345	43-52	61-70	26-35	6	94	0.71	C-E-D	£ 97.15
400x794	8	37	345	43-52	61-70	26-35	6	94	0.81	C-E-D	£ 110.39
400x894	9	37	345	43-52	61-70	26-35	6	94	0.92	C-E-D	£ 122.77
400x994	10	37	345	43-52	61-70	26-35	6	94	1.02	C-E-D	£ 135.16
400x1094	11	37	345	43-52	61-70	26-35	6	94	1.12	C-E-D	£ 148.40
400x1194	12	37	345	43-52	61-70	26-35	6	94	1.22	C-E-D	£ 160.78
400x1294	13	37	345	43-52	61-70	26-35	6	94	1.32	C-E-D	£ 173.18
400x1394	14	37	345	43-52	61-70	26-35	6	94	1.42	C-E-D	£ 185.57
400x1494	15	37	345	43-52	61-70	26-35	6	94	1.53	C	£ 198.80
400x1594	16	37	345	43-52	61-70	26-35	6	94	1.63	C	£ 211.19
400x1694	17	37	345	43-52	61-70	26-35	6	94	1.73	C	£ 223.58
400x1794	18	37	345	43-52	61-70	26-35	6	94	1.83	C	£ 235.97
400x1894	19	37	345	43-52	61-70	26-35	6	94	1.93	C	£ 249.21
400x1994	20	37	345	43-52	61-70	26-35	6	94	2.03	C	£ 261.59
500x294	3	37	445	43-52	61-70	26-35	6	94	0.35	C	£ 50.09
500x394	4	37	445	43-52	61-70	26-35	6	94	0.47	C	£ 64.53
500x494	5	37	445	43-52	61-70	26-35	6	94	0.58	C-E-D	£ 78.26
500x594	6	37	445	43-52	61-70	26-35	6	94	0.70	C-E-D	£ 91.99
500x694	7	37	445	43-52	61-70	26-35	6	94	0.81	C-E-D	£ 107.08
500x794	8	37	445	43-52	61-70	26-35	6	94	0.93	C-E-D	£ 121.65
500x894	9	37	445	43-52	61-70	26-35	6	94	1.05	C-E-D	£ 135.38
500x994	10	37	445	43-52	61-70	26-35	6	94	1.16	C-E-D	£ 149.12
500x1094	11	37	445	43-52	61-70	26-35	6	94	1.28	C-E-D	£ 163.68
500x1194	12	37	445	43-52	61-70	26-35	6	94	1.39	C-E-D	£ 177.41
500x1294	13	37	445	43-52	61-70	26-35	6	94	1.51	C-E-D	£ 191.14
500x1394	14	37	445	43-52	61-70	26-35	6	94	1.62	C-E-D	£ 204.87
500x1494	15	37	445	43-52	61-70	26-35	6	94	1.74	C	£ 219.45
500x1594	16	37	445	43-52	61-70	26-35	6	94	1.86	C	£ 233.17
500x1694	17	37	445	43-52	61-70	26-35	6	94	1.97	C	£ 246.91
500x1794	18	37	445	43-52	61-70	26-35	6	94	2.09	C	£ 260.63
500x1894	19	37	445	43-52	61-70	26-35	6	94	2.20	C	£ 275.21
500x1994	20	37	445	43-52	61-70	26-35	6	94	2.32	C	£ 288.93
600x294	3	37	545	43-52	61-70	26-35	6	94	0.39	C	£ 54.43
600x394	4	37	545	43-52	61-70	26-35	6	94	0.52	C	£ 70.20
600x494	5	37	545	43-52	61-70	26-35	6	94	0.65	C-E-D	£ 85.27
600x594	6	37	545	43-52	61-70	26-35	6	94	0.78	C-E-D	£ 100.34
600x694	7	37	545	43-52	61-70	26-35	6	94	0.91	C-E-D	£ 116.77
600x794	8	37	545	43-52	61-70	26-35	6	94	1.04	C-E-D	£ 132.67
600x894	9	37	545	43-52	61-70	26-35	6	94	1.17	C-E-D	£ 147.75
600x994	10	37	545	43-52	61-70	26-35	6	94	1.30	C-E-D	£ 162.82
600x1094	11	37	545	43-52	61-70	26-35	6	94	1.43	C-E-D	£ 178.73
600x1194	12	37	545	43-52	61-70	26-35	6	94	1.56	C-E-D	£ 193.79
600x1294	13	37	545	43-52	61-70	26-35	6	94	1.69	C-E-D	£ 208.86
600x1394	14	37	545	43-52	61-70	26-35	6	94	1.83	C-E-D	£ 223.94
600x1494	15	37	545	43-52	61-70	26-35	6	94	1.96	C	£ 239.85
600x1594	16	37	545	43-52	61-70	26-35	6	94	2.09	C	£ 254.92
600x1694	17	37	545	43-52	61-70	26-35	6	94	2.22	C	£ 269.98
600x1794	18	37	545	43-52	61-70	26-35	6	94	2.35	C	£ 285.05

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x294	95	324	123	421
300x394	125	428	163	556
300x494	156	532	203	692
300x594	187	636	243	827
300x694	217	740	282	962
300x794	248	845	322	1098
300x894	278	949	362	1233
300x994	309	1053	401	1369
300x1094	339	1157	441	1504
300x1194	370	1261	481	1640
300x1294	400	1366	521	1775
300x1394	431	1470	560	1911
300x1494	462	1574	600	2046
300x1594	492	1678	640	2181
300x1694	523	1782	679	2317
300x1794	553	1886	719	2452
300x1894	584	1991	759	2588
300x1994	614	2095	799	2723
400x294	129	441	168	573
400x394	171	583	222	758
400x494	213	725	276	942
400x594	254	867	330	1127
400x694	296	1009	385	1312
400x794	338	1151	439	1496
400x894	379	1293	493	1681
400x994	421	1435	547	1865
400x1094	462	1577	601	2050
400x1194	504	1719	655	2235
400x1294	546	1861	709	2419
400x1394	587	2003	764	2604
400x1494	629	2145	818	2788
400x1594	671	2287	872	2973
400x1694	712	2429	926	3157
400x1794	754	2571	980	3342
400x1894	796	2713	1034	3527
400x1994	837	2855	1088	3711
500x294	165	563	215	732
500x394	218	745	284	968
500x494	272	926	353	1204
500x594	325	1108	422	1440
500x694	378	1289	491	1676
500x794	431	1470	561	1911
500x894	484	1652	630	2147
500x994	538	1833	699	2383
500x1094	591	2015	768	2619
500x1194	644	2196	837	2855
500x1294	697	2377	906	3091
500x1394	750	2559	976	3326
500x1494	804	2740	1045	3562
500x1594	857	2922	1114	3798
500x1694	910	3103	1183	4034
500x1794	963	3284	1252	4270
500x1894	1016	3466	1321	4506
500x1994	1070	3647	1390	4741
600x294	203	691	263	898
600x394	268	913	348	1187
600x494	333	1136	433	1477
600x594	398	1358	518	1766
600x694	464	1581	603	2055
600x794	529	1803	688	2344
600x894	594	2026	772	2634
600x994	659	2248	857	2923
600x1094	725	2471	942	3212
600x1194	790	2693	1027	3501
600x1294	855	2916	1112	3791
600x1394	920	3138	1196	4080
600x1494	986	3361	1281	4369
600x1594	1051	3583	1366	4658
600x1694	1116	3806	1451	4948
600x1794	1181	4028	1536	5237

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.74	2.56	0.01	390X329X72
2.30	3.22	0.02	390X429X72
2.86	3.86	0.02	390X529X72
3.41	4.51	0.02	390X629X72
3.97	5.31	0.03	390X729X72
4.53	5.95	0.03	390X829X72
5.09	6.61	0.03	390X929X72
5.65	7.25	0.03	390X1029X72
6.21	7.90	0.04	390X1129X72
6.76	8.55	0.04	390X1229X72
7.31	9.17	0.04	390X1329X72
7.87	9.83	0.05	390X1429X72
8.43	10.47	0.05	390X1529X72
8.99	11.12	0.05	390X1629X72
9.55	11.77	0.05	390X1729X72
10.10	12.40	0.06	390X1829X72
10.66	13.06	0.06	390X1929X72
11.22	13.70	0.06	390X2029X72
2.15	3.07	0.02	490X329X72
2.84	3.87	0.02	490X429X72
3.52	4.65	0.02	490X529X72
4.19	5.42	0.03	490X629X72
4.88	6.38	0.03	490X729X72
5.56	7.17	0.03	490X829X72
6.25	7.97	0.04	490X929X72
6.93	8.74	0.04	490X1029X72
7.61	9.54	0.04	490X1129X72
8.29	10.31	0.05	490X1229X72
8.97	11.11	0.05	490X1329X72
9.65	11.90	0.06	490X1429X72
10.34	12.68	0.06	490X1529X72
11.02	13.48	0.06	490X1629X72
11.70	14.25	0.07	490X1729X72
12.38	15.04	0.07	490X1829X72
13.06	15.84	0.07	490X1929X72
13.75	16.62	0.08	490X2029X72
2.56	3.57	0.02	590X329X72
3.37	4.50	0.02	590X429X72
4.18	5.43	0.03	590X529X72
4.98	6.35	0.03	590X629X72
5.79	7.45	0.04	590X729X72
6.59	8.37	0.04	590X829X72
7.40	9.31	0.04	590X929X72
8.21	10.24	0.05	590X1029X72
9.02	11.17	0.05	590X1129X72
9.82	12.10	0.06	590X1229X72
10.63	13.03	0.06	590X1329X72
11.43	13.96	0.07	590X1429X72
12.24	14.89	0.07	590X1529X72
13.05	15.82	0.07	590X1629X72
13.86	16.75	0.08	590X1729X72
14.66	17.68	0.08	590X1829X72
15.47	18.61	0.09	590X1929X72
16.27	19.54	0.09	590X2029X72
2.97	4.07	0.02	690X329X72
3.90	5.13	0.03	690X429X72
4.84	6.21	0.03	690X529X72
5.76	7.28	0.04	690X629X72
6.69	8.51	0.04	690X729X72
7.63	9.58	0.05	690X829X72
8.56	10.66	0.05	690X929X72
9.49	11.73	0.06	690X1029X72
10.43	12.82	0.06	690X1129X72
11.35	13.87	0.07	690X1229X72
12.28	14.94	0.07	690X1329X72
13.21	16.01	0.08	690X1429X72
14.15	17.10	0.08	690X1529X72
15.08	18.18	0.09	690X1629X72
16.01	19.24	0.09	690X1729X72
16.94	20.31	0.10	690X1829X72

FLAT LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1894	19	37	545	43-52	61-70	26-35	6	94	2.48	C	£ 300.96
600x1994	20	37	545	43-52	61-70	26-35	6	94	2.61	C	£ 316.04
700x294	3	37	645	43-52	61-70	26-35	6	94	0.44	C	£ 60.58
700x394	4	37	645	43-52	61-70	26-35	6	94	0.58	C	£ 78.16
700x494	5	37	645	43-52	61-70	26-35	6	94	0.72	C-E-D	£ 95.01
700x594	6	37	645	43-52	61-70	26-35	6	94	0.87	C-E-D	£ 111.87
700x694	7	37	645	43-52	61-70	26-35	6	94	1.01	C-E-D	£ 130.09
700x794	8	37	645	43-52	61-70	26-35	6	94	1.16	C-E-D	£ 147.79
700x894	9	37	645	43-52	61-70	26-35	6	94	1.30	C-E-D	£ 164.65
700x994	10	37	645	43-52	61-70	26-35	6	94	1.45	C-E-D	£ 181.51
700x1094	11	37	645	43-52	61-70	26-35	6	94	1.59	C-E-D	£ 199.21
700x1194	12	37	645	43-52	61-70	26-35	6	94	1.74	C-E-D	£ 216.07
700x1294	13	37	645	43-52	61-70	26-35	6	94	1.88	C-E-D	£ 232.93
700x1394	14	37	645	43-52	61-70	26-35	6	94	2.03	C-E-D	£ 249.79
700x1494	15	37	645	43-52	61-70	26-35	6	94	2.17	C	£ 267.49
700x1594	16	37	645	43-52	61-70	26-35	6	94	2.31	C	£ 284.35
700x1694	17	37	645	43-52	61-70	26-35	6	94	2.46	C	£ 301.21
700x1794	18	37	645	43-52	61-70	26-35	6	94	2.60	C	£ 318.07
700x1894	19	37	645	43-52	61-70	26-35	6	94	2.75	C	£ 335.77
700x1994	20	37	645	43-52	61-70	26-35	6	94	2.89	C	£ 352.63
800x294	3	37	745	43-52	61-70	26-35	6	94	0.48	C	£ 65.15
800x394	4	37	745	43-52	61-70	26-35	6	94	0.64	C	£ 84.07
800x494	5	37	745	43-52	61-70	26-35	6	94	0.80	C-E-D	£ 102.27
800x594	6	37	745	43-52	61-70	26-35	6	94	0.95	C-E-D	£ 120.47
800x694	7	37	745	43-52	61-70	26-35	6	94	1.11	C-E-D	£ 140.02
800x794	8	37	745	43-52	61-70	26-35	6	94	1.27	C-E-D	£ 159.06
800x894	9	37	745	43-52	61-70	26-35	6	94	1.43	C-E-D	£ 177.26
800x994	10	37	745	43-52	61-70	26-35	6	94	1.59	C-E-D	£ 195.46
800x1094	11	37	745	43-52	61-70	26-35	6	94	1.75	C-E-D	£ 214.50
800x1194	12	37	745	43-52	61-70	26-35	6	94	1.91	C-E-D	£ 232.70
800x1294	13	37	745	43-52	61-70	26-35	6	94	2.07	C-E-D	£ 250.90
800x1394	14	37	745	43-52	61-70	26-35	6	94	2.23	C-E-D	£ 269.10
800x1494	15	37	745	43-52	61-70	26-35	6	94	2.38	C	£ 288.13
800x1594	16	37	745	43-52	61-70	26-35	6	94	2.54	C	£ 306.33
800x1694	17	37	745	43-52	61-70	26-35	6	94	2.70	C	£ 324.54
800x1794	18	37	745	43-52	61-70	26-35	6	94	2.86	C	£ 342.74
800x1894	19	37	745	43-52	61-70	26-35	6	94	3.02	C	£ 361.77
800x1994	20	37	745	43-52	61-70	26-35	6	94	3.18	C	£ 379.97
900x294	3	37	845	43-52	61-70	26-35	6	94	0.52	C	£ 69.72
900x394	4	37	845	43-52	61-70	26-35	6	94	0.69	C	£ 89.97
900x494	5	37	845	43-52	61-70	26-35	6	94	0.87	C-E-D	£ 109.51
900x594	6	37	845	43-52	61-70	26-35	6	94	1.04	C-E-D	£ 129.05
900x694	7	37	845	43-52	61-70	26-35	6	94	1.21	C-E-D	£ 149.95
900x794	8	37	845	43-52	61-70	26-35	6	94	1.39	C-E-D	£ 170.32
900x894	9	37	845	43-52	61-70	26-35	6	94	1.56	C-E-D	£ 189.86
900x994	10	37	845	43-52	61-70	26-35	6	94	1.73	C-E-D	£ 209.40
900x1094	11	37	845	43-52	61-70	26-35	6	94	1.91	C-E-D	£ 229.78
900x1194	12	37	845	43-52	61-70	26-35	6	94	2.08	C-E-D	£ 249.31
900x1294	13	37	845	43-52	61-70	26-35	6	94	2.25	C-E-D	£ 268.86
900x1394	14	37	845	43-52	61-70	26-35	6	94	2.43	C-E-D	£ 288.39
900x1494	15	37	845	43-52	61-70	26-35	6	94	2.60	C	£ 308.76
900x1594	16	37	845	43-52	61-70	26-35	6	94	2.77	C	£ 328.31
900x1694	17	37	845	43-52	61-70	26-35	6	94	2.95	C	£ 347.84
900x1794	18	37	845	43-52	61-70	26-35	6	94	3.12	C	£ 367.39
900x1894	19	37	845	43-52	61-70	26-35	6	94	3.29	C	£ 387.76
900x1994	20	37	845	43-52	61-70	26-35	6	94	3.46	C	£ 407.30
1000x294	3	37	945	43-52	61-70	26-35	6	94	0.56	C	£ 74.29
1000x394	4	37	945	43-52	61-70	26-35	6	94	0.75	C	£ 95.88
1000x494	5	37	945	43-52	61-70	26-35	6	94	0.94	C-E-D	£ 116.76
1000x594	6	37	945	43-52	61-70	26-35	6	94	1.13	C-E-D	£ 137.64
1000x694	7	37	945	43-52	61-70	26-35	6	94	1.31	C-E-D	£ 159.87
1000x794	8	37	945	43-52	61-70	26-35	6	94	1.50	C-E-D	£ 181.59
1000x894	9	37	945	43-52	61-70	26-35	6	94	1.69	C-E-D	£ 202.46
1000x994	10	37	945	43-52	61-70	26-35	6	94	1.88	C-E-D	£ 223.35
1000x1094	11	37	945	43-52	61-70	26-35	6	94	2.06	C-E-D	£ 245.06
1000x1194	12	37	945	43-52	61-70	26-35	6	94	2.25	C-E-D	£ 265.94
1000x1294	13	37	945	43-52	61-70	26-35	6	94	2.44	C-E-D	£ 286.82
1000x1394	14	37	945	43-52	61-70	26-35	6	94	2.63	C-E-D	£ 307.69
1000x1494	15	37	945	43-52	61-70	26-35	6	94	2.81	C	£ 329.42
1000x1594	16	37	945	43-52	61-70	26-35	6	94	3.00	C	£ 350.29

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1894	1247	4251	1621	5526
600x1994	1312	4473	1705	5815
700x294	231	789	301	1025
700x394	304	1043	397	1355
700x494	380	1297	494	1686
700x594	455	1551	591	2016
700x694	529	1805	688	2346
700x794	604	2059	785	2676
700x894	678	2313	882	3006
700x994	753	2566	978	3336
700x1094	827	2820	1075	3667
700x1194	902	3074	1172	3997
700x1294	976	3328	1269	4327
700x1394	1051	3582	1366	4657
700x1494	1125	3836	1463	4987
700x1594	1199	4090	1559	5317
700x1694	1274	4344	1656	5648
700x1794	1348	4598	1753	5978
700x1894	1423	4852	1850	6308
700x1994	1497	5106	1947	6638
800x294	259	882	336	1146
800x394	342	1166	444	1516
800x494	425	1450	553	1885
800x594	508	1734	661	2254
800x694	592	2018	769	2623
800x794	675	2302	878	2992
800x894	758	2586	986	3361
800x994	842	2870	1094	3731
800x1094	925	3154	1202	4100
800x1194	1008	3438	1311	4469
800x1294	1091	3722	1419	4838
800x1394	1175	4006	1527	5207
800x1494	1258	4290	1635	5577
800x1594	1341	4574	1744	5946
800x1694	1425	4858	1852	6315
800x1794	1508	5142	1960	6684
800x1894	1591	5426	2068	7053
800x1994	1674	5710	2177	7422
900x294	285	971	370	1262
900x394	376	1283	489	1668
900x494	468	1596	608	2075
900x594	560	1908	728	2481
900x694	651	2221	847	2887
900x794	743	2534	966	3294
900x894	835	2846	1085	3700
900x994	926	3159	1204	4106
900x1094	1018	3471	1323	4513
900x1194	1110	3784	1443	4919
900x1294	1201	4096	1562	5325
900x1394	1293	4409	1681	5732
900x1494	1385	4722	1800	6138
900x1594	1476	5034	1919	6544
900x1694	1568	5347	2038	6951
900x1794	1660	5659	2158	7357
900x1894	1751	5972	2277	7764
900x1994	1843	6285	2396	8170
1000x294	309	1055	402	1372
1000x394	409	1395	532	1814
1000x494	509	1735	661	2255
1000x594	608	2075	791	2697
1000x694	708	2414	920	3139
1000x794	808	2754	1050	3581
1000x894	907	3094	1180	4022
1000x994	1007	3434	1309	4464
1000x1094	1107	3774	1439	4906
1000x1194	1206	4113	1568	5348
1000x1294	1306	4453	1698	5789
1000x1394	1406	4793	1827	6231
1000x1494	1505	5133	1957	6673
1000x1594	1605	5473	2086	7115

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
17.87	21.38	0.10	690X1929X72
18.80	22.46	0.11	690X2029X72
3.38	4.56	0.02	790X329X72
4.44	5.78	0.03	790X429X72
5.50	6.99	0.04	790X529X72
6.54	8.20	0.04	790X629X72
7.60	9.58	0.05	790X729X72
8.66	10.81	0.05	790X829X72
9.72	12.02	0.06	790X929X

FLAT LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x1694	17	37	945	43-52	61-70	26-35	6	94	3.19	C	£ 371.17
1000x1794	18	37	945	43-52	61-70	26-35	6	94	3.38	C	£ 392.04
1000x1894	19	37	945	43-52	61-70	26-35	6	94	3.56	C	£ 413.76
1000x1994	20	37	945	43-52	61-70	26-35	6	94	3.75	C	£ 434.63
1200x294	3	37	1145	43-52	61-70	26-35	6	94	0.65	C	£ 84.79
1200x394	4	37	1145	43-52	61-70	26-35	6	94	0.87	C	£ 109.51
1200x494	5	37	1145	43-52	61-70	26-35	6	94	1.08	C-E-D	£ 133.51
1200x594	6	37	1145	43-52	61-70	26-35	6	94	1.30	C-E-D	£ 157.52
1200x694	7	37	1145	43-52	61-70	26-35	6	94	1.51	C-E-D	£ 182.88
1200x794	8	37	1145	43-52	61-70	26-35	6	94	1.73	C-E-D	£ 207.73
1200x894	9	37	1145	43-52	61-70	26-35	6	94	1.95	C-E-D	£ 231.74
1200x994	10	37	1145	43-52	61-70	26-35	6	94	2.16	C-E-D	£ 255.74
1200x1094	11	37	1145	43-52	61-70	26-35	6	94	2.38	C-E-D	£ 280.59
1200x1194	12	37	1145	43-52	61-70	26-35	6	94	2.59	C-E-D	£ 304.60
1200x1294	13	37	1145	43-52	61-70	26-35	6	94	2.81	C-E-D	£ 328.61
1200x1394	14	37	1145	43-52	61-70	26-35	6	94	3.03	C-E-D	£ 352.61
1400x294	3	37	1345	43-52	61-70	26-35	6	94	0.74	C	£ 93.93
1400x394	4	37	1345	43-52	61-70	26-35	6	94	0.98	C	£ 121.34
1400x494	5	37	1345	43-52	61-70	26-35	6	94	1.22	C-E-D	£ 148.01
1400x594	6	37	1345	43-52	61-70	26-35	6	94	1.47	C-E-D	£ 174.70
1400x694	7	37	1345	43-52	61-70	26-35	6	94	1.71	C-E-D	£ 202.75
1400x794	8	37	1345	43-52	61-70	26-35	6	94	1.96	C-E-D	£ 230.27
1400x894	9	37	1345	43-52	61-70	26-35	6	94	2.20	C-E-D	£ 256.95
1400x994	10	37	1345	43-52	61-70	26-35	6	94	2.45	C-E-D	£ 283.64
1400x1094	11	37	1345	43-52	61-70	26-35	6	94	2.69	C-E-D	£ 311.16
1400x1194	12	37	1345	43-52	61-70	26-35	6	94	2.94	C-E-D	£ 337.84
1400x1294	13	37	1345	43-52	61-70	26-35	6	94	3.18	C-E-D	£ 364.54
1400x1394	14	37	1345	43-52	61-70	26-35	6	94	3.43	C-E-D	£ 391.22
1600x294	3	37	1545	43-52	61-70	26-35	6	94	0.82	C	£ 104.43
1600x394	4	37	1545	43-52	61-70	26-35	6	94	1.09	C	£ 134.96
1600x494	5	37	1545	43-52	61-70	26-35	6	94	1.37	C-E-D	£ 164.76
1600x594	6	37	1545	43-52	61-70	26-35	6	94	1.64	C-E-D	£ 194.58
1600x694	7	37	1545	43-52	61-70	26-35	6	94	1.91	C-E-D	£ 225.76
1600x794	8	37	1545	43-52	61-70	26-35	6	94	2.19	C-E-D	£ 256.41
1600x894	9	37	1545	43-52	61-70	26-35	6	94	2.46	C-E-D	£ 286.22
1600x994	10	37	1545	43-52	61-70	26-35	6	94	2.73	C-E-D	£ 316.04
1800x294	3	37	1745	43-52	61-70	26-35	6	94	0.91	C	£ 115.46
1800x394	4	37	1745	43-52	61-70	26-35	6	94	1.21	C	£ 148.90
1800x494	5	37	1745	43-52	61-70	26-35	6	94	1.51	C-E-D	£ 181.61
1800x594	6	37	1745	43-52	61-70	26-35	6	94	1.81	C-E-D	£ 214.33
1800x694	7	37	1745	43-52	61-70	26-35	6	94	2.11	C-E-D	£ 248.41
1800x794	8	37	1745	43-52	61-70	26-35	6	94	2.42	C-E-D	£ 281.96
1800x894	9	37	1745	43-52	61-70	26-35	6	94	2.72	C-E-D	£ 314.68
1800x994	10	37	1745	43-52	61-70	26-35	6	94	3.02	C-E-D	£ 347.41
2000x294	3	37	1945	43-52	61-70	26-35	6	94	0.99	C	£ 123.38
2000x394	4	37	1945	43-52	61-70	26-35	6	94	1.32	C	£ 159.50
2000x494	5	37	1945	43-52	61-70	26-35	6	94	1.65	C-E-D	£ 194.88
2000x594	6	37	1945	43-52	61-70	26-35	6	94	1.98	C-E-D	£ 230.29
2000x694	7	37	1945	43-52	61-70	26-35	6	94	2.31	C-E-D	£ 267.04
2000x794	8	37	1945	43-52	61-70	26-35	6	94	2.65	C-E-D	£ 303.28
2000x894	9	37	1945	43-52	61-70	26-35	6	94	2.98	C-E-D	£ 338.67
2000x994	10	37	1945	43-52	61-70	26-35	6	94	3.31	C-E-D	£ 374.07


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x1694	1705	5813	2216	7556
1000x1794	1804	6152	2345	7998
1000x1894	1904	6492	2475	8440
1000x1994	2004	6832	2605	8882
1200x294	355	1212	462	1575
1200x394	470	1602	611	2082
1200x494	584	1992	759	2589
1200x594	699	2382	908	3097
1200x694	813	2772	1057	3604
1200x794	927	3162	1206	4111
1200x894	1042	3552	1354	4618
1200x994	1156	3943	1503	5125
1200x1094	1271	4333	1652	5633
1200x1194	1385	4723	1801	6140
1200x1294	1499	5113	1949	6647
1200x1394	1614	5503	2098	7154
1400x294	408	1391	530	1808
1400x394	539	1839	701	2391
1400x494	671	2287	872	2973
1400x594	802	2735	1043	3555
1400x694	933	3183	1213	4138
1400x794	1065	3631	1384	4720
1400x894	1196	4079	1555	5302
1400x994	1328	4527	1726	5885
1400x1094	1459	4975	1897	6467
1400x1194	1590	5423	2067	7050
1400x1294	1722	5871	2238	7632
1400x1394	1853	6319	2409	8214
1600x294	468	1597	609	2076
1600x394	619	2111	805	2745
1600x494	770	2626	1001	3414
1600x594	921	3140	1197	4082
1600x694	1072	3654	1393	4751
1600x794	1223	4169	1589	5419
1600x894	1373	4683	1785	6088
1600x994	1524	5197	1981	6757
1800x294	538	1834	699	2384
1800x394	711	2424	924	3152
1800x494	884	3015	1149	3919
1800x594	1057	3605	1374	4687
1800x694	1230	4196	1600	5455
1800x794	1404	4786	1825	6222
1800x894	1577	5377	2050	6990
1800x994	1750	5968	2275	7758
2000x294	617	2105	803	2737
2000x394	816	2783	1061	3619
2000x494	1015	3462	1320	4500
2000x594	1214	4140	1578	5381
2000x694	1413	4818	1837	6263
2000x794	1612	5496	2095	7144
2000x894	1810	6174	2354	8026
2000x994	2009	6852	2612	8907

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
24.63	29.22	0.14	1090X1729X72
26.05	30.85	0.15	1090X1829X72
27.49	32.51	0.16	1090X1929X72
28.92	34.03	0.16	1090X2029X72
5.42	7.05	0.04	1290X329X72
7.11	8.98	0.04	1290X429X72
8.79	10.90	0.05	1290X529X72
10.46	12.83	0.06	1290X629X72
12.14	14.92	0.07	1290X729X72
13.82	16.86	0.08	1290X829X72
15.50	18.77	0.09	1290X929X72
17.18	20.70	0.10	1290X1029X72
18.87	22.65	0.11	1290X1129X72
20.54	24.57	0.12	1290X1229X72
22.22	26.50	0.13	1290X1329X72
23.90	28.42	0.14	1290X1429X72
6.24	8.04	0.04	1490X329X72
8.17	10.26	0.05	1490X429X72
10.10	12.47	0.06	1490X529X72
12.02	14.67	0.07	1490X629X72
13.95	17.05	0.08	1490X729X72
15.89	19.28	0.09	1490X829X72
17.82	21.49	0.10	1490X929X72
19.75	23.71	0.12	1490X1029X72
21.68	25.92	0.13	1490X1129X72
23.60	28.12	0.14	1490X1229X72
25.53	30.34	0.15	1490X1329X72
27.46	32.56	0.16	1490X1429X72
7.06	9.04	0.05	1690X329X72
9.24	11.54	0.06	1690X429X72
11.42	14.03	0.07	1690X529X72
13.59	16.53	0.08	1690X629X72
15.77	19.19	0.09	1690X729X72
17.95	21.70	0.11	1690X829X72
20.13	24.19	0.12	1690X929X72
22.31	26.68	0.13	1690X1029X72
7.88	10.02	0.05	1890X329X72
10.31	12.81	0.06	1890X429X72
12.74	15.59	0.08	1890X529X72
15.16	18.37	0.09	1890X629X72
17.59	21.32	0.10	1890X729X72
20.02	24.11	0.12	1890X829X72
22.44	26.89	0.13	1890X929X72
24.87	29.67	0.15	1890X1029X72
8.70	11.02	0.05	2090X329X72
11.37	14.09	0.07	2090X429X72
14.05	17.16	0.08	2090X529X72
16.72	20.38	0.10	2090X629X72
19.40	23.45	0.11	2090X729X72
22.08	26.53	0.13	2090X829X72
24.76	29.60	0.14	2090X929X72
27.44	32.68	0.16	2090X1029X72

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel