

KALSEDON

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x280	3	43	245	35-44	65-74	22-31	5	90	0.28	C	£ 46.34
300x375	4	43	245	35-44	65-74	22-31	5	90	0.37	C	£ 60.12
300x470	5	43	245	35-44	65-74	22-31	5	90	0.47	C-E-D	£ 73.49
300x565	6	43	245	35-44	65-74	22-31	5	90	0.56	C-E-D	£ 86.57
300x660	7	43	245	35-44	65-74	22-31	5	90	0.65	C-E-D	£ 99.97
300x755	8	43	245	35-44	65-74	22-31	5	90	0.75	C-E-D	£ 115.17
300x850	9	43	245	35-44	65-74	22-31	5	90	0.84	C-E-D	£ 128.40
300x945	10	43	245	35-44	65-74	22-31	5	90	0.93	C-E-D	£ 141.64
300x1040	11	43	245	35-44	65-74	22-31	5	90	1.03	C-E-D	£ 155.69
300x1135	12	43	245	35-44	65-74	22-31	5	90	1.12	C-E-D	£ 168.93
300x1230	13	43	245	35-44	65-74	22-31	5	90	1.21	C-E-D	£ 182.16
300x1325	14	43	245	35-44	65-74	22-31	5	90	1.31	C-E-D	£ 195.40
300x1420	15	43	245	35-44	65-74	22-31	5	90	1.40	C	£ 209.45
300x1515	16	43	245	35-44	65-74	22-31	5	90	1.49	C	£ 222.69
300x1610	17	43	245	35-44	65-74	22-31	5	90	1.58	C	£ 235.93
300x1705	18	43	245	35-44	65-74	22-31	5	90	1.68	C	£ 249.16
300x1800	19	43	245	35-44	65-74	22-31	5	90	1.77	C	£ 263.21
300x1895	20	43	245	35-44	65-74	22-31	5	90	1.86	C	£ 276.45
300x1990	21	43	245	35-44	65-74	22-31	5	90	1.96	C	£ 289.69
400x280	3	43	345	35-44	65-74	22-31	5	90	0.32	C	£ 49.97
400x375	4	43	345	35-44	65-74	22-31	5	90	0.43	C	£ 64.94
400x470	5	43	345	35-44	65-74	22-31	5	90	0.54	C-E-D	£ 79.49
400x565	6	43	345	35-44	65-74	22-31	5	90	0.65	C-E-D	£ 93.77
400x660	7	43	345	35-44	65-74	22-31	5	90	0.75	C-E-D	£ 108.35
400x755	8	43	345	35-44	65-74	22-31	5	90	0.86	C-E-D	£ 124.74
400x850	9	43	345	35-44	65-74	22-31	5	90	0.97	C-E-D	£ 139.15
400x945	10	43	345	35-44	65-74	22-31	5	90	1.08	C-E-D	£ 153.58
400x1040	11	43	345	35-44	65-74	22-31	5	90	1.18	C-E-D	£ 168.82
400x1135	12	43	345	35-44	65-74	22-31	5	90	1.29	C-E-D	£ 183.24
400x1230	13	43	345	35-44	65-74	22-31	5	90	1.40	C-E-D	£ 197.67
400x1325	14	43	345	35-44	65-74	22-31	5	90	1.51	C-E-D	£ 212.10
400x1420	15	43	345	35-44	65-74	22-31	5	90	1.61	C	£ 227.33
400x1515	16	43	345	35-44	65-74	22-31	5	90	1.72	C	£ 241.77
400x1610	17	43	345	35-44	65-74	22-31	5	90	1.83	C	£ 256.18
400x1705	18	43	345	35-44	65-74	22-31	5	90	1.94	C	£ 270.61
400x1800	19	43	345	35-44	65-74	22-31	5	90	2.04	C	£ 285.84
400x1895	20	43	345	35-44	65-74	22-31	5	90	2.15	C	£ 300.27
400x1990	21	43	345	35-44	65-74	22-31	5	90	2.26	C	£ 314.70
500x280	3	43	445	35-44	65-74	22-31	5	90	0.37	C	£ 53.72
500x375	4	43	445	35-44	65-74	22-31	5	90	0.49	C	£ 69.88
500x470	5	43	445	35-44	65-74	22-31	5	90	0.61	C-E-D	£ 85.62
500x565	6	43	445	35-44	65-74	22-31	5	90	0.73	C-E-D	£ 101.08
500x660	7	43	445	35-44	65-74	22-31	5	90	0.85	C-E-D	£ 116.84
500x755	8	43	445	35-44	65-74	22-31	5	90	0.98	C-E-D	£ 134.42
500x850	9	43	445	35-44	65-74	22-31	5	90	1.10	C-E-D	£ 150.03
500x945	10	43	445	35-44	65-74	22-31	5	90	1.22	C-E-D	£ 165.65
500x1040	11	43	445	35-44	65-74	22-31	5	90	1.34	C-E-D	£ 182.07
500x1135	12	43	445	35-44	65-74	22-31	5	90	1.46	C-E-D	£ 197.69
500x1230	13	43	445	35-44	65-74	22-31	5	90	1.58	C-E-D	£ 213.30
500x1325	14	43	445	35-44	65-74	22-31	5	90	1.71	C-E-D	£ 228.90
500x1420	15	43	445	35-44	65-74	22-31	5	90	1.83	C	£ 245.32
500x1515	16	43	445	35-44	65-74	22-31	5	90	1.95	C	£ 260.94
500x1610	17	43	445	35-44	65-74	22-31	5	90	2.07	C	£ 276.55
500x1705	18	43	445	35-44	65-74	22-31	5	90	2.19	C	£ 292.17
500x1800	19	43	445	35-44	65-74	22-31	5	90	2.31	C	£ 308.59
500x1895	20	43	445	35-44	65-74	22-31	5	90	2.44	C	£ 324.20
500x1990	21	43	445	35-44	65-74	22-31	5	90	2.56	C	£ 339.81
600x280	3	43	545	35-44	65-74	22-31	5	90	0.41	C	£ 57.24
600x375	4	43	545	35-44	65-74	22-31	5	90	0.55	C	£ 74.59
600x470	5	43	545	35-44	65-74	22-31	5	90	0.68	C-E-D	£ 91.51
600x565	6	43	545	35-44	65-74	22-31	5	90	0.82	C-E-D	£ 108.16
600x660	7	43	545	35-44	65-74	22-31	5	90	0.95	C-E-D	£ 125.12
600x755	8	43	545	35-44	65-74	22-31	5	90	1.09	C-E-D	£ 143.88
600x850	9	43	545	35-44	65-74	22-31	5	90	1.23	C-E-D	£ 160.67
600x945	10	43	545	35-44	65-74	22-31	5	90	1.36	C-E-D	£ 177.48
600x1040	11	43	545	35-44	65-74	22-31	5	90	1.50	C-E-D	£ 195.08
600x1135	12	43	545	35-44	65-74	22-31	5	90	1.63	C-E-D	£ 211.89
600x1230	13	43	545	35-44	65-74	22-31	5	90	1.77	C-E-D	£ 228.69
600x1325	14	43	545	35-44	65-74	22-31	5	90	1.91	C-E-D	£ 245.48
600x1420	15	43	545	35-44	65-74	22-31	5	90	2.04	C	£ 263.10

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x280	111	378	144	491
300x375	148	504	192	655
300x470	185	630	240	819
300x565	222	756	288	983
300x660	259	882	336	1146
300x755	296	1008	384	1310
300x850	332	1134	432	1474
300x945	369	1260	480	1638
300x1040	406	1386	528	1801
300x1135	443	1512	576	1965
300x1230	480	1638	624	2129
300x1325	517	1764	672	2293
300x1420	554	1890	720	2457
300x1515	591	2016	768	2620
300x1610	628	2142	816	2784
300x1705	665	2268	864	2948
300x1800	702	2394	912	3112
300x1895	739	2520	961	3275
300x1990	776	2645	1009	3439
400x280	151	515	196	670
400x375	201	687	262	893
400x470	252	858	327	1116
400x565	302	1030	393	1339
400x660	352	1202	458	1562
400x755	403	1373	524	1785
400x850	453	1545	589	2009
400x945	503	1717	654	2232
400x1040	554	1888	720	2455
400x1135	604	2060	785	2678
400x1230	654	2232	851	2901
400x1325	705	2403	916	3125
400x1420	755	2575	982	3348
400x1515	806	2747	1047	3571
400x1610	856	2918	1113	3794
400x1705	906	3090	1178	4017
400x1800	957	3262	1244	4240
400x1895	1007	3434	1309	4464
400x1990	1057	3605	1374	4687
500x280	193	658	251	855
500x375	257	877	334	1141
500x470	322	1097	418	1426
500x565	386	1316	502	1711
500x660	450	1535	585	1996
500x755	515	1755	669	2281
500x850	579	1974	753	2566
500x945	643	2193	836	2851
500x1040	708	2413	920	3136
500x1135	772	2632	1003	3422
500x1230	836	2851	1087	3707
500x1325	900	3071	1171	3992
500x1420	965	3290	1254	4277
500x1515	1029	3509	1338	4562
500x1610	1093	3729	1421	4847
500x1705	1158	3948	1505	5132
500x1800	1222	4167	1589	5418
500x1895	1286	4387	1672	5703
500x1990	1351	4606	1756	5988
600x280	237	807	308	1049
600x375	316	1076	410	1399
600x470	394	1345	513	1749
600x565	473	1614	615	2098
600x660	552	1883	718	2448
600x755	631	2152	820	2798
600x850	710	2421	923	3147
600x945	789	2690	1026	3497
600x1040	868	2959	1128	3847
600x1135	947	3228	1231	4197
600x1230	1026	3497	1333	4546
600x1325	1104	3766	1436	4896
600x1420	1183	4035	1538	5246

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.82	2.68	0.01	390X315X78
2.43	3.34	0.02	390X410X78
3.04	4.07	0.02	390X505X78
3.63	4.71	0.02	390X600X78
4.24	5.45	0.03	390X695X78
4.85	6.26	0.03	390X790X78
5.46	6.96	0.03	390X885X78
6.06	7.64	0.03	390X980X78
6.67	8.33	0.04	390X1075X78
7.27	9.01	0.04	390X1170X78
7.88	9.71	0.04	390X1265X78

KALSEDON

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1515	16	43	545	35-44	65-74	22-31	5	90	2.18	C	£ 279.89
600x1610	17	43	545	35-44	65-74	22-31	5	90	2.31	C	£ 296.70
600x1705	18	43	545	35-44	65-74	22-31	5	90	2.45	C	£ 313.50
600x1800	19	43	545	35-44	65-74	22-31	5	90	2.59	C	£ 331.10
600x1895	20	43	545	35-44	65-74	22-31	5	90	2.72	C	£ 347.91
600x1990	21	43	545	35-44	65-74	22-31	5	90	2.86	C	£ 364.70
700x280	3	43	645	35-44	65-74	22-31	5	90	0.45	C	£ 63.13
700x375	4	43	645	35-44	65-74	22-31	5	90	0.60	C	£ 82.29
700x470	5	43	645	35-44	65-74	22-31	5	90	0.75	C-E-D	£ 101.04
700x565	6	43	645	35-44	65-74	22-31	5	90	0.90	C-E-D	£ 119.52
700x660	7	43	645	35-44	65-74	22-31	5	90	1.05	C-E-D	£ 138.30
700x755	8	43	645	35-44	65-74	22-31	5	90	1.20	C-E-D	£ 158.88
700x850	9	43	645	35-44	65-74	22-31	5	90	1.35	C-E-D	£ 177.50
700x945	10	43	645	35-44	65-74	22-31	5	90	1.51	C-E-D	£ 196.13
700x1040	11	43	645	35-44	65-74	22-31	5	90	1.66	C-E-D	£ 215.56
700x1135	12	43	645	35-44	65-74	22-31	5	90	1.81	C-E-D	£ 234.18
700x1230	13	43	645	35-44	65-74	22-31	5	90	1.96	C-E-D	£ 252.82
700x1325	14	43	645	35-44	65-74	22-31	5	90	2.11	C-E-D	£ 271.44
700x1420	15	43	645	35-44	65-74	22-31	5	90	2.26	C	£ 290.87
700x1515	16	43	645	35-44	65-74	22-31	5	90	2.41	C	£ 309.50
700x1610	17	43	645	35-44	65-74	22-31	5	90	2.56	C	£ 328.12
700x1705	18	43	645	35-44	65-74	22-31	5	90	2.71	C	£ 346.74
700x1800	19	43	645	35-44	65-74	22-31	5	90	2.86	C	£ 366.17
700x1895	20	43	645	35-44	65-74	22-31	5	90	3.01	C	£ 384.81
700x1990	21	43	645	35-44	65-74	22-31	5	90	3.16	C	£ 403.43
800x280	3	43	745	35-44	65-74	22-31	5	90	0.50	C	£ 66.87
800x375	4	43	745	35-44	65-74	22-31	5	90	0.66	C	£ 87.23
800x470	5	43	745	35-44	65-74	22-31	5	90	0.83	C-E-D	£ 107.17
800x565	6	43	745	35-44	65-74	22-31	5	90	0.99	C-E-D	£ 126.83
800x660	7	43	745	35-44	65-74	22-31	5	90	1.15	C-E-D	£ 146.79
800x755	8	43	745	35-44	65-74	22-31	5	90	1.32	C-E-D	£ 168.56
800x850	9	43	745	35-44	65-74	22-31	5	90	1.48	C-E-D	£ 188.37
800x945	10	43	745	35-44	65-74	22-31	5	90	1.65	C-E-D	£ 208.19
800x1040	11	43	745	35-44	65-74	22-31	5	90	1.81	C-E-D	£ 228.81
800x1135	12	43	745	35-44	65-74	22-31	5	90	1.98	C-E-D	£ 248.62
800x1230	13	43	745	35-44	65-74	22-31	5	90	2.14	C-E-D	£ 268.43
800x1325	14	43	745	35-44	65-74	22-31	5	90	2.31	C-E-D	£ 288.24
800x1420	15	43	745	35-44	65-74	22-31	5	90	2.47	C	£ 308.87
800x1515	16	43	745	35-44	65-74	22-31	5	90	2.64	C	£ 328.68
800x1610	17	43	745	35-44	65-74	22-31	5	90	2.80	C	£ 348.49
800x1705	18	43	745	35-44	65-74	22-31	5	90	2.96	C	£ 368.30
800x1800	19	43	745	35-44	65-74	22-31	5	90	3.13	C	£ 388.92
800x1895	20	43	745	35-44	65-74	22-31	5	90	3.29	C	£ 408.74
800x1990	21	43	745	35-44	65-74	22-31	5	90	3.46	C	£ 428.55
900x280	3	43	845	35-44	65-74	22-31	5	90	0.54	C	£ 70.63
900x375	4	43	845	35-44	65-74	22-31	5	90	0.72	C	£ 92.17
900x470	5	43	845	35-44	65-74	22-31	5	90	0.90	C-E-D	£ 113.29
900x565	6	43	845	35-44	65-74	22-31	5	90	1.08	C-E-D	£ 134.13
900x660	7	43	845	35-44	65-74	22-31	5	90	1.25	C-E-D	£ 155.29
900x755	8	43	845	35-44	65-74	22-31	5	90	1.43	C-E-D	£ 178.25
900x850	9	43	845	35-44	65-74	22-31	5	90	1.61	C-E-D	£ 199.24
900x945	10	43	845	35-44	65-74	22-31	5	90	1.79	C-E-D	£ 220.26
900x1040	11	43	845	35-44	65-74	22-31	5	90	1.97	C-E-D	£ 242.06
900x1135	12	43	845	35-44	65-74	22-31	5	90	2.15	C-E-D	£ 263.05
900x1230	13	43	845	35-44	65-74	22-31	5	90	2.33	C-E-D	£ 284.06
900x1325	14	43	845	35-44	65-74	22-31	5	90	2.51	C-E-D	£ 305.06
900x1420	15	43	845	35-44	65-74	22-31	5	90	2.69	C	£ 326.86
900x1515	16	43	845	35-44	65-74	22-31	5	90	2.86	C	£ 347.87
900x1610	17	43	845	35-44	65-74	22-31	5	90	3.04	C	£ 368.86
900x1705	18	43	845	35-44	65-74	22-31	5	90	3.22	C	£ 389.86
900x1800	19	43	845	35-44	65-74	22-31	5	90	3.40	C	£ 411.67
900x1895	20	43	845	35-44	65-74	22-31	5	90	3.58	C	£ 432.67
900x1990	21	43	845	35-44	65-74	22-31	5	90	3.76	C	£ 453.67
1000x280	3	43	945	35-44	65-74	22-31	5	90	0.58	C	£ 74.37
1000x375	4	43	945	35-44	65-74	22-31	5	90	0.77	C	£ 97.10
1000x470	5	43	945	35-44	65-74	22-31	5	90	0.97	C-E-D	£ 119.41
1000x565	6	43	945	35-44	65-74	22-31	5	90	1.16	C-E-D	£ 141.44
1000x660	7	43	945	35-44	65-74	22-31	5	90	1.35	C-E-D	£ 163.79
1000x755	8	43	945	35-44	65-74	22-31	5	90	1.55	C-E-D	£ 187.93
1000x850	9	43	945	35-44	65-74	22-31	5	90	1.74	C-E-D	£ 210.13

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1515	1262	4304	1641	5595
600x1610	1341	4573	1743	5945
600x1705	1420	4842	1846	6295
600x1800	1499	5111	1949	6645
600x1895	1578	5380	2051	6994
600x1990	1657	5649	2154	7344
700x280	270	921	351	1198
700x375	360	1228	468	1597
700x470	450	1535	585	1996
700x565	540	1842	702	2395
700x660	630	2149	819	2794
700x755	720	2457	937	3193
700x850	810	2764	1054	3593
700x945	900	3071	1171	3992
700x1040	991	3378	1288	4391
700x1135	1081	3685	1405	4790
700x1230	1171	3992	1522	5189
700x1325	1261	4299	1639	5589
700x1420	1351	4606	1756	5988
700x1515	1441	4913	1873	6387
700x1610	1531	5220	1990	6786
700x1705	1621	5527	2107	7185
700x1800	1711	5834	2224	7584
700x1895	1801	6141	2341	7984
700x1990	1891	6448	2458	8383
800x280	302	1030	393	1339
800x375	403	1373	524	1785
800x470	503	1717	654	2232
800x565	604	2060	785	2678
800x660	705	2403	916	3125
800x755	806	2747	1047	3571
800x850	906	3090	1178	4017
800x945	1007	3434	1309	4464
800x1040	1108	3777	1440	4910
800x1135	1208	4120	1571	5356
800x1230	1309	4464	1702	5803
800x1325	1410	4807	1833	6249
800x1420	1510	5150	1963	6695
800x1515	1611	5494	2094	7142
800x1610	1712	5837	2225	7588
800x1705	1812	6180	2356	8034
800x1800	1913	6524	2487	8481
800x1895	2014	6867	2618	8927
800x1990	2114	7210	2749	9373
900x280	332	1134	432	1474
900x375	443	1512	576	1965
900x470	554	1890	720	2457
900x565	665	2268	864	2948
900x660	776	2645	1009	3439
900x755	887	3023	1153	3930
900x850	997	3401	1297	4422
900x945	1108	3779	1441	4913
900x1040	1219	4157	1585	5404
900x1135	1330	4535	1729	5896
900x1230	1441	4913	1873	6387
900x1325	1552	5291	2017	6878
900x1420	1662	5669	2161	7370
900x1515	1773	6047	2305	7861
900x1610	1884	6425	2449	8352
900x1705	1995	6803	2593	8843
900x1800	2106	7181	2737	9335
900x1895	2217	7559	2882	9826
900x1990	2327	7936	3026	10317
1000x280	361	1233	470	1602
1000x375	482	1643	627	2136
1000x470	602	2054	783	2671
1000x565	723	2465	940	3205
1000x660	843	2876	1096	3739
1000x755	964	3287	1253	4273
1000x850	1084	3698	1410	4807

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
15.21	18.21	0.09	690X1550X78
16.16	19.30	0.09	690X1645X78
17.10	20.37	0.10	690X1740X78
18.05	21.45	0.10	690X1835X78
19.00	22.54	0.11	690X1930X78
19.95	23.62	0.11	690X2025X78
3.20	4.40	0.02	790X315X78
4.26	5.58	0.03	790X410X78
5.33	6.84	0.04	7

KALSEDON

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x945	10	43	945	35-44	65-74	22-31	5	90	1.93	C-E-D	£ 232.31
1000x1040	11	43	945	35-44	65-74	22-31	5	90	2.13	C-E-D	£ 255.30
1000x1135	12	43	945	35-44	65-74	22-31	5	90	2.32	C-E-D	£ 277.49
1000x1230	13	43	945	35-44	65-74	22-31	5	90	2.51	C-E-D	£ 299.67
1000x1325	14	43	945	35-44	65-74	22-31	5	90	2.71	C-E-D	£ 321.87
1000x1420	15	43	945	35-44	65-74	22-31	5	90	2.90	C	£ 344.86
1000x1515	16	43	945	35-44	65-74	22-31	5	90	3.09	C	£ 367.04
1000x1610	17	43	945	35-44	65-74	22-31	5	90	3.29	C	£ 389.23
1000x1705	18	43	945	35-44	65-74	22-31	5	90	3.48	C	£ 411.42
1000x1800	19	43	945	35-44	65-74	22-31	5	90	3.67	C	£ 434.42
1000x1895	20	43	945	35-44	65-74	22-31	5	90	3.87	C	£ 456.60
1000x1990	21	43	945	35-44	65-74	22-31	5	90	4.06	C	£ 478.80
1200x280	3	43	1145	35-44	65-74	22-31	5	90	0.67	C	£ 83.77
1200x375	4	43	1145	35-44	65-74	22-31	5	90	0.89	C	£ 109.51
1200x470	5	43	1145	35-44	65-74	22-31	5	90	1.11	C-E-D	£ 134.84
1200x565	6	43	1145	35-44	65-74	22-31	5	90	1.33	C-E-D	£ 159.88
1200x660	7	43	1145	35-44	65-74	22-31	5	90	1.55	C-E-D	£ 185.24
1200x755	8	43	1145	35-44	65-74	22-31	5	90	1.78	C-E-D	£ 212.39
1200x850	9	43	1145	35-44	65-74	22-31	5	90	2.00	C-E-D	£ 237.59
1200x945	10	43	1145	35-44	65-74	22-31	5	90	2.22	C-E-D	£ 262.80
1200x1040	11	43	1145	35-44	65-74	22-31	5	90	2.44	C-E-D	£ 288.80
1200x1135	12	43	1145	35-44	65-74	22-31	5	90	2.66	C-E-D	£ 314.00
1200x1230	13	43	1145	35-44	65-74	22-31	5	90	2.89	C-E-D	£ 339.19
1200x1325	14	43	1145	35-44	65-74	22-31	5	90	3.11	C-E-D	£ 364.39
1200x1420	15	43	1145	35-44	65-74	22-31	5	90	3.33	C	£ 390.40
1400x280	3	43	1345	35-44	65-74	22-31	5	90	0.75	C	£ 91.28
1400x375	4	43	1345	35-44	65-74	22-31	5	90	1.00	C	£ 119.39
1400x470	5	43	1345	35-44	65-74	22-31	5	90	1.25	C-E-D	£ 147.08
1400x565	6	43	1345	35-44	65-74	22-31	5	90	1.50	C-E-D	£ 174.51
1400x660	7	43	1345	35-44	65-74	22-31	5	90	1.75	C-E-D	£ 202.23
1400x755	8	43	1345	35-44	65-74	22-31	5	90	2.01	C-E-D	£ 231.77
1400x850	9	43	1345	35-44	65-74	22-31	5	90	2.26	C-E-D	£ 259.33
1400x945	10	43	1345	35-44	65-74	22-31	5	90	2.51	C-E-D	£ 286.91
1400x1040	11	43	1345	35-44	65-74	22-31	5	90	2.76	C-E-D	£ 315.30
1400x1135	12	43	1345	35-44	65-74	22-31	5	90	3.01	C-E-D	£ 342.87
1400x1230	13	43	1345	35-44	65-74	22-31	5	90	3.26	C-E-D	£ 370.44
1400x1325	14	43	1345	35-44	65-74	22-31	5	90	3.51	C-E-D	£ 398.01
1400x1420	15	43	1345	35-44	65-74	22-31	5	90	3.76	C	£ 426.40
1600x280	3	43	1545	35-44	65-74	22-31	5	90	0.84	C	£ 106.60
1600x375	4	43	1545	35-44	65-74	22-31	5	90	1.12	C	£ 139.70
1600x470	5	43	1545	35-44	65-74	22-31	5	90	1.40	C-E-D	£ 172.38
1600x565	6	43	1545	35-44	65-74	22-31	5	90	1.68	C-E-D	£ 204.78
1600x660	7	43	1545	35-44	65-74	22-31	5	90	1.96	C-E-D	£ 237.50
1600x755	8	43	1545	35-44	65-74	22-31	5	90	2.23	C-E-D	£ 272.02
1600x850	9	43	1545	35-44	65-74	22-31	5	90	2.51	C-E-D	£ 304.57
1600x945	10	43	1545	35-44	65-74	22-31	5	90	2.79	C-E-D	£ 337.13
1600x1040	11	43	1545	35-44	65-74	22-31	5	90	3.07	C-E-D	£ 370.50
1800x280	3	43	1745	35-44	65-74	22-31	5	90	0.92	C	£ 116.22
1800x375	4	43	1745	35-44	65-74	22-31	5	90	1.23	C	£ 152.01
1800x470	5	43	1745	35-44	65-74	22-31	5	90	1.54	C-E-D	£ 187.40
1800x565	6	43	1745	35-44	65-74	22-31	5	90	1.85	C-E-D	£ 222.50
1800x660	7	43	1745	35-44	65-74	22-31	5	90	2.16	C-E-D	£ 257.90
1800x755	8	43	1745	35-44	65-74	22-31	5	90	2.46	C-E-D	£ 295.11
1800x850	9	43	1745	35-44	65-74	22-31	5	90	2.77	C-E-D	£ 330.36
1800x945	10	43	1745	35-44	65-74	22-31	5	90	3.08	C-E-D	£ 365.61
1800x1040	11	43	1745	35-44	65-74	22-31	5	90	3.39	C-E-D	£ 401.66

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x945	1205	4108	1566	5341
1000x1040	1325	4519	1723	5875
1000x1135	1446	4930	1880	6409
1000x1230	1566	5341	2036	6943
1000x1325	1687	5752	2193	7477
1000x1420	1807	6163	2349	8012
1000x1515	1928	6574	2506	8546
1000x1610	2048	6984	2663	9080
1000x1705	2169	7395	2819	9614
1000x1800	2289	7806	2976	10148
1000x1895	2410	8217	3133	10682
1000x1990	2530	8628	3289	11216
1200x280	415	1415	540	1840
1200x375	553	1887	719	2453
1200x470	692	2359	899	3066
1200x565	830	2830	1079	3679
1200x660	968	3302	1259	4293
1200x755	1107	3774	1439	4906
1200x850	1245	4245	1619	5519
1200x945	1383	4717	1798	6132
1200x1040	1522	5189	1978	6746
1200x1135	1660	5661	2158	7359
1200x1230	1798	6132	2338	7972
1200x1325	1937	6604	2518	8585
1200x1420	2075	7076	2698	9199
1400x280	476	1625	619	2112
1400x375	635	2166	826	2816
1400x470	794	2708	1032	3520
1400x565	953	3250	1239	4225
1400x660	1112	3791	1445	4929
1400x755	1271	4333	1652	5633
1400x850	1429	4875	1858	6337
1400x945	1588	5416	2065	7041
1400x1040	1747	5958	2271	7745
1400x1135	1906	6499	2478	8449
1400x1230	2065	7041	2684	9153
1400x1325	2224	7583	2891	9857
1400x1420	2382	8124	3097	10561
1600x280	547	1866	711	2425
1600x375	729	2487	948	3234
1600x470	912	3109	1185	4042
1600x565	1094	3731	1422	4850
1600x660	1277	4353	1659	5659
1600x755	1459	4975	1897	6467
1600x850	1641	5597	2134	7276
1600x945	1824	6219	2371	8084
1600x1040	2006	6840	2608	8893
1800x280	628	2142	817	2785
1800x375	838	2856	1089	3713
1800x470	1047	3570	1361	4641
1800x565	1256	4284	1633	5569
1800x660	1466	4998	1905	6497
1800x755	1675	5712	2178	7425
1800x850	1884	6426	2450	8354
1800x945	2094	7140	2722	9282
1800x1040	2303	7854	2994	10210

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
14.09	17.10	0.09	1090X980X78
15.50	18.71	0.10	1090X1075X78
16.90	20.32	0.10	1090X1170X78
18.31	21.93	0.11	1090X1265X78
19.72	23.55	0.12	1090X1360X78
21.14	25.17	0.13	1090X1455X78
22.55	26.79	0.14	1090X1550X78
23.96	28.41	0.14	1090X1645X78
25.36	30.00	0.15	1090X1740X78
26.77	31.61	0.16	1090X1835X78
28.18	33.23	0.17	1090X1930X78
29.59	34.69	0.18	1090X2025X78
4.92	6.55	0.04	1290X315X78
6.56	8.39	0.05	1290X410X78
8.20	10.32	0.06	1290X505X78
9.83	12.15	0.07	1290X600X78
11.47	14.06	0.07	1290X695X78
13.11	16.06	0.08	1290X790X78
14.75	17.94	0.09	1290X885X78
16.39	19.82	0.10	1290X980X78
18.03	21.69	0.11	1290X1075X78
19.66	23.56	0.12	1290X1170X78
21.30	25.44	0.13	1290X1265X78
22.94	27.32	0.14	1290X1360X78
24.58	29.21	0.15	1290X1455X78
5.60	7.42	0.04	1490X315X78
7.47	9.52	0.05	1490X410X78
9.34	11.71	0.06	1490X505X78
11.20	13.78	0.07	1490X600X78
13.07	15.98	0.09	1490X695X78
14.94	18.24	0.10	1490X790X78
16.81	20.37	0.11	1490X885X78
18.68	22.51	0.12	1490X980X78
20.55	24.66	0.13	1490X1075X78
22.41	26.79	0.14	1490X1170X78
24.28	28.93	0.15	1490X1265X78
26.15	31.07	0.16	1490X1360X78
28.02	33.21	0.17	1490X1455X78
6.27	8.27	0.05	1690X315X78
8.36	10.61	0.06	1690X410X78
10.45	13.06	0.07	1690X505X78
12.55	15.42	0.08	1690X600X78
14.64	17.86	0.10	1690X695X78
16.73	20.37	0.11	1690X790X78
18.82	22.77	0.12	1690X885X78
20.90	25.15	0.13	1690X980X78
23.00	27.56	0.15	1690X1075X78
6.96	9.08	0.05	1890X315X78
9.28	11.78	0.07	1890X410X78
11.60	14.39	0.08	1890X505X78
13.93	17.11	0.09	1890X600X78