

KALSEDON DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x280	3	61	245	56-65	86-95	26-35	5	90	0.28	C	£ 55.70
300x375	4	61	245	56-65	86-95	26-35	5	90	0.37	C	£ 72.17
300x470	5	61	245	56-65	86-95	26-35	5	90	0.47	C-E-D	£ 87.99
300x565	6	61	245	56-65	86-95	26-35	5	90	0.56	C-E-D	£ 103.83
300x660	7	61	245	56-65	86-95	26-35	5	90	0.65	C-E-D	£ 121.00
300x755	8	61	245	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 137.65
300x850	9	61	245	56-65	86-95	26-35	5	90	0.84	C-E-D	£ 153.50
300x945	10	61	245	56-65	86-95	26-35	5	90	0.93	C-E-D	£ 169.36
300x1040	11	61	245	56-65	86-95	26-35	5	90	1.03	C-E-D	£ 186.01
300x1135	12	61	245	56-65	86-95	26-35	5	90	1.12	C-E-D	£ 201.88
300x1230	13	61	245	56-65	86-95	26-35	5	90	1.21	C-E-D	£ 217.72
300x1325	14	61	245	56-65	86-95	26-35	5	90	1.31	C-E-D	£ 233.58
300x1420	15	61	245	56-65	86-95	26-35	5	90	1.40	C	£ 250.24
300x1515	16	61	245	56-65	86-95	26-35	5	90	1.49	C	£ 266.09
300x1610	17	61	245	56-65	86-95	26-35	5	90	1.58	C	£ 281.94
300x1705	18	61	245	56-65	86-95	26-35	5	90	1.68	C	£ 297.80
300x1800	19	61	245	56-65	86-95	26-35	5	90	1.77	C	£ 314.45
300x1895	20	61	245	56-65	86-95	26-35	5	90	1.86	C	£ 330.31
300x1990	21	61	245	56-65	86-95	26-35	5	90	1.96	C	£ 346.16
400x280	3	61	345	56-65	86-95	26-35	5	90	0.32	C	£ 61.88
400x375	4	61	345	56-65	86-95	26-35	5	90	0.43	C	£ 80.38
400x470	5	61	345	56-65	86-95	26-35	5	90	0.54	C-E-D	£ 98.22
400x565	6	61	345	56-65	86-95	26-35	5	90	0.65	C-E-D	£ 116.12
400x660	7	61	345	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 135.30
400x755	8	61	345	56-65	86-95	26-35	5	90	0.86	C-E-D	£ 154.00
400x850	9	61	345	56-65	86-95	26-35	5	90	0.97	C-E-D	£ 171.88
400x945	10	61	345	56-65	86-95	26-35	5	90	1.08	C-E-D	£ 189.77
400x1040	11	61	345	56-65	86-95	26-35	5	90	1.18	C-E-D	£ 208.46
400x1135	12	61	345	56-65	86-95	26-35	5	90	1.29	C-E-D	£ 226.35
400x1230	13	61	345	56-65	86-95	26-35	5	90	1.40	C-E-D	£ 244.24
400x1325	14	61	345	56-65	86-95	26-35	5	90	1.51	C-E-D	£ 262.12
400x1420	15	61	345	56-65	86-95	26-35	5	90	1.61	C	£ 280.82
400x1515	16	61	345	56-65	86-95	26-35	5	90	1.72	C	£ 298.70
400x1610	17	61	345	56-65	86-95	26-35	5	90	1.83	C	£ 316.59
400x1705	18	61	345	56-65	86-95	26-35	5	90	1.94	C	£ 334.47
400x1800	19	61	345	56-65	86-95	26-35	5	90	2.04	C	£ 353.16
400x1895	20	61	345	56-65	86-95	26-35	5	90	2.15	C	£ 371.04
400x1990	21	61	345	56-65	86-95	26-35	5	90	2.26	C	£ 388.94
500x280	3	61	445	56-65	86-95	26-35	5	90	0.37	C	£ 68.05
500x375	4	61	445	56-65	86-95	26-35	5	90	0.49	C	£ 88.60
500x470	5	61	445	56-65	86-95	26-35	5	90	0.61	C-E-D	£ 108.46
500x565	6	61	445	56-65	86-95	26-35	5	90	0.73	C-E-D	£ 128.39
500x660	7	61	445	56-65	86-95	26-35	5	90	0.85	C-E-D	£ 149.61
500x755	8	61	445	56-65	86-95	26-35	5	90	0.98	C-E-D	£ 170.33
500x850	9	61	445	56-65	86-95	26-35	5	90	1.10	C-E-D	£ 190.25
500x945	10	61	445	56-65	86-95	26-35	5	90	1.22	C-E-D	£ 210.18
500x1040	11	61	445	56-65	86-95	26-35	5	90	1.34	C-E-D	£ 230.90
500x1135	12	61	445	56-65	86-95	26-35	5	90	1.46	C-E-D	£ 250.82
500x1230	13	61	445	56-65	86-95	26-35	5	90	1.58	C-E-D	£ 270.74
500x1325	14	61	445	56-65	86-95	26-35	5	90	1.71	C-E-D	£ 290.66
500x1420	15	61	445	56-65	86-95	26-35	5	90	1.83	C	£ 311.39
500x1515	16	61	445	56-65	86-95	26-35	5	90	1.95	C	£ 331.31
500x1610	17	61	445	56-65	86-95	26-35	5	90	2.07	C	£ 351.22
500x1705	18	61	445	56-65	86-95	26-35	5	90	2.19	C	£ 371.15
500x1800	19	61	445	56-65	86-95	26-35	5	90	2.31	C	£ 391.88
500x1895	20	61	445	56-65	86-95	26-35	5	90	2.44	C	£ 411.79
500x1990	21	61	445	56-65	86-95	26-35	5	90	2.56	C	£ 431.71
600x280	3	61	545	56-65	86-95	26-35	5	90	0.41	C	£ 74.23
600x375	4	61	545	56-65	86-95	26-35	5	90	0.55	C	£ 96.80
600x470	5	61	545	56-65	86-95	26-35	5	90	0.68	C-E-D	£ 118.71
600x565	6	61	545	56-65	86-95	26-35	5	90	0.82	C-E-D	£ 140.67
600x660	7	61	545	56-65	86-95	26-35	5	90	0.95	C-E-D	£ 163.92
600x755	8	61	545	56-65	86-95	26-35	5	90	1.09	C-E-D	£ 186.68
600x850	9	61	545	56-65	86-95	26-35	5	90	1.23	C-E-D	£ 208.63
600x945	10	61	545	56-65	86-95	26-35	5	90	1.36	C-E-D	£ 230.59
600x1040	11	61	545	56-65	86-95	26-35	5	90	1.50	C-E-D	£ 253.34
600x1135	12	61	545	56-65	86-95	26-35	5	90	1.63	C-E-D	£ 275.30
600x1230	13	61	545	56-65	86-95	26-35	5	90	1.77	C-E-D	£ 297.25
600x1325	14	61	545	56-65	86-95	26-35	5	90	1.91	C-E-D	£ 319.21
600x1420	15	61	545	56-65	86-95	26-35	5	90	2.04	C	£ 341.96

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x280	146	497	190	646
300x375	194	663	253	862
300x470	243	829	316	1077
300x565	292	995	379	1293
300x660	340	1160	442	1508
300x755	389	1326	506	1724
300x850	437	1492	569	1939
300x945	486	1658	632	2155
300x1040	535	1823	695	2370
300x1135	583	1989	758	2586
300x1230	632	2155	822	2801
300x1325	681	2321	885	3017
300x1420	729	2486	948	3232
300x1515	778	2652	1011	3448
300x1610	826	2818	1074	3663
300x1705	875	2984	1137	3879
300x1800	924	3149	1201	4094
300x1895	972	3315	1264	4310
300x1990	1021	3481	1327	4525
400x280	199	678	258	881
400x375	265	904	344	1175
400x470	331	1129	431	1468
400x565	397	1355	517	1762
400x660	464	1581	603	2056
400x755	530	1807	689	2349
400x850	596	2033	775	2643
400x945	662	2259	861	2937
400x1040	729	2485	947	3230
400x1135	795	2711	1033	3524
400x1230	861	2937	1120	3818
400x1325	927	3162	1206	4111
400x1420	994	3388	1292	4405
400x1515	1060	3614	1378	4699
400x1610	1126	3840	1464	4992
400x1705	1192	4066	1550	5286
400x1800	1259	4292	1636	5579
400x1895	1325	4518	1722	5873
400x1990	1391	4744	1808	6167
500x280	254	866	330	1126
500x375	339	1154	440	1501
500x470	423	1443	550	1876
500x565	508	1732	660	2251
500x660	592	2020	770	2626
500x755	677	2309	880	3001
500x850	762	2597	990	3377
500x945	846	2886	1100	3752
500x1040	931	3175	1210	4127
500x1135	1016	3463	1320	4502
500x1230	1100	3752	1430	4877
500x1325	1185	4040	1540	5252
500x1420	1269	4329	1650	5628
500x1515	1354	4618	1760	6003
500x1610	1439	4906	1870	6378
500x1705	1523	5195	1980	6753
500x1800	1608	5483	2090	7128
500x1895	1693	5772	2200	7503
500x1990	1777	6061	2310	7879
600x280	311	1062	405	1380
600x375	415	1416	540	1841
600x470	519	1770	675	2301
600x565	623	2124	810	2761
600x660	727	2478	945	3221
600x755	830	2832	1080	3681
600x850	934	3186	1214	4141
600x945	1038	3540	1349	4601
600x1040	1142	3894	1484	5062
600x1135	1246	4248	1619	5522
600x1230	1349	4601	1754	5982
600x1325	1453	4955	1889	6442
600x1420	1557	5309	2024	6902

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.55	3.39	0.02	400X320X101
3.40	4.34	0.02	400X415X101
4.25	5.29	0.03	400X510X101
5.09	6.24	0.03	400X605X101
5.94	7.35	0.03	400X700X101
6.79	8.29	0.04	400X795X101
7.64	9.24	0.04	400X890X101
8.49	10.19	0.04	400X985X101
9.34	11.14	0.05	400X1080X101
10.18	12.08	0.05	400X1175X101
11.03	13.04	0.06	400X1270X101
11.88	13.98	0.06	400X1365X101
12.73	14.94	0.06	400X1460X101
13.58	15.90	0.07	400X1555X101
14.43	16.83	0.07	400X1650X101
15.27	17.78	0.08	400X1745X101
16.12	18.72	0.08	400X1840X101
16.97	19.68	0.08	400X1935X101
17.82	20.62	0.09	400X2030X101
3.14	4.09	0.02	500X320X101
4.19	5.24	0.03	500X415X101
5.24	6.42	0.03	500X510X101
6.28	7.58	0.04	500X605X101
7.33	8.90	0.04	500X700X101
8.38	10.07	0.05	500X795X101
9.43	11.23	0.05	500X890X101
10.48	12.40	0.05	500X985X101
11.53	13.57	0.06	500X1080X101
12.57	14.74	0.06	500X1175X101
13.62	15.90	0.07	500X1270X101
14.67	17.07	0.07	500X1365X101
15.72	18.24	0.08	500X1460X101
16.76	19.40	0.08	500X1555X101
17.81	20.55	0.09	500X1650X101
18.85	21.71	0.09	500X1745X101
19.90	22.88	0.10	500X1840X101
20.95	24.05	0.10	500X1935X101
22.00	25.21	0.11	500X2030X101
3.74	4.78	0.02	600X320X101
4.99	6.17	0.03	600X415X101
6.24	7.55	0.04	600X510X101
7.48	8.93	0.04	600X605X101
8.73	10.47	0.05	600X700X101
9.97	11.84	0.05	600X795X101
11.22	13.23	0.06	600X890X101
12.47	14.62	0.06	600X985X101
13.72	16.00	0.07	600X1080X101
14.96	17.38	0.08	600X1175X101
16.21	18.77	0.08	600X1270X101
17.45	20.14	0.09	600X1365X101
18.70	21.53	0.09	600X1460X101
19.95	22.91	0.10	600X1555X101
21.20	24.29	0.10	600X1650X101
22.44	25.67	0.11	600X1745X101
23.69	27.05	0.12	600X1840X101
24.94	28.43	0.12	600X1935X101
26.18	29.81	0.13	600X2030X101
4.34	5.51	0.03	700X320X101
5.79	7.09	0.03	700X415X101
7.24	8.69	0.04	700X510X101
8.67	10.28	0.05	700X605X101
10.12	12.02	0.05	700X700X101
11.57	13.64	0.06	700X795X101
13.02	15.24	0.07	700X890X101
14.46	16.83	0.07	700X985X101
15.91	18.43	0.08	700X1080X101
17.35	20.02	0.09	700X1175X101
18.80	21.62	0.09	700X1270X101
20.24	23.22	0.10	700X1365X101
21.69	24.82	0.11	700X1460X101

KALSEDON DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1515	16	61	545	56-65	86-95	26-35	5	90	2.18	C	£ 363.92
600x1610	17	61	545	56-65	86-95	26-35	5	90	2.31	C	£ 385.88
600x1705	18	61	545	56-65	86-95	26-35	5	90	2.45	C	£ 407.83
600x1800	19	61	545	56-65	86-95	26-35	5	90	2.59	C	£ 430.58
600x1895	20	61	545	56-65	86-95	26-35	5	90	2.72	C	£ 452.54
600x1990	21	61	545	56-65	86-95	26-35	5	90	2.86	C	£ 474.49
700x280	3	61	645	56-65	86-95	26-35	5	90	0.45	C	£ 82.52
700x375	4	61	645	56-65	86-95	26-35	5	90	0.60	C	£ 107.76
700x470	5	61	645	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 132.33
700x565	6	61	645	56-65	86-95	26-35	5	90	0.90	C-E-D	£ 156.95
700x660	7	61	645	56-65	86-95	26-35	5	90	1.05	C-E-D	£ 182.88
700x755	8	61	645	56-65	86-95	26-35	5	90	1.20	C-E-D	£ 208.31
700x850	9	61	645	56-65	86-95	26-35	5	90	1.35	C-E-D	£ 232.93
700x945	10	61	645	56-65	86-95	26-35	5	90	1.51	C-E-D	£ 257.56
700x1040	11	61	645	56-65	86-95	26-35	5	90	1.66	C-E-D	£ 282.98
700x1135	12	61	645	56-65	86-95	26-35	5	90	1.81	C-E-D	£ 307.60
700x1230	13	61	645	56-65	86-95	26-35	5	90	1.96	C-E-D	£ 332.23
700x1325	14	61	645	56-65	86-95	26-35	5	90	2.11	C-E-D	£ 356.85
700x1420	15	61	645	56-65	86-95	26-35	5	90	2.26	C	£ 382.28
700x1515	16	61	645	56-65	86-95	26-35	5	90	2.41	C	£ 406.91
700x1610	17	61	645	56-65	86-95	26-35	5	90	2.56	C	£ 431.52
700x1705	18	61	645	56-65	86-95	26-35	5	90	2.71	C	£ 456.14
700x1800	19	61	645	56-65	86-95	26-35	5	90	2.86	C	£ 481.57
700x1895	20	61	645	56-65	86-95	26-35	5	90	3.01	C	£ 506.20
700x1990	21	61	645	56-65	86-95	26-35	5	90	3.16	C	£ 530.82
800x280	3	61	745	56-65	86-95	26-35	5	90	0.50	C	£ 88.89
800x375	4	61	745	56-65	86-95	26-35	5	90	0.66	C	£ 116.16
800x470	5	61	745	56-65	86-95	26-35	5	90	0.83	C-E-D	£ 142.78
800x565	6	61	745	56-65	86-95	26-35	5	90	0.99	C-E-D	£ 169.43
800x660	7	61	745	56-65	86-95	26-35	5	90	1.15	C-E-D	£ 197.39
800x755	8	61	745	56-65	86-95	26-35	5	90	1.32	C-E-D	£ 224.85
800x850	9	61	745	56-65	86-95	26-35	5	90	1.48	C-E-D	£ 251.50
800x945	10	61	745	56-65	86-95	26-35	5	90	1.65	C-E-D	£ 278.16
800x1040	11	61	745	56-65	86-95	26-35	5	90	1.81	C-E-D	£ 305.62
800x1135	12	61	745	56-65	86-95	26-35	5	90	1.98	C-E-D	£ 332.27
800x1230	13	61	745	56-65	86-95	26-35	5	90	2.14	C-E-D	£ 358.93
800x1325	14	61	745	56-65	86-95	26-35	5	90	2.31	C-E-D	£ 385.58
800x1420	15	61	745	56-65	86-95	26-35	5	90	2.47	C	£ 413.05
800x1515	16	61	745	56-65	86-95	26-35	5	90	2.64	C	£ 439.71
800x1610	17	61	745	56-65	86-95	26-35	5	90	2.80	C	£ 466.36
800x1705	18	61	745	56-65	86-95	26-35	5	90	2.96	C	£ 493.02
800x1800	19	61	745	56-65	86-95	26-35	5	90	3.13	C	£ 520.48
800x1895	20	61	745	56-65	86-95	26-35	5	90	3.29	C	£ 547.14
800x1990	21	61	745	56-65	86-95	26-35	5	90	3.46	C	£ 573.79
900x280	3	61	845	56-65	86-95	26-35	5	90	0.54	C	£ 95.26
900x375	4	61	845	56-65	86-95	26-35	5	90	0.72	C	£ 124.57
900x470	5	61	845	56-65	86-95	26-35	5	90	0.90	C-E-D	£ 153.21
900x565	6	61	845	56-65	86-95	26-35	5	90	1.08	C-E-D	£ 181.89
900x660	7	61	845	56-65	86-95	26-35	5	90	1.25	C-E-D	£ 211.89
900x755	8	61	845	56-65	86-95	26-35	5	90	1.43	C-E-D	£ 241.38
900x850	9	61	845	56-65	86-95	26-35	5	90	1.61	C-E-D	£ 270.07
900x945	10	61	845	56-65	86-95	26-35	5	90	1.79	C-E-D	£ 298.77
900x1040	11	61	845	56-65	86-95	26-35	5	90	1.97	C-E-D	£ 328.26
900x1135	12	61	845	56-65	86-95	26-35	5	90	2.15	C-E-D	£ 356.95
900x1230	13	61	845	56-65	86-95	26-35	5	90	2.33	C-E-D	£ 385.63
900x1325	14	61	845	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 414.32
900x1420	15	61	845	56-65	86-95	26-35	5	90	2.69	C	£ 443.82
900x1515	16	61	845	56-65	86-95	26-35	5	90	2.86	C	£ 472.50
900x1610	17	61	845	56-65	86-95	26-35	5	90	3.04	C	£ 501.19
900x1705	18	61	845	56-65	86-95	26-35	5	90	3.22	C	£ 529.88
900x1800	19	61	845	56-65	86-95	26-35	5	90	3.40	C	£ 559.37
900x1895	20	61	845	56-65	86-95	26-35	5	90	3.58	C	£ 588.07
900x1990	21	61	845	56-65	86-95	26-35	5	90	3.76	C	£ 616.75
1000x280	3	61	945	56-65	86-95	26-35	5	90	0.58	C	£ 101.62
1000x375	4	61	945	56-65	86-95	26-35	5	90	0.77	C	£ 132.98
1000x470	5	61	945	56-65	86-95	26-35	5	90	0.97	C-E-D	£ 163.65
1000x565	6	61	945	56-65	86-95	26-35	5	90	1.16	C-E-D	£ 194.37
1000x660	7	61	945	56-65	86-95	26-35	5	90	1.35	C-E-D	£ 226.40
1000x755	8	61	945	56-65	86-95	26-35	5	90	1.55	C-E-D	£ 257.92
1000x850	9	61	945	56-65	86-95	26-35	5	90	1.74	C-E-D	£ 288.64

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
400x1515	1661	5663	2159	7362
400x1610	1765	6017	2294	7822
400x1705	1868	6371	2429	8283
400x1800	1972	6725	2564	8743
400x1895	2076	7079	2699	9203
400x1990	2180	7433	2834	9663
700x280	355	1212	462	1576
700x375	474	1616	616	2101
700x470	592	2020	770	2626
700x565	711	2424	924	3151
700x660	829	2828	1078	3677
700x755	948	3232	1232	4202
700x850	1066	3636	1386	4727
700x945	1185	4040	1540	5252
700x1040	1303	4444	1694	5778
700x1135	1422	4848	1848	6303
700x1230	1540	5252	2002	6828
700x1325	1659	5656	2156	7353
700x1420	1777	6061	2310	7879
700x1515	1896	6465	2464	8404
700x1610	2014	6869	2619	8929
700x1705	2133	7273	2773	9454
700x1800	2251	7677	2927	9980
700x1895	2370	8081	3081	10505
700x1990	2488	8485	3235	11030
800x280	397	1355	517	1762
800x375	530	1807	689	2349
800x470	662	2259	861	2937
800x565	795	2711	1033	3524
800x660	927	3162	1206	4111
800x755	1060	3614	1378	4699
800x850	1192	4066	1550	5286
800x945	1325	4518	1722	5873
800x1040	1457	4970	1895	6460
800x1135	1590	5421	2067	7048
800x1230	1722	5873	2239	7635
800x1325	1855	6325	2411	8222
800x1420	1987	6777	2583	8810
800x1515	2120	7228	2756	9397
800x1610	2252	7680	2928	9984
800x1705	2385	8132	3100	10572
800x1800	2517	8584	3272	11159
800x1895	2650	9036	3445	11746
800x1990	2782	9487	3617	12334
900x280	437	1492	569	1939
900x375	583	1989	758	2586
900x470	729	2486	948	3232
900x565	875	2984	1137	3879
900x660	1021	3481	1327	4525
900x755	1167	3978	1517	5172
900x850	1312	4475	1706	5818
900x945	1458	4973	1896	6465
900x1040	1604	5470	2085	7111
900x1135	1750	5967	2275	7757
900x1230	1896	6465	2464	8404
900x1325	2042	6962	2654	9050
900x1420	2187	7459	2844	9697
900x1515	2333	7956	3033	10343
900x1610	2479	8454	3223	10990
900x1705	2625	8951	3412	11636
900x1800	2771	9448	3602	12283
900x1895	2917	9945	3792	12929
900x1990	3062	10443	3981	13575
1000x280	476	1622	618	2108
1000x375	634	2162	824	2811
1000x470	793	2703	1030	3514
1000x565	951	3244	1237	4217
1000x660	1110	3784	1443	4919
1000x755	1268	4325	1649	5622
1000x850	1427	4865	1855	6325

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
23.14	26.42	0.11	700X1555X101
24.59	28.02	0.12	700X1650X101
26.02	29.60	0.13	700X1745X101
27.47	31.20	0.14	700X1840X101
28.92	32.80	0.14	700X1935X101
30.37	34.41	0.15	700X2030X101
4.94	6.19	0.03	800X320X101
6.58	8.01	0.04	800X

KALSEDON DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x945	10	61	945	56-65	86-95	26-35	5	90	1.93	C-E-D	£ 319.37
1000x1040	11	61	945	56-65	86-95	26-35	5	90	2.13	C-E-D	£ 350.89
1000x1135	12	61	945	56-65	86-95	26-35	5	90	2.32	C-E-D	£ 381.61
1000x1230	13	61	945	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 412.35
1000x1325	14	61	945	56-65	86-95	26-35	5	90	2.71	C-E-D	£ 443.07
1000x1420	15	61	945	56-65	86-95	26-35	5	90	2.90	C	£ 474.59
1000x1515	16	61	945	56-65	86-95	26-35	5	90	3.09	C	£ 505.31
1000x1610	17	61	945	56-65	86-95	26-35	5	90	3.29	C	£ 536.03
1000x1705	18	61	945	56-65	86-95	26-35	5	90	3.48	C	£ 566.75
1000x1800	19	61	945	56-65	86-95	26-35	5	90	3.67	C	£ 598.28
1000x1895	20	61	945	56-65	86-95	26-35	5	90	3.87	C	£ 629.00
1000x1990	21	61	945	56-65	86-95	26-35	5	90	4.06	C	£ 659.72
1200x280	3	61	1145	56-65	86-95	26-35	5	90	0.67	C	£ 116.29
1200x375	4	61	1145	56-65	86-95	26-35	5	90	0.89	C	£ 152.33
1200x470	5	61	1145	56-65	86-95	26-35	5	90	1.11	C-E-D	£ 187.71
1200x565	6	61	1145	56-65	86-95	26-35	5	90	1.33	C-E-D	£ 223.13
1200x660	7	61	1145	56-65	86-95	26-35	5	90	1.55	C-E-D	£ 259.86
1200x755	8	61	1145	56-65	86-95	26-35	5	90	1.78	C-E-D	£ 296.09
1200x850	9	61	1145	56-65	86-95	26-35	5	90	2.00	C-E-D	£ 331.52
1200x945	10	61	1145	56-65	86-95	26-35	5	90	2.22	C-E-D	£ 366.94
1200x1040	11	61	1145	56-65	86-95	26-35	5	90	2.44	C-E-D	£ 403.17
1200x1135	12	61	1145	56-65	86-95	26-35	5	90	2.66	C-E-D	£ 438.60
1200x1230	13	61	1145	56-65	86-95	26-35	5	90	2.89	C-E-D	£ 474.03
1200x1325	14	61	1145	56-65	86-95	26-35	5	90	3.11	C-E-D	£ 509.44
1200x1420	15	61	1145	56-65	86-95	26-35	5	90	3.33	C	£ 545.67
1400x280	3	61	1345	56-65	86-95	26-35	5	90	0.75	C	£ 129.04
1400x375	4	61	1345	56-65	86-95	26-35	5	90	1.00	C	£ 169.14
1400x470	5	61	1345	56-65	86-95	26-35	5	90	1.25	C-E-D	£ 208.58
1400x565	6	61	1345	56-65	86-95	26-35	5	90	1.50	C-E-D	£ 248.08
1400x660	7	61	1345	56-65	86-95	26-35	5	90	1.75	C-E-D	£ 288.87
1400x755	8	61	1345	56-65	86-95	26-35	5	90	2.01	C-E-D	£ 329.18
1400x850	9	61	1345	56-65	86-95	26-35	5	90	2.26	C-E-D	£ 368.66
1400x945	10	61	1345	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 408.16
1400x1040	11	61	1345	56-65	86-95	26-35	5	90	2.76	C-E-D	£ 448.45
1400x1135	12	61	1345	56-65	86-95	26-35	5	90	3.01	C-E-D	£ 487.94
1400x1230	13	61	1345	56-65	86-95	26-35	5	90	3.26	C-E-D	£ 527.43
1400x1325	14	61	1345	56-65	86-95	26-35	5	90	3.51	C-E-D	£ 566.92
1400x1420	15	61	1345	56-65	86-95	26-35	5	90	3.76	C	£ 607.22
1600x280	3	61	1545	56-65	86-95	26-35	5	90	0.84	C	£ 149.61
1600x375	4	61	1545	56-65	86-95	26-35	5	90	1.12	C	£ 196.39
1600x470	5	61	1545	56-65	86-95	26-35	5	90	1.40	C-E-D	£ 242.51
1600x565	6	61	1545	56-65	86-95	26-35	5	90	1.68	C-E-D	£ 288.68
1600x660	7	61	1545	56-65	86-95	26-35	5	90	1.96	C-E-D	£ 336.16
1600x755	8	61	1545	56-65	86-95	26-35	5	90	2.23	C-E-D	£ 383.12
1600x850	9	61	1545	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 429.29
1600x945	10	61	1545	56-65	86-95	26-35	5	90	2.79	C-E-D	£ 475.46
1600x1040	11	61	1545	56-65	86-95	26-35	5	90	3.07	C-E-D	£ 522.42
1800x280	3	61	1745	56-65	86-95	26-35	5	90	0.92	C	£ 165.71
1800x375	4	61	1745	56-65	86-95	26-35	5	90	1.23	C	£ 216.87
1800x470	5	61	1745	56-65	86-95	26-35	5	90	1.54	C-E-D	£ 267.38
1800x565	6	61	1745	56-65	86-95	26-35	5	90	1.85	C-E-D	£ 317.94
1800x660	7	61	1745	56-65	86-95	26-35	5	90	2.16	C-E-D	£ 369.79
1800x755	8	61	1745	56-65	86-95	26-35	5	90	2.46	C-E-D	£ 421.15
1800x850	9	61	1745	56-65	86-95	26-35	5	90	2.77	C-E-D	£ 471.70
1800x945	10	61	1745	56-65	86-95	26-35	5	90	3.08	C-E-D	£ 522.25
1800x1040	11	61	1745	56-65	86-95	26-35	5	90	3.39	C-E-D	£ 573.61
2000x280	3	61	1945	56-65	86-95	26-35	5	90	1.01	C	£ 176.09
2000x375	4	61	1945	56-65	86-95	26-35	5	90	1.35	C	£ 231.33
2000x470	5	61	1945	56-65	86-95	26-35	5	90	1.68	C-E-D	£ 285.90
2000x565	6	61	1945	56-65	86-95	26-35	5	90	2.02	C-E-D	£ 340.51
2000x660	7	61	1945	56-65	86-95	26-35	5	90	2.36	C-E-D	£ 396.44
2000x755	8	61	1945	56-65	86-95	26-35	5	90	2.69	C-E-D	£ 451.86
2000x850	9	61	1945	56-65	86-95	26-35	5	90	3.03	C-E-D	£ 506.48
2000x945	10	61	1945	56-65	86-95	26-35	5	90	3.36	C-E-D	£ 561.10
2000x1040	11	61	1945	56-65	86-95	26-35	5	90	3.70	C-E-D	£ 616.52

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x945	1585	5406	2061	7028
1000x1040	1744	5947	2267	7730
1000x1135	1902	6487	2473	8433
1000x1230	2061	7028	2679	9136
1000x1325	2219	7568	2885	9839
1000x1420	2378	8109	3091	10541
1000x1515	2536	8649	3297	11244
1000x1610	2695	9190	3504	11947
1000x1705	2854	9731	3710	12650
1000x1800	3012	10271	3916	13353
1000x1895	3171	10812	4122	14055
1000x1990	3329	11352	4328	14758
1200x280	546	1862	710	2421
1200x375	728	2483	947	3228
1200x470	910	3103	1183	4034
1200x565	1092	3723	1420	4841
1200x660	1274	4345	1656	5648
1200x755	1456	4965	1893	6455
1200x850	1638	5586	2130	7262
1200x945	1820	6207	2366	8069
1200x1040	2002	6828	2603	8876
1200x1135	2184	7448	2839	9683
1200x1230	2366	8069	3076	10490
1200x1325	2548	8690	3313	11296
1200x1420	2730	9310	3549	12103
1400x280	627	2138	815	2779
1400x375	836	2851	1087	3706
1400x470	1045	3563	1358	4632
1400x565	1254	4276	1630	5559
1400x660	1463	4989	1902	6485
1400x755	1672	5701	2173	7412
1400x850	1881	6414	2445	8338
1400x945	2090	7126	2717	9264
1400x1040	2299	7839	2989	10191
1400x1135	2508	8552	3260	11117
1400x1230	2717	9264	3532	12044
1400x1325	2926	9977	3804	12970
1400x1420	3135	10690	4075	13897
1600x280	720	2455	936	3191
1600x375	960	3273	1248	4255
1600x470	1200	4091	1560	5318
1600x565	1440	4909	1872	6382
1600x660	1680	5728	2184	7446
1600x755	1920	6546	2495	8510
1600x850	2160	7364	2807	9573
1600x945	2400	8182	3119	10637
1600x1040	2639	9001	3431	11701
1800x280	827	2818	1074	3664
1800x375	1102	3758	1433	4885
1800x470	1378	4697	1791	6106
1800x565	1653	5637	2149	7328
1800x660	1929	6576	2507	8549
1800x755	2204	7516	2865	9770
1800x850	2480	8455	3223	10992
1800x945	2755	9395	3582	12213
1800x1040	3031	10334	3940	13434
2000x280	949	3236	1234	4207
2000x375	1265	4315	1645	5609
2000x470	1582	5393	2056	7011
2000x565	1898	6472	2467	8413
2000x660	2214	7551	2879	9816
2000x755	2531	8629	3290	11218
2000x850	2847	9708	3701	12620
2000x945	3163	10786	4112	14022
2000x1040	3480	11865	4523	15425

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
22.43	25.68	0.11	1100X985X101
24.68	28.15	0.12	1100X1080X101
26.91	30.60	0.14	1100X1175X101
29.15	33.07	0.15	1100X1270X101
31.40	35.54	0.16	1100X1365X101
33.64	38.00	0.17	1100X1460X101
35.89	40.47	0.18	1100X1555X101
38.13	42.93	0.19	1100X1650X101
40.37	45.39	0.20	1100X1745X101
42.61	47.84	0.21	1100X1840X101
44.86	50.31	0.22	1100X1935X101
47.10	52.61	0.23	1100X2030X101
7.93	9.69	0.05	1300X320X101
10.57	12.58	0.06	1300X415X101
13.21	15.49	0.07	1300X510X101
15.84	18.37	0.08	1300X605X101
18.49	21.42	0.10	1300X700X101
21.13	24.32	0.11	1300X795X101
23.77	27.22	0.12	1300X890X101
26.42	30.12	0.13	1300X985X101
29.06	33.01	0.15	1300X1080X101
31.69	35.91	0.16	1300X1175X101
34.33	38.80	0.17	1300X1270X101
36.98	41.70	0.18	1300X1365X101
39.62	44.60	0.20	1300X1460X101
9.12	11.09	0.05	1500X320X101
12.16	14.42	0.07	1500X415X101
15.20	17.75	0.08	1500X510X101
18.23	21.07	0.10	1500X605X101
21.28	24.55	0.11	1500X700X101
24.32	27.89	0.13	1500X795X101
27.36	31.21	0.14	1500X890X101
30.40	34.55	0.15	1500X985X101
33.44	37.88	0.17	1500X1080X101
36.47	41.19	0.18	1500X1175X101
39.51	44.52	0.20	1500X1270X101
42.55	47.86	0.21	1500X1365X101
45.60	51.19	0.23	1500X1460X101
10.30	12.47	0.06	1700X320X101
13.73	16.23	0.08	1700X415X101
17.16	19.98	0.09	1700X510X101
20.59	23.73	0.11	1700X605X101
24.02	27.65	0.13	1700X700X101
27.45	31.39	0.14	1700X795X101
30.88	35.15	0.16	1700X890X101
34.31	38.91	0.17	1700X985X101
37.75	42.66	0.19	1700X1080X101
11.49	14.02	0.07	1900X320X101
15.32	18.18	0.08	1900X415X101
19.15	22.36	0.10	1900X510X101
22.99	26.57	0.12	1900X605X101
26.81	30.89	0.14	1900X700X101
30.64	35.08	0.16	1900X795X101
34.47	39.27	0.18	1900X890X101
38.30	43.46	0.19	1900X985X101
42.14	47.65	0.21	1900X1080X101
12.69	15.29	0.07	2100X320X101
16.91	19.89	0.09	2100X415X101
21.14	24.52	0.11	2100X510X101
25.38	29.30	0.13	2100X605X101
29.60	33.91	0.15	2100X700X101
33.83	38.54	0.17	2100X795X101
38.05	43.14	0.19	2100X890X101
42.28	47.76	0.21	2100X985X101
46.52	52.40	0.23	2100X1080X101

KALSEDON DOUBLE

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
			SX	ZX	YP	YL	AX	P3			
			✓	✓	✓	✓	✓	✓			

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel