

LOVA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x236	3	60	245	56-65	86-95	26-35	4	60	0.26	C	£ 53.19
300x316	4	60	245	56-65	86-95	26-35	4	60	0.34	C	£ 68.44
300x396	5	60	245	56-65	86-95	26-35	4	60	0.43	C	£ 82.87
300x476	6	60	245	56-65	86-95	26-35	4	60	0.51	C-E-D	£ 97.45
300x556	7	60	245	56-65	86-95	26-35	4	60	0.60	C-E-D	£ 112.03
300x636	8	60	245	56-65	86-95	26-35	4	60	0.68	C-E-D	£ 128.80
300x716	9	60	245	56-65	86-95	26-35	4	60	0.77	C-E-D	£ 143.38
300x796	10	60	245	56-65	86-95	26-35	4	60	0.85	C-E-D	£ 157.96
300x876	11	60	245	56-65	86-95	26-35	4	60	0.94	C-E-D	£ 173.39
300x956	12	60	245	56-65	86-95	26-35	4	60	1.02	C-E-D	£ 187.98
300x1036	13	60	245	56-65	86-95	26-35	4	60	1.11	C-E-D	£ 202.56
300x1116	14	60	245	56-65	86-95	26-35	4	60	1.19	C-E-D	£ 217.13
300x1196	15	60	245	56-65	86-95	26-35	4	60	1.28	C-E-D	£ 232.55
300x1276	16	60	245	56-65	86-95	26-35	4	60	1.36	C-E-D	£ 247.14
300x1356	17	60	245	56-65	86-95	26-35	4	60	1.45	C-E-D	£ 261.72
300x1436	18	60	245	56-65	86-95	26-35	4	60	1.53	C	£ 276.31
300x1516	19	60	245	56-65	86-95	26-35	4	60	1.62	C	£ 291.73
300x1596	20	60	245	56-65	86-95	26-35	4	60	1.70	C	£ 306.31
300x1676	21	60	245	56-65	86-95	26-35	4	60	1.79	C	£ 320.89
300x1756	22	60	245	56-65	86-95	26-35	4	60	1.87	C	£ 336.31
300x1836	23	60	245	56-65	86-95	26-35	4	60	1.96	C	£ 350.89
300x1916	24	60	245	56-65	86-95	26-35	4	60	2.04	C	£ 365.48
300x1996	25	60	245	56-65	86-95	26-35	4	60	2.13	C	£ 380.06
400x236	3	60	345	56-65	86-95	26-35	4	60	0.30	C	£ 58.12
400x316	4	60	345	56-65	86-95	26-35	4	60	0.40	C	£ 74.89
400x396	5	60	345	56-65	86-95	26-35	4	60	0.50	C	£ 90.82
400x476	6	60	345	56-65	86-95	26-35	4	60	0.60	C-E-D	£ 106.91
400x556	7	60	345	56-65	86-95	26-35	4	60	0.70	C-E-D	£ 123.01
400x636	8	60	345	56-65	86-95	26-35	4	60	0.80	C-E-D	£ 141.30
400x716	9	60	345	56-65	86-95	26-35	4	60	0.90	C-E-D	£ 157.40
400x796	10	60	345	56-65	86-95	26-35	4	60	0.99	C-E-D	£ 173.49
400x876	11	60	345	56-65	86-95	26-35	4	60	1.09	C-E-D	£ 190.43
400x956	12	60	345	56-65	86-95	26-35	4	60	1.19	C-E-D	£ 206.53
400x1036	13	60	345	56-65	86-95	26-35	4	60	1.29	C-E-D	£ 222.62
400x1116	14	60	345	56-65	86-95	26-35	4	60	1.39	C-E-D	£ 238.72
400x1196	15	60	345	56-65	86-95	26-35	4	60	1.49	C-E-D	£ 255.66
400x1276	16	60	345	56-65	86-95	26-35	4	60	1.59	C-E-D	£ 271.75
400x1356	17	60	345	56-65	86-95	26-35	4	60	1.69	C-E-D	£ 287.84
400x1436	18	60	345	56-65	86-95	26-35	4	60	1.79	C	£ 303.93
400x1516	19	60	345	56-65	86-95	26-35	4	60	1.89	C	£ 320.87
400x1596	20	60	345	56-65	86-95	26-35	4	60	1.99	C	£ 336.97
400x1676	21	60	345	56-65	86-95	26-35	4	60	2.09	C	£ 353.07
400x1756	22	60	345	56-65	86-95	26-35	4	60	2.18	C	£ 370.00
400x1836	23	60	345	56-65	86-95	26-35	4	60	2.28	C	£ 386.10
400x1916	24	60	345	56-65	86-95	26-35	4	60	2.38	C	£ 402.20
400x1996	25	60	345	56-65	86-95	26-35	4	60	2.48	C	£ 418.29
500x236	3	60	445	56-65	86-95	26-35	4	60	0.34	C	£ 63.05
500x316	4	60	445	56-65	86-95	26-35	4	60	0.46	C	£ 81.34
500x396	5	60	445	56-65	86-95	26-35	4	60	0.57	C	£ 98.78
500x476	6	60	445	56-65	86-95	26-35	4	60	0.68	C-E-D	£ 116.39
500x556	7	60	445	56-65	86-95	26-35	4	60	0.80	C-E-D	£ 134.00
500x636	8	60	445	56-65	86-95	26-35	4	60	0.91	C-E-D	£ 153.80
500x716	9	60	445	56-65	86-95	26-35	4	60	1.02	C-E-D	£ 171.41
500x796	10	60	445	56-65	86-95	26-35	4	60	1.14	C-E-D	£ 189.03
500x876	11	60	445	56-65	86-95	26-35	4	60	1.25	C-E-D	£ 207.47
500x956	12	60	445	56-65	86-95	26-35	4	60	1.36	C-E-D	£ 225.08
500x1036	13	60	445	56-65	86-95	26-35	4	60	1.48	C-E-D	£ 242.69
500x1116	14	60	445	56-65	86-95	26-35	4	60	1.59	C-E-D	£ 260.29
500x1196	15	60	445	56-65	86-95	26-35	4	60	1.71	C-E-D	£ 278.75
500x1276	16	60	445	56-65	86-95	26-35	4	60	1.82	C-E-D	£ 296.36
500x1356	17	60	445	56-65	86-95	26-35	4	60	1.93	C-E-D	£ 313.96
500x1436	18	60	445	56-65	86-95	26-35	4	60	2.05	C	£ 331.58
500x1516	19	60	445	56-65	86-95	26-35	4	60	2.16	C	£ 350.03
500x1596	20	60	445	56-65	86-95	26-35	4	60	2.27	C	£ 367.63
500x1676	21	60	445	56-65	86-95	26-35	4	60	2.39	C	£ 385.24
500x1756	22	60	445	56-65	86-95	26-35	4	60	2.50	C	£ 403.69
500x1836	23	60	445	56-65	86-95	26-35	4	60	2.61	C	£ 421.30
500x1916	24	60	445	56-65	86-95	26-35	4	60	2.73	C	£ 438.91
500x1996	25	60	445	56-65	86-95	26-35	4	60	2.84	C	£ 456.52
600x316	4	60	545	56-65	86-95	26-35	4	60	0.51	C	£ 87.78

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x236	138	471	180	612
300x316	183	623	237	810
300x396	227	775	295	1007
300x476	272	926	353	1204
300x556	316	1078	411	1401
300x636	361	1230	469	1599
300x716	405	1381	527	1796
300x796	450	1533	584	1993
300x876	494	1685	642	2190
300x956	539	1836	700	2387
300x1036	583	1988	758	2585
300x1116	628	2140	816	2782
300x1196	672	2292	874	2979
300x1276	717	2443	931	3176
300x1356	761	2595	989	3373
300x1436	805	2747	1047	3571
300x1516	850	2898	1105	3768
300x1596	894	3050	1163	3965
300x1676	939	3202	1221	4162
300x1756	983	3353	1278	4360
300x1836	1028	3505	1336	4557
300x1916	1072	3657	1394	4754
300x1996	1117	3809	1452	4951
400x236	188	642	245	835
400x316	249	849	324	1103
400x396	310	1055	402	1372
400x476	370	1262	481	1641
400x556	431	1469	560	1910
400x636	491	1676	639	2178
400x716	552	1882	718	2447
400x796	613	2089	796	2716
400x876	673	2296	875	2985
400x956	734	2503	954	3253
400x1036	795	2709	1033	3522
400x1116	855	2916	1112	3791
400x1196	916	3123	1191	4060
400x1276	976	3330	1269	4328
400x1356	1037	3536	1348	4597
400x1436	1098	3743	1427	4866
400x1516	1158	3950	1506	5135
400x1596	1219	4157	1585	5403
400x1676	1280	4363	1663	5672
400x1756	1340	4570	1742	5941
400x1836	1401	4777	1821	6210
400x1916	1461	4983	1900	6479
400x1996	1522	5190	1979	6747
500x236	241	820	313	1066
500x316	318	1084	413	1410
500x396	395	1348	514	1753
500x476	473	1613	615	2096
500x556	550	1877	715	2440
500x636	628	2141	816	2783
500x716	705	2405	917	3126
500x796	783	2669	1018	3470
500x876	860	2933	1118	3813
500x956	938	3197	1219	4157
500x1036	1015	3461	1320	4500
500x1116	1093	3726	1420	4843
500x1196	1170	3990	1521	5187
500x1276	1247	4254	1622	5530
500x1356	1325	4518	1722	5873
500x1436	1402	4782	1823	6217
500x1516	1480	5046	1924	6560
500x1596	1557	5310	2024	6903
500x1676	1635	5575	2125	7247
500x1756	1712	5839	2226	7590
500x1836	1790	6103	2327	7934
500x1916	1867	6367	2427	8277
500x1996	1945	6631	2528	8620
600x316	390	1330	507	1729

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.13	2.93	0.02	420x276x100
2.81	3.70	0.02	420x356x100
3.50	4.48	0.02	420x436x100
4.17	5.24	0.03	420x516x100
4.85	6.00	0.03	420x596x100
5.53	6.93	0.03	420x676x100
6.22	7.71	0.04	420x756x100
6.90	8.47	0.04	420x836x100
7.58	9.25	0.04	420x916x100
8.25	9.99	0.05	420x996x100

LOVA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x396	5	60	545	56-65	86-95	26-35	4	60	0.64	C	£ 106.74
600x476	6	60	545	56-65	86-95	26-35	4	60	0.77	C-E-D	£ 125.86
600x556	7	60	545	56-65	86-95	26-35	4	60	0.90	C-E-D	£ 144.98
600x636	8	60	545	56-65	86-95	26-35	4	60	1.03	C-E-D	£ 166.30
600x716	9	60	545	56-65	86-95	26-35	4	60	1.15	C-E-D	£ 185.42
600x796	10	60	545	56-65	86-95	26-35	4	60	1.28	C-E-D	£ 204.55
600x876	11	60	545	56-65	86-95	26-35	4	60	1.41	C-E-D	£ 224.52
600x956	12	60	545	56-65	86-95	26-35	4	60	1.54	C-E-D	£ 243.63
600x1036	13	60	545	56-65	86-95	26-35	4	60	1.66	C-E-D	£ 262.75
600x1116	14	60	545	56-65	86-95	26-35	4	60	1.79	C-E-D	£ 281.88
600x1196	15	60	545	56-65	86-95	26-35	4	60	1.92	C-E-D	£ 301.84
600x1276	16	60	545	56-65	86-95	26-35	4	60	2.05	C-E-D	£ 320.97
600x1356	17	60	545	56-65	86-95	26-35	4	60	2.18	C-E-D	£ 340.08
600x1436	18	60	545	56-65	86-95	26-35	4	60	2.30	C	£ 359.22
600x1516	19	60	545	56-65	86-95	26-35	4	60	2.43	C	£ 379.17
600x1596	20	60	545	56-65	86-95	26-35	4	60	2.56	C	£ 398.29
600x1676	21	60	545	56-65	86-95	26-35	4	60	2.69	C	£ 417.42
600x1756	22	60	545	56-65	86-95	26-35	4	60	2.81	C	£ 437.37
600x1836	23	60	545	56-65	86-95	26-35	4	60	2.94	C	£ 456.51
600x1916	24	60	545	56-65	86-95	26-35	4	60	3.07	C	£ 475.62
600x1996	25	60	545	56-65	86-95	26-35	4	60	3.20	C	£ 494.75
700x316	4	60	645	56-65	86-95	26-35	4	60	0.57	C	£ 97.08
700x396	5	60	645	56-65	86-95	26-35	4	60	0.71	C	£ 118.21
700x476	6	60	645	56-65	86-95	26-35	4	60	0.86	C-E-D	£ 139.50
700x556	7	60	645	56-65	86-95	26-35	4	60	1.00	C-E-D	£ 160.79
700x636	8	60	645	56-65	86-95	26-35	4	60	1.14	C-E-D	£ 184.29
700x716	9	60	645	56-65	86-95	26-35	4	60	1.28	C-E-D	£ 205.59
700x796	10	60	645	56-65	86-95	26-35	4	60	1.42	C-E-D	£ 226.89
700x876	11	60	645	56-65	86-95	26-35	4	60	1.57	C-E-D	£ 249.02
700x956	12	60	645	56-65	86-95	26-35	4	60	1.71	C-E-D	£ 270.31
700x1036	13	60	645	56-65	86-95	26-35	4	60	1.85	C-E-D	£ 291.61
700x1116	14	60	645	56-65	86-95	26-35	4	60	1.99	C-E-D	£ 312.92
700x1196	15	60	645	56-65	86-95	26-35	4	60	2.13	C-E-D	£ 335.05
700x1276	16	60	645	56-65	86-95	26-35	4	60	2.28	C-E-D	£ 356.34
700x1356	17	60	645	56-65	86-95	26-35	4	60	2.42	C-E-D	£ 377.64
700x1436	18	60	645	56-65	86-95	26-35	4	60	2.56	C	£ 398.94
700x1516	19	60	645	56-65	86-95	26-35	4	60	2.70	C	£ 421.07
700x1596	20	60	645	56-65	86-95	26-35	4	60	2.84	C	£ 442.38
700x1676	21	60	645	56-65	86-95	26-35	4	60	2.99	C	£ 463.67
700x1756	22	60	645	56-65	86-95	26-35	4	60	3.13	C	£ 485.80
700x1836	23	60	645	56-65	86-95	26-35	4	60	3.27	C	£ 507.10
700x1916	24	60	645	56-65	86-95	26-35	4	60	3.41	C	£ 528.39
700x1996	25	60	645	56-65	86-95	26-35	4	60	3.56	C	£ 549.70
800x316	4	60	745	56-65	86-95	26-35	4	60	0.63	C	£ 103.72
800x396	5	60	745	56-65	86-95	26-35	4	60	0.78	C	£ 126.38
800x476	6	60	745	56-65	86-95	26-35	4	60	0.94	C-E-D	£ 149.18
800x556	7	60	745	56-65	86-95	26-35	4	60	1.10	C-E-D	£ 171.97
800x636	8	60	745	56-65	86-95	26-35	4	60	1.25	C-E-D	£ 196.98
800x716	9	60	745	56-65	86-95	26-35	4	60	1.41	C-E-D	£ 219.79
800x796	10	60	745	56-65	86-95	26-35	4	60	1.57	C-E-D	£ 242.61
800x876	11	60	745	56-65	86-95	26-35	4	60	1.72	C-E-D	£ 266.26
800x956	12	60	745	56-65	86-95	26-35	4	60	1.88	C-E-D	£ 289.06
800x1036	13	60	745	56-65	86-95	26-35	4	60	2.04	C-E-D	£ 311.88
800x1116	14	60	745	56-65	86-95	26-35	4	60	2.19	C-E-D	£ 334.69
800x1196	15	60	745	56-65	86-95	26-35	4	60	2.35	C-E-D	£ 358.34
800x1276	16	60	745	56-65	86-95	26-35	4	60	2.50	C-E-D	£ 381.16
800x1356	17	60	745	56-65	86-95	26-35	4	60	2.66	C-E-D	£ 403.96
800x1436	18	60	745	56-65	86-95	26-35	4	60	2.82	C	£ 426.77
800x1516	19	60	745	56-65	86-95	26-35	4	60	2.97	C	£ 450.42
800x1596	20	60	745	56-65	86-95	26-35	4	60	3.13	C	£ 473.24
800x1676	21	60	745	56-65	86-95	26-35	4	60	3.29	C	£ 496.05
800x1756	22	60	745	56-65	86-95	26-35	4	60	3.44	C	£ 519.69
800x1836	23	60	745	56-65	86-95	26-35	4	60	3.60	C	£ 542.51
800x1916	24	60	745	56-65	86-95	26-35	4	60	3.76	C	£ 565.32
800x1996	25	60	745	56-65	86-95	26-35	4	60	3.91	C	£ 588.13
900x316	4	60	845	56-65	86-95	26-35	4	60	0.69	C	£ 110.37
900x396	5	60	845	56-65	86-95	26-35	4	60	0.86	C	£ 134.53
900x476	6	60	845	56-65	86-95	26-35	4	60	1.03	C-E-D	£ 158.84
900x556	7	60	845	56-65	86-95	26-35	4	60	1.20	C-E-D	£ 183.18
900x636	8	60	845	56-65	86-95	26-35	4	60	1.37	C-E-D	£ 209.70

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x396	485	1654	631	2150
600x476	580	1978	754	2571
600x556	675	2302	878	2992
600x636	770	2626	1001	3413
600x716	865	2950	1125	3835
600x796	960	3274	1248	4256
600x876	1055	3598	1372	4677
600x956	1150	3922	1495	5098
600x1036	1245	4245	1619	5519
600x1116	1340	4569	1742	5940
600x1196	1435	4893	1866	6361
600x1276	1530	5217	1989	6782
600x1356	1625	5541	2113	7204
600x1436	1720	5865	2236	7625
600x1516	1815	6189	2360	8046
600x1596	1910	6513	2483	8467
600x1676	2005	6837	2607	8888
600x1756	2100	7161	2730	9309
600x1836	2195	7485	2854	9730
600x1916	2290	7809	2977	10152
600x1996	2385	8133	3101	10573
700x316	445	1518	579	1973
700x396	554	1888	720	2454
700x476	662	2258	861	2935
700x556	770	2627	1002	3416
700x636	879	2997	1143	3896
700x716	987	3367	1284	4377
700x796	1096	3737	1425	4858
700x876	1204	4107	1566	5338
700x956	1313	4476	1707	5819
700x1036	1421	4846	1847	6300
700x1116	1530	5216	1988	6781
700x1196	1638	5586	2129	7261
700x1276	1746	5955	2270	7742
700x1356	1855	6325	2411	8223
700x1436	1963	6695	2552	8703
700x1516	2072	7065	2693	9184
700x1596	2180	7435	2834	9665
700x1676	2289	7804	2975	10146
700x1756	2397	8174	3116	10626
700x1836	2506	8544	3257	11107
700x1916	2614	8914	3398	11588
700x1996	2722	9283	3539	12068
800x316	498	1697	647	2207
800x396	619	2111	805	2744
800x476	740	2524	962	3282
800x556	862	2938	1120	3819
800x636	983	3351	1278	4357
800x716	1104	3765	1435	4894
800x796	1225	4178	1593	5432
800x876	1347	4592	1751	5969
800x956	1468	5005	1908	6507
800x1036	1589	5419	2066	7044
800x1116	1710	5832	2223	7582
800x1196	1832	6246	2381	8119
800x1276	1953	6659	2539	8657
800x1356	2074	7073	2696	9194
800x1436	2195	7486	2854	9732
800x1516	2317	7900	3012	10269
800x1596	2438	8313	3169	10807
800x1676	2559	8727	3327	11345
800x1756	2680	9140	3484	11882
800x1836	2802	9554	3642	12420
800x1916	2923	9967	3800	12957
800x1996	3044	10380	3957	13495
900x316	548	1868	712	2429
900x396	681	2323	886	3021
900x476	815	2779	1059	3612
900x556	948	3234	1233	4204
900x636	1082	3689	1406	4795

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
5.72	7.06	0.04	720X436X100
6.82	8.30	0.04	720X516X100
7.93	9.53	0.05	720X596X100
9.04	10.94	0.05	720X676X100
10.15	12.18	0.06	720X756X100
11.26	13.42	0.07	720X836X100
12.37	14.66	0.07	720X916X100
13.47	15.89	0.08	720X996X100

LOVA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
900x716	9	60	845	56-65	86-95	26-35	4	60	1.54	C-E-D	£ 234.01
900x796	10	60	845	56-65	86-95	26-35	4	60	1.71	C-E-D	£ 258.34
900x876	11	60	845	56-65	86-95	26-35	4	60	1.88	C-E-D	£ 283.51
900x956	12	60	845	56-65	86-95	26-35	4	60	2.05	C-E-D	£ 307.83
900x1036	13	60	845	56-65	86-95	26-35	4	60	2.22	C-E-D	£ 332.15
900x1116	14	60	845	56-65	86-95	26-35	4	60	2.39	C-E-D	£ 356.48
900x1196	15	60	845	56-65	86-95	26-35	4	60	2.56	C-E-D	£ 381.63
900x1276	16	60	845	56-65	86-95	26-35	4	60	2.73	C-E-D	£ 405.96
900x1356	17	60	845	56-65	86-95	26-35	4	60	2.90	C-E-D	£ 430.29
900x1436	18	60	845	56-65	86-95	26-35	4	60	3.08	C	£ 454.62
900x1516	19	60	845	56-65	86-95	26-35	4	60	3.25	C	£ 479.77
900x1596	20	60	845	56-65	86-95	26-35	4	60	3.42	C	£ 504.10
900x1676	21	60	845	56-65	86-95	26-35	4	60	3.59	C	£ 528.43
900x1756	22	60	845	56-65	86-95	26-35	4	60	3.76	C	£ 553.58
900x1836	23	60	845	56-65	86-95	26-35	4	60	3.93	C	£ 577.91
900x1916	24	60	845	56-65	86-95	26-35	4	60	4.10	C	£ 602.23
900x1996	25	60	845	56-65	86-95	26-35	4	60	4.27	C	£ 626.57
1000x316	4	60	945	56-65	86-95	26-35	4	60	0.74	C	£ 121.36
1000x396	5	60	945	56-65	86-95	26-35	4	60	0.93	C	£ 147.98
1000x476	6	60	945	56-65	86-95	26-35	4	60	1.11	C-E-D	£ 174.77
1000x556	7	60	945	56-65	86-95	26-35	4	60	1.30	C-E-D	£ 201.56
1000x636	8	60	945	56-65	86-95	26-35	4	60	1.48	C-E-D	£ 230.64
1000x716	9	60	945	56-65	86-95	26-35	4	60	1.67	C-E-D	£ 257.43
1000x796	10	60	945	56-65	86-95	26-35	4	60	1.85	C-E-D	£ 284.23
1000x876	11	60	945	56-65	86-95	26-35	4	60	2.04	C-E-D	£ 311.89
1000x956	12	60	945	56-65	86-95	26-35	4	60	2.22	C-E-D	£ 338.68
1000x1036	13	60	945	56-65	86-95	26-35	4	60	2.41	C-E-D	£ 365.48
1000x1116	14	60	945	56-65	86-95	26-35	4	60	2.59	C-E-D	£ 392.27
1000x1196	15	60	945	56-65	86-95	26-35	4	60	2.78	C-E-D	£ 419.94
1000x1276	16	60	945	56-65	86-95	26-35	4	60	2.96	C-E-D	£ 446.73
1000x1356	17	60	945	56-65	86-95	26-35	4	60	3.15	C-E-D	£ 473.53
1000x1436	18	60	945	56-65	86-95	26-35	4	60	3.33	C	£ 500.32
1000x1516	19	60	945	56-65	86-95	26-35	4	60	3.52	C	£ 527.99
1000x1596	20	60	945	56-65	86-95	26-35	4	60	3.70	C	£ 554.78
1000x1676	21	60	945	56-65	86-95	26-35	4	60	3.89	C	£ 581.58
1000x1756	22	60	945	56-65	86-95	26-35	4	60	4.07	C	£ 609.24
1000x1836	23	60	945	56-65	86-95	26-35	4	60	4.26	C	£ 636.04
1000x1916	24	60	945	56-65	86-95	26-35	4	60	4.44	C	£ 662.83
1000x1996	25	60	945	56-65	86-95	26-35	4	60	4.63	C	£ 689.63
1200x316	4	60	1145	56-65	86-95	26-35	4	60	0.86	C	£ 137.88
1200x396	5	60	1145	56-65	86-95	26-35	4	60	1.07	C	£ 168.34
1200x476	6	60	1145	56-65	86-95	26-35	4	60	1.28	C-E-D	£ 198.95
1200x556	7	60	1145	56-65	86-95	26-35	4	60	1.50	C-E-D	£ 229.56
1200x636	8	60	1145	56-65	86-95	26-35	4	60	1.71	C-E-D	£ 262.46
1200x716	9	60	1145	56-65	86-95	26-35	4	60	1.93	C-E-D	£ 293.08
1200x796	10	60	1145	56-65	86-95	26-35	4	60	2.14	C-E-D	£ 323.70
1200x876	11	60	1145	56-65	86-95	26-35	4	60	2.35	C-E-D	£ 355.19
1200x956	12	60	1145	56-65	86-95	26-35	4	60	2.57	C-E-D	£ 385.81
1200x1036	13	60	1145	56-65	86-95	26-35	4	60	2.78	C-E-D	£ 416.42
1200x1116	14	60	1145	56-65	86-95	26-35	4	60	2.99	C-E-D	£ 447.04
1200x1196	15	60	1145	56-65	86-95	26-35	4	60	3.21	C-E-D	£ 478.54
1200x1276	16	60	1145	56-65	86-95	26-35	4	60	3.42	C-E-D	£ 509.15
1200x1356	17	60	1145	56-65	86-95	26-35	4	60	3.63	C-E-D	£ 539.77
1200x1436	18	60	1145	56-65	86-95	26-35	4	60	3.85	C	£ 570.39
1400x316	4	60	1345	56-65	86-95	26-35	4	60	0.97	C	£ 151.71
1400x396	5	60	1345	56-65	86-95	26-35	4	60	1.21	C	£ 185.29
1400x476	6	60	1345	56-65	86-95	26-35	4	60	1.46	C-E-D	£ 219.06
1400x556	7	60	1345	56-65	86-95	26-35	4	60	1.70	C-E-D	£ 252.80
1400x636	8	60	1345	56-65	86-95	26-35	4	60	1.94	C-E-D	£ 288.85
1400x716	9	60	1345	56-65	86-95	26-35	4	60	2.18	C-E-D	£ 322.60
1400x796	10	60	1345	56-65	86-95	26-35	4	60	2.42	C-E-D	£ 356.36
1400x876	11	60	1345	56-65	86-95	26-35	4	60	2.67	C-E-D	£ 390.99
1400x956	12	60	1345	56-65	86-95	26-35	4	60	2.91	C-E-D	£ 424.75
1400x1036	13	60	1345	56-65	86-95	26-35	4	60	3.15	C-E-D	£ 458.50
1400x1116	14	60	1345	56-65	86-95	26-35	4	60	3.39	C-E-D	£ 492.27
1400x1196	15	60	1345	56-65	86-95	26-35	4	60	3.64	C-E-D	£ 526.88
1400x1276	16	60	1345	56-65	86-95	26-35	4	60	3.88	C-E-D	£ 560.65
1400x1356	17	60	1345	56-65	86-95	26-35	4	60	4.12	C-E-D	£ 594.40
1400x1436	18	60	1345	56-65	86-95	26-35	4	60	4.36	C	£ 628.17
1600x316	4	60	1545	56-65	86-95	26-35	4	60	1.09	C	£ 176.74

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
900x716	1215	4144	1580	5387
900x796	1349	4599	1753	5979
900x876	1482	5054	1927	6570
900x956	1616	5509	2100	7162
900x1036	1749	5964	2274	7754
900x1116	1883	6420	2447	8345
900x1196	2016	6875	2621	8937
900x1276	2149	7330	2794	9529
900x1356	2283	7785	2968	10120
900x1436	2416	8240	3141	10712
900x1516	2550	8695	3315	11304
900x1596	2683	9150	3488	11895
900x1676	2817	9605	3662	12487
900x1756	2950	10060	3835	13079
900x1836	3084	10516	4009	13670
900x1916	3217	10971	4182	14262
900x1996	3351	11426	4356	14853
1000x316	596	2031	774	2640
1000x396	741	2526	963	3284
1000x476	886	3021	1152	3927
1000x556	1031	3515	1340	4570
1000x636	1176	4010	1529	5213
1000x716	1321	4505	1717	5856
1000x796	1466	5000	1906	6500
1000x876	1611	5494	2095	7143
1000x956	1756	5989	2283	7786
1000x1036	1901	6484	2472	8429
1000x1116	2047	6979	2661	9072
1000x1196	2192	7473	2849	9716
1000x1276	2337	7968	3038	10359
1000x1356	2482	8463	3226	11002
1000x1436	2627	8958	3415	11645
1000x1516	2772	9452	3604	12288
1000x1596	2917	9947	3792	12931
1000x1676	3062	10442	3981	13575
1000x1756	3207	10937	4169	14218
1000x1836	3352	11432	4358	14861
1000x1916	3497	11926	4547	15504
1000x1996	3643	12421	4735	16147
1200x316	684	2332	889	3032
1200x396	850	2900	1106	3770
1200x476	1017	3468	1322	4509
1200x556	1184	4036	1539	5247
1200x636	1350	4604	1755	5986
1200x716	1517	5172	1972	6724
1200x796	1683	5740	2188	7463
1200x876	1850	6309	2405	8201
1200x956	2017	6877	2622	8939
1200x1036	2183	7445	2838	9678
1200x1116	2350	8013	3055	10416
1200x1196	2516	8581	3271	11155
1200x1276	2683	9149	3488	11893
1200x1356	2850	9717	3704	12632
1200x1436	3016	10285	3921	13370
1400x316	785	2678	1021	3481
1400x396	976	3330	1269	4329
1400x476	1168	3982	1518	5177
1400x556	1359	4634	1767	6025
1400x636	1550	5286	2015	6872
1400x716	1742	5939	2264	7720
1400x796	1933	6591	2513	8568
1400x876	2124	7243	2761	9416
1400x956	2315	7895	3010	10264
1400x1036	2507	8548	3259	11112
1400x1116	2698	9200	3507	11960
1400x1196	2889	9852	3756	12808
1400x1276	3080	10504	4005	13656
1400x1356	3272	11157	4253	14503
1400x1436	3463	11809	4502	15351
1600x316	902	3074	1172	3997

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
14.08	16.65	0.08	1020X756X100
15.62	18.37	0.09	1020X836X100
17.15	20.07	0.10	1020X916X100
18.68	21.77	0.11	

LOVA

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1600x396	5	60	1545	56-65	86-95	26-35	4	60	1,36	C	£ 216.28
1600x476	6	60	1545	56-65	86-95	26-35	4	60	1,63	C-E-D	£ 255.98
1600x556	7	60	1545	56-65	86-95	26-35	4	60	1,90	C-E-D	£ 295.68
1600x636	8	60	1545	56-65	86-95	26-35	4	60	2,17	C-E-D	£ 337.67
1600x716	9	60	1545	56-65	86-95	26-35	4	60	2,44	C-E-D	£ 377.38
1600x796	10	60	1545	56-65	86-95	26-35	4	60	2,71	C-E-D	£ 417.08
1600x876	11	60	1545	56-65	86-95	26-35	4	60	2,98	C-E-D	£ 457.66
1600x956	12	60	1545	56-65	86-95	26-35	4	60	3,25	C-E-D	£ 497.36
1600x1036	13	60	1545	56-65	86-95	26-35	4	60	3,52	C-E-D	£ 537.07
1800x316	4	60	1745	56-65	86-95	26-35	4	60	1,20	C	£ 194.48
1800x396	5	60	1745	56-65	86-95	26-35	4	60	1,50	C	£ 237.50
1800x476	6	60	1745	56-65	86-95	26-35	4	60	1,80	C-E-D	£ 280.69
1800x556	7	60	1745	56-65	86-95	26-35	4	60	2,10	C-E-D	£ 323.89
1800x636	8	60	1745	56-65	86-95	26-35	4	60	2,40	C-E-D	£ 369.34
1800x716	9	60	1745	56-65	86-95	26-35	4	60	2,70	C-E-D	£ 412.53
1800x796	10	60	1745	56-65	86-95	26-35	4	60	3,00	C-E-D	£ 455.72
1800x876	11	60	1745	56-65	86-95	26-35	4	60	3,30	C-E-D	£ 499.78
1800x956	12	60	1745	56-65	86-95	26-35	4	60	3,60	C-E-D	£ 542.97

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				
1600x396	1121	3823	1458	4970
1600x476	1341	4572	1743	5944
1600x556	1560	5321	2028	6917
1600x636	1780	6070	2314	7891
1600x716	2000	6819	2599	8864
1600x796	2219	7567	2885	9838
1600x876	2439	8316	3170	10811
1600x956	2658	9065	3456	11785
1600x1036	2878	9814	3741	12758
1800x316	1035	3530	1346	4589
1800x396	1287	4390	1673	5706
1800x476	1539	5249	2001	6824
1800x556	1792	6109	2329	7942
1800x636	2044	6969	2657	9060
1800x716	2296	7829	2985	10177
1800x796	2548	8689	3312	11295
1800x876	2800	9548	3640	12413
1800x956	3052	10408	3968	13531

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13.09	15.68	0.08	1720X436X100
15.62	18.49	0.09	1720X516X100
18.15	21.28	0.11	1720X596X100
20.67	24.25	0.12	1720X676X100
23.19	27.03	0.14	1720X756X100
25.71	29.83	0.15	1720X836X100
28.25	32.65	0.16	1720X916X100
30.77	35.43	0.18	1720X996X100
33.29	38.24	0.19	1720X1076X100
11.77	14.44	0.07	1920X356X100
14.58	17.54	0.09	1920X436X100
17.39	20.66	0.10	1920X516X100
20.20	23.93	0.12	1920X596X100
23.01	27.03	0.13	1920X676X100
25.81	30.14	0.15	1920X756X100
28.62	33.25	0.17	1920X836X100
31.44	36.38	0.18	1920X916X100
34.24	39.47	0.20	1920X996X100

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel