

ORPIMENT

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x308	3	48	245	39-48	70-79	24-33	4	100	0.30	C	£ 50.17
300x412	4	48	245	39-48	70-79	24-33	4	100	0.40	C-E-D	£ 65.32
300x516	5	48	245	39-48	70-79	24-33	4	100	0.49	C-E-D	£ 79.75
300x620	6	48	245	39-48	70-79	24-33	4	100	0.59	C-E-D	£ 94.03
300x724	7	48	245	39-48	70-79	24-33	4	100	0.69	C-E-D	£ 108.65
300x828	8	48	245	39-48	70-79	24-33	4	100	0.79	C-E-D	£ 125.08
300x932	9	48	245	39-48	70-79	24-33	4	100	0.89	C-E-D	£ 138.33
300x1036	10	48	245	39-48	70-79	24-33	4	100	0.98	C-E-D	£ 153.94
300x1140	11	48	245	39-48	70-79	24-33	4	100	1.08	C-E-D	£ 168.04
300x1244	12	48	245	39-48	70-79	24-33	4	100	1.18	C-E-D	£ 183.64
300x1348	13	48	245	39-48	70-79	24-33	4	100	1.28	C-E-D	£ 196.90
300x1452	14	48	245	39-48	70-79	24-33	4	100	1.38	C	£ 212.50
300x1556	15	48	245	39-48	70-79	24-33	4	100	1.48	C	£ 226.59
300x1660	16	48	245	39-48	70-79	24-33	4	100	1.57	C	£ 242.20
300x1764	17	48	245	39-48	70-79	24-33	4	100	1.67	C	£ 255.45
300x1868	18	48	245	39-48	70-79	24-33	4	100	1.77	C	£ 271.06
300x1972	19	48	245	39-48	70-79	24-33	4	100	1.87	C	£ 285.14
400x308	3	48	345	39-48	70-79	24-33	4	100	0.34	C	£ 54.63
400x412	4	48	345	39-48	70-79	24-33	4	100	0.45	C-E-D	£ 71.25
400x516	5	48	345	39-48	70-79	24-33	4	100	0.57	C-E-D	£ 87.14
400x620	6	48	345	39-48	70-79	24-33	4	100	0.68	C-E-D	£ 102.87
400x724	7	48	345	39-48	70-79	24-33	4	100	0.79	C-E-D	£ 118.94
400x828	8	48	345	39-48	70-79	24-33	4	100	0.90	C-E-D	£ 136.85
400x932	9	48	345	39-48	70-79	24-33	4	100	1.02	C-E-D	£ 151.56
400x1036	10	48	345	39-48	70-79	24-33	4	100	1.13	C-E-D	£ 168.62
400x1140	11	48	345	39-48	70-79	24-33	4	100	1.24	C-E-D	£ 184.19
400x1244	12	48	345	39-48	70-79	24-33	4	100	1.35	C-E-D	£ 201.26
400x1348	13	48	345	39-48	70-79	24-33	4	100	1.47	C-E-D	£ 215.97
400x1452	14	48	345	39-48	70-79	24-33	4	100	1.58	C	£ 233.04
400x1556	15	48	345	39-48	70-79	24-33	4	100	1.69	C	£ 248.59
400x1660	16	48	345	39-48	70-79	24-33	4	100	1.80	C	£ 265.65
400x1764	17	48	345	39-48	70-79	24-33	4	100	1.92	C	£ 280.37
400x1868	18	48	345	39-48	70-79	24-33	4	100	2.03	C	£ 297.44
400x1972	19	48	345	39-48	70-79	24-33	4	100	2.14	C	£ 312.99
500x308	3	48	445	39-48	70-79	24-33	4	100	0.38	C	£ 59.21
500x412	4	48	445	39-48	70-79	24-33	4	100	0.51	C-E-D	£ 77.29
500x516	5	48	445	39-48	70-79	24-33	4	100	0.64	C-E-D	£ 94.64
500x620	6	48	445	39-48	70-79	24-33	4	100	0.76	C-E-D	£ 111.83
500x724	7	48	445	39-48	70-79	24-33	4	100	0.89	C-E-D	£ 129.38
500x828	8	48	445	39-48	70-79	24-33	4	100	1.02	C-E-D	£ 148.74
500x932	9	48	445	39-48	70-79	24-33	4	100	1.14	C-E-D	£ 164.91
500x1036	10	48	445	39-48	70-79	24-33	4	100	1.27	C-E-D	£ 183.45
500x1140	11	48	445	39-48	70-79	24-33	4	100	1.40	C-E-D	£ 200.45
500x1244	12	48	445	39-48	70-79	24-33	4	100	1.52	C-E-D	£ 218.99
500x1348	13	48	445	39-48	70-79	24-33	4	100	1.65	C-E-D	£ 235.16
500x1452	14	48	445	39-48	70-79	24-33	4	100	1.78	C	£ 253.69
500x1556	15	48	445	39-48	70-79	24-33	4	100	1.90	C	£ 270.71
500x1660	16	48	445	39-48	70-79	24-33	4	100	2.03	C	£ 289.23
500x1764	17	48	445	39-48	70-79	24-33	4	100	2.16	C	£ 305.42
500x1868	18	48	445	39-48	70-79	24-33	4	100	2.28	C	£ 323.94
500x1972	19	48	445	39-48	70-79	24-33	4	100	2.41	C	£ 340.95
600x308	3	48	545	39-48	70-79	24-33	4	100	0.43	C	£ 63.54
600x412	4	48	545	39-48	70-79	24-33	4	100	0.57	C-E-D	£ 83.09
600x516	5	48	545	39-48	70-79	24-33	4	100	0.71	C-E-D	£ 101.91
600x620	6	48	545	39-48	70-79	24-33	4	100	0.85	C-E-D	£ 120.56
600x724	7	48	545	39-48	70-79	24-33	4	100	0.99	C-E-D	£ 139.55
600x828	8	48	545	39-48	70-79	24-33	4	100	1.13	C-E-D	£ 160.39
600x932	9	48	545	39-48	70-79	24-33	4	100	1.27	C-E-D	£ 178.03
600x1036	10	48	545	39-48	70-79	24-33	4	100	1.41	C-E-D	£ 198.01
600x1140	11	48	545	39-48	70-79	24-33	4	100	1.55	C-E-D	£ 216.49
600x1244	12	48	545	39-48	70-79	24-33	4	100	1.70	C-E-D	£ 236.49
600x1348	13	48	545	39-48	70-79	24-33	4	100	1.84	C-E-D	£ 254.11
600x1452	14	48	545	39-48	70-79	24-33	4	100	1.98	C	£ 274.11
600x1556	15	48	545	39-48	70-79	24-33	4	100	2.12	C	£ 292.59
600x1660	16	48	545	39-48	70-79	24-33	4	100	2.26	C	£ 312.58
600x1764	17	48	545	39-48	70-79	24-33	4	100	2.40	C	£ 330.21
600x1868	18	48	545	39-48	70-79	24-33	4	100	2.54	C	£ 350.21
600x1972	19	48	545	39-48	70-79	24-33	4	100	2.68	C	£ 368.68
700x308	3	48	645	39-48	70-79	24-33	4	100	0.47	C	£ 70.36
700x412	4	48	645	39-48	70-79	24-33	4	100	0.62	C-E-D	£ 92.02

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x308	66	224	85	291
300x412	88	299	114	389
300x516	110	374	142	486
300x620	132	448	171	583
300x724	153	523	199	680
300x828	175	598	228	777
300x932	197	673	256	874
300x1036	219	747	285	972
300x1140	241	822	313	1069
300x1244	263	897	342	1166
300x1348	285	972	370	1263
300x1452	307	1046	399	1360
300x1556	329	1121	427	1457
300x1660	351	1196	456	1554
300x1764	373	1271	484	1652
300x1868	395	1345	513	1749
300x1972	416	1420	541	1846
400x308	90	306	116	397
400x412	119	407	155	530
400x516	149	509	194	662
400x620	179	611	233	794
400x724	209	713	272	927
400x828	239	815	311	1059
400x932	269	917	349	1192
400x1036	299	1018	388	1324
400x1140	329	1120	427	1456
400x1244	358	1222	466	1589
400x1348	388	1324	505	1721
400x1452	418	1426	544	1854
400x1556	448	1528	582	1986
400x1660	478	1630	621	2118
400x1764	508	1731	660	2251
400x1868	538	1833	699	2383
400x1972	567	1935	738	2516
500x308	114	390	149	507
500x412	153	521	198	677
500x516	191	651	248	846
500x620	229	781	298	1015
500x724	267	911	347	1184
500x828	305	1041	397	1353
500x932	343	1171	446	1522
500x1036	382	1301	496	1692
500x1140	420	1431	546	1861
500x1244	458	1561	595	2030
500x1348	496	1692	645	2199
500x1452	534	1822	694	2368
500x1556	572	1952	744	2537
500x1660	611	2082	794	2706
500x1764	649	2212	843	2876
500x1868	687	2342	893	3045
500x1972	725	2472	943	3214
600x308	140	479	183	622
600x412	187	638	243	830
600x516	234	798	304	1037
600x620	281	958	365	1245
600x724	328	1117	426	1452
600x828	374	1277	487	1660
600x932	421	1436	548	1867
600x1036	468	1596	608	2075
600x1140	515	1755	669	2282
600x1244	562	1915	730	2490
600x1348	608	2075	791	2697
600x1452	655	2234	852	2905
600x1556	702	2394	913	3112
600x1660	749	2553	973	3319
600x1764	796	2713	1034	3527
600x1868	842	2873	1095	3734
600x1972	889	3032	1156	3942
700x308	160	547	208	710
700x412	214	729	278	947

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.05	2.95	0.02	390X343X83
2.74	3.74	0.02	390X447X83
3.43	4.52	0.02	390X551X83
4.10	5.24	0.03	390X655X83
4.78	6.20	0.03	390X759X83
5.47	6.95	0.03	390X863X8

ORPIMENT

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x516	5	48	645	39-48	70-79	24-33	4	100	0.78	C-E-D	£ 112.96
700x620	6	48	645	39-48	70-79	24-33	4	100	0.94	C-E-D	£ 133.73
700x724	7	48	645	39-48	70-79	24-33	4	100	1.09	C-E-D	£ 154.85
700x828	8	48	645	39-48	70-79	24-33	4	100	1.25	C-E-D	£ 177.80
700x932	9	48	645	39-48	70-79	24-33	4	100	1.40	C-E-D	£ 197.56
700x1036	10	48	645	39-48	70-79	24-33	4	100	1.56	C-E-D	£ 219.68
700x1140	11	48	645	39-48	70-79	24-33	4	100	1.71	C-E-D	£ 240.27
700x1244	12	48	645	39-48	70-79	24-33	4	100	1.87	C-E-D	£ 262.39
700x1348	13	48	645	39-48	70-79	24-33	4	100	2.02	C-E-D	£ 282.15
700x1452	14	48	645	39-48	70-79	24-33	4	100	2.18	C	£ 304.26
700x1556	15	48	645	39-48	70-79	24-33	4	100	2.33	C	£ 324.84
700x1660	16	48	645	39-48	70-79	24-33	4	100	2.49	C	£ 346.96
700x1764	17	48	645	39-48	70-79	24-33	4	100	2.64	C	£ 366.72
700x1868	18	48	645	39-48	70-79	24-33	4	100	2.80	C	£ 388.83
700x1972	19	48	645	39-48	70-79	24-33	4	100	2.96	C	£ 409.44
800x308	3	48	745	39-48	70-79	24-33	4	100	0.51	C	£ 74.93
800x412	4	48	745	39-48	70-79	24-33	4	100	0.68	C-E-D	£ 98.05
800x516	5	48	745	39-48	70-79	24-33	4	100	0.85	C-E-D	£ 120.46
800x620	6	48	745	39-48	70-79	24-33	4	100	1.02	C-E-D	£ 142.70
800x724	7	48	745	39-48	70-79	24-33	4	100	1.19	C-E-D	£ 165.27
800x828	8	48	745	39-48	70-79	24-33	4	100	1.36	C-E-D	£ 189.68
800x932	9	48	745	39-48	70-79	24-33	4	100	1.53	C-E-D	£ 210.91
800x1036	10	48	745	39-48	70-79	24-33	4	100	1.70	C-E-D	£ 234.48
800x1140	11	48	745	39-48	70-79	24-33	4	100	1.87	C-E-D	£ 256.54
800x1244	12	48	745	39-48	70-79	24-33	4	100	2.04	C-E-D	£ 280.12
800x1348	13	48	745	39-48	70-79	24-33	4	100	2.21	C-E-D	£ 301.34
800x1452	14	48	745	39-48	70-79	24-33	4	100	2.38	C	£ 324.91
800x1556	15	48	745	39-48	70-79	24-33	4	100	2.55	C	£ 346.96
800x1660	16	48	745	39-48	70-79	24-33	4	100	2.72	C	£ 370.55
800x1764	17	48	745	39-48	70-79	24-33	4	100	2.89	C	£ 391.77
800x1868	18	48	745	39-48	70-79	24-33	4	100	3.06	C	£ 415.34
800x1972	19	48	745	39-48	70-79	24-33	4	100	3.23	C	£ 437.40
900x308	3	48	845	39-48	70-79	24-33	4	100	0.55	C	£ 79.52
900x412	4	48	845	39-48	70-79	24-33	4	100	0.74	C-E-D	£ 104.10
900x516	5	48	845	39-48	70-79	24-33	4	100	0.92	C-E-D	£ 127.96
900x620	6	48	845	39-48	70-79	24-33	4	100	1.11	C-E-D	£ 151.65
900x724	7	48	845	39-48	70-79	24-33	4	100	1.29	C-E-D	£ 175.70
900x828	8	48	845	39-48	70-79	24-33	4	100	1.47	C-E-D	£ 201.57
900x932	9	48	845	39-48	70-79	24-33	4	100	1.66	C-E-D	£ 224.26
900x1036	10	48	845	39-48	70-79	24-33	4	100	1.84	C-E-D	£ 249.29
900x1140	11	48	845	39-48	70-79	24-33	4	100	2.03	C-E-D	£ 272.82
900x1244	12	48	845	39-48	70-79	24-33	4	100	2.21	C-E-D	£ 297.84
900x1348	13	48	845	39-48	70-79	24-33	4	100	2.39	C-E-D	£ 320.53
900x1452	14	48	845	39-48	70-79	24-33	4	100	2.58	C	£ 345.57
900x1556	15	48	845	39-48	70-79	24-33	4	100	2.76	C	£ 369.09
900x1660	16	48	845	39-48	70-79	24-33	4	100	2.95	C	£ 394.13
900x1764	17	48	845	39-48	70-79	24-33	4	100	3.13	C	£ 416.81
900x1868	18	48	845	39-48	70-79	24-33	4	100	3.31	C	£ 441.85
900x1972	19	48	845	39-48	70-79	24-33	4	100	3.50	C	£ 465.36
1000x308	3	48	945	39-48	70-79	24-33	4	100	0.60	C	£ 87.20
1000x412	4	48	945	39-48	70-79	24-33	4	100	0.80	C-E-D	£ 114.22
1000x516	5	48	945	39-48	70-79	24-33	4	100	0.99	C-E-D	£ 140.48
1000x620	6	48	945	39-48	70-79	24-33	4	100	1.19	C-E-D	£ 166.56
1000x724	7	48	945	39-48	70-79	24-33	4	100	1.39	C-E-D	£ 193.01
1000x828	8	48	945	39-48	70-79	24-33	4	100	1.59	C-E-D	£ 221.36
1000x932	9	48	945	39-48	70-79	24-33	4	100	1.79	C-E-D	£ 246.41
1000x1036	10	48	945	39-48	70-79	24-33	4	100	1.99	C-E-D	£ 273.89
1000x1140	11	48	945	39-48	70-79	24-33	4	100	2.18	C-E-D	£ 299.79
1000x1244	12	48	945	39-48	70-79	24-33	4	100	2.38	C-E-D	£ 327.26
1000x1348	13	48	945	39-48	70-79	24-33	4	100	2.58	C-E-D	£ 352.31
1000x1452	14	48	945	39-48	70-79	24-33	4	100	2.78	C	£ 379.79
1000x1556	15	48	945	39-48	70-79	24-33	4	100	2.98	C	£ 405.70
1000x1660	16	48	945	39-48	70-79	24-33	4	100	3.18	C	£ 433.17
1000x1764	17	48	945	39-48	70-79	24-33	4	100	3.37	C	£ 458.22
1000x1868	18	48	945	39-48	70-79	24-33	4	100	3.57	C	£ 485.69
1000x1972	19	48	945	39-48	70-79	24-33	4	100	3.77	C	£ 511.60
1200x308	3	48	1145	39-48	70-79	24-33	4	100	0.68	C	£ 98.76
1200x412	4	48	1145	39-48	70-79	24-33	4	100	0.91	C-E-D	£ 129.48
1200x516	5	48	1145	39-48	70-79	24-33	4	100	1.14	C-E-D	£ 159.45
1200x620	6	48	1145	39-48	70-79	24-33	4	100	1.36	C-E-D	£ 189.27

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x516	267	911	347	1184
700x620	321	1093	417	1421
700x724	374	1275	486	1658
700x828	427	1457	556	1895
700x932	481	1640	625	2131
700x1036	534	1822	694	2368
700x1140	588	2004	764	2605
700x1244	641	2186	833	2842
700x1348	694	2368	903	3079
700x1452	748	2550	972	3315
700x1556	801	2732	1042	3552
700x1660	855	2915	1111	3789
700x1764	908	3097	1181	4026
700x1868	962	3279	1250	4263
700x1972	1015	3461	1319	4499
800x308	179	611	233	794
800x412	239	815	311	1059
800x516	299	1018	388	1324
800x620	358	1222	466	1589
800x724	418	1426	544	1854
800x828	478	1630	621	2118
800x932	538	1833	699	2383
800x1036	597	2037	777	2648
800x1140	657	2241	854	2913
800x1244	717	2444	932	3178
800x1348	777	2648	1010	3442
800x1452	836	2852	1087	3707
800x1556	896	3055	1165	3972
800x1660	956	3259	1242	4237
800x1764	1015	3463	1320	4502
800x1868	1075	3666	1398	4766
800x1972	1135	3870	1475	5031
900x308	197	673	256	874
900x412	263	897	342	1166
900x516	329	1121	427	1457
900x620	395	1345	513	1749
900x724	460	1569	598	2040
900x828	526	1794	684	2332
900x932	592	2018	769	2623
900x1036	657	2242	855	2915
900x1140	723	2466	940	3206
900x1244	789	2690	1026	3498
900x1348	855	2915	1111	3789
900x1452	920	3139	1197	4081
900x1556	986	3363	1282	4372
900x1660	1052	3587	1368	4663
900x1764	1118	3811	1453	4955
900x1868	1183	4036	1539	5246
900x1972	1249	4260	1624	5538
1000x308	214	731	279	951
1000x412	286	975	372	1267
1000x516	357	1219	465	1584
1000x620	429	1462	558	1901
1000x724	500	1706	650	2218
1000x828	572	1950	743	2535
1000x932	643	2194	836	2852
1000x1036	715	2437	929	3169
1000x1140	786	2681	1022	3485
1000x1244	858	2925	1115	3802
1000x1348	929	3169	1208	4119
1000x1452	1001	3412	1301	4436
1000x1556	1072	3656	1394	4753
1000x1660	1144	3900	1487	5070
1000x1764	1215	4144	1580	5387
1000x1868	1287	4387	1673	5703
1000x1972	1358	4631	1765	6020
1200x308	246	840	320	1091
1200x412	328	1119	427	1455
1200x516	410	1399	533	1819
1200x620	492	1679	640	2183

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
6.18	7.79	0.04	790X551X83
7.41	9.14	0.05	790X655X83
8.64	10.72	0.05	790X759X83
9.88	12.11	0.06	790X863X83
11.12	13.53	0.07	790X967X83
12.35	14.91	0.08	790X1071X83
13.59	16.33	0.08	790X1175X83
14.81	17.71	0.09	790X1279X83
16.05	19.13	0.10	790X1383X83
17.29	20.53	0.10	790X1487X83
18.52	21.93	0.11	790X1591X83
19.76	23.33	0.12	790X1695X83
21.00	24.73	0.12	790X1799X83
22.22	26.12	0.13	790X1903X83
23.46	27.54	0.14	790X2007X83
4.12	5.48	0.03	890X343X83
5.50	7.04	0.04	890X447X83
6.87	8.61	0.05	890X551X83
8.23	10.10	0.05	890X655X83
9.61	11.85	0.06	890X759X83
10.98	13.39	0.07	890X863X83
12.36	14.96	0.08	890X967X83
13.73	16.51	0.08	890X1071X83
15.10	18.09	0.09	890X1175X83
16.47	19.62	0.10	890X1279X83
17.84	21.20	0.11	890X1383X83
19.22	22.75	0.11	890X1487X83
20.59	24.32	0.12	890X1591X83
21.96	25.86	0.13	890X1695X83
23.34	27.45	0.14	890X1799X83
24.70	28.97	0.15	890X1903X83
26.08	30.55	0.15	890X2007X83
4.54	5.99	0.03	990X343X83
6.05	7.70	0.04	990X447X83
7.56	9.43	0.05	990X551X83
9.06	11.09	0.06	990X655X83
10.57	12.99	0.07	990X759X83
12.08	14.66	0.08	990X863X83
13.60	16.41	0.08	990X967X83
15.11	18.11	0.09	990X1071X83
16.62	19.85	0.10	990X1175X83
18.12	21.53	0.11	990X1279X83
19.63	23.28	0.12	990X1383X83
21.15	24.98	0.13	990X1487X83
22.66	26.71	0.14	990X1591X83
24.17	28.40	0.14	990X1695X83
25.68	30.14	0.15	990X1799X83
27.18	31.83	0.16	990X1903X83
28.69	33.56	0.17	990X2007X83
4.95	6.50	0.04	1090X343X83
6.60	8.37	0.05	1090X447X83
8.25	10.25	0.05	1090X551X83
9.89	12.07	0.06	1090X655X83
11.54	14.10	0.07	1090X759X83
13.19	15.97	0.08	1090X863X83
14.84	17.85	0.09	1090X967X83
16.49	19.72	0.10	1090X1071X83
18.14	21.60	0.11	1090X1175X83
19.78	23.45	0.12	1090X1279X83
21.43	25.33	0.13	1090X1383X83
23.07	27.21	0.14	1090X1487X83
24.72	29.01	0.15	1090X1591X83
26.37	30.97	0.16	1090X1695X83
28.02	32.82	0.17	1090X1799X83
29.66	34.70	0.18	1090X1903X83
31.31	36.44	0.19	1090X2007X83
5.78	7.51	0.04	1290X343X83
7.70	9.69	0.05	1290X447X83
9.63	11.87	0.06	1290X551X83
11.54	14.00	0.08	1290X655X83

ORPIMENT

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1200x724	7	48	1145	39-48	70-79	24-33	4	100	1,59	C-E-D	£ 219.43
1200x828	8	48	1145	39-48	70-79	24-33	4	100	1,82	C-E-D	£ 251.50
1200x932	9	48	1145	39-48	70-79	24-33	4	100	2,04	C-E-D	£ 280.25
1200x1036	10	48	1145	39-48	70-79	24-33	4	100	2,27	C-E-D	£ 311.46
1200x1140	11	48	1145	39-48	70-79	24-33	4	100	2,50	C-E-D	£ 341.08
1200x1244	12	48	1145	39-48	70-79	24-33	4	100	2,73	C-E-D	£ 372.27
1200x1348	13	48	1145	39-48	70-79	24-33	4	100	2,95	C-E-D	£ 401.03
1400x308	3	48	1345	39-48	70-79	24-33	4	100	0,77	C	£ 108.25
1400x412	4	48	1345	39-48	70-79	24-33	4	100	1,02	C-E-D	£ 142.01
1400x516	5	48	1345	39-48	70-79	24-33	4	100	1,28	C-E-D	£ 175.02
1400x620	6	48	1345	39-48	70-79	24-33	4	100	1,54	C-E-D	£ 207.86
1400x724	7	48	1345	39-48	70-79	24-33	4	100	1,79	C-E-D	£ 241.05
1400x828	8	48	1345	39-48	70-79	24-33	4	100	2,05	C-E-D	£ 276.15
1400x932	9	48	1345	39-48	70-79	24-33	4	100	2,30	C-E-D	£ 307.94
1400x1036	10	48	1345	39-48	70-79	24-33	4	100	2,56	C-E-D	£ 342.17
1400x1140	11	48	1345	39-48	70-79	24-33	4	100	2,81	C-E-D	£ 374.82
1400x1244	12	48	1345	39-48	70-79	24-33	4	100	3,07	C-E-D	£ 409.05
1400x1348	13	48	1345	39-48	70-79	24-33	4	100	3,32	C-E-D	£ 440.84
1600x308	3	48	1545	39-48	70-79	24-33	4	100	0,86	C	£ 126.18
1600x412	4	48	1545	39-48	70-79	24-33	4	100	1,14	C-E-D	£ 165.79
1600x516	5	48	1545	39-48	70-79	24-33	4	100	1,42	C-E-D	£ 204.63
1600x620	6	48	1545	39-48	70-79	24-33	4	100	1,71	C-E-D	£ 243.32
1600x724	7	48	1545	39-48	70-79	24-33	4	100	1,99	C-E-D	£ 282.35
1600x828	8	48	1545	39-48	70-79	24-33	4	100	2,28	C-E-D	£ 323.29
1600x932	9	48	1545	39-48	70-79	24-33	4	100	2,56	C-E-D	£ 360.93
1600x1036	10	48	1545	39-48	70-79	24-33	4	100	2,84	C-E-D	£ 400.99
1800x308	3	48	1745	39-48	70-79	24-33	4	100	0,94	C	£ 137.98
1800x412	4	48	1745	39-48	70-79	24-33	4	100	1,25	C-E-D	£ 180.96
1800x516	5	48	1745	39-48	70-79	24-33	4	100	1,57	C-E-D	£ 223.17
1800x620	6	48	1745	39-48	70-79	24-33	4	100	1,88	C-E-D	£ 265.23
1800x724	7	48	1745	39-48	70-79	24-33	4	100	2,19	C-E-D	£ 307.64
1800x828	8	48	1745	39-48	70-79	24-33	4	100	2,50	C-E-D	£ 351.96
1800x932	9	48	1745	39-48	70-79	24-33	4	100	2,82	C-E-D	£ 392.96
1800x1036	10	48	1745	39-48	70-79	24-33	4	100	3,13	C-E-D	£ 436.40

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1200x724	574	1959	747	2547
1200x828	657	2239	853	2910
1200x932	739	2519	960	3274
1200x1036	821	2798	1067	3638
1200x1140	903	3078	1174	4002
1200x1244	985	3358	1280	4366
1200x1348	1067	3638	1387	4729
1400x308	283	964	367	1253
1400x412	377	1285	490	1671
1400x516	471	1607	612	2089
1400x620	565	1928	735	2506
1400x724	660	2249	857	2924
1400x828	754	2570	980	3342
1400x932	848	2892	1102	3759
1400x1036	942	3213	1225	4177
1400x1140	1036	3534	1347	4595
1400x1244	1131	3856	1470	5012
1400x1348	1225	4177	1592	5430
1600x308	325	1107	422	1439
1600x412	433	1476	563	1918
1600x516	541	1845	703	2398
1600x620	649	2214	844	2878
1600x724	757	2582	984	3357
1600x828	865	2951	1125	3837
1600x932	974	3320	1266	4316
1600x1036	1082	3689	1406	4796
1800x308	373	1271	484	1652
1800x412	497	1694	646	2203
1800x516	621	2118	807	2753
1800x620	745	2541	969	3304
1800x724	870	2965	1130	3855
1800x828	994	3389	1292	4405
1800x932	1118	3812	1453	4956
1800x1036	1242	4236	1615	5506

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13.47	16.37	0.09	1290X759X83
15.39	18.54	0.10	1290X863X83
17.32	20.76	0.11	1290X967X83
19.24	22.92	0.12	1290X1071X83
21.17	25.12	0.13	1290X1175X83
23.08	27.27	0.14	1290X1279X83
25.01	29.49	0.15	1290X1383X83
6.60	8.51	0.05	1490X343X83
8.80	11.01	0.06	1490X447X83
11.00	13.52	0.07	1490X551X83
13.19	15.96	0.09	1490X655X83
15.40	18.64	0.10	1490X759X83
17.60	21.12	0.11	1490X863X83
19.80	23.64	0.12	1490X967X83
22.00	26.12	0.14	1490X1071X83
24.20	28.61	0.15	1490X1175X83
26.39	31.12	0.16	1490X1279X83
28.59	33.60	0.18	1490X1383X83
7.41	9.50	0.05	1690X343X83
9.88	12.32	0.07	1690X447X83
12.34	15.12	0.08	1690X551X83
14.82	17.88	0.10	1690X655X83
17.28	20.86	0.11	1690X759X83
19.75	23.64	0.13	1690X863X83
22.22	26.47	0.14	1690X967X83
24.68	29.25	0.16	1690X1071X83
8.24	10.52	0.06	1890X343X83
10.98	13.63	0.08	1890X447X83
13.72	16.69	0.09	1890X551X83
16.47	20.00	0.11	1890X655X83
19.21	23.09	0.12	1890X759X83
21.96	26.23	0.14	1890X863X83
24.70	29.33	0.16	1890X967X83
27.44	32.47	0.17	1890X1071X83

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel