

OTIS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiolator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x308	3	43	245	35-44	69-78	22-31	4	100	0.30	C	£ 49.92
300x412	4	43	245	35-44	69-78	22-31	4	100	0.40	C-E-D	£ 64.82
300x516	5	43	245	35-44	69-78	22-31	4	100	0.49	C-E-D	£ 79.32
300x620	6	43	245	35-44	69-78	22-31	4	100	0.59	C-E-D	£ 93.52
300x724	7	43	245	35-44	69-78	22-31	4	100	0.69	C-E-D	£ 108.03
300x828	8	43	245	35-44	69-78	22-31	4	100	0.79	C-E-D	£ 124.39
300x932	9	43	245	35-44	69-78	22-31	4	100	0.89	C-E-D	£ 137.56
300x1036	10	43	245	35-44	69-78	22-31	4	100	0.98	C-E-D	£ 153.08
300x1140	11	43	245	35-44	69-78	22-31	4	100	1.08	C-E-D	£ 167.09
300x1244	12	43	245	35-44	69-78	22-31	4	100	1.18	C-E-D	£ 182.61
300x1348	13	43	245	35-44	69-78	22-31	4	100	1.28	C-E-D	£ 195.78
300x1452	14	43	245	35-44	69-78	22-31	4	100	1.38	C	£ 211.30
300x1556	15	43	245	35-44	69-78	22-31	4	100	1.48	C	£ 225.31
300x1660	16	43	245	35-44	69-78	22-31	4	100	1.57	C	£ 240.83
300x1764	17	43	245	35-44	69-78	22-31	4	100	1.67	C	£ 253.99
300x1868	18	43	245	35-44	69-78	22-31	4	100	1.77	C	£ 269.52
300x1972	19	43	245	35-44	69-78	22-31	4	100	1.87	C	£ 283.53
400x308	3	43	345	35-44	69-78	22-31	4	100	0.34	C	£ 53.46
400x412	4	43	345	35-44	69-78	22-31	4	100	0.45	C-E-D	£ 69.53
400x516	5	43	345	35-44	69-78	22-31	4	100	0.57	C-E-D	£ 85.19
400x620	6	43	345	35-44	69-78	22-31	4	100	0.68	C-E-D	£ 100.54
400x724	7	43	345	35-44	69-78	22-31	4	100	0.79	C-E-D	£ 116.22
400x828	8	43	345	35-44	69-78	22-31	4	100	0.90	C-E-D	£ 133.74
400x932	9	43	345	35-44	69-78	22-31	4	100	1.02	C-E-D	£ 148.06
400x1036	10	43	345	35-44	69-78	22-31	4	100	1.13	C-E-D	£ 164.74
400x1140	11	43	345	35-44	69-78	22-31	4	100	1.24	C-E-D	£ 179.91
400x1244	12	43	345	35-44	69-78	22-31	4	100	1.35	C-E-D	£ 196.59
400x1348	13	43	345	35-44	69-78	22-31	4	100	1.47	C-E-D	£ 210.91
400x1452	14	43	345	35-44	69-78	22-31	4	100	1.58	C	£ 227.59
400x1556	15	43	345	35-44	69-78	22-31	4	100	1.69	C	£ 242.76
400x1660	16	43	345	35-44	69-78	22-31	4	100	1.80	C	£ 259.43
400x1764	17	43	345	35-44	69-78	22-31	4	100	1.92	C	£ 273.76
400x1868	18	43	345	35-44	69-78	22-31	4	100	2.03	C	£ 290.44
400x1972	19	43	345	35-44	69-78	22-31	4	100	2.14	C	£ 305.60
500x308	3	43	445	35-44	69-78	22-31	4	100	0.38	C	£ 57.12
500x412	4	43	445	35-44	69-78	22-31	4	100	0.51	C-E-D	£ 74.35
500x516	5	43	445	35-44	69-78	22-31	4	100	0.64	C-E-D	£ 91.18
500x620	6	43	445	35-44	69-78	22-31	4	100	0.76	C-E-D	£ 107.67
500x724	7	43	445	35-44	69-78	22-31	4	100	0.89	C-E-D	£ 124.52
500x828	8	43	445	35-44	69-78	22-31	4	100	1.02	C-E-D	£ 143.18
500x932	9	43	445	35-44	69-78	22-31	4	100	1.14	C-E-D	£ 158.68
500x1036	10	43	445	35-44	69-78	22-31	4	100	1.27	C-E-D	£ 176.51
500x1140	11	43	445	35-44	69-78	22-31	4	100	1.40	C-E-D	£ 192.83
500x1244	12	43	445	35-44	69-78	22-31	4	100	1.52	C-E-D	£ 210.68
500x1348	13	43	445	35-44	69-78	22-31	4	100	1.65	C-E-D	£ 226.16
500x1452	14	43	445	35-44	69-78	22-31	4	100	1.78	C	£ 243.99
500x1556	15	43	445	35-44	69-78	22-31	4	100	1.90	C	£ 260.31
500x1660	16	43	445	35-44	69-78	22-31	4	100	2.03	C	£ 278.15
500x1764	17	43	445	35-44	69-78	22-31	4	100	2.16	C	£ 293.64
500x1868	18	43	445	35-44	69-78	22-31	4	100	2.28	C	£ 311.47
500x1972	19	43	445	35-44	69-78	22-31	4	100	2.41	C	£ 327.80
600x308	3	43	545	35-44	69-78	22-31	4	100	0.43	C	£ 60.54
600x412	4	43	545	35-44	69-78	22-31	4	100	0.57	C-E-D	£ 78.94
600x516	5	43	545	35-44	69-78	22-31	4	100	0.71	C-E-D	£ 96.91
600x620	6	43	545	35-44	69-78	22-31	4	100	0.85	C-E-D	£ 114.58
600x724	7	43	545	35-44	69-78	22-31	4	100	0.99	C-E-D	£ 132.58
600x828	8	43	545	35-44	69-78	22-31	4	100	1.13	C-E-D	£ 152.41
600x932	9	43	545	35-44	69-78	22-31	4	100	1.27	C-E-D	£ 169.05
600x1036	10	43	545	35-44	69-78	22-31	4	100	1.41	C-E-D	£ 188.04
600x1140	11	43	545	35-44	69-78	22-31	4	100	1.55	C-E-D	£ 205.53
600x1244	12	43	545	35-44	69-78	22-31	4	100	1.70	C-E-D	£ 224.52
600x1348	13	43	545	35-44	69-78	22-31	4	100	1.84	C-E-D	£ 241.16
600x1452	14	43	545	35-44	69-78	22-31	4	100	1.98	C	£ 260.17
600x1556	15	43	545	35-44	69-78	22-31	4	100	2.12	C	£ 277.64
600x1660	16	43	545	35-44	69-78	22-31	4	100	2.26	C	£ 296.64
600x1764	17	43	545	35-44	69-78	22-31	4	100	2.40	C	£ 313.27
600x1868	18	43	545	35-44	69-78	22-31	4	100	2.54	C	£ 332.28
600x1972	19	43	545	35-44	69-78	22-31	4	100	2.68	C	£ 349.75
700x308	3	43	645	35-44	69-78	22-31	4	100	0.47	C	£ 66.45
700x412	4	43	645	35-44	69-78	22-31	4	100	0.62	C-E-D	£ 86.64

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x308	115	390	149	508
300x412	153	521	198	677
300x516	191	651	248	846
300x620	229	781	298	1015
300x724	267	911	347	1184
300x828	305	1041	397	1354
300x932	344	1171	447	1523
300x1036	382	1302	496	1692
300x1140	420	1432	546	1861
300x1244	458	1562	595	2030
300x1348	496	1692	645	2199
300x1452	534	1822	695	2369
300x1556	573	1952	744	2538
300x1660	611	2082	794	2707
300x1764	649	2213	843	2876
300x1868	687	2343	893	3045
300x1972	725	2473	943	3215
400x308	156	532	203	692
400x412	208	709	270	922
400x516	260	887	338	1153
400x620	312	1064	406	1383
400x724	364	1242	473	1614
400x828	416	1419	541	1845
400x932	468	1596	609	2075
400x1036	520	1774	676	2306
400x1140	572	1951	744	2536
400x1244	624	2128	811	2767
400x1348	676	2306	879	2997
400x1452	728	2483	947	3228
400x1556	780	2660	1014	3459
400x1660	832	2838	1082	3689
400x1764	884	3015	1149	3920
400x1868	936	3192	1217	4150
400x1972	988	3370	1285	4381
500x308	199	680	259	884
500x412	266	906	346	1178
500x516	332	1133	432	1473
500x620	399	1360	518	1767
500x724	465	1586	605	2062
500x828	532	1813	691	2357
500x932	598	2039	777	2651
500x1036	665	2266	864	2946
500x1140	731	2493	950	3240
500x1244	797	2719	1037	3535
500x1348	864	2946	1123	3829
500x1452	930	3172	1209	4124
500x1556	997	3399	1296	4419
500x1660	1063	3626	1382	4713
500x1764	1130	3852	1469	5008
500x1868	1196	4079	1555	5302
500x1972	1263	4305	1641	5597
600x308	245	834	318	1084
600x412	326	1112	424	1445
600x516	408	1390	530	1806
600x620	489	1667	636	2168
600x724	571	1945	742	2529
600x828	652	2223	848	2890
600x932	734	2501	954	3252
600x1036	815	2779	1060	3613
600x1140	897	3057	1165	3974
600x1244	978	3335	1271	4335
600x1348	1060	3613	1377	4697
600x1452	1141	3891	1483	5058
600x1556	1223	4169	1589	5419
600x1660	1304	4447	1695	5781
600x1764	1386	4725	1801	6142
600x1868	1467	5002	1907	6503
600x1972	1549	5280	2013	6865
700x308	279	952	363	1237
700x412	372	1269	484	1650

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
1.84	2.73	0.02	390X343X78
2.45	3.39	0.02	390X447X78
3.06	4.15	0.02	390X551X78
3.67	4.80	0.02	390X655X78
4.28	5.68	0.03	390X759X78
4.89	6.36	0.03	390X863X78
5.50	7.08	0.03	390X967X78
6.12	7.77	0.04	390X1071X78
6.73	8.49	0.04	390X1175X78
7.33	9.17	0.04	390X1279X78
7.94	9.90	0.05	390X1383X78
8.56	10.58	0.05	390X1487X78
9.17	11.30	0.05	390X1591X78
9.78	11.98	0.06	390X1695X78
10.39	12.71	0.06	390X1799X78
11.00	13.40	0.06	390X1903X78
11.61	14.12	0.07	390X2007X78
2.16	3.14	0.02	490X343X78
2.88	3.94	0.02	490X447X78
3.60	4.81	0.03	490X551X78
4.31	5.58	0.03	490X655X78
5.03	6.40	0.03	490X759X78
5.75	7.40	0.04	490X863X78
6.47	8.26	0.04	490X967X78
7.19	9.07	0.05	490X1071X78
7.91	9.93	0.05	490X1175X78
8.62	10.72	0.05	490X1279X78
9.34	11.56	0.06	490X1383X78
10.06	12.38	0.06	490X1487X78
10.78	13.22	0.07	490X1591X78
11.50	14.05	0.07	490X1695X78
12.21	14.89	0.07	490X1799X78
12.92	15.69	0.08	490X1903X78
13.64	16.54	0.08	490X2007X78
2.48	3.56	0.02	590X343X78
3.31	4.48	0.03	590X447X78
4.13	5.48	0.03	590X551X78
4.95	6.37	0.04	590X655X78
5.78	7.51	0.04	590X759X78
6.60	8.44	0.04	590X863X78
7.43	9.42	0.05	590X967X78
8.26	10.36	0.05	590X1071X78
9.09	11.33	0.06	590X1175X78
9.90	12.27	0.06	590X1279X78
10.73	13.24	0.07	590X1383X78
11.55	14.17	0.07	590X1487X78
12.38	15.14	0.08	590X1591X78
13.21	16.09	0.08	590X1695X78
14.04	17.06	0.09	590X1799X78
14.85	17.99	0.09	590X1903X78
15.68	18.96	0.10	590X2007X78
2.80	3.97	0.02	690X343X78
3.74	5.00	0.03	690X447X78
4.67	6.13	0.03	690X551X78
5.59	7.16	0.04	690X655X78
6.53	8.42	0.05	690X759X78
7.46	9.47	0.05	690X863X78
8.40	10.58	0.06	690X967X78
9.33	11.64	0.06	690X1071X78
10.26	12.74	0.07	690X1175X78
11.19	13.80	0.07	690X1279X78
12.12	14.91	0.08	690X1383X78
13.05	15.97	0.09	690X1487X78
13.99	17.06	0.09	690X1591X78
14.92	18.12	0.10	690X1695X78
15.86	19.23	0.10	690X1799X78
16.78	20.29	0.11	690X1903X78
17.71	21.38	0.11	690X2007X78
3.12	4.39	0.03	790X343X78
4.16	5.53	0.03	790X447X78

OTIS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x516	5	43	645	35-44	69-78	22-31	4	100	0.78	C-E-D	£ 106.44
700x620	6	43	645	35-44	69-78	22-31	4	100	0.94	C-E-D	£ 125.92
700x724	7	43	645	35-44	69-78	22-31	4	100	1.09	C-E-D	£ 145.74
700x828	8	43	645	35-44	69-78	22-31	4	100	1.25	C-E-D	£ 167.39
700x932	9	43	645	35-44	69-78	22-31	4	100	1.40	C-E-D	£ 185.86
700x1036	10	43	645	35-44	69-78	22-31	4	100	1.56	C-E-D	£ 206.68
700x1140	11	43	645	35-44	69-78	22-31	4	100	1.71	C-E-D	£ 225.96
700x1244	12	43	645	35-44	69-78	22-31	4	100	1.87	C-E-D	£ 246.78
700x1348	13	43	645	35-44	69-78	22-31	4	100	2.02	C-E-D	£ 265.24
700x1452	14	43	645	35-44	69-78	22-31	4	100	2.18	C	£ 286.06
700x1556	15	43	645	35-44	69-78	22-31	4	100	2.33	C	£ 305.35
700x1660	16	43	645	35-44	69-78	22-31	4	100	2.49	C	£ 326.17
700x1764	17	43	645	35-44	69-78	22-31	4	100	2.64	C	£ 344.63
700x1868	18	43	645	35-44	69-78	22-31	4	100	2.80	C	£ 365.43
700x1972	19	43	645	35-44	69-78	22-31	4	100	2.96	C	£ 384.74
800x308	3	43	745	35-44	69-78	22-31	4	100	0.51	C	£ 70.11
800x412	4	43	745	35-44	69-78	22-31	4	100	0.68	C-E-D	£ 91.47
800x516	5	43	745	35-44	69-78	22-31	4	100	0.85	C-E-D	£ 112.42
800x620	6	43	745	35-44	69-78	22-31	4	100	1.02	C-E-D	£ 133.06
800x724	7	43	745	35-44	69-78	22-31	4	100	1.19	C-E-D	£ 154.03
800x828	8	43	745	35-44	69-78	22-31	4	100	1.36	C-E-D	£ 176.86
800x932	9	43	745	35-44	69-78	22-31	4	100	1.53	C-E-D	£ 196.48
800x1036	10	43	745	35-44	69-78	22-31	4	100	1.70	C-E-D	£ 218.44
800x1140	11	43	745	35-44	69-78	22-31	4	100	1.87	C-E-D	£ 238.90
800x1244	12	43	745	35-44	69-78	22-31	4	100	2.04	C-E-D	£ 260.87
800x1348	13	43	745	35-44	69-78	22-31	4	100	2.21	C-E-D	£ 280.48
800x1452	14	43	745	35-44	69-78	22-31	4	100	2.38	C	£ 302.46
800x1556	15	43	745	35-44	69-78	22-31	4	100	2.55	C	£ 322.92
800x1660	16	43	745	35-44	69-78	22-31	4	100	2.72	C	£ 344.89
800x1764	17	43	745	35-44	69-78	22-31	4	100	2.89	C	£ 364.51
800x1868	18	43	745	35-44	69-78	22-31	4	100	3.06	C	£ 386.48
800x1972	19	43	745	35-44	69-78	22-31	4	100	3.23	C	£ 406.93
900x308	3	43	845	35-44	69-78	22-31	4	100	0.55	C	£ 73.78
900x412	4	43	845	35-44	69-78	22-31	4	100	0.74	C-E-D	£ 96.31
900x516	5	43	845	35-44	69-78	22-31	4	100	0.92	C-E-D	£ 118.41
900x620	6	43	845	35-44	69-78	22-31	4	100	1.11	C-E-D	£ 140.20
900x724	7	43	845	35-44	69-78	22-31	4	100	1.29	C-E-D	£ 162.34
900x828	8	43	845	35-44	69-78	22-31	4	100	1.47	C-E-D	£ 186.31
900x932	9	43	845	35-44	69-78	22-31	4	100	1.66	C-E-D	£ 207.09
900x1036	10	43	845	35-44	69-78	22-31	4	100	1.84	C-E-D	£ 230.21
900x1140	11	43	845	35-44	69-78	22-31	4	100	2.03	C-E-D	£ 251.84
900x1244	12	43	845	35-44	69-78	22-31	4	100	2.21	C-E-D	£ 274.96
900x1348	13	43	845	35-44	69-78	22-31	4	100	2.39	C-E-D	£ 295.73
900x1452	14	43	845	35-44	69-78	22-31	4	100	2.58	C	£ 318.87
900x1556	15	43	845	35-44	69-78	22-31	4	100	2.76	C	£ 340.48
900x1660	16	43	845	35-44	69-78	22-31	4	100	2.95	C	£ 363.61
900x1764	17	43	845	35-44	69-78	22-31	4	100	3.13	C	£ 384.39
900x1868	18	43	845	35-44	69-78	22-31	4	100	3.31	C	£ 407.52
900x1972	19	43	845	35-44	69-78	22-31	4	100	3.50	C	£ 429.13
1000x308	3	43	945	35-44	69-78	22-31	4	100	0.60	C	£ 80.31
1000x412	4	43	945	35-44	69-78	22-31	4	100	0.80	C-E-D	£ 104.87
1000x516	5	43	945	35-44	69-78	22-31	4	100	0.99	C-E-D	£ 129.01
1000x620	6	43	945	35-44	69-78	22-31	4	100	1.19	C-E-D	£ 152.81
1000x724	7	43	945	35-44	69-78	22-31	4	100	1.39	C-E-D	£ 176.95
1000x828	8	43	945	35-44	69-78	22-31	4	100	1.59	C-E-D	£ 203.02
1000x932	9	43	945	35-44	69-78	22-31	4	100	1.79	C-E-D	£ 225.77
1000x1036	10	43	945	35-44	69-78	22-31	4	100	1.99	C-E-D	£ 250.95
1000x1140	11	43	945	35-44	69-78	22-31	4	100	2.18	C-E-D	£ 274.56
1000x1244	12	43	945	35-44	69-78	22-31	4	100	2.38	C-E-D	£ 299.75
1000x1348	13	43	945	35-44	69-78	22-31	4	100	2.58	C-E-D	£ 322.51
1000x1452	14	43	945	35-44	69-78	22-31	4	100	2.78	C	£ 347.69
1000x1556	15	43	945	35-44	69-78	22-31	4	100	2.98	C	£ 371.31
1000x1660	16	43	945	35-44	69-78	22-31	4	100	3.18	C	£ 396.49
1000x1764	17	43	945	35-44	69-78	22-31	4	100	3.37	C	£ 419.23
1000x1868	18	43	945	35-44	69-78	22-31	4	100	3.57	C	£ 444.42
1000x1972	19	43	945	35-44	69-78	22-31	4	100	3.77	C	£ 468.05
1200x308	3	43	1145	35-44	69-78	22-31	4	100	0.68	C	£ 89.97
1200x412	4	43	1145	35-44	69-78	22-31	4	100	0.91	C-E-D	£ 117.61
1200x516	5	43	1145	35-44	69-78	22-31	4	100	1.14	C-E-D	£ 144.83
1200x620	6	43	1145	35-44	69-78	22-31	4	100	1.36	C-E-D	£ 171.73

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x516	465	1586	605	2062
700x620	558	1903	726	2474
700x724	651	2221	847	2887
700x828	744	2538	968	3299
700x932	837	2855	1088	3712
700x1036	930	3172	1209	4124
700x1140	1023	3490	1330	4536
700x1244	1116	3807	1451	4949
700x1348	1209	4124	1572	5361
700x1452	1302	4441	1693	5774
700x1556	1395	4758	1814	6186
700x1660	1488	5076	1935	6598
700x1764	1582	5393	2056	7011
700x1868	1675	5710	2177	7423
700x1972	1768	6027	2298	7836
800x308	312	1064	406	1383
800x412	416	1419	541	1845
800x516	520	1774	676	2306
800x620	624	2128	811	2767
800x724	728	2483	947	3228
800x828	832	2838	1082	3689
800x932	936	3192	1217	4150
800x1036	1040	3547	1352	4611
800x1140	1144	3902	1488	5072
800x1244	1248	4257	1623	5534
800x1348	1352	4611	1758	5995
800x1452	1456	4966	1893	6456
800x1556	1560	5321	2028	6917
800x1660	1664	5676	2164	7378
800x1764	1768	6030	2299	7839
800x1868	1872	6385	2434	8300
800x1972	1976	6740	2569	8762
900x308	344	1171	447	1523
900x412	458	1562	595	2030
900x516	573	1952	744	2538
900x620	687	2343	893	3045
900x724	801	2733	1042	3553
900x828	916	3124	1191	4061
900x932	1030	3514	1340	4568
900x1036	1145	3904	1488	5076
900x1140	1259	4295	1637	5583
900x1244	1374	4685	1786	6091
900x1348	1488	5076	1935	6598
900x1452	1603	5466	2084	7106
900x1556	1717	5857	2233	7614
900x1660	1832	6247	2382	8121
900x1764	1946	6637	2530	8629
900x1868	2061	7028	2679	9136
900x1972	2175	7418	2828	9644
1000x308	373	1273	485	1655
1000x412	498	1698	647	2207
1000x516	622	2122	809	2759
1000x620	747	2547	971	3311
1000x724	871	2971	1133	3863
1000x828	996	3396	1295	4414
1000x932	1120	3820	1456	4966
1000x1036	1245	4245	1618	5518
1000x1140	1369	4669	1780	6070
1000x1244	1494	5093	1942	6621
1000x1348	1618	5518	2104	7173
1000x1452	1743	5942	2265	7725
1000x1556	1867	6367	2427	8277
1000x1660	1992	6791	2589	8829
1000x1764	2116	7216	2751	9380
1000x1868	2241	7640	2913	9932
1000x1972	2365	8065	3074	10484
1200x308	429	1462	557	1901
1200x412	572	1949	743	2534
1200x516	715	2437	929	3168
1200x620	857	2924	1115	3801

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
5.21	6.80	0.04	790X551X78
6.24	7.95	0.05	790X655X78
7.28	9.34	0.05	790X759X78
8.32	10.53	0.06	790X863X78
9.36	11.77	0.06	790X967X78
10.40	12.94	0.07	790X1071X78
11.44	14.16	0.08	790X1175X78
12.47	15.35	0.08	790X1279X78
13.51	16.57	0.09	790X1383X78
14.55	17.77	0.10	790X1487X78
15.60	18.99	0.10	790X1591X78
16.64	20.20	0.11	790X1695X78
17.68	21.40	0.12	790X1799X78
18.71	22.59	0.12	790X1903X78
19.75	23.81	0.13	790X2007X78
4.44	4.79	0.03	890X343X78
5.59	6.08	0.04	890X447X78
6.74	7.47	0.04	890X551X78
6.88	8.74	0.05	890X655X78
8.03	10.25	0.06	890X759X78
9.18	11.58	0.06	890X863X78
10.32	12.91	0.07	890X967X78
11.47	14.23	0.08	890X1071X78
12.62	15.59	0.09	890X1175X78
13.76	16.89	0.09	890X1279X78
14.91	18.24	0.10	890X1383X78
16.05	19.56	0.11	890X1487X78
17.20	20.92	0.12	890X1591X78
18.35	22.23	0.12	890X1695X78
19.50	23.59	0.13	890X1799X78
20.64	24.89	0.14	890X1903X78
21.78	26.24	0.14	890X2007X78
3.77	5.21	0.03	990X343X78
5.02	6.63	0.04	990X447X78
6.28	8.13	0.05	990X551X78
7.52	9.53	0.06	990X655X78
8.78	11.18	0.06	990X759X78
10.03	12.60	0.07	990X863X78
11.29	14.08	0.08	990X967X78
12.54	15.53	0.09	990X1071X78
13.80	17.02	0.10	990X1175X78
15.04	18.44	0.10	990X1279X78
16.30	19.92	0.11	990X1383X78
17.55	21.36	0.12	990X1487X78
18.81	22.84	0.13	990X1591X78
20.06	24.27	0.14	990X1695X78
21.32	25.75	0.14	990X1799X78
22.56	27.19	0.15	990X1903X78
23.82	28.67	0.16	990X2007X78
4.09	5.62	0.03	1090X343X78
5.45	7.17	0.04	1090X447X78
6.81	8.80	0.05	1090X551X78
8.16	10.33	0.06	1090X655X78
9.53	12.08	0.07	1090X759X78
10.89	13.65	0.08	1090X863X78
12.25	15.26	0.09	1090X967X78
13.61	16.82	0.10	1090X1071X78
14.98	18.48	0.10	1090X1175X78
16.33	19.99	0.11	1090X1279X78
17.69	21.58	0.12	1090X1383X78
19.05	23.17	0.13	1090X1487X78
20.41	24.74	0.14	1090X1591X78
21.78	26.34	0.15	1090X1695X78
23.14	27.91	0.16	1090X1799X78
24.49	29.51	0.17	1090X1903X78
25.85	30.95	0.18	1090X2007X78
4.73	6.45	0.04	1290X343X78
6.31	8.23	0.05	1290X447X78
7.88	10.12	0.06	1290X551X78
9.45	11.90	0.07	1290X655X78

OTIS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1200x724	7	43	1145	35-44	69-78	22-31	4	100	1,59	C-E-D	£ 198.97
1200x828	8	43	1145	35-44	69-78	22-31	4	100	1,82	C-E-D	£ 228.11
1200x932	9	43	1145	35-44	69-78	22-31	4	100	2,04	C-E-D	£ 253.95
1200x1036	10	43	1145	35-44	69-78	22-31	4	100	2,27	C-E-D	£ 282.22
1200x1140	11	43	1145	35-44	69-78	22-31	4	100	2,50	C-E-D	£ 308.92
1200x1244	12	43	1145	35-44	69-78	22-31	4	100	2,73	C-E-D	£ 337.20
1200x1348	13	43	1145	35-44	69-78	22-31	4	100	2,95	C-E-D	£ 363.04
1400x308	3	43	1345	35-44	69-78	22-31	4	100	0,77	C	£ 97.58
1400x412	4	43	1345	35-44	69-78	22-31	4	100	1,02	C-E-D	£ 127.62
1400x516	5	43	1345	35-44	69-78	22-31	4	100	1,28	C-E-D	£ 157.25
1400x620	6	43	1345	35-44	69-78	22-31	4	100	1,54	C-E-D	£ 186.54
1400x724	7	43	1345	35-44	69-78	22-31	4	100	1,79	C-E-D	£ 216.18
1400x828	8	43	1345	35-44	69-78	22-31	4	100	2,05	C-E-D	£ 247.73
1400x932	9	43	1345	35-44	69-78	22-31	4	100	2,30	C-E-D	£ 275.97
1400x1036	10	43	1345	35-44	69-78	22-31	4	100	2,56	C-E-D	£ 306.65
1400x1140	11	43	1345	35-44	69-78	22-31	4	100	2,81	C-E-D	£ 335.74
1400x1244	12	43	1345	35-44	69-78	22-31	4	100	3,07	C-E-D	£ 366.42
1400x1348	13	43	1345	35-44	69-78	22-31	4	100	3,32	C-E-D	£ 394.66
1600x308	3	43	1545	35-44	69-78	22-31	4	100	0,86	C	£ 113.62
1600x412	4	43	1545	35-44	69-78	22-31	4	100	1,14	C-E-D	£ 148.87
1600x516	5	43	1545	35-44	69-78	22-31	4	100	1,42	C-E-D	£ 183.71
1600x620	6	43	1545	35-44	69-78	22-31	4	100	1,71	C-E-D	£ 218.21
1600x724	7	43	1545	35-44	69-78	22-31	4	100	1,99	C-E-D	£ 253.07
1600x828	8	43	1545	35-44	69-78	22-31	4	100	2,28	C-E-D	£ 289.82
1600x932	9	43	1545	35-44	69-78	22-31	4	100	2,56	C-E-D	£ 323.28
1600x1036	10	43	1545	35-44	69-78	22-31	4	100	2,84	C-E-D	£ 359.16
1800x308	3	43	1745	35-44	69-78	22-31	4	100	0,94	C	£ 123.51
1800x412	4	43	1745	35-44	69-78	22-31	4	100	1,25	C-E-D	£ 161.52
1800x516	5	43	1745	35-44	69-78	22-31	4	100	1,57	C-E-D	£ 199.09
1800x620	6	43	1745	35-44	69-78	22-31	4	100	1,88	C-E-D	£ 236.36
1800x724	7	43	1745	35-44	69-78	22-31	4	100	2,19	C-E-D	£ 273.96
1800x828	8	43	1745	35-44	69-78	22-31	4	100	2,50	C-E-D	£ 313.46
1800x932	9	43	1745	35-44	69-78	22-31	4	100	2,82	C-E-D	£ 349.65
1800x1036	10	43	1745	35-44	69-78	22-31	4	100	3,13	C-E-D	£ 388.28


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1200x724	1000	3411	1301	4435
1200x828	1143	3899	1486	5068
1200x932	1286	4386	1672	5702
1200x1036	1429	4873	1858	6335
1200x1140	1572	5361	2044	6969
1200x1244	1715	5848	2229	7602
1200x1348	1858	6335	2415	8236
1400x308	492	1679	640	2182
1400x412	656	2238	853	2910
1400x516	820	2798	1067	3637
1400x620	985	3357	1280	4364
1400x724	1149	3917	1493	5092
1400x828	1313	4476	1707	5819
1400x932	1477	5036	1920	6547
1400x1036	1641	5595	2133	7274
1400x1140	1805	6155	2346	8001
1400x1244	1969	6715	2560	8729
1400x1348	2133	7274	2773	9456
1600x308	565	1927	735	2506
1600x412	754	2570	980	3341
1600x516	942	3212	1225	4176
1600x620	1130	3855	1470	5011
1600x724	1319	4497	1714	5846
1600x828	1507	5140	1959	6681
1600x932	1696	5782	2204	7517
1600x1036	1884	6424	2449	8352
1800x308	649	2213	844	2877
1800x412	865	2951	1125	3836
1800x516	1082	3688	1406	4795
1800x620	1298	4426	1687	5753
1800x724	1514	5163	1968	6712
1800x828	1731	5901	2250	7671
1800x932	1947	6639	2531	8630
1800x1036	2163	7376	2812	9589

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
11,03	13,91	0,08	1290X759X78
12,60	15,73	0,09	1290X863X78
14,18	17,60	0,10	1290X967X78
15,75	19,41	0,11	1290X1071X78
17,33	21,26	0,12	1290X1175X78
18,90	23,07	0,13	1290X1279X78
20,47	24,93	0,14	1290X1383X78
5,37	7,27	0,04	1490X343X78
7,16	9,31	0,06	1490X447X78
8,95	11,45	0,07	1490X551X78
10,73	13,48	0,08	1490X655X78
12,52	15,75	0,09	1490X759X78
14,32	17,82	0,11	1490X863X78
16,11	19,92	0,12	1490X967X78
17,90	22,01	0,13	1490X1071X78
19,69	24,08	0,14	1490X1175X78
21,47	26,18	0,15	1490X1279X78
23,26	28,25	0,17	1490X1383X78
5,99	8,08	0,05	1690X343X78
7,99	10,37	0,06	1690X447X78
9,98	12,74	0,08	1690X551X78
11,99	15,02	0,09	1690X655X78
13,98	17,54	0,11	1690X759X78
15,98	19,85	0,12	1690X863X78
17,97	22,20	0,13	1690X967X78
19,97	24,52	0,15	1690X1071X78
6,64	8,86	0,06	1890X343X78
8,85	11,47	0,07	1890X447X78
11,06	14,01	0,09	1890X551X78
13,27	16,78	0,10	1890X655X78
15,48	19,35	0,12	1890X759X78
17,69	21,95	0,13	1890X863X78
19,90	24,51	0,15	1890X967X78
22,11	27,12	0,16	1890X1071X78

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel