

RETRO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x280	5	96	245	70	118	22	20	40	0.36	C	£ 90.30
300x340	6	96	245	70	118	22	20	40	0.43	C	£ 106.65
300x400	7	96	245	70	118	22	20	40	0.51	C-E-D	£ 122.97
300x460	8	96	245	70	118	22	20	40	0.58	C-E-D	£ 140.35
300x520	9	96	245	70	118	22	20	40	0.65	C-E-D	£ 156.88
300x580	10	96	245	70	118	22	20	40	0.73	C-E-D	£ 173.41
300x640	11	96	245	70	118	22	20	40	0.80	C-E-D	£ 190.78
300x700	12	96	245	70	118	22	20	40	0.87	C-E-D	£ 207.31
300x760	13	96	245	70	118	22	20	40	0.95	C-E-D	£ 223.84
300x820	14	96	245	70	118	22	20	40	1.02	C-E-D	£ 240.38
300x880	15	96	245	70	118	22	20	40	1.09	C-E-D	£ 257.74
300x940	16	96	245	70	118	22	20	40	1.17	C-E-D	£ 274.28
300x1000	17	96	245	70	118	22	20	40	1.24	C-E-D	£ 290.80
300x1060	18	96	245	70	118	22	20	40	1.31	C-E-D	£ 307.34
300x1120	19	96	245	70	118	22	20	40	1.39	C-E-D	£ 324.70
300x1180	20	96	245	70	118	22	20	40	1.46	C-E-D	£ 341.24
300x1240	21	96	245	70	118	22	20	40	1.53	C-E-D	£ 357.77
300x1300	22	96	245	70	118	22	20	40	1.61	C-E-D	£ 375.14
300x1360	23	96	245	70	118	22	20	40	1.68	C-E-D	£ 391.66
300x1420	24	96	245	70	118	22	20	40	1.75	C	£ 408.20
300x1480	25	96	245	70	118	22	20	40	1.83	C	£ 424.72
300x1540	26	96	245	70	118	22	20	40	1.90	C	£ 442.10
300x1600	27	96	245	70	118	22	20	40	1.97	C	£ 458.62
300x1660	28	96	245	70	118	22	20	40	2.05	C	£ 475.16
300x1720	29	96	245	70	118	22	20	40	2.12	C	£ 491.69
300x1780	30	96	245	70	118	22	20	40	2.19	C	£ 509.06
300x1840	31	96	245	70	118	22	20	40	2.27	C	£ 525.59
300x1900	32	96	245	70	118	22	20	40	2.34	C	£ 542.12
300x1960	33	96	245	70	118	22	20	40	2.41	C	£ 559.49
400x280	5	96	345	70	118	22	20	40	0.43	C	£ 97.43
400x340	6	96	345	70	118	22	20	40	0.52	C	£ 115.17
400x400	7	96	345	70	118	22	20	40	0.61	C-E-D	£ 132.90
400x460	8	96	345	70	118	22	20	40	0.69	C-E-D	£ 151.68
400x520	9	96	345	70	118	22	20	40	0.78	C-E-D	£ 169.62
400x580	10	96	345	70	118	22	20	40	0.87	C-E-D	£ 187.56
400x640	11	96	345	70	118	22	20	40	0.96	C-E-D	£ 206.34
400x700	12	96	345	70	118	22	20	40	1.04	C-E-D	£ 224.26
400x760	13	96	345	70	118	22	20	40	1.13	C-E-D	£ 242.21
400x820	14	96	345	70	118	22	20	40	1.22	C-E-D	£ 260.15
400x880	15	96	345	70	118	22	20	40	1.31	C-E-D	£ 278.93
400x940	16	96	345	70	118	22	20	40	1.40	C-E-D	£ 296.87
400x1000	17	96	345	70	118	22	20	40	1.48	C-E-D	£ 314.79
400x1060	18	96	345	70	118	22	20	40	1.57	C-E-D	£ 332.73
400x1120	19	96	345	70	118	22	20	40	1.66	C-E-D	£ 351.51
400x1180	20	96	345	70	118	22	20	40	1.75	C-E-D	£ 369.45
400x1240	21	96	345	70	118	22	20	40	1.83	C-E-D	£ 387.39
400x1300	22	96	345	70	118	22	20	40	1.92	C-E-D	£ 406.16
400x1360	23	96	345	70	118	22	20	40	2.01	C-E-D	£ 424.09
400x1420	24	96	345	70	118	22	20	40	2.10	C	£ 442.03
400x1480	25	96	345	70	118	22	20	40	2.18	C	£ 459.97
400x1540	26	96	345	70	118	22	20	40	2.27	C	£ 478.75
400x1600	27	96	345	70	118	22	20	40	2.36	C	£ 496.69
400x1660	28	96	345	70	118	22	20	40	2.45	C	£ 514.61
400x1720	29	96	345	70	118	22	20	40	2.53	C	£ 532.56
400x1780	30	96	345	70	118	22	20	40	2.62	C	£ 551.34
400x1840	31	96	345	70	118	22	20	40	2.71	C	£ 569.28
400x1900	32	96	345	70	118	22	20	40	2.80	C	£ 587.21
400x1960	33	96	345	70	118	22	20	40	2.88	C	£ 605.99
500x280	5	96	445	70	118	22	20	40	0.50	C	£ 104.87
500x340	6	96	445	70	118	22	20	40	0.60	C	£ 124.02
500x400	7	96	445	70	118	22	20	40	0.71	C-E-D	£ 143.16
500x460	8	96	445	70	118	22	20	40	0.81	C-E-D	£ 163.34
500x520	9	96	445	70	118	22	20	40	0.91	C-E-D	£ 182.68
500x580	10	96	445	70	118	22	20	40	1.01	C-E-D	£ 202.04
500x640	11	96	445	70	118	22	20	40	1.11	C-E-D	£ 222.22
500x700	12	96	445	70	118	22	20	40	1.22	C-E-D	£ 241.56
500x760	13	96	445	70	118	22	20	40	1.32	C-E-D	£ 260.90
500x820	14	96	445	70	118	22	20	40	1.42	C-E-D	£ 280.24
500x880	15	96	445	70	118	22	20	40	1.52	C-E-D	£ 300.42
500x940	16	96	445	70	118	22	20	40	1.62	C-E-D	£ 319.76

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x280	170	578	220	751
300x340	203	694	264	902
300x400	237	809	308	1052
300x460	271	925	353	1202
300x520	305	1040	397	1353
300x580	339	1156	441	1503
300x640	373	1272	485	1653
300x700	407	1387	529	1803
300x760	441	1503	573	1954
300x820	475	1618	617	2104
300x880	509	1734	661	2254
300x940	542	1850	705	2404
300x1000	576	1965	749	2555
300x1060	610	2081	793	2705
300x1120	644	2196	837	2855
300x1180	678	2312	881	3006
300x1240	712	2428	925	3156
300x1300	746	2543	970	3306
300x1360	780	2659	1014	3456
300x1420	814	2774	1058	3607
300x1480	848	2890	1102	3757
300x1540	881	3006	1146	3907
300x1600	915	3121	1190	4058
300x1660	949	3237	1234	4208
300x1720	983	3352	1278	4358
300x1780	1017	3468	1322	4508
300x1840	1051	3584	1366	4659
300x1900	1085	3699	1410	4809
300x1960	1119	3815	1454	4959
400x280	231	788	300	1024
400x340	277	945	360	1229
400x400	323	1103	420	1434
400x460	370	1260	480	1638
400x520	416	1418	541	1843
400x580	462	1575	601	2048
400x640	508	1733	661	2253
400x700	554	1890	721	2458
400x760	601	2048	781	2662
400x820	647	2205	841	2867
400x880	693	2363	901	3072
400x940	739	2521	961	3277
400x1000	785	2678	1021	3482
400x1060	832	2836	1081	3686
400x1120	878	2993	1141	3891
400x1180	924	3151	1201	4096
400x1240	970	3308	1261	4301
400x1300	1016	3466	1321	4505
400x1360	1063	3623	1381	4710
400x1420	1109	3781	1441	4915
400x1480	1155	3938	1501	5120
400x1540	1201	4096	1561	5325
400x1600	1247	4253	1622	5529
400x1660	1294	4411	1682	5734
400x1720	1340	4568	1742	5939
400x1780	1386	4726	1802	6144
400x1840	1432	4884	1862	6349
400x1900	1478	5041	1922	6553
400x1960	1525	5199	1982	6758
500x280	295	1006	384	1308
500x340	354	1208	460	1570
500x400	413	1409	537	1832
500x460	472	1610	614	2093
500x520	531	1811	691	2355
500x580	590	2013	767	2616
500x640	649	2214	844	2878
500x700	708	2415	921	3140
500x760	767	2616	997	3401
500x820	826	2818	1074	3663
500x880	885	3019	1151	3925
500x940	944	3220	1228	4186

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
3.10	4.06	0.02	430X327X138
3.72	4.75	0.03	430X387X138
4.35	5.45	0.03	430X447X138
4.98	6.14	0.04	430X507X138
5.60	6.83	0.04	430X567X138
6.23	7.53	0.04	430X627X138
6.86	8.22	0.05	430X687X138
7.48	8.92	0.05	430X747X138
8.11	9.61	0.05	430X807X138
8.74	10.31	0.06	430X867X138
9.37	11.01	0.06	430X927X138
10.00	11.71	0.06	430X987X138
10.62	12.39	0.07	430X1047X138
11.24	13.10	0.07	430X1107X138
11.87	13.79	0.07	430X1167X138
12.50	14.50	0.08	430X1227X138
13.13	15.19	0.08	430X1287X138
13.76	15.88	0.08	430X1347X138
14.39	16.59	0.09	430X1407X138
15.00	17.26	0.09	430X1467X138
15.63	17.95	0.10	430X1527X138
16.26	18.66	0.10	430X1587X138
16.89	19.37	0.10	430X1647X138
17.52	20.05	0.11	430X1707X138
18.14	20.74	0.11	430X1767X138
18.77	21.45	0.11	430X1827X138
19.39	22.15	0.12	430X1887X138
20.02	22.84	0.12	430X1947X138
20.65	23.53	0.12	430X2007X138
3.76	4.83	0.03	530X327X138
4.52	5.65	0.03	530X387X138
5.28	6.50	0.04	530X447X138
6.04	7.34	0.04	530X507X138
6.80	8.19	0.05	530X567X138
7.56	9.03	0.05	530X627X138
8.32	9.87	0.06	530X687X138
9.07	10.69	0.06	530X747X138
9.84	11.54	0.06	530X807X138
10.60	12.38	0.07	530X867X138
11.36	13.22	0.07	530X927X138
12.12	14.06	0.08	530X987X138
12.88	14.89	0.08	530X1047X138
13.63	15.72	0.09	530X1107X138
14.39	16.56	0.09	530X1167X138
15.16	17.42	0.09	530X1227X138
15.92	18.26	0.10	530X1287X138
16.68	19.10	0.10	530X1347X138
17.44	19.93	0.11	530X1407X138
18.19	20.77	0.11	530X1467X138
18.95	21.60	0.12	530X1527X138
19.71	22.45	0.12	530X1587X138
20.48	23.29	0.13	530X1647X138
21.24	24.13	0.13	530X1707X138
21.99	24.96	0.13	530X1767X138
22.75	25.80	0.14	530X1827X138
23.51	26.64	0.14	530X1887X138
24.27	27.48	0.15	530X1947X138
25.03	28.33	0.15	530X2007X138
4.43	5.60	0.04	630X327X138
5.31	6.57	0.04	630X387X138
6.21	7.55	0.04	630X447X138
7.10	8.54	0.05	630X507X138
8.00	9.53	0.05	630X567X138
8.89	10.52	0.06	630X627X138
9.78	11.50	0.06	630X687X138
10.67	12.47	0.07	630X747X138
11.56	13.46	0.08	630X807X138
12.46	14.45	0.08	630X867X138
13.35	15.42	0.09	630X927X138
14.24	16.40	0.09	630X987X138

RETRO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x1000	17	96	445	70	118	22	20	40	1.73	C-E-D	£ 339.12
500x1060	18	96	445	70	118	22	20	40	1.83	C-E-D	£ 358.46
500x1120	19	96	445	70	118	22	20	40	1.93	C-E-D	£ 378.64
500x1180	20	96	445	70	118	22	20	40	2.03	C-E-D	£ 397.98
500x1240	21	96	445	70	118	22	20	40	2.13	C-E-D	£ 417.32
500x1300	22	96	445	70	118	22	20	40	2.24	C-E-D	£ 437.50
500x1360	23	96	445	70	118	22	20	40	2.34	C-E-D	£ 456.85
500x1420	24	96	445	70	118	22	20	40	2.44	C	£ 476.19
500x1480	25	96	445	70	118	22	20	40	2.54	C	£ 495.54
500x1540	26	96	445	70	118	22	20	40	2.64	C	£ 515.72
500x1600	27	96	445	70	118	22	20	40	2.74	C	£ 535.06
500x1660	28	96	445	70	118	22	20	40	2.85	C	£ 554.41
500x1720	29	96	445	70	118	22	20	40	2.95	C	£ 573.75
500x1780	30	96	445	70	118	22	20	40	3.05	C	£ 593.93
500x1840	31	96	445	70	118	22	20	40	3.15	C	£ 613.27
500x1900	32	96	445	70	118	22	20	40	3.25	C	£ 632.62
500x1960	33	96	445	70	118	22	20	40	3.36	C	£ 652.80
600x280	5	96	545	70	118	22	20	40	0.57	C	£ 110.97
600x340	6	96	545	70	118	22	20	40	0.69	C	£ 131.53
600x400	7	96	545	70	118	22	20	40	0.81	C-E-D	£ 152.08
600x460	8	96	545	70	118	22	20	40	0.92	C-E-D	£ 173.66
600x520	9	96	545	70	118	22	20	40	1.04	C-E-D	£ 194.42
600x580	10	96	545	70	118	22	20	40	1.16	C-E-D	£ 215.16
600x640	11	96	545	70	118	22	20	40	1.27	C-E-D	£ 236.75
600x700	12	96	545	70	118	22	20	40	1.39	C-E-D	£ 257.50
600x760	13	96	545	70	118	22	20	40	1.50	C-E-D	£ 278.26
600x820	14	96	545	70	118	22	20	40	1.62	C-E-D	£ 299.00
600x880	15	96	545	70	118	22	20	40	1.74	C-E-D	£ 320.59
600x940	16	96	545	70	118	22	20	40	1.85	C-E-D	£ 341.34
600x1000	17	96	545	70	118	22	20	40	1.97	C-E-D	£ 362.09
600x1060	18	96	545	70	118	22	20	40	2.09	C-E-D	£ 382.84
600x1120	19	96	545	70	118	22	20	40	2.20	C-E-D	£ 404.43
600x1180	20	96	545	70	118	22	20	40	2.32	C-E-D	£ 425.18
600x1240	21	96	545	70	118	22	20	40	2.43	C-E-D	£ 445.92
600x1300	22	96	545	70	118	22	20	40	2.55	C-E-D	£ 467.51
600x1360	23	96	545	70	118	22	20	40	2.67	C-E-D	£ 488.26
600x1420	24	96	545	70	118	22	20	40	2.78	C	£ 509.02
600x1480	25	96	545	70	118	22	20	40	2.90	C	£ 529.76
600x1540	26	96	545	70	118	22	20	40	3.01	C	£ 551.35
600x1600	27	96	545	70	118	22	20	40	3.13	C	£ 572.09
600x1660	28	96	545	70	118	22	20	40	3.25	C	£ 592.86
600x1720	29	96	545	70	118	22	20	40	3.36	C	£ 613.60
600x1780	30	96	545	70	118	22	20	40	3.48	C	£ 635.19
600x1840	31	96	545	70	118	22	20	40	3.60	C	£ 655.94
600x1900	32	96	545	70	118	22	20	40	3.71	C	£ 676.68
600x1960	33	96	545	70	118	22	20	40	3.83	C	£ 698.28
700x280	5	96	645	70	118	22	20	40	0.65	C	£ 123.31
700x340	6	96	645	70	118	22	20	40	0.78	C	£ 145.98
700x400	7	96	645	70	118	22	20	40	0.91	C-E-D	£ 168.66
700x460	8	96	645	70	118	22	20	40	1.04	C-E-D	£ 192.37
700x520	9	96	645	70	118	22	20	40	1.17	C-E-D	£ 215.22
700x580	10	96	645	70	118	22	20	40	1.30	C-E-D	£ 238.10
700x640	11	96	645	70	118	22	20	40	1.43	C-E-D	£ 261.80
700x700	12	96	645	70	118	22	20	40	1.56	C-E-D	£ 284.67
700x760	13	96	645	70	118	22	20	40	1.69	C-E-D	£ 307.54
700x820	14	96	645	70	118	22	20	40	1.82	C-E-D	£ 330.39
700x880	15	96	645	70	118	22	20	40	1.95	C-E-D	£ 354.11
700x940	16	96	645	70	118	22	20	40	2.08	C-E-D	£ 376.97
700x1000	17	96	645	70	118	22	20	40	2.21	C-E-D	£ 399.84
700x1060	18	96	645	70	118	22	20	40	2.34	C-E-D	£ 422.70
700x1120	19	96	645	70	118	22	20	40	2.47	C-E-D	£ 446.40
700x1180	20	96	645	70	118	22	20	40	2.60	C-E-D	£ 469.28
700x1240	21	96	645	70	118	22	20	40	2.73	C-E-D	£ 492.15
700x1300	22	96	645	70	118	22	20	40	2.86	C-E-D	£ 515.85
700x1360	23	96	645	70	118	22	20	40	2.99	C-E-D	£ 538.71
700x1420	24	96	645	70	118	22	20	40	3.13	C	£ 561.58
700x1480	25	96	645	70	118	22	20	40	3.26	C	£ 584.45
700x1540	26	96	645	70	118	22	20	40	3.39	C	£ 608.16
700x1600	27	96	645	70	118	22	20	40	3.52	C	£ 631.01
700x1660	28	96	645	70	118	22	20	40	3.65	C	£ 653.88

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x1000	1003	3422	1304	4448
500x1060	1062	3623	1381	4710
500x1120	1121	3824	1458	4971
500x1180	1180	4025	1535	5233
500x1240	1239	4227	1611	5495
500x1300	1298	4428	1688	5756
500x1360	1358	4629	1765	6018
500x1420	1417	4830	1841	6279
500x1480	1476	5032	1918	6541
500x1540	1535	5233	1995	6803
500x1600	1594	5434	2072	7064
500x1660	1653	5635	2148	7326
500x1720	1712	5837	2225	7588
500x1780	1771	6038	2302	7849
500x1840	1830	6239	2379	8111
500x1900	1889	6440	2455	8373
500x1960	1948	6642	2532	8634
600x280	362	1234	471	1605
600x340	434	1481	565	1925
600x400	507	1728	659	2246
600x460	579	1975	753	2567
600x520	652	2222	847	2888
600x580	724	2469	941	3209
600x640	796	2715	1035	3530
600x700	869	2962	1129	3851
600x760	941	3209	1223	4172
600x820	1013	3456	1318	4493
600x880	1086	3703	1412	4814
600x940	1158	3950	1506	5134
600x1000	1231	4196	1600	5455
600x1060	1303	4443	1694	5776
600x1120	1375	4690	1788	6097
600x1180	1448	4937	1882	6418
600x1240	1520	5184	1976	6739
600x1300	1593	5431	2070	7060
600x1360	1665	5678	2164	7381
600x1420	1737	5924	2259	7702
600x1480	1810	6171	2353	8023
600x1540	1882	6418	2447	8343
600x1600	1955	6665	2541	8664
600x1660	2027	6912	2635	8985
600x1720	2099	7159	2729	9306
600x1780	2172	7405	2823	9627
600x1840	2244	7652	2917	9948
600x1900	2316	7899	3011	10269
600x1960	2389	8146	3106	10590
700x280	413	1409	537	1832
700x340	496	1691	645	2198
700x400	578	1972	752	2564
700x460	661	2254	859	2930
700x520	744	2536	967	3297
700x580	826	2818	1074	3663
700x640	909	3099	1182	4029
700x700	992	3381	1289	4396
700x760	1074	3663	1396	4762
700x820	1157	3945	1504	5128
700x880	1239	4227	1611	5495
700x940	1322	4508	1719	5861
700x1000	1405	4790	1826	6227
700x1060	1487	5072	1934	6593
700x1120	1570	5354	2041	6960
700x1180	1653	5635	2148	7326
700x1240	1735	5917	2256	7692
700x1300	1818	6199	2363	8059
700x1360	1901	6481	2471	8425
700x1420	1983	6762	2578	8791
700x1480	2066	7044	2685	9158
700x1540	2148	7326	2793	9524
700x1600	2231	7608	2900	9890
700x1660	2314	7890	3008	10256

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
15.14	17.39	0.10	630X1047X138
16.02	18.37	0.10	630X1107X138
16.92	19.36	0.11	630X1167X138
17.81	20.33	0.11	630X1227X138
18.71	21.32	0.12	630X1287X138
19.60	22.30	0.12	630X1347X138
20.49	23.29	0.13	630X1407X138
21.38	24.27	0.13	630X1467X138
22.27	25.25	0.14	630X1527X138
23.17	26.24	0.14	630X1587X138
24.06	27.22	0.15	630X1647X138
24.95	28.20	0.15	630X1707X138
25.84	29.18	0.16	630X1767X138
26.73	30.15	0.16	630X1827X138
27.63	31.15	0.17	630X1887X138
28.52	32.13	0.17	630X1947X138
29.42	33.12	0.18	630X2007X138

RETRO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1720	29	96	645	70	118	22	20	40	3,78	C	£ 676.75
700x1780	30	96	645	70	118	22	20	40	3,91	C	£ 700.46
700x1840	31	96	645	70	118	22	20	40	4,04	C	£ 723.33
700x1900	32	96	645	70	118	22	20	40	4,17	C	£ 746.18
700x1960	33	96	645	70	118	22	20	40	4,30	C	£ 769.90
800x280	5	96	745	70	118	22	20	40	0,72	C	£ 130.76
800x340	6	96	745	70	118	22	20	40	0,86	C	£ 154.84
800x400	7	96	745	70	118	22	20	40	1,01	C-E-D	£ 178.91
800x460	8	96	745	70	118	22	20	40	1,15	C-E-D	£ 204.03
800x520	9	96	745	70	118	22	20	40	1,30	C-E-D	£ 228.30
800x580	10	96	745	70	118	22	20	40	1,44	C-E-D	£ 252.57
800x640	11	96	745	70	118	22	20	40	1,59	C-E-D	£ 277.68
800x700	12	96	745	70	118	22	20	40	1,73	C-E-D	£ 301.95
800x760	13	96	745	70	118	22	20	40	1,88	C-E-D	£ 326.22
800x820	14	96	745	70	118	22	20	40	2,02	C-E-D	£ 350.50
800x880	15	96	745	70	118	22	20	40	2,17	C-E-D	£ 375.62
800x940	16	96	745	70	118	22	20	40	2,31	C-E-D	£ 399.89
800x1000	17	96	745	70	118	22	20	40	2,46	C-E-D	£ 424.16
800x1060	18	96	745	70	118	22	20	40	2,60	C-E-D	£ 448.43
800x1120	19	96	745	70	118	22	20	40	2,74	C-E-D	£ 473.54
800x1180	20	96	745	70	118	22	20	40	2,89	C-E-D	£ 497.81
800x1240	21	96	745	70	118	22	20	40	3,03	C-E-D	£ 522.09
800x1300	22	96	745	70	118	22	20	40	3,18	C-E-D	£ 547.19
800x1360	23	96	745	70	118	22	20	40	3,32	C-E-D	£ 571.47
800x1420	24	96	745	70	118	22	20	40	3,47	C	£ 595.74
800x1480	25	96	745	70	118	22	20	40	3,61	C	£ 620.02
800x1540	26	96	745	70	118	22	20	40	3,76	C	£ 645.13
800x1600	27	96	745	70	118	22	20	40	3,90	C	£ 669.40
800x1660	28	96	745	70	118	22	20	40	4,05	C	£ 693.67
800x1720	29	96	745	70	118	22	20	40	4,19	C	£ 717.95
800x1780	30	96	745	70	118	22	20	40	4,34	C	£ 743.05
800x1840	31	96	745	70	118	22	20	40	4,48	C	£ 767.33
800x1900	32	96	745	70	118	22	20	40	4,63	C	£ 791.60
800x1960	33	96	745	70	118	22	20	40	4,77	C	£ 816.71
900x280	5	96	845	70	118	22	20	40	0,79	C	£ 138.21
900x340	6	96	845	70	118	22	20	40	0,95	C	£ 163.69
900x400	7	96	845	70	118	22	20	40	1,11	C-E-D	£ 189.17
900x460	8	96	845	70	118	22	20	40	1,27	C-E-D	£ 215.69
900x520	9	96	845	70	118	22	20	40	1,43	C-E-D	£ 241.36
900x580	10	96	845	70	118	22	20	40	1,58	C-E-D	£ 267.05
900x640	11	96	845	70	118	22	20	40	1,74	C-E-D	£ 293.56
900x700	12	96	845	70	118	22	20	40	1,90	C-E-D	£ 319.24
900x760	13	96	845	70	118	22	20	40	2,06	C-E-D	£ 344.92
900x820	14	96	845	70	118	22	20	40	2,22	C-E-D	£ 370.61
900x880	15	96	845	70	118	22	20	40	2,38	C-E-D	£ 397.12
900x940	16	96	845	70	118	22	20	40	2,54	C-E-D	£ 422.79
900x1000	17	96	845	70	118	22	20	40	2,70	C-E-D	£ 448.47
900x1060	18	96	845	70	118	22	20	40	2,86	C-E-D	£ 474.15
900x1120	19	96	845	70	118	22	20	40	3,02	C-E-D	£ 500.68
900x1180	20	96	845	70	118	22	20	40	3,18	C-E-D	£ 526.35
900x1240	21	96	845	70	118	22	20	40	3,33	C-E-D	£ 552.03
900x1300	22	96	845	70	118	22	20	40	3,49	C-E-D	£ 578.54
900x1360	23	96	845	70	118	22	20	40	3,65	C-E-D	£ 604.22
900x1420	24	96	845	70	118	22	20	40	3,81	C	£ 629.91
900x1480	25	96	845	70	118	22	20	40	3,97	C	£ 655.58
900x1540	26	96	845	70	118	22	20	40	4,13	C	£ 682.11
900x1600	27	96	845	70	118	22	20	40	4,29	C	£ 707.78
900x1660	28	96	845	70	118	22	20	40	4,45	C	£ 733.45
900x1720	29	96	845	70	118	22	20	40	4,61	C	£ 759.14
900x1780	30	96	845	70	118	22	20	40	4,77	C	£ 785.65
900x1840	31	96	845	70	118	22	20	40	4,93	C	£ 811.34
900x1900	32	96	845	70	118	22	20	40	5,08	C	£ 837.01
900x1960	33	96	845	70	118	22	20	40	5,24	C	£ 863.52
1000x280	5	96	945	70	118	22	20	40	0,86	C	£ 151.04
1000x340	6	96	945	70	118	22	20	40	1,03	C	£ 178.93
1000x400	7	96	945	70	118	22	20	40	1,21	C-E-D	£ 206.82
1000x460	8	96	945	70	118	22	20	40	1,38	C-E-D	£ 235.77
1000x520	9	96	945	70	118	22	20	40	1,55	C-E-D	£ 263.86
1000x580	10	96	945	70	118	22	20	40	1,73	C-E-D	£ 291.95
1000x640	11	96	945	70	118	22	20	40	1,90	C-E-D	£ 320.90

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1720	2396	8171	3115	10623
700x1780	2479	8453	3223	10989
700x1840	2562	8735	3330	11355
700x1900	2644	9017	3437	11722
700x1960	2727	9298	3545	12088
800x280	462	1575	601	2048
800x340	554	1890	721	2458
800x400	647	2205	841	2867
800x460	739	2521	961	3277
800x520	832	2836	1081	3686
800x580	924	3151	1201	4096
800x640	1016	3466	1321	4505
800x700	1109	3781	1441	4915
800x760	1201	4096	1561	5325
800x820	1294	4411	1682	5734
800x880	1386	4726	1802	6144
800x940	1478	5041	1922	6553
800x1000	1571	5356	2042	6963
800x1060	1663	5671	2162	7373
800x1120	1756	5986	2282	7782
800x1180	1848	6301	2402	8192
800x1240	1940	6616	2522	8601
800x1300	2033	6931	2643	9011
800x1360	2125	7247	2763	9421
800x1420	2217	7562	2883	9830
800x1480	2310	7877	3003	10240
800x1540	2402	8192	3123	10649
800x1600	2495	8507	3243	11059
800x1660	2587	8822	3363	11468
800x1720	2679	9137	3483	11878
800x1780	2772	9452	3603	12288
800x1840	2864	9767	3724	12697
800x1900	2957	10082	3844	13107
800x1960	3049	10397	3964	13516
900x280	509	1734	661	2254
900x340	610	2081	793	2705
900x400	712	2428	925	3156
900x460	814	2774	1058	3607
900x520	915	3121	1190	4058
900x580	1017	3468	1322	4508
900x640	1119	3815	1454	4959
900x700	1220	4162	1587	5410
900x760	1322	4508	1719	5861
900x820	1424	4855	1851	6312
900x880	1525	5202	1983	6763
900x940	1627	5549	2115	7213
900x1000	1729	5896	2248	7664
900x1060	1831	6242	2380	8115
900x1120	1932	6589	2512	8566
900x1180	2034	6936	2644	9017
900x1240	2136	7283	2776	9467
900x1300	2237	7629	2909	9918
900x1360	2339	7976	3041	10369
900x1420	2441	8323	3173	10820
900x1480	2542	8670	3305	11271
900x1540	2644	9017	3437	11722
900x1600	2746	9363	3570	12172
900x1660	2848	9710	3702	12623
900x1720	2949	10057	3834	13074
900x1780	3051	10404	3966	13525
900x1840	3153	10751	4098	13976
900x1900	3254	11097	4231	14427
900x1960	3356	11444	4363	14877
1000x280	553	1885	719	2451
1000x340	663	2262	862	2941
1000x400	774	2639	1006	3431
1000x460	884	3016	1150	3921
1000x520	995	3393	1294	4411
1000x580	1106	3770	1437	4901
1000x640	1216	4147	1581	5391

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
33.54	37.62	0.21	830X1767X138
34.70	38.88	0.21	830X1827X138
35.86	40.16	0.22	830X1887X138
37.02	41.42	0.23	830X1947X138
38.18	42.70	0.23	830X2007X138
6.42	7.92	0.05	930X327X138
7.70	9.32	0.05	930X387X138
9.00	10.75	0.06	930X447X138
10.29	12.16	0.07	930X507X138
11.58	13.57	0.08	930X567X138
12.87	14.98	0.09	930X627X138
14.17	16.40	0.09	930X687X138
15.45	17.80	0.10	930X747X138
16.74	19.22	0.11	930X807X138
18.03	20.63	0.12	930X867X138
19.33	22.06	0.12	930X927X138
20.62	23.47	0.13	930X987X138
21.91	24.87	0.14	930X1047X138
23.19	26.28	0.15	930X1107X138
24.49	27.70	0.15	930X1167X138
25.78	29.11	0.16	930X1227X138
27.07	30.52	0.17	930X1287X138
28.36	31.94	0.18	930X1347X138
29.66	33.36	0.19	930X1407X138
30.94	34.76	0.19	930X1467X138
32.23	36.18	0.20	930X1527X138
33.53	37.60	0.21	930X1587X138
34.82	39.01	0.22	930X1647X138
36.11	40.42	0.22	930X1707X138
37.39	41.82	0.23	930X1767X138
38.69	43.26	0.24	930X1827X138
39.98	44.67	0.25	930X1887X138
41.27	46.08	0.25	930X1947X138
42.56	47.49	0.26	930X2007X138
7.08	8.69	0.05	1030X327X138
8.50	10.23	0.06	1030X387X138
9.92	11.79	0.07	1030X447X138
11.35	13.36	0.08	1030X507X138
12.78	14.92	0.09	1030X567X138
14.20	16.47	0.09	1030X627X138
15.63	18.03	0.10	1030X687X138
17.04	19.58	0.11	1030X747X138
18.47	21.14	0.12	1030X807X138
19.89	22.69	0.13	1030X867X138
21.32	24.25	0.14	1030X927X138
22.74	25.80	0.15	1030X987X138
24.17	27.37	0.15	1030X1047X138
25.58	28.92	0.16	1030X1107X138
27.01	30.48	0.17	1030X1167X138
28.44	32.05	0.18	1030X1227X138
29.86	33.60	0.19	1030X1287X138
31.29	35.17	0.20	1030X1347X138
32.71	36.71	0.20	1030X1407X138
34.13	38.27	0.21	1030X1467X138
35.55	39.82	0.22	1030X1527X138
36.98	41.38	0.23	1030X1587X138
38.40	42.93	0.24	1030X1647X138
39.83	44.49	0.25	1030X1707X138
41.24	46.04	0.26	1030X1767X138
42.67	47.61	0.26	1030X1827X138
44.09	49.16	0.27	1030X1887X138
45.52	50.72	0.28	1030X1947X138
46.95	52.29	0.29	1030X2007X138
7.75	9.46	0.06	1130X327X138
9.30	11.15	0.07	1130X387X138
10.85	12.84	0.07	1130X447X138
12.41	14.55	0.08	1130X507X138
13.97	16.25	0.09	1130X567X138
15.53	17.97	0.10	1130X627X138
17.09	19.66	0.11	1130X687X138

RETRO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x700	12	96	945	70	118	22	20	40	2.07	C-E-D	£ 348.99
1000x760	13	96	945	70	118	22	20	40	2.25	C-E-D	£ 377.08
1000x820	14	96	945	70	118	22	20	40	2.42	C-E-D	£ 405.17
1000x880	15	96	945	70	118	22	20	40	2.59	C-E-D	£ 434.12
1000x940	16	96	945	70	118	22	20	40	2.77	C-E-D	£ 462.21
1000x1000	17	96	945	70	118	22	20	40	2.94	C-E-D	£ 490.30
1000x1060	18	96	945	70	118	22	20	40	3.11	C-E-D	£ 518.40
1000x1120	19	96	945	70	118	22	20	40	3.29	C-E-D	£ 547.34
1000x1180	20	96	945	70	118	22	20	40	3.46	C-E-D	£ 575.43
1000x1240	21	96	945	70	118	22	20	40	3.63	C-E-D	£ 603.53
1000x1300	22	96	945	70	118	22	20	40	3.81	C-E-D	£ 632.49
1000x1360	23	96	945	70	118	22	20	40	3.98	C-E-D	£ 660.57
1000x1420	24	96	945	70	118	22	20	40	4.15	C	£ 688.66
1000x1480	25	96	945	70	118	22	20	40	4.33	C	£ 716.75
1000x1540	26	96	945	70	118	22	20	40	4.50	C	£ 745.71
1000x1600	27	96	945	70	118	22	20	40	4.68	C	£ 773.79
1000x1660	28	96	945	70	118	22	20	40	4.85	C	£ 801.88
1000x1720	29	96	945	70	118	22	20	40	5.02	C	£ 829.97
1000x1780	30	96	945	70	118	22	20	40	5.20	C	£ 858.92
1000x1840	31	96	945	70	118	22	20	40	5.37	C	£ 887.01
1000x1900	32	96	945	70	118	22	20	40	5.54	C	£ 915.10
1000x1960	33	96	945	70	118	22	20	40	5.72	C	£ 944.06
1200x280	5	96	1145	70	118	22	20	40	1.00	C	£ 170.21
1200x340	6	96	1145	70	118	22	20	40	1.21	C	£ 201.76
1200x400	7	96	1145	70	118	22	20	40	1.41	C-E-D	£ 233.29
1200x460	8	96	1145	70	118	22	20	40	1.61	C-E-D	£ 265.91
1200x520	9	96	1145	70	118	22	20	40	1.81	C-E-D	£ 297.65
1200x580	10	96	1145	70	118	22	20	40	2.01	C-E-D	£ 329.39
1200x640	11	96	1145	70	118	22	20	40	2.22	C-E-D	£ 362.00
1200x700	12	96	1145	70	118	22	20	40	2.42	C-E-D	£ 393.74
1200x760	13	96	1145	70	118	22	20	40	2.62	C-E-D	£ 425.49
1200x820	14	96	1145	70	118	22	20	40	2.82	C-E-D	£ 457.23
1200x880	15	96	1145	70	118	22	20	40	3.02	C-E-D	£ 489.84
1200x940	16	96	1145	70	118	22	20	40	3.23	C-E-D	£ 521.58
1200x1000	17	96	1145	70	118	22	20	40	3.43	C-E-D	£ 553.32
1200x1060	18	96	1145	70	118	22	20	40	3.63	C-E-D	£ 585.06
1200x1120	19	96	1145	70	118	22	20	40	3.83	C-E-D	£ 617.68
1200x1180	20	96	1145	70	118	22	20	40	4.03	C-E-D	£ 649.42
1200x1240	21	96	1145	70	118	22	20	40	4.24	C-E-D	£ 681.16
1200x1300	22	96	1145	70	118	22	20	40	4.44	C-E-D	£ 713.77
1200x1360	23	96	1145	70	118	22	20	40	4.64	C-E-D	£ 745.51
1400x280	5	96	1345	70	118	22	20	40	1.15	C	£ 185.66
1400x340	6	96	1345	70	118	22	20	40	1.38	C	£ 220.12
1400x400	7	96	1345	70	118	22	20	40	1.61	C-E-D	£ 254.57
1400x460	8	96	1345	70	118	22	20	40	1.84	C-E-D	£ 290.09
1400x520	9	96	1345	70	118	22	20	40	2.07	C-E-D	£ 324.75
1400x580	10	96	1345	70	118	22	20	40	2.30	C-E-D	£ 359.41
1400x640	11	96	1345	70	118	22	20	40	2.53	C-E-D	£ 394.94
1400x700	12	96	1345	70	118	22	20	40	2.76	C-E-D	£ 429.59
1400x760	13	96	1345	70	118	22	20	40	2.99	C-E-D	£ 464.25
1400x820	14	96	1345	70	118	22	20	40	3.22	C-E-D	£ 498.91
1400x880	15	96	1345	70	118	22	20	40	3.45	C-E-D	£ 534.44
1400x940	16	96	1345	70	118	22	20	40	3.68	C-E-D	£ 569.10
1400x1000	17	96	1345	70	118	22	20	40	3.91	C-E-D	£ 603.75
1400x1060	18	96	1345	70	118	22	20	40	4.14	C-E-D	£ 638.41
1400x1120	19	96	1345	70	118	22	20	40	4.37	C-E-D	£ 673.94
1400x1180	20	96	1345	70	118	22	20	40	4.61	C-E-D	£ 708.60
1400x1240	21	96	1345	70	118	22	20	40	4.84	C-E-D	£ 743.26
1400x1300	22	96	1345	70	118	22	20	40	5.07	C-E-D	£ 778.78
1400x1360	23	96	1345	70	118	22	20	40	5.30	C-E-D	£ 813.44
1600x280	5	96	1545	70	118	22	20	40	1.29	C	£ 215.40
1600x340	6	96	1545	70	118	22	20	40	1.55	C	£ 255.64
1600x400	7	96	1545	70	118	22	20	40	1.81	C-E-D	£ 295.88
1600x460	8	96	1545	70	118	22	20	40	2.07	C-E-D	£ 337.18
1600x520	9	96	1545	70	118	22	20	40	2.33	C-E-D	£ 377.62
1600x580	10	96	1545	70	118	22	20	40	2.59	C-E-D	£ 418.06
1600x640	11	96	1545	70	118	22	20	40	2.84	C-E-D	£ 459.36
1600x700	12	96	1545	70	118	22	20	40	3.10	C-E-D	£ 499.80
1600x760	13	96	1545	70	118	22	20	40	3.36	C-E-D	£ 540.24
1600x820	14	96	1545	70	118	22	20	40	3.62	C-E-D	£ 580.67

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x700	1327	4524	1725	5881
1000x760	1437	4901	1868	6371
1000x820	1548	5278	2012	6861
1000x880	1658	5655	2156	7352
1000x940	1769	6032	2300	7842
1000x1000	1879	6409	2443	8332
1000x1060	1990	6786	2587	8822
1000x1120	2101	7163	2731	9312
1000x1180	2211	7540	2875	9802
1000x1240	2322	7917	3018	10292
1000x1300	2432	8294	3162	10782
1000x1360	2543	8671	3306	11272
1000x1420	2653	9048	3449	11763
1000x1480	2764	9425	3593	12253
1000x1540	2875	9802	3737	12743
1000x1600	2985	10179	3881	13233
1000x1660	3096	10556	4024	13723
1000x1720	3206	10933	4168	14213
1000x1780	3317	11310	4312	14703
1000x1840	3427	11687	4456	15193
1000x1900	3538	12064	4599	15683
1000x1960	3648	12441	4743	16173
1200x280	635	2164	825	2814
1200x340	762	2597	990	3376
1200x400	889	3030	1155	3939
1200x460	1016	3463	1320	4502
1200x520	1142	3896	1485	5064
1200x580	1269	4329	1650	5627
1200x640	1396	4761	1815	6190
1200x700	1523	5194	1980	6753
1200x760	1650	5627	2145	7315
1200x820	1777	6060	2310	7878
1200x880	1904	6493	2475	8441
1200x940	2031	6926	2640	9004
1200x1000	2158	7359	2805	9566
1200x1060	2285	7792	2970	10129
1200x1120	2412	8224	3135	10692
1200x1180	2539	8657	3300	11254
1200x1240	2666	9090	3465	11817
1200x1300	2793	9523	3630	12380
1200x1360	2920	9956	3795	12943
1400x280	729	2485	947	3230
1400x340	874	2982	1137	3877
1400x400	1020	3479	1326	4523
1400x460	1166	3976	1516	5169
1400x520	1312	4473	1705	5815
1400x580	1457	4970	1895	6461
1400x640	1603	5467	2084	7107
1400x700	1749	5964	2274	7753
1400x760	1895	6461	2463	8399
1400x820	2040	6958	2653	9045
1400x880	2186	7455	2842	9691
1400x940	2332	7952	3032	10337
1400x1000	2478	8449	3221	10984
1400x1060	2623	8946	3410	11630
1400x1120	2769	9443	3600	12276
1400x1180	2915	9940	3789	12922
1400x1240	3061	10437	3979	13568
1400x1300	3206	10934	4168	14214
1400x1360	3352	11431	4358	14860
1600x280	837	2853	1088	3709
1600x340	1004	3424	1305	4451
1600x400	1171	3994	1523	5193
1600x460	1339	4565	1740	5935
1600x520	1506	5136	1958	6676
1600x580	1673	5706	2175	7418
1600x640	1841	6277	2393	8160
1600x700	2008	6848	2611	8902
1600x760	2175	7418	2828	9644
1600x820	2343	7989	3046	10385

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
18.64	21.36	0.12	1130X747X138
20.19	23.06	0.13	1130X807X138
21.75	24.76	0.14	1130X867X138
23.31	26.46	0.15	1130X927X138
24.87	28.16	0.16	1130X987X138
26.43	29.87	0.17	1130X1047X138
27.97	31.56	0.18	1130X1107X138
29.53	33.25	0.19	1130X1167X138
31.09	34.96	0.20	1130X1227X138
32.65	36.66	0.21	1130X1287X138
34.21	38.36	0.22	1130X1347X138
35.77	40.08	0.22	1130X1407X138
37.31	41.76	0.23	1130X1467X138
38.87	43.47	0.24	1130X1527X138
40.43	45.17	0.25	1130X1587X138
41.99	46.87	0.26	1130X1647X138
43.55	48.58	0.27	1130X1707X138
45.09	50.26	0.28	1130X1767X138
46.65	51.96	0.29	1130X1827X138
48.21	53.66	0.30	1130X1887X138
49.77	55.37	0.31	1130X1947X138
51.33	57.08	0.32	1130X2007X138
9.08	11.01	0.07	1330X327X138
10.89	13.00	0.08	1330X387X138
12.71	14.98	0.09	1330X447X138
14.54	16.98	0.10	1330X507X138
16.36	18.96	0.11	1330X567X138
18.19	20.95	0.12	1330X627X138
20.01	22.94	0.13	1330X687X138
21.82	24.91	0.14	1330X747X138
23.65	26.91	0.15	1330X807X138
25.47	28.89	0.16	1330X867X138
27.29	30.89	0.18	1330X927X138
29.12	32.88	0.19	1330X987X138
30.94	34.86	0.20	1330X1047X138
32.76	36.85	0.21	1330X1107X138
34.58	38.84	0.22	1330X1167X138
36.40	40.82	0.23	1330X1227X138
38.23	42.82	0.24	1330X1287X138
40.05	44.81	0.25	1330X1347X138
41.87	46.78	0.26	1330X1407X138
10.40	12.55	0.07	1530X327X138
12.48	14.82	0.09	1530X387X138
14.57	17.09	0.10	1530X447X138
16.66	19.37	0.11	1530X507X138
18.75	21.65	0.12	1530X567X138
20.84	23.93	0.14	1530X627X138
22.93	26.20	0.15	1530X687X138
25.01	28.47	0.16	1530X747X138
27.10	30.75	0.18	1530X807X138
29.19	33.02	0.19	1530X867X138
31.28	35.30	0.20	1530X927X138
33.37	37.58	0.21	1530X987X138
35.46	39.85	0.23	1530X1047X138
37.54	42.12	0.24	1530X1107X138
39.63	44.40	0.25	1530X1167X138
41.72	46.69	0.26	1530X1227X138
43.80	48.95	0.28	1530X1287X138
45.89	51.23	0.29	1530X1347X138
47.98	53.51	0.30	1530X1407X138
11.69	14.05	0.08	1730X327X138
14.05	16.62	0.10	1730X387X138
16.39	19.17	0.11	1730X447X138
18.74	21.73	0.13	1730X507X138
21.08	24.28	0.14	1730X567X138
23.43	26.84	0.15	1730X627X138
25.78	29.39	0.17	1730X687X138
28.13	31.95	0.18	1730X747X138
30.47	34.52	0.20	1730X807X138
32.82	37.07	0.21	1730X867X138

RETRO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1600x880	15	96	1545	70	118	22	20	40	3,88	C-E-D	£ 621.98
1600x940	16	96	1545	70	118	22	20	40	4,14	C-E-D	£ 662.42
1600x1000	17	96	1545	70	118	22	20	40	4,40	C-E-D	£ 702.85
1600x1060	18	96	1545	70	118	22	20	40	4,66	C-E-D	£ 743.30
1600x1120	19	96	1545	70	118	22	20	40	4,92	C-E-D	£ 784.60
1600x1180	20	96	1545	70	118	22	20	40	5,18	C-E-D	£ 825.03
1600x1240	21	96	1545	70	118	22	20	40	5,44	C-E-D	£ 865.47
1600x1300	22	96	1545	70	118	22	20	40	5,70	C-E-D	£ 906.78
1600x1360	23	96	1545	70	118	22	20	40	5,95	C-E-D	£ 947.22
1800x280	5	96	1745	70	118	22	20	40	1,43	C	£ 236.73
1800x340	6	96	1745	70	118	22	20	40	1,72	C	£ 280.25
1800x400	7	96	1745	70	118	22	20	40	2,01	C-E-D	£ 323.76
1800x460	8	96	1745	70	118	22	20	40	2,30	C-E-D	£ 368.37
1800x520	9	96	1745	70	118	22	20	40	2,58	C-E-D	£ 412.09
1800x580	10	96	1745	70	118	22	20	40	2,87	C-E-D	£ 455.80
1800x640	11	96	1745	70	118	22	20	40	3,16	C-E-D	£ 500.40
1800x700	12	96	1745	70	118	22	20	40	3,45	C-E-D	£ 544.12
1800x760	13	96	1745	70	118	22	20	40	3,73	C-E-D	£ 587.84
1800x820	14	96	1745	70	118	22	20	40	4,02	C-E-D	£ 631.57
1800x880	15	96	1745	70	118	22	20	40	4,31	C-E-D	£ 676.16
1800x940	16	96	1745	70	118	22	20	40	4,60	C-E-D	£ 719.88
1800x1000	17	96	1745	70	118	22	20	40	4,89	C-E-D	£ 763.59
2000x280	5	96	1945	70	118	22	20	40	1,58	C	£ 248.13
2000x340	6	96	1945	70	118	22	20	40	1,89	C	£ 294.56
2000x400	7	96	1945	70	118	22	20	40	2,21	C-E-D	£ 341.00
2000x460	8	96	1945	70	118	22	20	40	2,52	C-E-D	£ 388.51
2000x520	9	96	1945	70	118	22	20	40	2,84	C-E-D	£ 435.15
2000x580	10	96	1945	70	118	22	20	40	3,16	C-E-D	£ 481.79
2000x640	11	96	1945	70	118	22	20	40	3,47	C-E-D	£ 529.29
2000x700	12	96	1945	70	118	22	20	40	3,79	C-E-D	£ 575.93
2000x760	13	96	1945	70	118	22	20	40	4,11	C-E-D	£ 622.57
2000x820	14	96	1945	70	118	22	20	40	4,42	C-E-D	£ 669.21
2000x880	15	96	1945	70	118	22	20	40	4,74	C-E-D	£ 716.72
2000x940	16	96	1945	70	118	22	20	40	5,06	C-E-D	£ 763.36
2000x1000	17	96	1945	70	118	22	20	40	5,37	C-E-D	£ 810.00

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1600x880	2510	8559	3263	11127
1600x940	2677	9130	3481	11869
1600x1000	2845	9701	3698	12611
1600x1060	3012	10271	3916	13353
1600x1120	3179	10842	4133	14095
1600x1180	3347	11413	4351	14836
1600x1240	3514	11983	4568	15578
1600x1300	3681	12554	4786	16320
1600x1360	3849	13124	5003	17062
1800x280	961	3276	1249	4259
1800x340	1153	3931	1499	5110
1800x400	1345	4586	1748	5962
1800x460	1537	5241	1998	6814
1800x520	1729	5897	2248	7666
1800x580	1921	6552	2498	8517
1800x640	2113	7207	2748	9369
1800x700	2306	7862	2997	10221
1800x760	2498	8517	3247	11072
1800x820	2690	9172	3497	11924
1800x880	2882	9828	3747	12776
1800x940	3074	10483	3996	13628
1800x1000	3266	11138	4246	14479
2000x280	1103	3761	1434	4890
2000x340	1324	4513	1721	5867
2000x400	1544	5266	2007	6845
2000x460	1765	6018	2294	7823
2000x520	1985	6770	2581	8801
2000x580	2206	7522	2868	9779
2000x640	2427	8275	3155	10757
2000x700	2647	9027	3441	11735
2000x760	2868	9779	3728	12713
2000x820	3088	10531	4015	13691
2000x880	3309	11284	4302	14669
2000x940	3530	12036	4588	15647
2000x1000	3750	12788	4875	16625

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
35,16	39,62	0,23	1730X927X138
37,51	42,18	0,24	1730X987X138
39,86	44,73	0,25	1730X1047X138
42,21	47,29	0,27	1730X1107X138
44,55	49,84	0,28	1730X1167X138
46,90	52,39	0,30	1730X1227X138
49,24	54,94	0,31	1730X1287X138
51,60	57,52	0,33	1730X1347X138
53,94	60,06	0,34	1730X1407X138
13,02	15,49	0,09	1930X327X138
15,64	18,33	0,11	1930X387X138
18,25	21,15	0,12	1930X447X138
20,86	24,01	0,14	1930X507X138
23,47	26,84	0,16	1930X567X138
26,08	29,68	0,17	1930X627X138
28,70	32,54	0,19	1930X687X138
31,31	35,38	0,20	1930X747X138
33,93	38,22	0,22	1930X807X138
36,54	41,07	0,24	1930X867X138
39,15	43,90	0,25	1930X927X138
41,76	46,74	0,27	1930X987X138
44,38	49,58	0,28	1930X1047X138
14,35	17,15	0,10	2130X327X138
17,23	20,28	0,12	2130X387X138
20,11	23,40	0,14	2130X447X138
22,99	26,54	0,15	2130X507X138
25,86	29,66	0,17	2130X567X138
28,74	32,81	0,19	2130X627X138
31,63	35,94	0,21	2130X687X138
34,50	39,06	0,22	2130X747X138
37,38	42,20	0,24	2130X807X138
40,25	45,32	0,26	2130X867X138
43,13	48,45	0,28	2130X927X138
46,01	51,58	0,30	2130X987X138
48,89	54,71	0,31	2130X1047X138

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel