

SOSA L

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x294	3	37	245	43-52	62-71	26-35	6	94	0.29	C	£ 64.89
300x394	4	37	245	43-52	62-71	26-35	6	94	0.39	C	£ 84.51
300x494	5	37	245	43-52	62-71	26-35	6	94	0.48	C-E-D	£ 102.44
300x594	6	37	245	43-52	62-71	26-35	6	94	0.58	C-E-D	£ 120.81
300x694	7	37	245	43-52	62-71	26-35	6	94	0.67	C-E-D	£ 141.18
300x794	8	37	245	43-52	62-71	26-35	6	94	0.77	C-E-D	£ 160.25
300x894	9	37	245	43-52	62-71	26-35	6	94	0.86	C-E-D	£ 178.61
300x994	10	37	245	43-52	62-71	26-35	6	94	0.96	C-E-D	£ 196.54
300x1094	11	37	245	43-52	62-71	26-35	6	94	1.06	C-E-D	£ 216.30
300x1194	12	37	245	43-52	62-71	26-35	6	94	1.15	C-E-D	£ 234.67
300x1294	13	37	245	43-52	62-71	26-35	6	94	1.25	C-E-D	£ 252.75
300x1394	14	37	245	43-52	62-71	26-35	6	94	1.34	C-E-D	£ 271.38
300x1494	15	37	245	43-52	62-71	26-35	6	94	1.44	C	£ 290.72
300x1594	16	37	245	43-52	62-71	26-35	6	94	1.54	C	£ 308.80
300x1694	17	37	245	43-52	62-71	26-35	6	94	1.63	C	£ 327.15
300x1794	18	37	245	43-52	62-71	26-35	6	94	1.73	C	£ 345.93
300x1894	19	37	245	43-52	62-71	26-35	6	94	1.82	C	£ 364.87
300x1994	20	37	245	43-52	62-71	26-35	6	94	1.92	C	£ 383.22
400x294	3	37	345	43-52	62-71	26-35	6	94	0.33	C	£ 71.95
400x394	4	37	345	43-52	62-71	26-35	6	94	0.44	C	£ 93.43
400x494	5	37	345	43-52	62-71	26-35	6	94	0.55	C-E-D	£ 113.79
400x594	6	37	345	43-52	62-71	26-35	6	94	0.66	C-E-D	£ 134.14
400x694	7	37	345	43-52	62-71	26-35	6	94	0.77	C-E-D	£ 156.79
400x794	8	37	345	43-52	62-71	26-35	6	94	0.88	C-E-D	£ 178.15
400x894	9	37	345	43-52	62-71	26-35	6	94	0.99	C-E-D	£ 198.36
400x994	10	37	345	43-52	62-71	26-35	6	94	1.10	C-E-D	£ 218.71
400x1094	11	37	345	43-52	62-71	26-35	6	94	1.21	C-E-D	£ 240.48
400x1194	12	37	345	43-52	62-71	26-35	6	94	1.32	C-E-D	£ 260.70
400x1294	13	37	345	43-52	62-71	26-35	6	94	1.43	C-E-D	£ 281.06
400x1394	14	37	345	43-52	62-71	26-35	6	94	1.54	C-E-D	£ 301.41
400x1494	15	37	345	43-52	62-71	26-35	6	94	1.65	C	£ 323.45
400x1594	16	37	345	43-52	62-71	26-35	6	94	1.77	C	£ 343.81
400x1694	17	37	345	43-52	62-71	26-35	6	94	1.88	C	£ 364.03
400x1794	18	37	345	43-52	62-71	26-35	6	94	1.99	C	£ 384.79
400x1894	19	37	345	43-52	62-71	26-35	6	94	2.10	C	£ 406.15
400x1994	20	37	345	43-52	62-71	26-35	6	94	2.21	C	£ 426.36
500x294	3	37	445	43-52	62-71	26-35	6	94	0.38	C	£ 79.15
500x394	4	37	445	43-52	62-71	26-35	6	94	0.50	C	£ 103.04
500x494	5	37	445	43-52	62-71	26-35	6	94	0.62	C-E-D	£ 125.26
500x594	6	37	445	43-52	62-71	26-35	6	94	0.75	C-E-D	£ 147.89
500x694	7	37	445	43-52	62-71	26-35	6	94	0.87	C-E-D	£ 172.55
500x794	8	37	445	43-52	62-71	26-35	6	94	1.00	C-E-D	£ 195.77
500x894	9	37	445	43-52	62-71	26-35	6	94	1.12	C-E-D	£ 218.39
500x994	10	37	445	43-52	62-71	26-35	6	94	1.25	C-E-D	£ 240.76
500x1094	11	37	445	43-52	62-71	26-35	6	94	1.37	C-E-D	£ 264.65
500x1194	12	37	445	43-52	62-71	26-35	6	94	1.50	C-E-D	£ 287.29
500x1294	13	37	445	43-52	62-71	26-35	6	94	1.62	C-E-D	£ 309.64
500x1394	14	37	445	43-52	62-71	26-35	6	94	1.74	C-E-D	£ 332.28
500x1494	15	37	445	43-52	62-71	26-35	6	94	1.87	C	£ 356.19
500x1594	16	37	445	43-52	62-71	26-35	6	94	1.99	C	£ 378.54
500x1694	17	37	445	43-52	62-71	26-35	6	94	2.12	C	£ 401.18
500x1794	18	37	445	43-52	62-71	26-35	6	94	2.24	C	£ 424.22
500x1894	19	37	445	43-52	62-71	26-35	6	94	2.37	C	£ 447.44
500x1994	20	37	445	43-52	62-71	26-35	6	94	2.49	C	£ 470.07
600x294	3	37	545	43-52	62-71	26-35	6	94	0.42	C	£ 86.07
600x394	4	37	545	43-52	62-71	26-35	6	94	0.56	C	£ 111.82
600x494	5	37	545	43-52	62-71	26-35	6	94	0.70	C-E-D	£ 136.45
600x594	6	37	545	43-52	62-71	26-35	6	94	0.83	C-E-D	£ 160.95
600x694	7	37	545	43-52	62-71	26-35	6	94	0.97	C-E-D	£ 187.20
600x794	8	37	545	43-52	62-71	26-35	6	94	1.11	C-E-D	£ 213.51
600x894	9	37	545	43-52	62-71	26-35	6	94	1.25	C-E-D	£ 238.14
600x994	10	37	545	43-52	62-71	26-35	6	94	1.39	C-E-D	£ 262.78
600x1094	11	37	545	43-52	62-71	26-35	6	94	1.53	C-E-D	£ 288.69
600x1194	12	37	545	43-52	62-71	26-35	6	94	1.67	C-E-D	£ 313.32
600x1294	13	37	545	43-52	62-71	26-35	6	94	1.81	C-E-D	£ 337.82
600x1394	14	37	545	43-52	62-71	26-35	6	94	1.95	C-E-D	£ 362.46
600x1494	15	37	545	43-52	62-71	26-35	6	94	2.08	C	£ 388.78
600x1594	16	37	545	43-52	62-71	26-35	6	94	2.22	C	£ 413.42
600x1694	17	37	545	43-52	62-71	26-35	6	94	2.36	C	£ 437.90
600x1794	18	37	545	43-52	62-71	26-35	6	94	2.50	C	£ 462.95

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x294	92	313	119	406
300x394	122	417	159	542
300x494	153	521	199	677
300x594	183	625	238	813
300x694	214	729	278	948
300x794	244	834	318	1084
300x894	275	938	358	1219
300x994	306	1042	397	1355
300x1094	336	1146	437	1490
300x1194	367	1250	477	1625
300x1294	397	1355	516	1761
300x1394	428	1459	556	1896
300x1494	458	1563	596	2032
300x1594	489	1667	636	2167
300x1694	519	1771	675	2303
300x1794	550	1876	715	2438
300x1894	581	1980	755	2574
300x1994	611	2084	794	2709
400x294	125	426	162	554
400x394	167	568	217	738
400x494	208	710	271	923
400x594	250	852	325	1108
400x694	291	994	379	1292
400x794	333	1136	433	1477
400x894	375	1278	487	1661
400x994	416	1420	541	1846
400x1094	458	1562	595	2030
400x1194	500	1704	650	2215
400x1294	541	1846	704	2400
400x1394	583	1988	758	2584
400x1494	625	2130	812	2769
400x1594	666	2272	866	2953
400x1694	708	2414	920	3138
400x1794	750	2556	974	3323
400x1894	791	2698	1029	3507
400x1994	833	2840	1083	3692
500x294	160	544	207	708
500x394	213	726	277	943
500x494	266	907	346	1179
500x594	319	1088	415	1415
500x694	372	1270	484	1651
500x794	426	1451	553	1887
500x894	479	1633	622	2122
500x994	532	1814	692	2358
500x1094	585	1996	761	2594
500x1194	638	2177	830	2830
500x1294	692	2358	899	3066
500x1394	745	2540	968	3302
500x1494	798	2721	1037	3537
500x1594	851	2903	1107	3773
500x1694	904	3084	1176	4009
500x1794	958	3265	1245	4245
500x1894	1011	3447	1314	4481
500x1994	1064	3628	1383	4717
600x294	196	668	254	868
600x394	261	890	339	1157
600x494	326	1112	424	1446
600x594	391	1335	509	1735
600x694	457	1557	594	2025
600x794	522	1780	679	2314
600x894	587	2002	763	2603
600x994	652	2225	848	2892
600x1094	718	2447	933	3182
600x1194	783	2670	1018	3471
600x1294	848	2892	1103	3760
600x1394	913	3115	1188	4049
600x1494	979	3337	1272	4339
600x1594	1044	3560	1357	4628
600x1694	1109	3782	1442	4917
600x1794	1174	4005	1527	5206

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.44	2.73	0.01	390X329X72
3.24	3.47	0.02	390X429X72
3.98	4.19	0.02	390X529X72
4.73	4.91	0.02	390X629X72
5.53	5.79	0.03	390X729X72
6.28	6.51	0.03	390X829X72
7.05	7.25	0.03	390X929X72
7.79	7.97	0.03	390X1029X72
8.59	8.70	0.04	390X1129X72
9.35	9.43	0.04	390X1229X72
10.09	10.13	0.04	390X1329X72
10.88	10.87	0.05	390X1429X72
11.65	11.59	0.05	390X1529X72
12.40	12.32	0.05	390X1629X72
13.17	13.05	0.05	390X1729X72
13.96	13.76	0.06	390X1829X72
14.69	14.49	0.06	390X1929X72
15.46	15.21	0.06	390X2029X72
2.97	3.20	0.02	490X329X72
3.92	4.08	0.02	490X429X72
4.84	4.94	0.02	490X529X72
5.75	5.79	0.03	490X629X72
6.73	6.83	0.03	490X729X72
7.65	7.70	0.03	490X829X72
8.56	8.57	0.04	490X929X72
9.49	9.43	0.04	490X1029X72
10.44	10.31	0.04	490X1129X72
11.34	11.15	0.05	490X1229X72
12.26	12.03	0.05	490X1329X72
13.19	12.91	0.06	490X1429X72
14.16	13.76	0.06	490X1529X72
15.08	14.64	0.06	490X1629X72
16.00	15.50	0.07	490X1729X72
16.94	16.36	0.07	490X1829X72
17.86	17.24	0.07	490X1929X72
18.78	18.10	0.08	490X2029X72
3.51	3.67	0.02	590X329X72
4.64	4.68	0.02	590X429X72
5.70	5.68	0.03	590X529X72
6.79	6.68	0.03	590X629X72
7.92	7.86	0.04	590X729X72
8.99	8.87	0.04	590X829X72
10.08	9.88	0.04	590X929X72
11.16	10.89	0.05	590X1029X72
12.28	11.90	0.05	590X1129X72
13.37	12.91	0.06	590X1229X72
14.45	13.92	0.06	590X1329X72
15.54	14.93	0.07	590X1429X72
16.66	15.94	0.07	590X1529X72
17.74	16.95	0.07	590X1629X72
18.84	17.96	0.08	590X1729X72
19.95	18.96	0.08	590X1829X72
21.02	19.97	0.09	590X1929X72
22.12	20.99	0.09	590X2029X72
4.04	4.13	0.02	690X329X72
5.31	5.27	0.03	690X429X72
6.57	6.43	0.03	690X529X72
7.80	7.58	0.04	690X629X72
9.05	8.89	0.04	690X729X72
10.35	10.03	0.05	690X829X72
11.61	11.20	0.05	690X929X72
12.86	12.35	0.06	690X1029X72
14.13	13.51	0.06	690X1129X72
15.37	14.64	0.07	690X1229X72
16.62	15.80	0.07	690X1329X72
17.87	16.95	0.08	690X1429X72
19.17	18.11	0.08	690X1529X72
20.42	19.27	0.09	690X1629X72
21.67	20.42	0.09	690X1729X72
22.94	21.56	0.10	690X1829X72

SOSA L

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1894	19	37	545	43-52	62-71	26-35	6	94	2.64	C	£ 488.45
600x1994	20	37	545	43-52	62-71	26-35	6	94	2.78	C	£ 513.09
700x294	3	37	645	43-52	62-71	26-35	6	94	0.46	C	£ 95.89
700x394	4	37	645	43-52	62-71	26-35	6	94	0.61	C	£ 124.71
700x494	5	37	645	43-52	62-71	26-35	6	94	0.77	C-E-D	£ 152.12
700x594	6	37	645	43-52	62-71	26-35	6	94	0.92	C-E-D	£ 179.82
700x694	7	37	645	43-52	62-71	26-35	6	94	1.07	C-E-D	£ 208.71
700x794	8	37	645	43-52	62-71	26-35	6	94	1.23	C-E-D	£ 237.81
700x894	9	37	645	43-52	62-71	26-35	6	94	1.38	C-E-D	£ 265.51
700x994	10	37	645	43-52	62-71	26-35	6	94	1.53	C-E-D	£ 292.79
700x1094	11	37	645	43-52	62-71	26-35	6	94	1.69	C-E-D	£ 321.76
700x1194	12	37	645	43-52	62-71	26-35	6	94	1.84	C-E-D	£ 349.45
700x1294	13	37	645	43-52	62-71	26-35	6	94	1.99	C-E-D	£ 376.87
700x1394	14	37	645	43-52	62-71	26-35	6	94	2.15	C-E-D	£ 404.57
700x1494	15	37	645	43-52	62-71	26-35	6	94	2.30	C	£ 433.53
700x1594	16	37	645	43-52	62-71	26-35	6	94	2.45	C	£ 460.95
700x1694	17	37	645	43-52	62-71	26-35	6	94	2.60	C	£ 488.65
700x1794	18	37	645	43-52	62-71	26-35	6	94	2.76	C	£ 515.93
700x1894	19	37	645	43-52	62-71	26-35	6	94	2.91	C	£ 545.04
700x1994	20	37	645	43-52	62-71	26-35	6	94	3.06	C	£ 572.73
800x294	3	37	745	43-52	62-71	26-35	6	94	0.50	C	£ 102.95
800x394	4	37	745	43-52	62-71	26-35	6	94	0.67	C	£ 133.91
800x494	5	37	745	43-52	62-71	26-35	6	94	0.84	C-E-D	£ 163.47
800x594	6	37	745	43-52	62-71	26-35	6	94	1.01	C-E-D	£ 193.17
800x694	7	37	745	43-52	62-71	26-35	6	94	1.17	C-E-D	£ 224.47
800x794	8	37	745	43-52	62-71	26-35	6	94	1.34	C-E-D	£ 255.85
800x894	9	37	745	43-52	62-71	26-35	6	94	1.51	C-E-D	£ 285.40
800x994	10	37	745	43-52	62-71	26-35	6	94	1.68	C-E-D	£ 315.10
800x1094	11	37	745	43-52	62-71	26-35	6	94	1.84	C-E-D	£ 346.08
800x1194	12	37	745	43-52	62-71	26-35	6	94	2.01	C-E-D	£ 375.77
800x1294	13	37	745	43-52	62-71	26-35	6	94	2.18	C-E-D	£ 405.33
800x1394	14	37	745	43-52	62-71	26-35	6	94	2.35	C-E-D	£ 435.02
800x1494	15	37	745	43-52	62-71	26-35	6	94	2.51	C	£ 466.40
800x1594	16	37	745	43-52	62-71	26-35	6	94	2.68	C	£ 496.10
800x1694	17	37	745	43-52	62-71	26-35	6	94	2.85	C	£ 525.67
800x1794	18	37	745	43-52	62-71	26-35	6	94	3.02	C	£ 555.36
800x1894	19	37	745	43-52	62-71	26-35	6	94	3.18	C	£ 586.33
800x1994	20	37	745	43-52	62-71	26-35	6	94	3.35	C	£ 616.02
900x294	3	37	845	43-52	62-71	26-35	6	94	0.55	C	£ 110.14
900x394	4	37	845	43-52	62-71	26-35	6	94	0.73	C	£ 143.38
900x494	5	37	845	43-52	62-71	26-35	6	94	0.91	C-E-D	£ 174.94
900x594	6	37	845	43-52	62-71	26-35	6	94	1.09	C-E-D	£ 206.91
900x694	7	37	845	43-52	62-71	26-35	6	94	1.27	C-E-D	£ 240.08
900x794	8	37	845	43-52	62-71	26-35	6	94	1.46	C-E-D	£ 273.46
900x894	9	37	845	43-52	62-71	26-35	6	94	1.64	C-E-D	£ 305.43
900x994	10	37	845	43-52	62-71	26-35	6	94	1.82	C-E-D	£ 337.00
900x1094	11	37	845	43-52	62-71	26-35	6	94	2.00	C-E-D	£ 369.96
900x1194	12	37	845	43-52	62-71	26-35	6	94	2.18	C-E-D	£ 402.35
900x1294	13	37	845	43-52	62-71	26-35	6	94	2.36	C-E-D	£ 433.92
900x1394	14	37	845	43-52	62-71	26-35	6	94	2.55	C-E-D	£ 465.88
900x1494	15	37	845	43-52	62-71	26-35	6	94	2.73	C	£ 499.12
900x1594	16	37	845	43-52	62-71	26-35	6	94	2.91	C	£ 530.83
900x1694	17	37	845	43-52	62-71	26-35	6	94	3.09	C	£ 562.80
900x1794	18	37	845	43-52	62-71	26-35	6	94	3.27	C	£ 594.37
900x1894	19	37	845	43-52	62-71	26-35	6	94	3.45	C	£ 627.61
900x1994	20	37	845	43-52	62-71	26-35	6	94	3.64	C	£ 659.58
1000x294	3	37	945	43-52	62-71	26-35	6	94	0.59	C	£ 117.34
1000x394	4	37	945	43-52	62-71	26-35	6	94	0.79	C	£ 152.44
1000x494	5	37	945	43-52	62-71	26-35	6	94	0.98	C-E-D	£ 186.41
1000x594	6	37	945	43-52	62-71	26-35	6	94	1.18	C-E-D	£ 220.39
1000x694	7	37	945	43-52	62-71	26-35	6	94	1.37	C-E-D	£ 255.83
1000x794	8	37	945	43-52	62-71	26-35	6	94	1.57	C-E-D	£ 291.50
1000x894	9	37	945	43-52	62-71	26-35	6	94	1.77	C-E-D	£ 325.46
1000x994	10	37	945	43-52	62-71	26-35	6	94	1.96	C-E-D	£ 359.31
1000x1094	11	37	945	43-52	62-71	26-35	6	94	2.16	C-E-D	£ 394.27
1000x1194	12	37	945	43-52	62-71	26-35	6	94	2.35	C-E-D	£ 428.53
1000x1294	13	37	945	43-52	62-71	26-35	6	94	2.55	C-E-D	£ 462.51
1000x1394	14	37	945	43-52	62-71	26-35	6	94	2.75	C-E-D	£ 496.34
1000x1494	15	37	945	43-52	62-71	26-35	6	94	2.94	C	£ 532.01
1000x1594	16	37	945	43-52	62-71	26-35	6	94	3.14	C	£ 565.97

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x1894	1240	4227	1612	5496
600x1994	1305	4450	1696	5785
700x294	223	762	290	991
700x394	298	1016	387	1321
700x494	372	1270	484	1651
700x594	447	1524	581	1981
700x694	521	1778	678	2311
700x794	596	2032	775	2641
700x894	670	2286	871	2971
700x994	745	2540	968	3302
700x1094	819	2794	1065	3632
700x1194	894	3048	1162	3962
700x1294	968	3302	1259	4292
700x1394	1043	3556	1356	4622
700x1494	1117	3810	1452	4952
700x1594	1192	4064	1549	5283
700x1694	1266	4318	1646	5613
700x1794	1341	4571	1743	5943
700x1894	1415	4825	1840	6273
700x1994	1490	5079	1936	6603
800x294	250	852	325	1108
800x394	333	1136	433	1477
800x494	416	1420	541	1846
800x594	500	1704	650	2215
800x694	583	1988	758	2584
800x794	666	2272	866	2953
800x894	750	2556	974	3323
800x994	833	2840	1083	3692
800x1094	916	3124	1191	4061
800x1194	999	3408	1299	4430
800x1294	1083	3692	1407	4799
800x1394	1166	3976	1516	5169
800x1494	1249	4260	1624	5538
800x1594	1332	4544	1732	5907
800x1694	1416	4828	1840	6276
800x1794	1499	5112	1949	6645
800x1894	1582	5396	2057	7014
800x1994	1666	5680	2165	7384
900x294	275	938	358	1219
900x394	367	1250	477	1625
900x494	458	1563	596	2032
900x594	550	1876	715	2438
900x694	642	2188	834	2844
900x794	733	2501	953	3251
900x894	825	2813	1072	3657
900x994	917	3126	1192	4064
900x1094	1008	3438	1311	4470
900x1194	1100	3751	1430	4876
900x1294	1192	4064	1549	5283
900x1394	1283	4376	1668	5689
900x1494	1375	4689	1787	6095
900x1594	1467	5001	1907	6502
900x1694	1558	5314	2026	6908
900x1794	1650	5626	2145	7314
900x1894	1742	5939	2264	7721
900x1994	1833	6252	2383	8127
1000x294	299	1019	389	1325
1000x394	399	1359	518	1767
1000x494	498	1699	648	2209
1000x594	598	2039	777	2651
1000x694	698	2379	907	3092
1000x794	797	2718	1036	3534
1000x894	897	3058	1166	3976
1000x994	997	3398	1295	4418
1000x1094	1096	3738	1425	4859
1000x1194	1196	4078	1555	5301
1000x1294	1295	4418	1684	5743
1000x1394	1395	4757	1814	6185
1000x1494	1495	5097	1943	6626
1000x1594	1594	5437	2073	7068

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
24.18	22.71	0.10	690X1929X72
25.43	23.87	0.11	690X2029X72
4.58	4.59	0.02	790X329X72
6.02	5.88	0.03	790X429X72
7.43	7.17	0.04	790X529X72
8.85	8.47	0.04	790X629X72
10.24	9.92	0.05	790X729X72
11.70	11.23	0.05	790X829X72
13.13	12.52	0.06	

SOSA L

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x1694	17	37	945	43-52	62-71	26-35	6	94	3.33	C	£ 599.82
1000x1794	18	37	945	43-52	62-71	26-35	6	94	3.53	C	£ 633.78
1000x1894	19	37	945	43-52	62-71	26-35	6	94	3.73	C	£ 669.04
1000x1994	20	37	945	43-52	62-71	26-35	6	94	3.92	C	£ 702.87
1200x294	3	37	1145	43-52	62-71	26-35	6	94	0.68	C	£ 134.09
1200x394	4	37	1145	43-52	62-71	26-35	6	94	0.90	C	£ 173.83
1200x494	5	37	1145	43-52	62-71	26-35	6	94	1.12	C-E-D	£ 213.27
1200x594	6	37	1145	43-52	62-71	26-35	6	94	1.35	C-E-D	£ 252.17
1200x694	7	37	1145	43-52	62-71	26-35	6	94	1.57	C-E-D	£ 292.82
1200x794	8	37	1145	43-52	62-71	26-35	6	94	1.80	C-E-D	£ 333.40
1200x894	9	37	1145	43-52	62-71	26-35	6	94	2.02	C-E-D	£ 372.44
1200x994	10	37	1145	43-52	62-71	26-35	6	94	2.25	C-E-D	£ 411.34
1200x1094	11	37	1145	43-52	62-71	26-35	6	94	2.47	C-E-D	£ 451.37
1200x1194	12	37	1145	43-52	62-71	26-35	6	94	2.70	C-E-D	£ 490.69
1200x1294	13	37	1145	43-52	62-71	26-35	6	94	2.92	C-E-D	£ 529.72
1400x294	3	37	1345	43-52	62-71	26-35	6	94	0.76	C	£ 148.48
1400x394	4	37	1345	43-52	62-71	26-35	6	94	1.01	C	£ 192.52
1400x494	5	37	1345	43-52	62-71	26-35	6	94	1.27	C-E-D	£ 236.09
1400x594	6	37	1345	43-52	62-71	26-35	6	94	1.52	C-E-D	£ 279.41
1400x694	7	37	1345	43-52	62-71	26-35	6	94	1.77	C-E-D	£ 324.20
1400x794	8	37	1345	43-52	62-71	26-35	6	94	2.03	C-E-D	£ 369.20
1400x894	9	37	1345	43-52	62-71	26-35	6	94	2.28	C-E-D	£ 412.37
1400x994	10	37	1345	43-52	62-71	26-35	6	94	2.53	C-E-D	£ 455.70
1400x1094	11	37	1345	43-52	62-71	26-35	6	94	2.79	C-E-D	£ 499.86
1400x1194	12	37	1345	43-52	62-71	26-35	6	94	3.04	C-E-D	£ 543.45
1400x1294	13	37	1345	43-52	62-71	26-35	6	94	3.29	C-E-D	£ 586.78
1600x294	3	37	1545	43-52	62-71	26-35	6	94	0.85	C	£ 172.37
1600x394	4	37	1545	43-52	62-71	26-35	6	94	1.13	C	£ 224.04
1600x494	5	37	1545	43-52	62-71	26-35	6	94	1.41	C-E-D	£ 275.10
1600x594	6	37	1545	43-52	62-71	26-35	6	94	1.69	C-E-D	£ 325.77
1600x694	7	37	1545	43-52	62-71	26-35	6	94	1.97	C-E-D	£ 378.19
1600x794	8	37	1545	43-52	62-71	26-35	6	94	2.26	C-E-D	£ 429.85
1600x894	9	37	1545	43-52	62-71	26-35	6	94	2.54	C-E-D	£ 481.34
1600x994	10	37	1545	43-52	62-71	26-35	6	94	2.82	C-E-D	£ 532.01
1800x294	3	37	1745	43-52	62-71	26-35	6	94	0.93	C	£ 189.38
1800x394	4	37	1745	43-52	62-71	26-35	6	94	1.24	C	£ 245.72
1800x494	5	37	1745	43-52	62-71	26-35	6	94	1.55	C-E-D	£ 301.46
1800x594	6	37	1745	43-52	62-71	26-35	6	94	1.86	C-E-D	£ 356.80
1800x694	7	37	1745	43-52	62-71	26-35	6	94	2.17	C-E-D	£ 413.74
1800x794	8	37	1745	43-52	62-71	26-35	6	94	2.49	C-E-D	£ 470.07
1800x894	9	37	1745	43-52	62-71	26-35	6	94	2.80	C-E-D	£ 526.24
1800x994	10	37	1745	43-52	62-71	26-35	6	94	3.11	C-E-D	£ 581.59


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1000x1694	1694	5777	2202	7510
1000x1794	1794	6117	2332	7952
1000x1894	1893	6456	2461	8393
1000x1994	1993	6796	2591	8835
1200x294	343	1170	446	1522
1200x394	458	1561	595	2029
1200x494	572	1951	744	2536
1200x594	686	2341	892	3043
1200x694	801	2731	1041	3550
1200x794	915	3121	1190	4058
1200x894	1030	3511	1339	4565
1200x994	1144	3902	1487	5072
1200x1094	1259	4292	1636	5579
1200x1194	1373	4682	1785	6086
1200x1294	1487	5072	1934	6594
1400x294	394	1344	512	1747
1400x394	525	1792	683	2329
1400x494	657	2240	854	2912
1400x594	788	2688	1025	3494
1400x694	920	3136	1195	4076
1400x794	1051	3584	1366	4659
1400x894	1182	4032	1537	5241
1400x994	1314	4480	1708	5824
1400x1094	1445	4928	1879	6406
1400x1194	1576	5376	2049	6988
1400x1294	1708	5824	2220	7571
1600x294	452	1543	588	2006
1600x394	603	2057	784	2675
1600x494	754	2572	980	3343
1600x594	905	3086	1176	4012
1600x694	1056	3600	1373	4680
1600x794	1207	4115	1569	5349
1600x894	1357	4629	1765	6018
1600x994	1508	5143	1961	6686
1800x294	520	1772	675	2303
1800x394	693	2362	901	3071
1800x494	866	2953	1126	3838
1800x594	1039	3543	1351	4606
1800x694	1212	4134	1576	5374
1800x794	1385	4724	1801	6142
1800x894	1559	5315	2026	6909
1800x994	1732	5905	2251	7677

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
33.01	30.26	0.14	1090X1729X72
34.91	31.97	0.15	1090X1829X72
36.84	33.70	0.16	1090X1929X72
38.74	35.26	0.16	1090X2029X72
7.24	6.91	0.04	1290X329X72
9.47	8.91	0.04	1290X429X72
11.74	10.91	0.05	1290X529X72
13.96	12.92	0.06	1290X629X72
16.20	15.09	0.07	1290X729X72
18.48	17.11	0.08	1290X829X72
20.72	19.10	0.09	1290X929X72
22.95	21.11	0.10	1290X1029X72
25.19	23.13	0.11	1290X1129X72
27.44	25.13	0.12	1290X1229X72
29.68	27.14	0.13	1290X1329X72
8.30	7.82	0.04	1490X329X72
10.87	10.13	0.05	1490X429X72
13.46	12.42	0.06	1490X529X72
16.02	14.70	0.07	1490X629X72
18.57	17.15	0.08	1490X729X72
21.20	19.46	0.09	1490X829X72
23.76	21.75	0.10	1490X929X72
26.33	24.05	0.12	1490X1029X72
28.89	26.34	0.13	1490X1129X72
31.47	28.62	0.14	1490X1229X72
34.04	30.92	0.15	1490X1329X72
9.34	8.73	0.05	1690X329X72
12.23	11.30	0.06	1690X429X72
15.14	13.86	0.07	1690X529X72
18.03	16.45	0.08	1690X629X72
20.92	19.18	0.09	1690X729X72
23.80	21.76	0.11	1690X829X72
26.74	24.32	0.12	1690X929X72
29.62	26.88	0.13	1690X1029X72
10.41	9.64	0.05	1890X329X72
13.63	12.50	0.06	1890X429X72
16.87	15.35	0.08	1890X529X72
20.09	18.38	0.09	1890X629X72
23.30	21.24	0.10	1890X729X72
26.51	24.10	0.12	1890X829X72
29.77	26.95	0.13	1890X929X72
32.98	29.80	0.15	1890X1029X72

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel