

TRIO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x300	7	33	245	56.5	72	40	15	30	0.39	C	£ 63.98
300x345	8	33	245	56.5	72	40	15	30	0.45	C	£ 72.25
300x390	9	33	245	56.5	72	40	15	30	0.50	C	£ 80.27
300x435	10	33	245	56.5	72	40	15	30	0.56	C-E-D	£ 88.34
300x480	11	33	245	56.5	72	40	15	30	0.61	C-E-D	£ 97.24
300x525	12	33	245	56.5	72	40	15	30	0.67	C-E-D	£ 105.32
300x570	13	33	245	56.5	72	40	15	30	0.73	C-E-D	£ 113.39
300x615	14	33	245	56.5	72	40	15	30	0.78	C-E-D	£ 121.46
300x660	15	33	245	56.5	72	40	15	30	0.84	C-E-D	£ 130.37
300x705	16	33	245	56.5	72	40	15	30	0.90	C-E-D	£ 138.45
300x750	17	33	245	56.5	72	40	15	30	0.95	C-E-D	£ 146.51
300x795	18	33	245	56.5	72	40	15	30	1.01	C-E-D	£ 154.59
300x840	19	33	245	56.5	72	40	15	30	1.06	C-E-D	£ 163.50
300x885	20	33	245	56.5	72	40	15	30	1.12	C-E-D	£ 171.58
300x930	21	33	245	56.5	72	40	15	30	1.18	C-E-D	£ 179.65
300x975	22	33	245	56.5	72	40	15	30	1.23	C-E-D	£ 188.56
300x1020	23	33	245	56.5	72	40	15	30	1.29	C-E-D	£ 196.64
300x1065	24	33	245	56.5	72	40	15	30	1.35	C-E-D	£ 204.70
300x1110	25	33	245	56.5	72	40	15	30	1.40	C-E-D	£ 212.78
300x1155	26	33	245	56.5	72	40	15	30	1.46	C-E-D	£ 221.69
300x1200	27	33	245	56.5	72	40	15	30	1.51	C-E-D	£ 229.76
300x1245	28	33	245	56.5	72	40	15	30	1.57	C-E-D	£ 237.83
300x1290	29	33	245	56.5	72	40	15	30	1.63	C-E-D	£ 245.91
300x1335	30	33	245	56.5	72	40	15	30	1.68	C-E-D	£ 254.82
300x1380	31	33	245	56.5	72	40	15	30	1.74	C-E-D	£ 262.90
300x1425	32	33	245	56.5	72	40	15	30	1.80	C	£ 270.96
300x1470	33	33	245	56.5	72	40	15	30	1.85	C	£ 279.88
300x1515	34	33	245	56.5	72	40	15	30	1.91	C	£ 287.96
300x1560	35	33	245	56.5	72	40	15	30	1.96	C	£ 296.03
300x1605	36	33	245	56.5	72	40	15	30	2.02	C	£ 304.11
300x1650	37	33	245	56.5	72	40	15	30	2.08	C	£ 313.01
300x1695	38	33	245	56.5	72	40	15	30	2.13	C	£ 321.09
300x1740	39	33	245	56.5	72	40	15	30	2.19	C	£ 329.16
300x1785	40	33	245	56.5	72	40	15	30	2.25	C	£ 337.24
400x300	7	33	345	56.5	72	40	15	30	0.48	C	£ 68.88
400x345	8	33	345	56.5	72	40	15	30	0.56	C	£ 78.51
400x390	9	33	345	56.5	72	40	15	30	0.63	C	£ 87.31
400x435	10	33	345	56.5	72	40	15	30	0.70	C-E-D	£ 96.15
400x480	11	33	345	56.5	72	40	15	30	0.77	C-E-D	£ 105.83
400x525	12	33	345	56.5	72	40	15	30	0.84	C-E-D	£ 114.68
400x570	13	33	345	56.5	72	40	15	30	0.91	C-E-D	£ 123.53
400x615	14	33	345	56.5	72	40	15	30	0.98	C-E-D	£ 132.39
400x660	15	33	345	56.5	72	40	15	30	1.05	C-E-D	£ 142.06
400x705	16	33	345	56.5	72	40	15	30	1.12	C-E-D	£ 150.92
400x750	17	33	345	56.5	72	40	15	30	1.20	C-E-D	£ 159.76
400x795	18	33	345	56.5	72	40	15	30	1.27	C-E-D	£ 168.61
400x840	19	33	345	56.5	72	40	15	30	1.34	C-E-D	£ 178.29
400x885	20	33	345	56.5	72	40	15	30	1.41	C-E-D	£ 187.14
400x930	21	33	345	56.5	72	40	15	30	1.48	C-E-D	£ 195.99
400x975	22	33	345	56.5	72	40	15	30	1.55	C-E-D	£ 205.68
400x1020	23	33	345	56.5	72	40	15	30	1.62	C-E-D	£ 214.52
400x1065	24	33	345	56.5	72	40	15	30	1.69	C-E-D	£ 223.38
400x1110	25	33	345	56.5	72	40	15	30	1.76	C-E-D	£ 232.22
400x1155	26	33	345	56.5	72	40	15	30	1.83	C-E-D	£ 241.91
400x1200	27	33	345	56.5	72	40	15	30	1.90	C-E-D	£ 250.75
400x1245	28	33	345	56.5	72	40	15	30	1.97	C-E-D	£ 259.61
400x1290	29	33	345	56.5	72	40	15	30	2.04	C-E-D	£ 268.45
400x1335	30	33	345	56.5	72	40	15	30	2.11	C-E-D	£ 278.14
400x1380	31	33	345	56.5	72	40	15	30	2.18	C-E-D	£ 287.00
400x1425	32	33	345	56.5	72	40	15	30	2.25	C	£ 295.83
400x1470	33	33	345	56.5	72	40	15	30	2.32	C	£ 305.53
400x1515	34	33	345	56.5	72	40	15	30	2.39	C	£ 314.37
400x1560	35	33	345	56.5	72	40	15	30	2.46	C	£ 323.22
400x1605	36	33	345	56.5	72	40	15	30	2.54	C	£ 332.07
400x1650	37	33	345	56.5	72	40	15	30	2.61	C	£ 341.75
400x1695	38	33	345	56.5	72	40	15	30	2.68	C	£ 350.60
400x1740	39	33	345	56.5	72	40	15	30	2.75	C	£ 359.46
400x1785	40	33	345	56.5	72	40	15	30	2.82	C	£ 368.29
500x300	7	33	445	56.5	72	40	15	30	0.59	C	£ 74.49
500x345	8	33	445	56.5	72	40	15	30	0.68	C	£ 84.90

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x300	105	357	136	464
300x345	120	408	155	530
300x390	134	458	175	596
300x435	149	509	194	662
300x480	164	560	214	728
300x525	179	611	233	795
300x570	194	662	252	861
300x615	209	713	272	927
300x660	224	764	291	993
300x705	239	815	311	1060
300x750	254	866	330	1126
300x795	269	917	350	1192
300x840	284	968	369	1258
300x885	299	1019	388	1324
300x930	314	1070	408	1391
300x975	329	1121	427	1457
300x1020	344	1172	447	1523
300x1065	359	1223	466	1589
300x1110	373	1274	486	1656
300x1155	388	1324	505	1722
300x1200	403	1375	524	1788
300x1245	418	1426	544	1854
300x1290	433	1477	563	1920
300x1335	448	1528	583	1987
300x1380	463	1579	602	2053
300x1425	478	1630	621	2119
300x1470	493	1681	641	2185
300x1515	508	1732	660	2252
300x1560	523	1783	680	2318
300x1605	538	1834	699	2384
300x1650	553	1885	719	2450
300x1695	568	1936	738	2516
300x1740	583	1987	757	2583
300x1785	598	2038	777	2649
400x300	143	486	185	632
400x345	163	555	212	722
400x390	183	625	238	812
400x435	204	694	265	903
400x480	224	764	291	993
400x525	244	833	318	1083
400x570	265	903	344	1173
400x615	285	972	371	1263
400x660	305	1041	397	1354
400x705	326	1111	423	1444
400x750	346	1180	450	1534
400x795	366	1250	476	1624
400x840	387	1319	503	1715
400x885	407	1388	529	1805
400x930	428	1458	556	1895
400x975	448	1527	582	1985
400x1020	468	1597	609	2076
400x1065	489	1666	635	2166
400x1110	509	1736	662	2256
400x1155	529	1805	688	2346
400x1200	550	1874	715	2437
400x1245	570	1944	741	2527
400x1290	590	2013	768	2617
400x1335	611	2083	794	2707
400x1380	631	2152	820	2798
400x1425	651	2221	847	2888
400x1470	672	2291	873	2978
400x1515	692	2360	900	3068
400x1560	713	2430	926	3159
400x1605	733	2499	953	3249
400x1650	753	2569	979	3339
400x1695	774	2638	1006	3429
400x1740	794	2707	1032	3520
400x1785	814	2777	1059	3610
500x300	182	621	237	807
500x345	208	710	271	922

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.12	2.88	0.01	390X335X68
2.43	3.25	0.02	390X380X68
2.74	3.59	0.02	390X425X68
3.05	3.94	0.02	390X470X68
3.36	4.29	0.02	390X515X68
3.66	4.63	0.02	390X560X68
3.97	4.97	0.02	390X605X68
4.28	5.33	0.02	390X650X68
4.58	5.66	0.02	390X695X68
4.89	6.02	0.02	390X740X68
5.20	6.36	0.03	390X785X68
5.50	6.70	0.03	390X830X68
5.81	7.06	0.03	390X875X68
6.12	7.40	0.03	390X920X68
6.43	7.75	0.03	390X965X68
6.74	8.10	0.03	390X1010X68
7.05	8.45	0.03	390X1055X68
7.35	8.78	0.03	390X1100X68
7.65	9.13	0.04	390X1145X68
7.96	9.47	0.04	390X1190X68
8.27	9.83	0.04	390X1235X68
8.58	10.17	0.04	390X1280X68
8.88	10.51	0.04	390X1325X68
9.19	10.87	0.04	390X1370X68
9.50	11.22	0.04	390X1415X68
9.81	11.55	0.04	390X1460X68
10.12	11.91	0.04	390X1505X68
10.43	12.27	0.05	390X1550X68
10.72	12.59	0.05	390X1595X68
11.03	12.94	0.05	390X1640X68
11.34	13.28	0.05	390X1685X68
11.65	13.65	0.05	390X1730X68
11.96	13.99	0.05	390X1775X68
12.27	14.33	0.05	390X1820X68
2.63	3.49	0.02	490X335X68
3.01	3.91	0.02	490X380X68
3.39	4.35	0.02	490X425X68
3.78	4.78	0.02	490X470X68
4.16	5.21	0.02	490X515X68
4.53	5.63	0.02	490X560X68
4.91	6.05	0.03	490X605X68
5.29	6.48	0.03	490X650X68
5.68	6.92	0.03	490X695X68
6.06	7.34	0.03	490X740X68
6.44	7.77	0.03	490X785X68
6.81	8.19	0.03	490X830X68
7.19	8.61	0.03	490X875X68
7.57	9.05	0.04	490X920X68
7.95	9.47	0.04	490X965X68
8.34	9.91	0.04	490X1010X68
8.72	10.34	0.04	490X1055X68
9.09	10.75	0.04	490X1100X68
9.47	11.18	0.04	490X1145X68
9.85	11.61	0.04	490X1190X68
10.24	12.04	0.05	490X1235X68
10.62	12.47	0.05	490X1280X68
10.99	12.89	0.05	490X1325X68
11.37	13.31	0.05	490X1370X68
11.75	13.75	0.05	490X1415X68
12.12	14.17	0.05	490X1460X68
12.52	14.61	0.06	490X1505X68
12.90	15.04	0.06	490X1550X68
13.27	15.45	0.06	490X1595X68
13.65	15.88	0.06	490X1640X68
14.03	16.31	0.06	490X1685X68
14.41	16.73	0.06	490X1730X68
14.79	17.16	0.06	490X1775X68
15.18	17.60	0.07	490X1820X68
3.14	4.09	0.02	590X335X68
3.60	4.60	0.02	590X380X68

TRIO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x390	9	33	445	56.5	72	40	15	30	0.76	C	£ 94.47
500x435	10	33	445	56.5	72	40	15	30	0.84	C-E-D	£ 104.08
500x480	11	33	445	56.5	72	40	15	30	0.93	C-E-D	£ 114.54
500x525	12	33	445	56.5	72	40	15	30	1.01	C-E-D	£ 124.16
500x570	13	33	445	56.5	72	40	15	30	1.10	C-E-D	£ 133.79
500x615	14	33	445	56.5	72	40	15	30	1.18	C-E-D	£ 143.41
500x660	15	33	445	56.5	72	40	15	30	1.27	C-E-D	£ 153.87
500x705	16	33	445	56.5	72	40	15	30	1.35	C-E-D	£ 163.49
500x750	17	33	445	56.5	72	40	15	30	1.44	C-E-D	£ 173.12
500x795	18	33	445	56.5	72	40	15	30	1.52	C-E-D	£ 182.74
500x840	19	33	445	56.5	72	40	15	30	1.61	C-E-D	£ 193.20
500x885	20	33	445	56.5	72	40	15	30	1.69	C-E-D	£ 202.84
500x930	21	33	445	56.5	72	40	15	30	1.78	C-E-D	£ 212.45
500x975	22	33	445	56.5	72	40	15	30	1.86	C-E-D	£ 222.92
500x1020	23	33	445	56.5	72	40	15	30	1.95	C-E-D	£ 232.53
500x1065	24	33	445	56.5	72	40	15	30	2.03	C-E-D	£ 242.17
500x1110	25	33	445	56.5	72	40	15	30	2.12	C-E-D	£ 251.78
500x1155	26	33	445	56.5	72	40	15	30	2.20	C-E-D	£ 262.25
500x1200	27	33	445	56.5	72	40	15	30	2.29	C-E-D	£ 271.86
500x1245	28	33	445	56.5	72	40	15	30	2.37	C-E-D	£ 281.50
500x1290	29	33	445	56.5	72	40	15	30	2.46	C-E-D	£ 291.11
500x1335	30	33	445	56.5	72	40	15	30	2.54	C-E-D	£ 301.58
500x1380	31	33	445	56.5	72	40	15	30	2.63	C-E-D	£ 311.19
500x1425	32	33	445	56.5	72	40	15	30	2.71	C	£ 320.83
500x1470	33	33	445	56.5	72	40	15	30	2.80	C	£ 331.28
500x1515	34	33	445	56.5	72	40	15	30	2.88	C	£ 340.91
500x1560	35	33	445	56.5	72	40	15	30	2.97	C	£ 350.53
500x1605	36	33	445	56.5	72	40	15	30	3.05	C	£ 360.16
500x1650	37	33	445	56.5	72	40	15	30	3.13	C	£ 370.61
500x1695	38	33	445	56.5	72	40	15	30	3.22	C	£ 380.24
500x1740	39	33	445	56.5	72	40	15	30	3.30	C	£ 389.86
500x1785	40	33	445	56.5	72	40	15	30	3.39	C	£ 399.49
600x300	7	33	545	56.5	72	40	15	30	0.69	C	£ 79.87
600x345	8	33	545	56.5	72	40	15	30	0.79	C	£ 91.05
600x390	9	33	545	56.5	72	40	15	30	0.89	C	£ 101.40
600x435	10	33	545	56.5	72	40	15	30	0.99	C-E-D	£ 111.78
600x480	11	33	545	56.5	72	40	15	30	1.09	C-E-D	£ 123.02
600x525	12	33	545	56.5	72	40	15	30	1.19	C-E-D	£ 133.41
600x570	13	33	545	56.5	72	40	15	30	1.29	C-E-D	£ 143.82
600x615	14	33	545	56.5	72	40	15	30	1.38	C-E-D	£ 154.21
600x660	15	33	545	56.5	72	40	15	30	1.48	C-E-D	£ 165.45
600x705	16	33	545	56.5	72	40	15	30	1.58	C-E-D	£ 175.84
600x750	17	33	545	56.5	72	40	15	30	1.68	C-E-D	£ 186.24
600x795	18	33	545	56.5	72	40	15	30	1.78	C-E-D	£ 196.64
600x840	19	33	545	56.5	72	40	15	30	1.88	C-E-D	£ 207.88
600x885	20	33	545	56.5	72	40	15	30	1.98	C-E-D	£ 218.28
600x930	21	33	545	56.5	72	40	15	30	2.08	C-E-D	£ 228.68
600x975	22	33	545	56.5	72	40	15	30	2.18	C-E-D	£ 239.91
600x1020	23	33	545	56.5	72	40	15	30	2.28	C-E-D	£ 250.31
600x1065	24	33	545	56.5	72	40	15	30	2.38	C-E-D	£ 260.70
600x1110	25	33	545	56.5	72	40	15	30	2.47	C-E-D	£ 271.11
600x1155	26	33	545	56.5	72	40	15	30	2.57	C-E-D	£ 282.34
600x1200	27	33	545	56.5	72	40	15	30	2.67	C-E-D	£ 292.74
600x1245	28	33	545	56.5	72	40	15	30	2.77	C-E-D	£ 303.14
600x1290	29	33	545	56.5	72	40	15	30	2.87	C-E-D	£ 313.54
600x1335	30	33	545	56.5	72	40	15	30	2.97	C-E-D	£ 324.77
600x1380	31	33	545	56.5	72	40	15	30	3.07	C-E-D	£ 335.17
600x1425	32	33	545	56.5	72	40	15	30	3.17	C	£ 345.56
600x1470	33	33	545	56.5	72	40	15	30	3.27	C	£ 356.81
600x1515	34	33	545	56.5	72	40	15	30	3.37	C	£ 367.20
600x1560	35	33	545	56.5	72	40	15	30	3.47	C	£ 377.61
600x1605	36	33	545	56.5	72	40	15	30	3.56	C	£ 388.00
600x1650	37	33	545	56.5	72	40	15	30	3.66	C	£ 399.24
600x1695	38	33	545	56.5	72	40	15	30	3.76	C	£ 409.63
600x1740	39	33	545	56.5	72	40	15	30	3.86	C	£ 420.04
600x1785	40	33	545	56.5	72	40	15	30	3.96	C	£ 430.43
700x300	7	33	645	56.5	72	40	15	30	0.79	C	£ 88.73
700x345	8	33	645	56.5	72	40	15	30	0.90	C	£ 101.11
700x390	9	33	645	56.5	72	40	15	30	1.02	C	£ 112.66
700x435	10	33	645	56.5	72	40	15	30	1.13	C-E-D	£ 124.25

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x390	234	798	304	1038
500x435	260	887	338	1153
500x480	286	976	372	1268
500x525	312	1064	406	1384
500x570	338	1153	440	1499
500x615	364	1242	473	1614
500x660	390	1330	507	1729
500x705	416	1419	541	1845
500x750	442	1508	575	1960
500x795	468	1596	609	2075
500x840	494	1685	642	2191
500x885	520	1774	676	2306
500x930	546	1863	710	2421
500x975	572	1951	744	2537
500x1020	598	2040	778	2652
500x1065	624	2129	811	2767
500x1110	650	2217	845	2882
500x1155	676	2306	879	2998
500x1200	702	2395	913	3113
500x1245	728	2483	947	3228
500x1290	754	2572	981	3344
500x1335	780	2661	1014	3459
500x1380	806	2749	1048	3574
500x1425	832	2838	1082	3690
500x1470	858	2927	1116	3805
500x1515	884	3016	1150	3920
500x1560	910	3104	1183	4035
500x1605	936	3193	1217	4151
500x1650	962	3282	1251	4266
500x1695	988	3370	1285	4381
500x1740	1014	3459	1319	4497
500x1785	1040	3548	1352	4612
600x300	223	761	290	990
600x345	255	870	332	1131
600x390	287	979	373	1273
600x435	319	1088	415	1414
600x480	351	1197	456	1556
600x525	383	1305	498	1697
600x570	415	1414	539	1838
600x615	447	1523	581	1980
600x660	479	1632	622	2121
600x705	510	1740	664	2263
600x750	542	1849	705	2404
600x795	574	1958	746	2545
600x840	606	2067	788	2687
600x885	638	2176	829	2828
600x930	670	2284	871	2970
600x975	702	2393	912	3111
600x1020	734	2502	954	3253
600x1065	766	2611	995	3394
600x1110	798	2719	1037	3535
600x1155	829	2828	1078	3677
600x1200	861	2937	1120	3818
600x1245	893	3046	1161	3960
600x1290	925	3155	1203	4101
600x1335	957	3263	1244	4242
600x1380	989	3372	1286	4384
600x1425	1021	3481	1327	4525
600x1470	1053	3590	1369	4667
600x1515	1085	3698	1410	4808
600x1560	1117	3807	1451	4949
600x1605	1148	3916	1493	5091
600x1650	1180	4025	1534	5232
600x1695	1212	4134	1576	5374
600x1740	1244	4242	1617	5515
600x1785	1276	4351	1659	5657
700x300	255	869	331	1130
700x345	291	993	379	1291
700x390	328	1118	426	1453
700x435	364	1242	473	1614

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
4.05	5.11	0.02	590X425X68
4.50	5.61	0.02	590X470X68
4.96	6.12	0.03	590X515X68
5.40	6.63	0.03	590X560X68
5.86	7.14	0.03	590X605X68
6.31	7.64	0.03	590X650X68
6.77	8.16	0.03	590X695X68
7.22	8.67	0.03	590X740X68
7.67	9.18	0.04	590X785X68
8.12	9.67	0.04	590X830X68
8.57	10.18	0.04	590X875X68
9.03	10.70	0.04	590X920X68
9.48	11.21	0.04	590X965X68
9.94	11.72	0.05	590X1010X68
10.39	12.23	0.05	590X1055X68</

TRIO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x480	11	33	645	56.5	72	40	15	30	1.24	C-E-D	£ 136.70
700x525	12	33	645	56.5	72	40	15	30	1.36	C-E-D	£ 148.29
700x570	13	33	645	56.5	72	40	15	30	1.47	C-E-D	£ 159.90
700x615	14	33	645	56.5	72	40	15	30	1.58	C-E-D	£ 171.50
700x660	15	33	645	56.5	72	40	15	30	1.70	C-E-D	£ 183.94
700x705	16	33	645	56.5	72	40	15	30	1.81	C-E-D	£ 195.54
700x750	17	33	645	56.5	72	40	15	30	1.92	C-E-D	£ 207.13
700x795	18	33	645	56.5	72	40	15	30	2.04	C-E-D	£ 218.75
700x840	19	33	645	56.5	72	40	15	30	2.15	C-E-D	£ 231.18
700x885	20	33	645	56.5	72	40	15	30	2.26	C-E-D	£ 242.79
700x930	21	33	645	56.5	72	40	15	30	2.38	C-E-D	£ 254.39
700x975	22	33	645	56.5	72	40	15	30	2.49	C-E-D	£ 266.83
700x1020	23	33	645	56.5	72	40	15	30	2.61	C-E-D	£ 278.43
700x1065	24	33	645	56.5	72	40	15	30	2.72	C-E-D	£ 290.04
700x1110	25	33	645	56.5	72	40	15	30	2.83	C-E-D	£ 301.63
700x1155	26	33	645	56.5	72	40	15	30	2.95	C-E-D	£ 314.08
700x1200	27	33	645	56.5	72	40	15	30	3.06	C-E-D	£ 325.67
700x1245	28	33	645	56.5	72	40	15	30	3.17	C-E-D	£ 337.29
700x1290	29	33	645	56.5	72	40	15	30	3.29	C-E-D	£ 348.88
700x1335	30	33	645	56.5	72	40	15	30	3.40	C-E-D	£ 361.33
700x1380	31	33	645	56.5	72	40	15	30	3.51	C-E-D	£ 372.93
700x1425	32	33	645	56.5	72	40	15	30	3.63	C	£ 384.54
700x1470	33	33	645	56.5	72	40	15	30	3.74	C	£ 396.97
700x1515	34	33	645	56.5	72	40	15	30	3.85	C	£ 408.58
700x1560	35	33	645	56.5	72	40	15	30	3.97	C	£ 420.18
700x1605	36	33	645	56.5	72	40	15	30	4.08	C	£ 431.78
700x1650	37	33	645	56.5	72	40	15	30	4.19	C	£ 444.21
700x1695	38	33	645	56.5	72	40	15	30	4.31	C	£ 455.83
700x1740	39	33	645	56.5	72	40	15	30	4.42	C	£ 467.42
700x1785	40	33	645	56.5	72	40	15	30	4.53	C	£ 479.03
800x300	7	33	745	56.5	72	40	15	30	0.89	C	£ 94.33
800x345	8	33	745	56.5	72	40	15	30	1.02	C	£ 107.50
800x390	9	33	745	56.5	72	40	15	30	1.15	C	£ 119.82
800x435	10	33	745	56.5	72	40	15	30	1.27	C-E-D	£ 132.19
800x480	11	33	745	56.5	72	40	15	30	1.40	C-E-D	£ 145.39
800x525	12	33	745	56.5	72	40	15	30	1.53	C-E-D	£ 157.78
800x570	13	33	745	56.5	72	40	15	30	1.66	C-E-D	£ 170.15
800x615	14	33	745	56.5	72	40	15	30	1.78	C-E-D	£ 182.54
800x660	15	33	745	56.5	72	40	15	30	1.91	C-E-D	£ 195.74
800x705	16	33	745	56.5	72	40	15	30	2.04	C-E-D	£ 208.13
800x750	17	33	745	56.5	72	40	15	30	2.17	C-E-D	£ 220.50
800x795	18	33	745	56.5	72	40	15	30	2.30	C-E-D	£ 232.89
800x840	19	33	745	56.5	72	40	15	30	2.42	C-E-D	£ 246.10
800x885	20	33	745	56.5	72	40	15	30	2.55	C-E-D	£ 258.48
800x930	21	33	745	56.5	72	40	15	30	2.68	C-E-D	£ 270.85
800x975	22	33	745	56.5	72	40	15	30	2.81	C-E-D	£ 284.07
800x1020	23	33	745	56.5	72	40	15	30	2.93	C-E-D	£ 296.45
800x1065	24	33	745	56.5	72	40	15	30	3.06	C-E-D	£ 308.83
800x1110	25	33	745	56.5	72	40	15	30	3.19	C-E-D	£ 321.20
800x1155	26	33	745	56.5	72	40	15	30	3.32	C-E-D	£ 334.42
800x1200	27	33	745	56.5	72	40	15	30	3.44	C-E-D	£ 346.79
800x1245	28	33	745	56.5	72	40	15	30	3.57	C-E-D	£ 359.18
800x1290	29	33	745	56.5	72	40	15	30	3.70	C-E-D	£ 371.55
800x1335	30	33	745	56.5	72	40	15	30	3.83	C-E-D	£ 384.77
800x1380	31	33	745	56.5	72	40	15	30	3.96	C-E-D	£ 397.14
800x1425	32	33	745	56.5	72	40	15	30	4.08	C	£ 409.52
800x1470	33	33	745	56.5	72	40	15	30	4.21	C	£ 422.74
800x1515	34	33	745	56.5	72	40	15	30	4.34	C	£ 435.11
800x1560	35	33	745	56.5	72	40	15	30	4.47	C	£ 447.49
800x1605	36	33	745	56.5	72	40	15	30	4.59	C	£ 459.86
800x1650	37	33	745	56.5	72	40	15	30	4.72	C	£ 473.08
800x1695	38	33	745	56.5	72	40	15	30	4.85	C	£ 485.46
800x1740	39	33	745	56.5	72	40	15	30	4.98	C	£ 497.84
800x1785	40	33	745	56.5	72	40	15	30	5.11	C	£ 510.21
900x300	7	33	845	56.5	72	40	15	30	0.99	C	£ 99.94
900x345	8	33	845	56.5	72	40	15	30	1.13	C	£ 113.89
900x390	9	33	845	56.5	72	40	15	30	1.27	C	£ 126.98
900x435	10	33	845	56.5	72	40	15	30	1.42	C-E-D	£ 140.13
900x480	11	33	845	56.5	72	40	15	30	1.56	C-E-D	£ 154.11
900x525	12	33	845	56.5	72	40	15	30	1.70	C-E-D	£ 167.27

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x480	401	1366	521	1776
700x525	437	1490	568	1937
700x570	473	1614	615	2098
700x615	510	1738	663	2260
700x660	546	1863	710	2421
700x705	583	1987	757	2583
700x750	619	2111	805	2744
700x795	655	2235	852	2906
700x840	692	2359	899	3067
700x885	728	2483	947	3228
700x930	765	2608	994	3390
700x975	801	2732	1041	3551
700x1020	838	2856	1089	3713
700x1065	874	2980	1136	3874
700x1110	910	3104	1183	4035
700x1155	947	3228	1231	4197
700x1200	983	3353	1278	4358
700x1245	1020	3477	1325	4520
700x1290	1056	3601	1373	4681
700x1335	1092	3725	1420	4843
700x1380	1129	3849	1467	5004
700x1425	1165	3973	1515	5165
700x1470	1202	4098	1562	5327
700x1515	1238	4222	1609	5488
700x1560	1274	4346	1657	5650
700x1605	1311	4470	1704	5811
700x1650	1347	4594	1751	5972
700x1695	1384	4718	1799	6134
700x1740	1420	4843	1846	6295
700x1785	1457	4967	1893	6457
800x300	285	972	371	1263
800x345	326	1111	423	1444
800x390	366	1250	476	1624
800x435	407	1388	529	1805
800x480	448	1527	582	1985
800x525	489	1666	635	2166
800x570	529	1805	688	2346
800x615	570	1944	741	2527
800x660	611	2083	794	2707
800x705	651	2221	847	2888
800x750	692	2360	900	3068
800x795	733	2499	953	3249
800x840	774	2638	1006	3429
800x885	814	2777	1059	3610
800x930	855	2916	1112	3790
800x975	896	3055	1164	3971
800x1020	936	3193	1217	4151
800x1065	977	3332	1270	4332
800x1110	1018	3471	1323	4512
800x1155	1059	3610	1376	4693
800x1200	1099	3749	1429	4873
800x1245	1140	3888	1482	5054
800x1290	1181	4026	1535	5234
800x1335	1221	4165	1588	5415
800x1380	1262	4304	1641	5595
800x1425	1303	4443	1694	5776
800x1470	1344	4582	1747	5956
800x1515	1384	4721	1800	6137
800x1560	1425	4859	1853	6317
800x1605	1466	4998	1906	6498
800x1650	1506	5137	1958	6678
800x1695	1547	5276	2011	6859
800x1740	1588	5415	2064	7039
800x1785	1629	5554	2117	7220
900x300	314	1070	408	1391
900x345	359	1223	466	1589
900x390	403	1375	524	1788
900x435	448	1528	583	1987
900x480	493	1681	641	2185
900x525	538	1834	699	2384

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
6.56	7.97	0.03	790X515X68
7.15	8.63	0.04	790X560X68
7.75	9.31	0.04	790X605X68
8.35	9.97	0.04	790X650X68
8.95	10.65	0.04	790X695X68
9.55	11.32	0.04	790X740X68
10.15	11.98	0.05	790X785X68
10.74	12.66	0.05	790X830X68
11.34	13.32	0.05	790X875X68
11.94	13.99	0.05	790X920X68
12.53	14.66	0.06	790X965X68
13.14	15.34	0.06	790X1010X68
13.73	15.99	0.06	790X1055X68
14.32	16.66	0.06	790X1100X68
14.92	17.33	0.07	790X1145X68
15.52	18.00	0.07	790X1190X68
16.12	18.67	0.07	790X1235X68
16.72	19.35	0.07	790X1280X68
17.31	20.01	0.08	790X1325X68
17.91	20.68	0.08	790X1370X68
18.51	21.35	0.08	790X1415X68
19.11	22.02	0.08	790X1460X68
19.71	22.69	0.09	790X1505X68
20.31	23.37	0.09	790X1550X68
20.90	24.02	0.09	790X1595X68
21.50	24.70	0.09	790X1640X68
22.10	25.37	0.10	790X1685X68
22.70	26.04	0.10	790X1730X68
23.30	26.71	0.10	790X1775X68
23.90	27.39	0.10	790X1820X68
4.67	5.87	0.03	890X335X68
5.34	6.64	0.03	890X380X68
6.01	7.38	0.03	890X425X68
6.68	8.12	0.03	890X470X68
7.36	8.89	0.04	890X515X68
8.02	9.63	0.04	890X560X68
8.69	10.39	0.04	890X605X68
9.36	11.13	0.04	890X650X68
10.04	11.88	0.05	890X695X68
10.71	12.65	0.05	890X740X68
11.38	13.28	0.05	890X785X68
12.04	14.13	0.06	890X830X68
12.72	14.89	0.06	890X875X68
13.39	15.64	0.06	890X920X68
14.06	16.38	0.06	890X965X68
14.73	17.14	0.07	890X1010X68
15.41	17.90	0.07	890X1055X68
16.07	18.65	0.07	890X1100X68
16.74	19.38	0.07	890X1145X68
17.41	20.14	0.08	890X1190X68
18.09	20.90	0.08	890X1235X68
18.76	21.64	0.08	890X1280X68
19.42	22.38	0.09	890X1325X68
20.09	23.14	0.09	890X1370X68
20.77	23.90	0.09	890X1415X68
21.44	24.64	0.09	890X1460X68
22.11	25.39	0.10	890X1505X68
22.78	26.14	0.10	890X1550X68
23.45	26.89	0.10	890X1595X68
24.12	27.64	0.10	890X1640X68
24.79	28.39	0.11	890X1685X68
25.46	29.15	0.11	890X1730X68
26.14	29.90	0.11	890X1775X68
26.81	30.64	0.12	890X1820X68
5.18	6.48	0.03	990X335X68
5.92	7.32	0.03	990X380X68
6.67	8.15	0.03	990X425X68
7.41	8.97	0.04	990X470X68
8.16	9.81	0.04	990X515X68
8.89	10.63	0.04	990X560X68

TRIO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
900x570	13	33	845	56.5	72	40	15	30	1.84	C-E-D	£ 180.42
900x615	14	33	845	56.5	72	40	15	30	1.98	C-E-D	£ 193.57
900x660	15	33	845	56.5	72	40	15	30	2.13	C-E-D	£ 207.56
900x705	16	33	845	56.5	72	40	15	30	2.27	C-E-D	£ 220.72
900x750	17	33	845	56.5	72	40	15	30	2.41	C-E-D	£ 233.86
900x795	18	33	845	56.5	72	40	15	30	2.55	C-E-D	£ 247.03
900x840	19	33	845	56.5	72	40	15	30	2.69	C-E-D	£ 261.01
900x885	20	33	845	56.5	72	40	15	30	2.84	C-E-D	£ 274.16
900x930	21	33	845	56.5	72	40	15	30	2.98	C-E-D	£ 287.32
900x975	22	33	845	56.5	72	40	15	30	3.12	C-E-D	£ 301.30
900x1020	23	33	845	56.5	72	40	15	30	3.26	C-E-D	£ 314.46
900x1065	24	33	845	56.5	72	40	15	30	3.40	C-E-D	£ 327.60
900x1110	25	33	845	56.5	72	40	15	30	3.55	C-E-D	£ 340.76
900x1155	26	33	845	56.5	72	40	15	30	3.69	C-E-D	£ 354.75
900x1200	27	33	845	56.5	72	40	15	30	3.83	C-E-D	£ 367.91
900x1245	28	33	845	56.5	72	40	15	30	3.97	C-E-D	£ 381.06
900x1290	29	33	845	56.5	72	40	15	30	4.11	C-E-D	£ 394.22
900x1335	30	33	845	56.5	72	40	15	30	4.26	C-E-D	£ 408.20
900x1380	31	33	845	56.5	72	40	15	30	4.40	C-E-D	£ 421.36
900x1425	32	33	845	56.5	72	40	15	30	4.54	C	£ 434.51
900x1470	33	33	845	56.5	72	40	15	30	4.68	C	£ 448.50
900x1515	34	33	845	56.5	72	40	15	30	4.83	C	£ 461.65
900x1560	35	33	845	56.5	72	40	15	30	4.97	C	£ 474.81
900x1605	36	33	845	56.5	72	40	15	30	5.11	C	£ 487.95
900x1650	37	33	845	56.5	72	40	15	30	5.25	C	£ 501.95
900x1695	38	33	845	56.5	72	40	15	30	5.39	C	£ 515.10
900x1740	39	33	845	56.5	72	40	15	30	5.54	C	£ 528.25
900x1785	40	33	845	56.5	72	40	15	30	5.68	C	£ 541.41
1000x300	7	33	945	56.5	72	40	15	30	1.09	C	£ 109.46
1000x345	8	33	945	56.5	72	40	15	30	1.25	C	£ 124.72
1000x390	9	33	945	56.5	72	40	15	30	1.40	C	£ 139.10
1000x435	10	33	945	56.5	72	40	15	30	1.56	C-E-D	£ 153.54
1000x480	11	33	945	56.5	72	40	15	30	1.72	C-E-D	£ 168.85
1000x525	12	33	945	56.5	72	40	15	30	1.87	C-E-D	£ 183.29
1000x570	13	33	945	56.5	72	40	15	30	2.03	C-E-D	£ 197.74
1000x615	14	33	945	56.5	72	40	15	30	2.18	C-E-D	£ 212.18
1000x660	15	33	945	56.5	72	40	15	30	2.34	C-E-D	£ 227.49
1000x705	16	33	945	56.5	72	40	15	30	2.50	C-E-D	£ 241.93
1000x750	17	33	945	56.5	72	40	15	30	2.65	C-E-D	£ 256.38
1000x795	18	33	945	56.5	72	40	15	30	2.81	C-E-D	£ 270.82
1000x840	19	33	945	56.5	72	40	15	30	2.97	C-E-D	£ 286.14
1000x885	20	33	945	56.5	72	40	15	30	3.12	C-E-D	£ 300.58
1000x930	21	33	945	56.5	72	40	15	30	3.28	C-E-D	£ 315.03
1000x975	22	33	945	56.5	72	40	15	30	3.44	C-E-D	£ 330.33
1000x1020	23	33	945	56.5	72	40	15	30	3.59	C-E-D	£ 344.78
1000x1065	24	33	945	56.5	72	40	15	30	3.75	C-E-D	£ 359.22
1000x1110	25	33	945	56.5	72	40	15	30	3.90	C-E-D	£ 373.67
1000x1155	26	33	945	56.5	72	40	15	30	4.06	C-E-D	£ 388.98
1000x1200	27	33	945	56.5	72	40	15	30	4.22	C-E-D	£ 403.42
1000x1245	28	33	945	56.5	72	40	15	30	4.37	C-E-D	£ 417.87
1000x1290	29	33	945	56.5	72	40	15	30	4.53	C-E-D	£ 432.30
1000x1335	30	33	945	56.5	72	40	15	30	4.69	C-E-D	£ 447.62
1000x1380	31	33	945	56.5	72	40	15	30	4.84	C-E-D	£ 462.06
1000x1425	32	33	945	56.5	72	40	15	30	5.00	C	£ 476.51
1000x1470	33	33	945	56.5	72	40	15	30	5.15	C	£ 491.82
1000x1515	34	33	945	56.5	72	40	15	30	5.31	C	£ 506.27
1000x1560	35	33	945	56.5	72	40	15	30	5.47	C	£ 520.71
1000x1605	36	33	945	56.5	72	40	15	30	5.62	C	£ 535.16
1000x1650	37	33	945	56.5	72	40	15	30	5.78	C	£ 550.46
1000x1695	38	33	945	56.5	72	40	15	30	5.94	C	£ 564.91
1000x1740	39	33	945	56.5	72	40	15	30	6.09	C	£ 579.35
1000x1785	40	33	945	56.5	72	40	15	30	6.25	C	£ 593.79
1200x300	7	33	1145	56.5	72	40	15	30	1.29	C	£ 124.22
1200x345	8	33	1145	56.5	72	40	15	30	1.48	C	£ 141.52
1200x390	9	33	1145	56.5	72	40	15	30	1.66	C	£ 157.97
1200x435	10	33	1145	56.5	72	40	15	30	1.85	C-E-D	£ 174.45
1200x480	11	33	1145	56.5	72	40	15	30	2.03	C-E-D	£ 191.82
1200x525	12	33	1145	56.5	72	40	15	30	2.22	C-E-D	£ 208.31
1200x570	13	33	1145	56.5	72	40	15	30	2.40	C-E-D	£ 224.81
1200x615	14	33	1145	56.5	72	40	15	30	2.59	C-E-D	£ 241.31

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
900x570	583	1987	757	2583
900x615	627	2140	816	2781
900x660	672	2292	874	2980
900x705	717	2445	932	3179
900x750	762	2598	990	3377
900x795	807	2751	1049	3576
900x840	852	2904	1107	3775
900x885	896	3056	1165	3973
900x930	941	3209	1223	4172
900x975	986	3362	1282	4371
900x1020	1031	3515	1340	4569
900x1065	1076	3668	1398	4768
900x1110	1120	3821	1457	4967
900x1155	1165	3973	1515	5165
900x1200	1210	4126	1573	5364
900x1245	1255	4279	1631	5563
900x1290	1300	4432	1690	5761
900x1335	1344	4585	1748	5960
900x1380	1389	4738	1806	6159
900x1425	1434	4890	1864	6357
900x1470	1479	5043	1923	6556
900x1515	1524	5196	1981	6755
900x1560	1569	5349	2039	6953
900x1605	1613	5502	2097	7152
900x1650	1658	5654	2156	7351
900x1695	1703	5807	2214	7549
900x1740	1748	5960	2272	7748
900x1785	1793	6113	2330	7947
1000x300	341	1163	443	1512
1000x345	390	1329	507	1728
1000x390	438	1495	570	1944
1000x435	487	1661	633	2160
1000x480	536	1827	697	2376
1000x525	585	1994	760	2592
1000x570	633	2160	823	2808
1000x615	682	2326	887	3024
1000x660	731	2492	950	3240
1000x705	780	2658	1013	3456
1000x750	828	2824	1077	3672
1000x795	877	2990	1140	3888
1000x840	926	3157	1203	4104
1000x885	974	3323	1267	4320
1000x930	1023	3489	1330	4535
1000x975	1072	3655	1393	4751
1000x1020	1121	3821	1457	4967
1000x1065	1169	3987	1520	5183
1000x1110	1218	4153	1583	5399
1000x1155	1267	4320	1647	5615
1000x1200	1315	4486	1710	5831
1000x1245	1364	4652	1773	6047
1000x1290	1413	4818	1837	6263
1000x1335	1462	4984	1900	6479
1000x1380	1510	5150	1963	6695
1000x1425	1559	5316	2027	6911
1000x1470	1608	5482	2090	7127
1000x1515	1656	5649	2153	7343
1000x1560	1705	5815	2217	7559
1000x1605	1754	5981	2280	7775
1000x1650	1803	6147	2343	7991
1000x1695	1851	6313	2407	8207
1000x1740	1900	6479	2470	8423
1000x1785	1949	6645	2533	8639
1200x300	392	1335	509	1736
1200x345	448	1526	582	1984
1200x390	503	1717	654	2232
1200x435	559	1908	727	2480
1200x480	615	2098	800	2728
1200x525	671	2289	873	2976
1200x570	727	2480	945	3224
1200x615	783	2671	1018	3472

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
9.64	11.47	0.05	990X605X68
10.38	12.31	0.05	990X650X68
11.13	13.13	0.05	990X695X68
11.87	13.96	0.05	990X740X68
12.62	14.80	0.06	990X785X68
13.35	15.62	0.06	990X830X68
14.10	16.46	0.06	990X875X68
14.84	17.28	0.07	990X920X68
15.59	18.11	0.07	990X965X68
16.33	18.95	0.07	990X1010X68
17.08	19.79	0.08	990X1055X68
17.81	20.60	0.08	990X1100X68
18.56	21.44	0.08	990X1145X68
19.30	22.26	0.09	990X1190X68
20.05	23.10	0.09	990X1235X68

TRIO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1200x660	15	33	1145	56,5	72	40	15	30	2,77	C-E-D	£ 258,67
1200x705	16	33	1145	56,5	72	40	15	30	2,96	C-E-D	£ 275,17
1200x750	17	33	1145	56,5	72	40	15	30	3,14	C-E-D	£ 291,66
1200x795	18	33	1145	56,5	72	40	15	30	3,32	C-E-D	£ 308,16
1200x840	19	33	1145	56,5	72	40	15	30	3,51	C-E-D	£ 325,52
1200x885	20	33	1145	56,5	72	40	15	30	3,69	C-E-D	£ 342,03
1200x930	21	33	1145	56,5	72	40	15	30	3,88	C-E-D	£ 358,52
1200x975	22	33	1145	56,5	72	40	15	30	4,06	C-E-D	£ 375,88
1400x300	7	33	1345	56,5	72	40	15	30	1,49	C	£ 135,86
1400x345	8	33	1345	56,5	72	40	15	30	1,70	C	£ 154,77
1400x390	9	33	1345	56,5	72	40	15	30	1,92	C	£ 172,82
1400x435	10	33	1345	56,5	72	40	15	30	2,13	C-E-D	£ 190,91
1400x480	11	33	1345	56,5	72	40	15	30	2,35	C-E-D	£ 209,88
1400x525	12	33	1345	56,5	72	40	15	30	2,56	C-E-D	£ 227,99
1400x570	13	33	1345	56,5	72	40	15	30	2,77	C-E-D	£ 246,09
1400x615	14	33	1345	56,5	72	40	15	30	2,99	C-E-D	£ 264,20
1400x660	15	33	1345	56,5	72	40	15	30	3,20	C-E-D	£ 283,17
1400x705	16	33	1345	56,5	72	40	15	30	3,41	C-E-D	£ 301,27
1400x750	17	33	1345	56,5	72	40	15	30	3,63	C-E-D	£ 319,37
1400x795	18	33	1345	56,5	72	40	15	30	3,84	C-E-D	£ 337,48
1400x840	19	33	1345	56,5	72	40	15	30	4,05	C-E-D	£ 356,46
1400x885	20	33	1345	56,5	72	40	15	30	4,27	C-E-D	£ 374,55
1400x930	21	33	1345	56,5	72	40	15	30	4,48	C-E-D	£ 392,67
1400x975	22	33	1345	56,5	72	40	15	30	4,69	C-E-D	£ 411,63


HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				
1200x660	839	2861	1091	3720
1200x705	895	3052	1164	3968
1200x750	951	3243	1236	4216
1200x795	1007	3434	1309	4464
1200x840	1063	3624	1382	4712
1200x885	1119	3815	1454	4960
1200x930	1175	4006	1527	5207
1200x975	1231	4196	1600	5455
1400x300	450	1533	584	1993
1400x345	514	1752	668	2278
1400x390	578	1971	751	2562
1400x435	642	2190	835	2847
1400x480	706	2409	918	3132
1400x525	771	2628	1002	3417
1400x570	835	2847	1085	3701
1400x615	899	3066	1169	3986
1400x660	963	3285	1252	4271
1400x705	1028	3504	1336	4555
1400x750	1092	3723	1419	4840
1400x795	1156	3942	1503	5125
1400x840	1220	4161	1586	5410
1400x885	1285	4380	1670	5694
1400x930	1349	4599	1753	5979
1400x975	1413	4818	1837	6264

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
14,40	16,85	0,07	1290X695X68
15,36	17,93	0,07	1290X740X68
16,33	19,01	0,07	1290X785X68
17,28	20,09	0,08	1290X830X68
18,24	21,15	0,08	1290X875X68
19,21	22,23	0,09	1290X920X68
20,17	23,31	0,09	1290X965X68
21,13	24,38	0,09	1290X1010X68
7,72	9,47	0,04	1490X335X68
8,83	10,70	0,04	1490X380X68
9,94	11,93	0,05	1490X425X68
11,05	13,18	0,05	1490X470X68
12,16	14,42	0,06	1490X515X68
13,25	15,63	0,06	1490X560X68
14,36	16,86	0,07	1490X605X68
15,47	18,12	0,07	1490X650X68
16,58	19,35	0,08	1490X695X68
17,69	20,58	0,08	1490X740X68
18,80	21,82	0,08	1490X785X68
19,90	23,05	0,09	1490X830X68
21,00	24,29	0,09	1490X875X68
22,11	25,52	0,10	1490X920X68
23,22	26,76	0,10	1490X965X68
24,33	28,00	0,11	1490X1010X68

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel