

TURQUOISE DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x280	3	61	245	56-65	86-95	26-35	5	90	0.28	C	£ 59.87
300x375	4	61	245	56-65	86-95	26-35	5	90	0.37	C	£ 77.48
300x470	5	61	245	56-65	86-95	26-35	5	90	0.47	C-E-D	£ 94.40
300x565	6	61	245	56-65	86-95	26-35	5	90	0.56	C-E-D	£ 111.36
300x660	7	61	245	56-65	86-95	26-35	5	90	0.65	C-E-D	£ 129.69
300x755	8	61	245	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 147.49
300x850	9	61	245	56-65	86-95	26-35	5	90	0.84	C-E-D	£ 164.44
300x945	10	61	245	56-65	86-95	26-35	5	90	0.93	C-E-D	£ 181.42
300x1040	11	61	245	56-65	86-95	26-35	5	90	1.03	C-E-D	£ 199.21
300x1135	12	61	245	56-65	86-95	26-35	5	90	1.12	C-E-D	£ 216.19
300x1230	13	61	245	56-65	86-95	26-35	5	90	1.21	C-E-D	£ 233.14
300x1325	14	61	245	56-65	86-95	26-35	5	90	1.31	C-E-D	£ 250.12
300x1420	15	61	245	56-65	86-95	26-35	5	90	1.40	C	£ 267.92
300x1515	16	61	245	56-65	86-95	26-35	5	90	1.49	C	£ 284.88
300x1610	17	61	245	56-65	86-95	26-35	5	90	1.58	C	£ 301.85
300x1705	18	61	245	56-65	86-95	26-35	5	90	1.68	C	£ 318.82
300x1800	19	61	245	56-65	86-95	26-35	5	90	1.77	C	£ 336.61
300x1895	20	61	245	56-65	86-95	26-35	5	90	1.86	C	£ 353.59
300x1990	21	61	245	56-65	86-95	26-35	5	90	1.96	C	£ 370.55
400x280	3	61	345	56-65	86-95	26-35	5	90	0.32	C	£ 66.20
400x375	4	61	345	56-65	86-95	26-35	5	90	0.43	C	£ 85.91
400x470	5	61	345	56-65	86-95	26-35	5	90	0.54	C-E-D	£ 104.94
400x565	6	61	345	56-65	86-95	26-35	5	90	0.65	C-E-D	£ 124.03
400x660	7	61	345	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 144.45
400x755	8	61	345	56-65	86-95	26-35	5	90	0.86	C-E-D	£ 164.37
400x850	9	61	345	56-65	86-95	26-35	5	90	0.97	C-E-D	£ 183.44
400x945	10	61	345	56-65	86-95	26-35	5	90	1.08	C-E-D	£ 202.53
400x1040	11	61	345	56-65	86-95	26-35	5	90	1.18	C-E-D	£ 222.44
400x1135	12	61	345	56-65	86-95	26-35	5	90	1.29	C-E-D	£ 241.51
400x1230	13	61	345	56-65	86-95	26-35	5	90	1.40	C-E-D	£ 260.60
400x1325	14	61	345	56-65	86-95	26-35	5	90	1.51	C-E-D	£ 279.66
400x1420	15	61	345	56-65	86-95	26-35	5	90	1.61	C	£ 299.59
400x1515	16	61	345	56-65	86-95	26-35	5	90	1.72	C	£ 318.66
400x1610	17	61	345	56-65	86-95	26-35	5	90	1.83	C	£ 337.74
400x1705	18	61	345	56-65	86-95	26-35	5	90	1.94	C	£ 356.81
400x1800	19	61	345	56-65	86-95	26-35	5	90	2.04	C	£ 376.73
400x1895	20	61	345	56-65	86-95	26-35	5	90	2.15	C	£ 395.80
400x1990	21	61	345	56-65	86-95	26-35	5	90	2.26	C	£ 414.89
500x280	3	61	445	56-65	86-95	26-35	5	90	0.37	C	£ 72.52
500x375	4	61	445	56-65	86-95	26-35	5	90	0.49	C	£ 94.36
500x470	5	61	445	56-65	86-95	26-35	5	90	0.61	C-E-D	£ 115.48
500x565	6	61	445	56-65	86-95	26-35	5	90	0.73	C-E-D	£ 136.68
500x660	7	61	445	56-65	86-95	26-35	5	90	0.85	C-E-D	£ 159.23
500x755	8	61	445	56-65	86-95	26-35	5	90	0.98	C-E-D	£ 181.25
500x850	9	61	445	56-65	86-95	26-35	5	90	1.10	C-E-D	£ 202.44
500x945	10	61	445	56-65	86-95	26-35	5	90	1.22	C-E-D	£ 223.63
500x1040	11	61	445	56-65	86-95	26-35	5	90	1.34	C-E-D	£ 245.65
500x1135	12	61	445	56-65	86-95	26-35	5	90	1.46	C-E-D	£ 266.85
500x1230	13	61	445	56-65	86-95	26-35	5	90	1.58	C-E-D	£ 288.03
500x1325	14	61	445	56-65	86-95	26-35	5	90	1.71	C-E-D	£ 309.22
500x1420	15	61	445	56-65	86-95	26-35	5	90	1.83	C	£ 331.25
500x1515	16	61	445	56-65	86-95	26-35	5	90	1.95	C	£ 352.44
500x1610	17	61	445	56-65	86-95	26-35	5	90	2.07	C	£ 373.62
500x1705	18	61	445	56-65	86-95	26-35	5	90	2.19	C	£ 394.81
500x1800	19	61	445	56-65	86-95	26-35	5	90	2.31	C	£ 416.84
500x1895	20	61	445	56-65	86-95	26-35	5	90	2.44	C	£ 438.03
500x1990	21	61	445	56-65	86-95	26-35	5	90	2.56	C	£ 459.21
600x280	3	61	545	56-65	86-95	26-35	5	90	0.41	C	£ 78.85
600x375	4	61	545	56-65	86-95	26-35	5	90	0.55	C	£ 102.79
600x470	5	61	545	56-65	86-95	26-35	5	90	0.68	C-E-D	£ 126.05
600x565	6	61	545	56-65	86-95	26-35	5	90	0.82	C-E-D	£ 149.35
600x660	7	61	545	56-65	86-95	26-35	5	90	0.95	C-E-D	£ 174.00
600x755	8	61	545	56-65	86-95	26-35	5	90	1.09	C-E-D	£ 198.14
600x850	9	61	545	56-65	86-95	26-35	5	90	1.23	C-E-D	£ 221.44
600x945	10	61	545	56-65	86-95	26-35	5	90	1.36	C-E-D	£ 244.74
600x1040	11	61	545	56-65	86-95	26-35	5	90	1.50	C-E-D	£ 268.87
600x1135	12	61	545	56-65	86-95	26-35	5	90	1.63	C-E-D	£ 292.18
600x1230	13	61	545	56-65	86-95	26-35	5	90	1.77	C-E-D	£ 315.48
600x1325	14	61	545	56-65	86-95	26-35	5	90	1.91	C-E-D	£ 338.78
600x1420	15	61	545	56-65	86-95	26-35	5	90	2.04	C	£ 362.91

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x280	144	492	188	640
300x375	193	658	251	855
300x470	242	824	314	1071
300x565	290	989	377	1286
300x660	339	1155	440	1502
300x755	387	1321	504	1717
300x850	436	1487	567	1933
300x945	485	1652	630	2148
300x1040	533	1818	693	2363
300x1135	582	1984	756	2579
300x1230	630	2150	819	2794
300x1325	679	2315	883	3010
300x1420	728	2481	946	3225
300x1515	776	2647	1009	3441
300x1610	825	2813	1072	3656
300x1705	873	2978	1135	3872
300x1800	922	3144	1199	4087
300x1895	971	3310	1262	4303
300x1990	1019	3476	1325	4518
400x280	197	671	256	872
400x375	263	896	342	1165
400x470	329	1122	428	1459
400x565	395	1348	514	1753
400x660	462	1574	600	2046
400x755	528	1800	686	2340
400x850	594	2026	772	2634
400x945	660	2252	858	2927
400x1040	727	2478	945	3221
400x1135	793	2703	1031	3515
400x1230	859	2929	1117	3808
400x1325	925	3155	1203	4102
400x1420	992	3381	1289	4395
400x1515	1058	3607	1375	4689
400x1610	1124	3833	1461	4983
400x1705	1190	4059	1547	5276
400x1800	1257	4285	1633	5570
400x1895	1323	4511	1720	5864
400x1990	1389	4736	1806	6157
500x280	251	857	327	1114
500x375	336	1145	437	1489
500x470	420	1434	547	1864
500x565	505	1722	657	2239
500x660	590	2011	767	2614
500x755	674	2300	877	2989
500x850	759	2588	987	3365
500x945	844	2877	1097	3740
500x1040	928	3165	1207	4115
500x1135	1013	3454	1317	4490
500x1230	1098	3743	1427	4865
500x1325	1182	4031	1537	5240
500x1420	1267	4320	1647	5616
500x1515	1351	4608	1757	5991
500x1610	1436	4897	1867	6366
500x1705	1521	5186	1977	6741
500x1800	1605	5474	2087	7116
500x1895	1690	5763	2197	7492
500x1990	1775	6051	2307	7867
600x280	308	1051	401	1366
600x375	412	1405	535	1826
600x470	516	1759	670	2286
600x565	620	2113	805	2746
600x660	723	2466	940	3206
600x755	827	2820	1075	3667
600x850	931	3174	1210	4127
600x945	1035	3528	1345	4587
600x1040	1139	3882	1480	5047
600x1135	1242	4236	1615	5507
600x1230	1346	4590	1750	5967
600x1325	1450	4944	1885	6427
600x1420	1554	5298	2020	6888

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.52	3.36	0.02	400X320X101
3.37	4.31	0.02	400X415X101
4.22	5.26	0.03	400X510X101
5.06	6.21	0.03	400X605X101
5.91	7.32	0.03	400X700X101
6.76	8.26	0.04	400X795X101
7.61	9.21	0.04	400X890X101
8.46	10.16	0.04	400X985X101
9.31	11.11	0.05	400X1080X101
10.15	12.05	0.05	400X

TURQUOISE DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x1515	16	61	545	56-65	86-95	26-35	5	90	2.18	C	£ 386.21
600x1610	17	61	545	56-65	86-95	26-35	5	90	2.31	C	£ 409.52
600x1705	18	61	545	56-65	86-95	26-35	5	90	2.45	C	£ 432.82
600x1800	19	61	545	56-65	86-95	26-35	5	90	2.59	C	£ 456.94
600x1895	20	61	545	56-65	86-95	26-35	5	90	2.72	C	£ 480.25
600x1990	21	61	545	56-65	86-95	26-35	5	90	2.86	C	£ 503.55
700x280	3	61	645	56-65	86-95	26-35	5	90	0.45	C	£ 87.52
700x375	4	61	645	56-65	86-95	26-35	5	90	0.60	C	£ 114.29
700x470	5	61	645	56-65	86-95	26-35	5	90	0.75	C-E-D	£ 140.35
700x565	6	61	645	56-65	86-95	26-35	5	90	0.90	C-E-D	£ 166.48
700x660	7	61	645	56-65	86-95	26-35	5	90	1.05	C-E-D	£ 193.96
700x755	8	61	645	56-65	86-95	26-35	5	90	1.20	C-E-D	£ 220.91
700x850	9	61	645	56-65	86-95	26-35	5	90	1.35	C-E-D	£ 247.04
700x945	10	61	645	56-65	86-95	26-35	5	90	1.51	C-E-D	£ 273.17
700x1040	11	61	645	56-65	86-95	26-35	5	90	1.66	C-E-D	£ 300.11
700x1135	12	61	645	56-65	86-95	26-35	5	90	1.81	C-E-D	£ 326.23
700x1230	13	61	645	56-65	86-95	26-35	5	90	1.96	C-E-D	£ 352.36
700x1325	14	61	645	56-65	86-95	26-35	5	90	2.11	C-E-D	£ 378.49
700x1420	15	61	645	56-65	86-95	26-35	5	90	2.26	C	£ 405.45
700x1515	16	61	645	56-65	86-95	26-35	5	90	2.41	C	£ 431.58
700x1610	17	61	645	56-65	86-95	26-35	5	90	2.56	C	£ 457.68
700x1705	18	61	645	56-65	86-95	26-35	5	90	2.71	C	£ 483.81
700x1800	19	61	645	56-65	86-95	26-35	5	90	2.86	C	£ 510.77
700x1895	20	61	645	56-65	86-95	26-35	5	90	3.01	C	£ 536.90
700x1990	21	61	645	56-65	86-95	26-35	5	90	3.16	C	£ 563.02
800x280	3	61	745	56-65	86-95	26-35	5	90	0.50	C	£ 94.04
800x375	4	61	745	56-65	86-95	26-35	5	90	0.66	C	£ 122.92
800x470	5	61	745	56-65	86-95	26-35	5	90	0.83	C-E-D	£ 151.11
800x565	6	61	745	56-65	86-95	26-35	5	90	0.99	C-E-D	£ 179.34
800x660	7	61	745	56-65	86-95	26-35	5	90	1.15	C-E-D	£ 208.93
800x755	8	61	745	56-65	86-95	26-35	5	90	1.32	C-E-D	£ 238.01
800x850	9	61	745	56-65	86-95	26-35	5	90	1.48	C-E-D	£ 266.23
800x945	10	61	745	56-65	86-95	26-35	5	90	1.65	C-E-D	£ 294.47
800x1040	11	61	745	56-65	86-95	26-35	5	90	1.81	C-E-D	£ 323.54
800x1135	12	61	745	56-65	86-95	26-35	5	90	1.98	C-E-D	£ 351.77
800x1230	13	61	745	56-65	86-95	26-35	5	90	2.14	C-E-D	£ 380.00
800x1325	14	61	745	56-65	86-95	26-35	5	90	2.31	C-E-D	£ 408.24
800x1420	15	61	745	56-65	86-95	26-35	5	90	2.47	C	£ 437.31
800x1515	16	61	745	56-65	86-95	26-35	5	90	2.64	C	£ 465.55
800x1610	17	61	745	56-65	86-95	26-35	5	90	2.80	C	£ 493.78
800x1705	18	61	745	56-65	86-95	26-35	5	90	2.96	C	£ 522.01
800x1800	19	61	745	56-65	86-95	26-35	5	90	3.13	C	£ 551.08
800x1895	20	61	745	56-65	86-95	26-35	5	90	3.29	C	£ 579.32
800x1990	21	61	745	56-65	86-95	26-35	5	90	3.46	C	£ 607.56
900x280	3	61	845	56-65	86-95	26-35	5	90	0.54	C	£ 100.57
900x375	4	61	845	56-65	86-95	26-35	5	90	0.72	C	£ 131.56
900x470	5	61	845	56-65	86-95	26-35	5	90	0.90	C-E-D	£ 161.86
900x565	6	61	845	56-65	86-95	26-35	5	90	1.08	C-E-D	£ 192.20
900x660	7	61	845	56-65	86-95	26-35	5	90	1.25	C-E-D	£ 223.90
900x755	8	61	845	56-65	86-95	26-35	5	90	1.43	C-E-D	£ 255.08
900x850	9	61	845	56-65	86-95	26-35	5	90	1.61	C-E-D	£ 285.43
900x945	10	61	845	56-65	86-95	26-35	5	90	1.79	C-E-D	£ 315.78
900x1040	11	61	845	56-65	86-95	26-35	5	90	1.97	C-E-D	£ 346.96
900x1135	12	61	845	56-65	86-95	26-35	5	90	2.15	C-E-D	£ 377.30
900x1230	13	61	845	56-65	86-95	26-35	5	90	2.33	C-E-D	£ 407.65
900x1325	14	61	845	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 437.99
900x1420	15	61	845	56-65	86-95	26-35	5	90	2.69	C	£ 469.17
900x1515	16	61	845	56-65	86-95	26-35	5	90	2.86	C	£ 499.52
900x1610	17	61	845	56-65	86-95	26-35	5	90	3.04	C	£ 529.86
900x1705	18	61	845	56-65	86-95	26-35	5	90	3.22	C	£ 560.21
900x1800	19	61	845	56-65	86-95	26-35	5	90	3.40	C	£ 591.39
900x1895	20	61	845	56-65	86-95	26-35	5	90	3.58	C	£ 621.74
900x1990	21	61	845	56-65	86-95	26-35	5	90	3.76	C	£ 652.08
1000x280	3	61	945	56-65	86-95	26-35	5	90	0.58	C	£ 111.06
1000x375	4	61	945	56-65	86-95	26-35	5	90	0.77	C	£ 145.40
1000x470	5	61	945	56-65	86-95	26-35	5	90	0.97	C-E-D	£ 179.01
1000x565	6	61	945	56-65	86-95	26-35	5	90	1.16	C-E-D	£ 212.66
1000x660	7	61	945	56-65	86-95	26-35	5	90	1.35	C-E-D	£ 247.73
1000x755	8	61	945	56-65	86-95	26-35	5	90	1.55	C-E-D	£ 282.25
1000x850	9	61	945	56-65	86-95	26-35	5	90	1.74	C-E-D	£ 315.91

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
400x1515	1658	5652	2155	7348
400x1610	1761	6006	2290	7808
400x1705	1865	6360	2425	8268
400x1800	1969	6714	2560	8728
400x1895	2073	7068	2695	9188
400x1990	2177	7422	2829	9648
700x280	352	1199	457	1559
700x375	470	1603	611	2084
700x470	589	2007	765	2610
700x565	707	2411	919	3135
700x660	826	2815	1073	3660
700x755	944	3219	1227	4185
700x850	1063	3623	1381	4710
700x945	1181	4027	1535	5236
700x1040	1300	4432	1689	5761
700x1135	1418	4836	1843	6286
700x1230	1537	5240	1997	6811
700x1325	1655	5644	2152	7337
700x1420	1774	6048	2306	7862
700x1515	1892	6452	2460	8387
700x1610	2010	6856	2614	8912
700x1705	2129	7260	2768	9438
700x1800	2247	7664	2922	9963
700x1895	2366	8068	3076	10488
700x1990	2484	8472	3230	11013
800x280	393	1341	511	1743
800x375	526	1793	683	2331
800x470	658	2245	856	2918
800x565	791	2696	1028	3505
800x660	923	3148	1200	4093
800x755	1056	3600	1372	4680
800x850	1188	4052	1545	5267
800x945	1321	4503	1717	5854
800x1040	1453	4955	1889	6442
800x1135	1586	5407	2061	7029
800x1230	1718	5859	2234	7616
800x1325	1851	6311	2406	8204
800x1420	1983	6762	2578	8791
800x1515	2116	7214	2750	9378
800x1610	2248	7666	2922	9966
800x1705	2381	8118	3095	10553
800x1800	2513	8569	3267	11140
800x1895	2646	9021	3439	11728
800x1990	2778	9473	3611	12315
900x280	433	1476	563	1919
900x375	579	1973	752	2565
900x470	725	2471	942	3212
900x565	870	2968	1131	3858
900x660	1016	3465	1321	4505
900x755	1162	3962	1511	5151
900x850	1308	4460	1700	5798
900x945	1454	4957	1890	6444
900x1040	1599	5454	2079	7090
900x1135	1745	5951	2269	7737
900x1230	1891	6449	2458	8383
900x1325	2037	6946	2648	9030
900x1420	2183	7443	2838	9676
900x1515	2329	7941	3027	10323
900x1610	2474	8438	3217	10969
900x1705	2620	8935	3406	11616
900x1800	2766	9432	3596	12262
900x1895	2912	9930	3785	12908
900x1990	3058	10427	3975	13555
1000x280	471	1605	612	2086
1000x375	629	2145	818	2789
1000x470	788	2686	1024	3492
1000x565	946	3226	1230	4194
1000x660	1105	3767	1436	4897
1000x755	1263	4308	1642	5600
1000x850	1422	4848	1848	6303

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
23.09	26.37	0.11	700X1555X101
24.53	27.96	0.12	700X1650X101
25.97	29.55	0.13	700X1745X101
27.42	31.15	0.14	700X1840X101
28.87	32.75	0.14	700X1935X101
30.31	34.35	0.15	700X2030X101
4.88	6.13	0.03	800X320X101
6.52	7.95	0.04	800X415X101
8.17	9.76	0.05	800X510X101
9.81	11.57	0.05	800X605X101
11.45	13.53	0.06	800X700X101
13.10	15.35	0.07	800X795X101
14.75	17.17	0.08	800X890X101
16.39	18.99	0.08	800X985X101
18.04	20.80	0.09	800X1080X101
19.68	22.60	0.10	800X1175X101
21.32	24.42	0.11	800X1270X101
22.97	26.24	0.12	800X1365X101
24.62	28.06	0.12	800X1460X101
26.26	29.87	0.13	800X1555X101
27.91	31.68	0.14	800X1650X101
29.55	33.48	0.15	800X1745X101
31.20	35.31	0.15	800X1840X101
32.84	37.12	0.16	800X1935X101
34.49	38.94	0.17	800X2030X101
5.47	6.82	0.03	900X320X101
7.31	8.85	0.04	900X415X101
9.16	10.89	0.05	900X510X101
10.99	12.91	0.06	900X605X101
12.84	15.09	0.07	900X700X101
14.69	17.14	0.08	900X795X101
16.53	19.15	0.09	900X890X101
18.38	21.19	0.09	900X985X101
20.22	23.22	0.10	900X1080X101
22.06	25.25	0.11	900X1175X101
23.91	27.28	0.12	900X1270X101
25.75	29.31	0.13	900X1365X101
27.60	31.34	0.14	900X1460X101
29.44	33.37	0.15	900X1555X101
31.29	35.40	0.15	900X1650X101
33.13	37.43	0.16	900X1745X101
34.97	39.45	0.17	900X1840X101
36.82	41.50	0.18	900X1935X101
38.66	43.52	0.19	900X2030X101
6.05	7.51	0.04	1000X320X101
8.10	9.76	0.05	1000X415X101
10.15	12.01	0.06	1000X510X101
12.18	14.25	0.07	1000X605X101
14.23	16.65	0.08	1000X700X101
16.27	18.89	0.09	1000X795X101
18.32	21.15	0.09	1000X890X101
20.36	23.40	0.10	1000X985X101
22.41	25.64	0.11	1000X1080X101
24.44	27.88	0.12	1000X1175X101
26.49	30.14	0.13	1000X1270X101
28.53	32.37	0.14	1000X1365X101
30.58	34.63	0.15	1000X1460X101
32.62	36.87	0.16	1000X1555X101
34.67	39.11	0.17	1000X1650X101
36.70	41.35	0.18	1000X1745X101
38.75	43.61	0.19	1000X1840X101
40.79	45.85	0.20	1000X1935X101
42.84	48.10	0.21	1000X2030X101
6.64	8.20	0.04	1100X320X101
8.89	10.67	0.05	1100X415X101
11.13	13.13	0.06	1100X510X101
13.37	15.60	0.07	1100X605X101
15.61	18.21	0.08	1100X700X101
17.86	20.68	0.09	1100X795X101
20.10	23.13	0.10	1100X890X101

TURQUOISE DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x945	10	61	945	56-65	86-95	26-35	5	90	1.93	C-E-D	£ 349.57
1000x1040	11	61	945	56-65	86-95	26-35	5	90	2.13	C-E-D	£ 384.09
1000x1135	12	61	945	56-65	86-95	26-35	5	90	2.32	C-E-D	£ 417.75
1000x1230	13	61	945	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 451.42
1000x1325	14	61	945	56-65	86-95	26-35	5	90	2.71	C-E-D	£ 485.08
1000x1420	15	61	945	56-65	86-95	26-35	5	90	2.90	C	£ 519.60
1000x1515	16	61	945	56-65	86-95	26-35	5	90	3.09	C	£ 553.26
1000x1610	17	61	945	56-65	86-95	26-35	5	90	3.29	C	£ 586.92
1000x1705	18	61	945	56-65	86-95	26-35	5	90	3.48	C	£ 620.57
1000x1800	19	61	945	56-65	86-95	26-35	5	90	3.67	C	£ 655.10
1000x1895	20	61	945	56-65	86-95	26-35	5	90	3.87	C	£ 688.76
1000x1990	21	61	945	56-65	86-95	26-35	5	90	4.06	C	£ 722.41
1200x280	3	61	1145	56-65	86-95	26-35	5	90	0.67	C	£ 126.83
1200x375	4	61	1145	56-65	86-95	26-35	5	90	0.89	C	£ 166.27
1200x470	5	61	1145	56-65	86-95	26-35	5	90	1.11	C-E-D	£ 205.00
1200x565	6	61	1145	56-65	86-95	26-35	5	90	1.33	C-E-D	£ 243.77
1200x660	7	61	1145	56-65	86-95	26-35	5	90	1.55	C-E-D	£ 283.95
1200x755	8	61	1145	56-65	86-95	26-35	5	90	1.78	C-E-D	£ 323.59
1200x850	9	61	1145	56-65	86-95	26-35	5	90	2.00	C-E-D	£ 362.37
1200x945	10	61	1145	56-65	86-95	26-35	5	90	2.22	C-E-D	£ 401.14
1200x1040	11	61	1145	56-65	86-95	26-35	5	90	2.44	C-E-D	£ 440.79
1200x1135	12	61	1145	56-65	86-95	26-35	5	90	2.66	C-E-D	£ 479.57
1200x1230	13	61	1145	56-65	86-95	26-35	5	90	2.89	C-E-D	£ 518.34
1200x1325	14	61	1145	56-65	86-95	26-35	5	90	3.11	C-E-D	£ 557.11
1200x1420	15	61	1145	56-65	86-95	26-35	5	90	3.33	C	£ 596.75
1400x280	3	61	1345	56-65	86-95	26-35	5	90	0.75	C	£ 140.38
1400x375	4	61	1345	56-65	86-95	26-35	5	90	1.00	C	£ 184.19
1400x470	5	61	1345	56-65	86-95	26-35	5	90	1.25	C-E-D	£ 227.29
1400x565	6	61	1345	56-65	86-95	26-35	5	90	1.50	C-E-D	£ 270.46
1400x660	7	61	1345	56-65	86-95	26-35	5	90	1.75	C-E-D	£ 315.01
1400x755	8	61	1345	56-65	86-95	26-35	5	90	2.01	C-E-D	£ 359.04
1400x850	9	61	1345	56-65	86-95	26-35	5	90	2.26	C-E-D	£ 402.18
1400x945	10	61	1345	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 445.35
1400x1040	11	61	1345	56-65	86-95	26-35	5	90	2.76	C-E-D	£ 489.37
1400x1135	12	61	1345	56-65	86-95	26-35	5	90	3.01	C-E-D	£ 532.52
1400x1230	13	61	1345	56-65	86-95	26-35	5	90	3.26	C-E-D	£ 575.67
1400x1325	14	61	1345	56-65	86-95	26-35	5	90	3.51	C-E-D	£ 618.83
1400x1420	15	61	1345	56-65	86-95	26-35	5	90	3.76	C	£ 662.85
1600x280	3	61	1545	56-65	86-95	26-35	5	90	0.84	C	£ 162.50
1600x375	4	61	1545	56-65	86-95	26-35	5	90	1.12	C	£ 213.57
1600x470	5	61	1545	56-65	86-95	26-35	5	90	1.40	C-E-D	£ 263.91
1600x565	6	61	1545	56-65	86-95	26-35	5	90	1.68	C-E-D	£ 314.31
1600x660	7	61	1545	56-65	86-95	26-35	5	90	1.96	C-E-D	£ 366.12
1600x755	8	61	1545	56-65	86-95	26-35	5	90	2.23	C-E-D	£ 417.37
1600x850	9	61	1545	56-65	86-95	26-35	5	90	2.51	C-E-D	£ 467.77
1600x945	10	61	1545	56-65	86-95	26-35	5	90	2.79	C-E-D	£ 518.17
1600x1040	11	61	1545	56-65	86-95	26-35	5	90	3.07	C-E-D	£ 569.42
1800x280	3	61	1745	56-65	86-95	26-35	5	90	0.92	C	£ 179.75
1800x375	4	61	1745	56-65	86-95	26-35	5	90	1.23	C	£ 235.55
1800x470	5	61	1745	56-65	86-95	26-35	5	90	1.54	C-E-D	£ 290.65
1800x565	6	61	1745	56-65	86-95	26-35	5	90	1.85	C-E-D	£ 345.79
1800x660	7	61	1745	56-65	86-95	26-35	5	90	2.16	C-E-D	£ 402.34
1800x755	8	61	1745	56-65	86-95	26-35	5	90	2.46	C-E-D	£ 458.36
1800x850	9	61	1745	56-65	86-95	26-35	5	90	2.77	C-E-D	£ 513.50
1800x945	10	61	1745	56-65	86-95	26-35	5	90	3.08	C-E-D	£ 568.64
1800x1040	11	61	1745	56-65	86-95	26-35	5	90	3.39	C-E-D	£ 624.65
2000x280	3	61	1945	56-65	86-95	26-35	5	90	1.01	C	£ 190.74
2000x375	4	61	1945	56-65	86-95	26-35	5	90	1.35	C	£ 250.93
2000x470	5	61	1945	56-65	86-95	26-35	5	90	1.68	C-E-D	£ 310.40
2000x565	6	61	1945	56-65	86-95	26-35	5	90	2.02	C-E-D	£ 369.93
2000x660	7	61	1945	56-65	86-95	26-35	5	90	2.36	C-E-D	£ 430.86
2000x755	8	61	1945	56-65	86-95	26-35	5	90	2.69	C-E-D	£ 491.25
2000x850	9	61	1945	56-65	86-95	26-35	5	90	3.03	C-E-D	£ 550.77
2000x945	10	61	1945	56-65	86-95	26-35	5	90	3.36	C-E-D	£ 610.29
2000x1040	11	61	1945	56-65	86-95	26-35	5	90	3.70	C-E-D	£ 670.68

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x945	1580	5389	2054	7005
1000x1040	1739	5929	2260	7708
1000x1135	1897	6470	2467	8411
1000x1230	2056	7010	2673	9114
1000x1325	2214	7551	2879	9816
1000x1420	2373	8092	3085	10519
1000x1515	2531	8632	3291	11222
1000x1610	2690	9173	3497	11925
1000x1705	2849	9713	3703	12627
1000x1800	3007	10254	3909	13330
1000x1895	3166	10795	4115	14033
1000x1990	3324	11335	4321	14736
1200x280	540	1842	702	2395
1200x375	722	2463	939	3202
1200x470	904	3084	1176	4009
1200x565	1086	3704	1412	4816
1200x660	1268	4325	1649	5623
1200x755	1450	4946	1885	6429
1200x850	1632	5566	2122	7236
1200x945	1814	6187	2359	8043
1200x1040	1996	6808	2595	8850
1200x1135	2178	7428	2832	9657
1200x1230	2360	8049	3069	10464
1200x1325	2542	8670	3305	11271
1200x1420	2724	9291	3542	12078
1400x280	620	2115	806	2750
1400x375	829	2828	1078	3676
1400x470	1038	3541	1350	4603
1400x565	1247	4253	1621	5529
1400x660	1456	4966	1893	6456
1400x755	1665	5679	2165	7382
1400x850	1874	6391	2437	8308
1400x945	2083	7104	2708	9235
1400x1040	2292	7816	2980	10161
1400x1135	2501	8529	3252	11088
1400x1230	2710	9242	3523	12014
1400x1325	2919	9954	3795	12941
1400x1420	3128	10667	4067	13867
1600x280	712	2429	926	3157
1600x375	952	3247	1238	4221
1600x470	1192	4065	1550	5285
1600x565	1432	4883	1862	6348
1600x660	1672	5702	2174	7412
1600x755	1912	6520	2486	8476
1600x850	2152	7338	2797	9539
1600x945	2392	8156	3109	10603
1600x1040	2632	8975	3421	11667
1800x280	818	2789	1063	3625
1800x375	1093	3728	1421	4846
1800x470	1369	4667	1779	6068
1800x565	1644	5607	2138	7289
1800x660	1920	6546	2496	8510
1800x755	2195	7486	2854	9732
1800x850	2471	8425	3212	10953
1800x945	2746	9365	3570	12174
1800x1040	3022	10304	3928	13395
2000x280	939	3202	1221	4162
2000x375	1255	4280	1632	5564
2000x470	1572	5359	2043	6967
2000x565	1888	6438	2454	8369
2000x660	2204	7516	2865	9771
2000x755	2520	8595	3277	11173
2000x850	2837	9674	3688	12576
2000x945	3153	10752	4099	13978
2000x1040	3469	11831	4510	15380

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
22.34	25.59	0.11	1100X985X101
24.59	28.06	0.12	1100X1080X101
26.82	30.51	0.14	1100X1175X101
29.07	32.99	0.15	1100X1270X101
31.31	35.45	0.16	1100X1365X101
33.56	37.92	0.17	1100X1460X101
35.80	40.38	0.18	1100X1555X101
38.05	42.85	0.19	1100X1650X101
40.28	45.30	0.20	1100X1745X101
42.52	47.75	0.21	1100X1840X101
44.77	50.22	0.22	1100X1935X101
47.01	52.42	0.23	1100X2030X101
7.82	9.58	0.05	1300X320X101
10.47	12.48	0.06	1300X415X101
13.11	15.39	0.07	1300X510X101
15.74	18.27	0.08	1300X605X101
18.38	21.31	0.10	1300X700X101
21.03	24.22	0.11	1300X795X101
23.67	27.12	0.12	1300X890X101
26.31	30.01	0.13	1300X985X101
28.96	32.91	0.15	1300X1080X101
31.59	35.81	0.16	1300X1175X101
34.23	38.70	0.17	1300X1270X101
36.87	41.59	0.18	1300X1365X101
39.52	44.50	0.20	1300X1460X101
9.00	10.97	0.05	1500X320X101
12.04	14.30	0.07	1500X415X101
15.08	17.63	0.08	1500X510X101
18.11	20.95	0.10	1500X605X101
21.16	24.43	0.11	1500X700X101
24.20	27.77	0.13	1500X795X101
27.24	31.09	0.14	1500X890X101
30.28	34.43	0.15	1500X985X101
33.32	37.76	0.17	1500X1080X101
36.35	41.07	0.18	1500X1175X101
39.39	44.40	0.20	1500X1270X101
42.43	47.74	0.21	1500X1365X101
45.48	51.07	0.23	1500X1460X101
10.16	12.33	0.06	1700X320X101
13.59	16.09	0.08	1700X415X101
17.02	19.84	0.09	1700X510X101
20.46	23.60	0.11	1700X605X101
23.89	27.52	0.13	1700X700X101
27.32	31.26	0.14	1700X795X101
30.75	35.02	0.16	1700X890X101
34.18	38.78	0.17	1700X985X101
37.62	42.53	0.19	1700X1080X101
11.34	13.87	0.07	1900X320X101
15.17	18.03	0.08	1900X415X101
18.99	22.20	0.10	1900X510X101
22.83	26.41	0.12	1900X605X101
26.66	30.74	0.14	1900X700X101
30.49	34.93	0.16	1900X795X101
34.32	39.12	0.18	1900X890X101
38.14	43.30	0.19	1900X985X101
41.98	47.49	0.21	1900X1080X101
12.52	15.12	0.07	2100X320X101
16.74	19.72	0.09	2100X415X101
20.97	24.35	0.11	2100X510X101
25.20	29.12	0.13	2100X605X101
29.43	33.74	0.15	2100X700X101
33.66	38.37	0.17	2100X795X101
37.88	42.97	0.19	2100X890X101
42.11	47.59	0.21	2100X985X101
46.35	52.23	0.23	2100X1080X101

TURQUOISE DOUBLE

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
			SX	ZX	YP	YL	AX	P3			
			✓	✓	✓	✓	✓	✓			

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel