

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x435	8	86	245	39-48	112-121	26-35	5	50	0,59	C-E-D	£ 155.22
300x490	9	86	245	39-48	112-121	26-35	5	50	0,66	C-E-D	£ 173.15
300x545	10	86	245	39-48	112-121	26-35	5	50	0,74	C-E-D	£ 191.07
300x600	11	86	245	39-48	112-121	26-35	5	50	0,81	C-E-D	£ 209.91
300x655	12	86	245	39-48	112-121	26-35	5	50	0,88	C-E-D	£ 229.31
300x710	13	86	245	39-48	112-121	26-35	5	50	0,95	C-E-D	£ 247.23
300x765	14	86	245	39-48	112-121	26-35	5	50	1,02	C-E-D	£ 265.16
300x820	15	86	245	39-48	112-121	26-35	5	50	1,09	C-E-D	£ 283.99
300x875	16	86	245	39-48	112-121	26-35	5	50	1,16	C-E-D	£ 301.93
300x930	17	86	245	39-48	112-121	26-35	5	50	1,23	C-E-D	£ 319.86
300x985	18	86	245	39-48	112-121	26-35	5	50	1,30	C-E-D	£ 337.79
300x1040	19	86	245	39-48	112-121	26-35	5	50	1,38	C-E-D	£ 357.59
300x1095	20	86	245	39-48	112-121	26-35	5	50	1,45	C-E-D	£ 375.52
300x1150	21	86	245	39-48	112-121	26-35	5	50	1,52	C-E-D	£ 393.45
300x1205	22	86	245	39-48	112-121	26-35	5	50	1,60	C-E-D	£ 412.29
300x1260	23	86	245	39-48	112-121	26-35	5	50	1,67	C-E-D	£ 430.21
300x1315	24	86	245	39-48	112-121	26-35	5	50	1,74	C-E-D	£ 448.15
300x1370	25	86	245	39-48	112-121	26-35	5	50	1,81	C-E-D	£ 466.08
300x1425	26	86	245	39-48	112-121	26-35	5	50	1,88	C	£ 484.91
300x1480	27	86	245	39-48	112-121	26-35	5	50	1,95	C	£ 502.85
300x1535	28	86	245	39-48	112-121	26-35	5	50	2,02	C	£ 520.77
300x1590	29	86	245	39-48	112-121	26-35	5	50	2,09	C	£ 538.71
300x1645	30	86	245	39-48	112-121	26-35	5	50	2,16	C	£ 557.53
300x1700	31	86	245	39-48	112-121	26-35	5	50	2,23	C	£ 575.46
300x1755	32	86	245	39-48	112-121	26-35	5	50	2,30	C	£ 593.41
300x1810	33	86	245	39-48	112-121	26-35	5	50	2,37	C	£ 612.23
300x1865	34	86	245	39-48	112-121	26-35	5	50	2,44	C	£ 630.16
300x1920	35	86	245	39-48	112-121	26-35	5	50	2,51	C	£ 648.09
300x1975	36	86	245	39-48	112-121	26-35	5	50	2,58	C	£ 666.03
400x325	6	86	345	39-48	112-121	26-35	5	50	0,54	C	£ 127.75
400x380	7	86	345	39-48	112-121	26-35	5	50	0,62	C	£ 146.99
400x435	8	86	345	39-48	112-121	26-35	5	50	0,71	C-E-D	£ 167.24
400x490	9	86	345	39-48	112-121	26-35	5	50	0,79	C-E-D	£ 186.65
400x545	10	86	345	39-48	112-121	26-35	5	50	0,88	C-E-D	£ 206.07
400x600	11	86	345	39-48	112-121	26-35	5	50	0,96	C-E-D	£ 226.39
400x655	12	86	345	39-48	112-121	26-35	5	50	1,05	C-E-D	£ 247.28
400x710	13	86	345	39-48	112-121	26-35	5	50	1,13	C-E-D	£ 266.70
400x765	14	86	345	39-48	112-121	26-35	5	50	1,22	C-E-D	£ 286.11
400x820	15	86	345	39-48	112-121	26-35	5	50	1,30	C-E-D	£ 306.43
400x875	16	86	345	39-48	112-121	26-35	5	50	1,39	C-E-D	£ 325.85
400x930	17	86	345	39-48	112-121	26-35	5	50	1,47	C-E-D	£ 345.28
400x985	18	86	345	39-48	112-121	26-35	5	50	1,56	C-E-D	£ 364.70
400x1040	19	86	345	39-48	112-121	26-35	5	50	1,66	C-E-D	£ 385.99
400x1095	20	86	345	39-48	112-121	26-35	5	50	1,74	C-E-D	£ 405.41
400x1150	21	86	345	39-48	112-121	26-35	5	50	1,82	C-E-D	£ 424.83
400x1205	22	86	345	39-48	112-121	26-35	5	50	1,91	C-E-D	£ 445.16
400x1260	23	86	345	39-48	112-121	26-35	5	50	1,99	C-E-D	£ 464.58
400x1315	24	86	345	39-48	112-121	26-35	5	50	2,08	C-E-D	£ 484.01
400x1370	25	86	345	39-48	112-121	26-35	5	50	2,16	C-E-D	£ 503.41
400x1425	26	86	345	39-48	112-121	26-35	5	50	2,25	C	£ 523.73
400x1480	27	86	345	39-48	112-121	26-35	5	50	2,33	C	£ 543.16
400x1535	28	86	345	39-48	112-121	26-35	5	50	2,42	C	£ 562.58
400x1590	29	86	345	39-48	112-121	26-35	5	50	2,50	C	£ 582.01
400x1645	30	86	345	39-48	112-121	26-35	5	50	2,59	C	£ 602.32
400x1700	31	86	345	39-48	112-121	26-35	5	50	2,67	C	£ 621.74
400x1755	32	86	345	39-48	112-121	26-35	5	50	2,76	C	£ 641.17
400x1810	33	86	345	39-48	112-121	26-35	5	50	2,84	C	£ 661.49
400x1865	34	86	345	39-48	112-121	26-35	5	50	2,93	C	£ 680.92
400x1920	35	86	345	39-48	112-121	26-35	5	50	3,01	C	£ 700.32
400x1975	36	86	345	39-48	112-121	26-35	5	50	3,10	C	£ 719.74
500x325	6	86	445	39-48	112-121	26-35	5	50	0,63	C	£ 137.14
500x380	7	86	445	39-48	112-121	26-35	5	50	0,72	C	£ 157.85
500x435	8	86	445	39-48	112-121	26-35	5	50	0,82	C-E-D	£ 179.60
500x490	9	86	445	39-48	112-121	26-35	5	50	0,92	C-E-D	£ 200.51
500x545	10	86	445	39-48	112-121	26-35	5	50	1,02	C-E-D	£ 221.42
500x600	11	86	445	39-48	112-121	26-35	5	50	1,12	C-E-D	£ 243.23
500x655	12	86	445	39-48	112-121	26-35	5	50	1,22	C-E-D	£ 265.60
500x710	13	86	445	39-48	112-121	26-35	5	50	1,32	C-E-D	£ 286.51
500x765	14	86	445	39-48	112-121	26-35	5	50	1,42	C-E-D	£ 307.42
500x820	15	86	445	39-48	112-121	26-35	5	50	1,52	C-E-D	£ 329.23

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x435	303	1035	395	1345
300x490	341	1164	444	1513
300x545	379	1293	493	1682
300x600	417	1423	542	1850
300x655	455	1552	592	2018
300x710	493	1682	641	2186
300x765	531	1811	690	2354
300x820	569	1940	740	2522
300x875	607	2070	789	2690
300x930	645	2199	838	2859
300x985	683	2328	888	3027
300x1040	721	2458	937	3195
300x1095	759	2587	986	3363
300x1150	797	2716	1036	3531
300x1205	835	2846	1085	3699
300x1260	872	2975	1134	3868
300x1315	910	3104	1183	4036
300x1370	948	3234	1233	4204
300x1425	986	3363	1282	4372
300x1480	1024	3492	1331	4540
300x1535	1062	3622	1381	4708
300x1590	1100	3751	1430	4876
300x1645	1138	3880	1479	5045
300x1700	1176	4010	1529	5213
300x1755	1214	4139	1578	5381
300x1810	1252	4269	1627	5549
300x1865	1290	4398	1677	5717
300x1920	1328	4527	1726	5885
300x1975	1366	4657	1775	6054
400x325	310	1058	403	1375
400x380	362	1234	470	1604
400x435	414	1410	538	1833
400x490	465	1586	605	2062
400x545	517	1763	672	2292
400x600	569	1939	739	2521
400x655	620	2115	806	2750
400x710	672	2292	874	2979
400x765	724	2468	941	3208
400x820	775	2644	1008	3437
400x875	827	2820	1075	3666
400x930	879	2997	1142	3896
400x985	930	3173	1210	4125
400x1040	982	3349	1277	4354
400x1095	1034	3525	1344	4583
400x1150	1086	3702	1411	4812
400x1205	1137	3878	1478	5041
400x1260	1189	4054	1546	5271
400x1315	1241	4231	1613	5500
400x1370	1292	4407	1680	5729
400x1425	1344	4583	1747	5958
400x1480	1396	4759	1814	6187
400x1535	1447	4936	1882	6416
400x1590	1499	5112	1949	6645
400x1645	1551	5288	2016	6875
400x1700	1602	5464	2083	7104
400x1755	1654	5641	2150	7333
400x1810	1706	5817	2218	7562
400x1865	1758	5993	2285	7791
400x1920	1809	6170	2352	8020
400x1975	1861	6346	2419	8250
500x325	396	1351	515	1757
500x380	462	1576	601	2049
500x435	528	1802	687	2342
500x490	594	2027	773	2635
500x545	660	2252	859	2928
500x600	726	2477	944	3220
500x655	793	2702	1030	3513
500x710	859	2928	1116	3806
500x765	925	3153	1202	4099
500x820	991	3378	1288	4391

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
4.58	5.82	0.04	500X482X128
5.12	6.43	0.04	500X537X128
5.66	7.04	0.04	500X592X128
6.20	7.81	0.05	500X647X128
6.73	8.41	0.05	500X702X128
7.27	9.02	0.05	500X757

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x875	16	86	445	39-48	112-121	26-35	5	50	1.62	C-E-D	£ 350.14
500x930	17	86	445	39-48	112-121	26-35	5	50	1.71	C-E-D	£ 371.05
500x985	18	86	445	39-48	112-121	26-35	5	50	1.81	C-E-D	£ 391.96
500x1040	19	86	445	39-48	112-121	26-35	5	50	1.93	C-E-D	£ 414.74
500x1095	20	86	445	39-48	112-121	26-35	5	50	2.03	C-E-D	£ 435.65
500x1150	21	86	445	39-48	112-121	26-35	5	50	2.13	C-E-D	£ 456.56
500x1205	22	86	445	39-48	112-121	26-35	5	50	2.22	C-E-D	£ 478.37
500x1260	23	86	445	39-48	112-121	26-35	5	50	2.32	C-E-D	£ 499.28
500x1315	24	86	445	39-48	112-121	26-35	5	50	2.42	C-E-D	£ 520.19
500x1370	25	86	445	39-48	112-121	26-35	5	50	2.52	C-E-D	£ 541.10
500x1425	26	86	445	39-48	112-121	26-35	5	50	2.62	C	£ 562.92
500x1480	27	86	445	39-48	112-121	26-35	5	50	2.72	C	£ 583.82
500x1535	28	86	445	39-48	112-121	26-35	5	50	2.82	C	£ 604.74
500x1590	29	86	445	39-48	112-121	26-35	5	50	2.92	C	£ 625.64
500x1645	30	86	445	39-48	112-121	26-35	5	50	3.02	C	£ 647.46
500x1700	31	86	445	39-48	112-121	26-35	5	50	3.12	C	£ 668.36
500x1755	32	86	445	39-48	112-121	26-35	5	50	3.21	C	£ 689.28
500x1810	33	86	445	39-48	112-121	26-35	5	50	3.31	C	£ 711.08
500x1865	34	86	445	39-48	112-121	26-35	5	50	3.41	C	£ 732.01
500x1920	35	86	445	39-48	112-121	26-35	5	50	3.51	C	£ 752.92
500x1975	36	86	445	39-48	112-121	26-35	5	50	3.61	C	£ 773.83
600x325	6	86	545	39-48	112-121	26-35	5	50	0.71	C	£ 145.08
600x380	7	86	545	39-48	112-121	26-35	5	50	0.82	C	£ 167.29
600x435	8	86	545	39-48	112-121	26-35	5	50	0.94	C-E-D	£ 190.52
600x490	9	86	545	39-48	112-121	26-35	5	50	1.05	C-E-D	£ 212.92
600x545	10	86	545	39-48	112-121	26-35	5	50	1.16	C-E-D	£ 235.32
600x600	11	86	545	39-48	112-121	26-35	5	50	1.28	C-E-D	£ 258.62
600x655	12	86	545	39-48	112-121	26-35	5	50	1.39	C-E-D	£ 282.47
600x710	13	86	545	39-48	112-121	26-35	5	50	1.50	C-E-D	£ 304.89
600x765	14	86	545	39-48	112-121	26-35	5	50	1.62	C-E-D	£ 327.28
600x820	15	86	545	39-48	112-121	26-35	5	50	1.73	C-E-D	£ 350.58
600x875	16	86	545	39-48	112-121	26-35	5	50	1.84	C-E-D	£ 372.97
600x930	17	86	545	39-48	112-121	26-35	5	50	1.96	C-E-D	£ 395.37
600x985	18	86	545	39-48	112-121	26-35	5	50	2.07	C-E-D	£ 417.79
600x1040	19	86	545	39-48	112-121	26-35	5	50	2.20	C-E-D	£ 442.05
600x1095	20	86	545	39-48	112-121	26-35	5	50	2.31	C-E-D	£ 464.45
600x1150	21	86	545	39-48	112-121	26-35	5	50	2.43	C-E-D	£ 486.84
600x1205	22	86	545	39-48	112-121	26-35	5	50	2.54	C-E-D	£ 510.16
600x1260	23	86	545	39-48	112-121	26-35	5	50	2.65	C-E-D	£ 532.56
600x1315	24	86	545	39-48	112-121	26-35	5	50	2.77	C-E-D	£ 554.95
600x1370	25	86	545	39-48	112-121	26-35	5	50	2.88	C-E-D	£ 577.35
600x1425	26	86	545	39-48	112-121	26-35	5	50	2.99	C	£ 600.66
600x1480	27	86	545	39-48	112-121	26-35	5	50	3.11	C	£ 623.06
600x1535	28	86	545	39-48	112-121	26-35	5	50	3.22	C	£ 645.46
600x1590	29	86	545	39-48	112-121	26-35	5	50	3.33	C	£ 667.85
600x1645	30	86	545	39-48	112-121	26-35	5	50	3.45	C	£ 691.15
600x1700	31	86	545	39-48	112-121	26-35	5	50	3.56	C	£ 713.56
600x1755	32	86	545	39-48	112-121	26-35	5	50	3.67	C	£ 735.96
600x1810	33	86	545	39-48	112-121	26-35	5	50	3.79	C	£ 759.26
600x1865	34	86	545	39-48	112-121	26-35	5	50	3.90	C	£ 781.65
600x1920	35	86	545	39-48	112-121	26-35	5	50	4.01	C	£ 804.07
600x1975	36	86	545	39-48	112-121	26-35	5	50	4.13	C	£ 826.46
700x325	6	86	645	39-48	112-121	26-35	5	50	0.80	C	£ 162.01
700x380	7	86	645	39-48	112-121	26-35	5	50	0.92	C	£ 186.72
700x435	8	86	645	39-48	112-121	26-35	5	50	1.05	C-E-D	£ 212.45
700x490	9	86	645	39-48	112-121	26-35	5	50	1.18	C-E-D	£ 237.36
700x545	10	86	645	39-48	112-121	26-35	5	50	1.31	C-E-D	£ 262.27
700x600	11	86	645	39-48	112-121	26-35	5	50	1.43	C-E-D	£ 288.07
700x655	12	86	645	39-48	112-121	26-35	5	50	1.56	C-E-D	£ 314.44
700x710	13	86	645	39-48	112-121	26-35	5	50	1.69	C-E-D	£ 339.34
700x765	14	86	645	39-48	112-121	26-35	5	50	1.82	C-E-D	£ 364.24
700x820	15	86	645	39-48	112-121	26-35	5	50	1.95	C-E-D	£ 390.05
700x875	16	86	645	39-48	112-121	26-35	5	50	2.07	C-E-D	£ 414.95
700x930	17	86	645	39-48	112-121	26-35	5	50	2.20	C-E-D	£ 439.87
700x985	18	86	645	39-48	112-121	26-35	5	50	2.33	C-E-D	£ 464.76
700x1040	19	86	645	39-48	112-121	26-35	5	50	2.47	C-E-D	£ 491.55
700x1095	20	86	645	39-48	112-121	26-35	5	50	2.60	C-E-D	£ 516.45
700x1150	21	86	645	39-48	112-121	26-35	5	50	2.73	C-E-D	£ 541.36
700x1205	22	86	645	39-48	112-121	26-35	5	50	2.85	C-E-D	£ 567.16
700x1260	23	86	645	39-48	112-121	26-35	5	50	2.98	C-E-D	£ 592.06

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x875	1057	3603	1374	4684
500x930	1123	3828	1460	4977
500x985	1189	4054	1545	5270
500x1040	1255	4279	1631	5563
500x1095	1321	4504	1717	5855
500x1150	1387	4729	1803	6148
500x1205	1453	4955	1889	6441
500x1260	1519	5180	1975	6734
500x1315	1585	5405	2061	7026
500x1370	1651	5630	2146	7319
500x1425	1717	5855	2232	7612
500x1480	1783	6081	2318	7905
500x1535	1849	6306	2404	8197
500x1590	1915	6531	2490	8490
500x1645	1981	6756	2576	8783
500x1700	2047	6981	2662	9076
500x1755	2113	7207	2747	9368
500x1810	2179	7432	2833	9661
500x1865	2245	7657	2919	9954
500x1920	2311	7882	3005	10247
500x1975	2378	8107	3091	10540
600x325	486	1657	632	2154
600x380	567	1933	737	2514
600x435	648	2210	842	2873
600x490	729	2486	948	3232
600x545	810	2762	1053	3591
600x600	891	3038	1158	3950
600x655	972	3315	1264	4309
600x710	1053	3591	1369	4668
600x765	1134	3867	1474	5027
600x820	1215	4143	1580	5386
600x875	1296	4419	1685	5745
600x930	1377	4696	1790	6104
600x985	1458	4972	1895	6463
600x1040	1539	5248	2001	6822
600x1095	1620	5524	2106	7181
600x1150	1701	5800	2211	7541
600x1205	1782	6077	2317	7900
600x1260	1863	6353	2422	8259
600x1315	1944	6629	2527	8618
600x1370	2025	6905	2633	8977
600x1425	2106	7181	2738	9336
600x1480	2187	7458	2843	9695
600x1535	2268	7734	2948	10054
600x1590	2349	8010	3054	10413
600x1645	2430	8286	3159	10772
600x1700	2511	8563	3264	11131
600x1755	2592	8839	3370	11490
600x1810	2673	9115	3475	11849
600x1865	2754	9391	3580	12208
600x1920	2835	9667	3686	12568
600x1975	2916	9944	3791	12927
700x325	555	1892	721	2459
700x380	647	2207	841	2869
700x435	740	2522	962	3279
700x490	832	2838	1082	3689
700x545	925	3153	1202	4099
700x600	1017	3468	1322	4509
700x655	1110	3783	1442	4918
700x710	1202	4099	1563	5328
700x765	1294	4414	1683	5738
700x820	1387	4729	1803	6148
700x875	1479	5045	1923	6558
700x930	1572	5360	2043	6968
700x985	1664	5675	2164	7378
700x1040	1757	5990	2284	7788
700x1095	1849	6306	2404	8197
700x1150	1942	6621	2524	8607
700x1205	2034	6936	2644	9017
700x1260	2127	7252	2765	9427

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13.14	15.52	0.09	700X922X128
13.94	16.41	0.09	700X977X128
14.74	17.29	0.10	700X1032X128
15.68	18.33	0.10	700X1087X128

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1315	24	86	645	39-48	112-121	26-35	5	50	3,11	C-E-D	£ 616.98
700x1370	25	86	645	39-48	112-121	26-35	5	50	3,24	C-E-D	£ 641.87
700x1425	26	86	645	39-48	112-121	26-35	5	50	3,36	C	£ 667.69
700x1480	27	86	645	39-48	112-121	26-35	5	50	3,49	C	£ 692.59
700x1535	28	86	645	39-48	112-121	26-35	5	50	3,62	C	£ 717.50
700x1590	29	86	645	39-48	112-121	26-35	5	50	3,75	C	£ 742.40
700x1645	30	86	645	39-48	112-121	26-35	5	50	3,87	C	£ 768.22
700x1700	31	86	645	39-48	112-121	26-35	5	50	4,00	C	£ 793.11
700x1755	32	86	645	39-48	112-121	26-35	5	50	4,13	C	£ 818.01
700x1810	33	86	645	39-48	112-121	26-35	5	50	4,26	C	£ 843.83
700x1865	34	86	645	39-48	112-121	26-35	5	50	4,39	C	£ 868.73
800x325	6	86	745	39-48	112-121	26-35	5	50	0,88	C	£ 171.39
800x380	7	86	745	39-48	112-121	26-35	5	50	1,02	C	£ 197.60
800x435	8	86	745	39-48	112-121	26-35	5	50	1,17	C-E-D	£ 224.82
800x490	9	86	745	39-48	112-121	26-35	5	50	1,31	C-E-D	£ 251.22
800x545	10	86	745	39-48	112-121	26-35	5	50	1,45	C-E-D	£ 277.62
800x600	11	86	745	39-48	112-121	26-35	5	50	1,59	C-E-D	£ 304.90
800x655	12	86	745	39-48	112-121	26-35	5	50	1,73	C-E-D	£ 332.76
800x710	13	86	745	39-48	112-121	26-35	5	50	1,88	C-E-D	£ 359.16
800x765	14	86	745	39-48	112-121	26-35	5	50	2,02	C-E-D	£ 385.55
800x820	15	86	745	39-48	112-121	26-35	5	50	2,16	C-E-D	£ 412.85
800x875	16	86	745	39-48	112-121	26-35	5	50	2,30	C-E-D	£ 439.23
800x930	17	86	745	39-48	112-121	26-35	5	50	2,44	C-E-D	£ 465.63
800x985	18	86	745	39-48	112-121	26-35	5	50	2,59	C-E-D	£ 492.04
800x1040	19	86	745	39-48	112-121	26-35	5	50	2,74	C-E-D	£ 520.29
800x1095	20	86	745	39-48	112-121	26-35	5	50	2,88	C-E-D	£ 546.69
800x1150	21	86	745	39-48	112-121	26-35	5	50	3,03	C-E-D	£ 573.09
800x1205	22	86	745	39-48	112-121	26-35	5	50	3,17	C-E-D	£ 600.38
800x1260	23	86	745	39-48	112-121	26-35	5	50	3,31	C-E-D	£ 626.78
800x1315	24	86	745	39-48	112-121	26-35	5	50	3,45	C-E-D	£ 653.18
800x1370	25	86	745	39-48	112-121	26-35	5	50	3,59	C-E-D	£ 679.57
800x1425	26	86	745	39-48	112-121	26-35	5	50	3,74	C	£ 706.86
800x1480	27	86	745	39-48	112-121	26-35	5	50	3,88	C	£ 733.26
800x1535	28	86	745	39-48	112-121	26-35	5	50	4,02	C	£ 759.65
800x1590	29	86	745	39-48	112-121	26-35	5	50	4,16	C	£ 786.05
800x1645	30	86	745	39-48	112-121	26-35	5	50	4,30	C	£ 813.36
800x1700	31	86	745	39-48	112-121	26-35	5	50	4,45	C	£ 839.74
800x1755	32	86	745	39-48	112-121	26-35	5	50	4,59	C	£ 866.14
800x1810	33	86	745	39-48	112-121	26-35	5	50	4,73	C	£ 893.43
800x1865	34	86	745	39-48	112-121	26-35	5	50	4,87	C	£ 919.83
900x325	6	86	845	39-48	112-121	26-35	5	50	0,97	C	£ 180.78
900x380	7	86	845	39-48	112-121	26-35	5	50	1,12	C	£ 208.48
900x435	8	86	845	39-48	112-121	26-35	5	50	1,28	C-E-D	£ 237.19
900x490	9	86	845	39-48	112-121	26-35	5	50	1,44	C-E-D	£ 265.08
900x545	10	86	845	39-48	112-121	26-35	5	50	1,59	C-E-D	£ 292.96
900x600	11	86	845	39-48	112-121	26-35	5	50	1,75	C-E-D	£ 321.73
900x655	12	86	845	39-48	112-121	26-35	5	50	1,91	C-E-D	£ 351.08
900x710	13	86	845	39-48	112-121	26-35	5	50	2,06	C-E-D	£ 378.97
900x765	14	86	845	39-48	112-121	26-35	5	50	2,22	C-E-D	£ 406.86
900x820	15	86	845	39-48	112-121	26-35	5	50	2,37	C-E-D	£ 435.64
900x875	16	86	845	39-48	112-121	26-35	5	50	2,53	C-E-D	£ 463.53
900x930	17	86	845	39-48	112-121	26-35	5	50	2,69	C-E-D	£ 491.41
900x985	18	86	845	39-48	112-121	26-35	5	50	2,84	C-E-D	£ 519.29
900x1040	19	86	845	39-48	112-121	26-35	5	50	3,01	C-E-D	£ 549.05
900x1095	20	86	845	39-48	112-121	26-35	5	50	3,17	C-E-D	£ 576.94
900x1150	21	86	845	39-48	112-121	26-35	5	50	3,33	C-E-D	£ 604.82
900x1205	22	86	845	39-48	112-121	26-35	5	50	3,48	C-E-D	£ 633.61
900x1260	23	86	845	39-48	112-121	26-35	5	50	3,64	C-E-D	£ 661.49
900x1315	24	86	845	39-48	112-121	26-35	5	50	3,80	C-E-D	£ 689.37
900x1370	25	86	845	39-48	112-121	26-35	5	50	3,95	C-E-D	£ 717.26
900x1425	26	86	845	39-48	112-121	26-35	5	50	4,11	C	£ 746.04
900x1480	27	86	845	39-48	112-121	26-35	5	50	4,26	C	£ 773.93
900x1535	28	86	845	39-48	112-121	26-35	5	50	4,42	C	£ 801.82
900x1590	29	86	845	39-48	112-121	26-35	5	50	4,58	C	£ 829.71
900x1645	30	86	845	39-48	112-121	26-35	5	50	4,73	C	£ 858.49
900x1700	31	86	845	39-48	112-121	26-35	5	50	4,89	C	£ 886.36
900x1755	32	86	845	39-48	112-121	26-35	5	50	5,05	C	£ 914.25
900x1810	33	86	845	39-48	112-121	26-35	5	50	5,20	C	£ 943.04
900x1865	34	86	845	39-48	112-121	26-35	5	50	5,36	C	£ 970.92
1000x325	6	86	945	39-48	112-121	26-35	5	50	1,05	C	£ 196.72

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1315	2219	7567	2885	9837
700x1370	2311	7882	3005	10247
700x1425	2404	8197	3125	10657
700x1480	2496	8513	3245	11067
700x1535	2589	8828	3366	11476
700x1590	2681	9143	3486	11886
700x1645	2774	9459	3606	12296
700x1700	2866	9774	3726	12706
700x1755	2959	10089	3846	13116
700x1810	3051	10404	3966	13526
700x1865	3144	10720	4087	13936
800x325	620	2115	806	2750
800x380	724	2468	941	3208
800x435	827	2820	1075	3666
800x490	930	3173	1210	4125
800x545	1034	3525	1344	4583
800x600	1137	3878	1478	5041
800x655	1241	4231	1613	5500
800x710	1344	4583	1747	5958
800x765	1447	4936	1882	6416
800x820	1551	5288	2016	6875
800x875	1654	5641	2150	7333
800x930	1758	5993	2285	7791
800x985	1861	6346	2419	8250
800x1040	1964	6698	2554	8708
800x1095	2068	7051	2688	9166
800x1150	2171	7403	2822	9624
800x1205	2274	7756	2957	10083
800x1260	2378	8109	3091	10541
800x1315	2481	8461	3226	10999
800x1370	2585	8814	3360	11458
800x1425	2688	9166	3494	11916
800x1480	2791	9519	3629	12374
800x1535	2895	9871	3763	12833
800x1590	2998	10224	3898	13291
800x1645	3102	10576	4032	13749
800x1700	3205	10929	4166	14207
800x1755	3308	11281	4301	14666
800x1810	3412	11634	4435	15124
800x1865	3515	11986	4570	15582
900x325	683	2328	888	3027
900x380	797	2716	1036	3531
900x435	910	3104	1183	4036
900x490	1024	3492	1331	4540
900x545	1138	3880	1479	5045
900x600	1252	4269	1627	5549
900x655	1366	4657	1775	6054
900x710	1479	5045	1923	6558
900x765	1593	5433	2071	7062
900x820	1707	5821	2219	7567
900x875	1821	6209	2367	8071
900x930	1935	6597	2515	8576
900x985	2048	6985	2663	9080
900x1040	2162	7373	2811	9585
900x1095	2276	7761	2959	10089
900x1150	2390	8149	3107	10594
900x1205	2504	8537	3255	11098
900x1260	2617	8925	3402	11603
900x1315	2731	9313	3550	12107
900x1370	2845	9701	3698	12611
900x1425	2959	10089	3846	13116
900x1480	3072	10477	3994	13620
900x1535	3186	10865	4142	14125
900x1590	3300	11253	4290	14629
900x1645	3414	11641	4438	15134
900x1700	3528	12029	4586	15638
900x1755	3641	12417	4734	16143
900x1810	3755	12805	4882	16647
900x1865	3869	13194	5030	17152
1000x325	742	2531	965	3290

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
26.06	29.73	0.16	900X1362X128
27.13	30.90	0.17	900X1417X128
28.21	32.09	0.17	900X1472X128
29.28	33.26	0.18	900X1527X128
30.35	34.45	0.19	900X1582X128
31.41	35.62	0.19	900X1637X128
32.48	36.80	0.20	900X1692X128
33.55	37.97	0.21	900X1747X128
34.62	39.14	0.21	900X1802X128
35.69	40.33	0.22	900X1857X128
36.77	41.36	0.23	900X1912X128
7.47	9.15	0.05	1000X372X128
8.68	10.48	0.06	1000X427X128
9.88	11.79	0.07	1000X482X128
11.09	13.12	0.07	1000X537X128
12.29	14.44	0.08	1000X592X128
13.49	15.92	0.09	1000X647X128
14.69	17.24	0.09	1000X702X128
15.89	18.56	0.10	1000X757X128
17.10	19.88	0.11	1000X812X128
18.30	21.20	0.12	1000X867X128
19.50	22.51	0.12	1000X922X128
20.71	23.84	0.13	1000X977X128
21.90	25.15	0.14	1000X1032X128
23.24	26.61	0.14	1000X1087X128
24.44	27.93	0.15	1000X1142X128
25.64	29.25	0.16	1000X1197X128
26.85	30.57	0.17	1000X1252X128
28.05	31.89	0.17	1000X1307X128
29.25	33.22	0.18	1000X1362X128
30.45	34.52	0.19	1000X1417X128
31.65	35.84	0.19	1000X1472X128
32.86	37.17	0.20	1000X1527X128
34.06	38.49	0.21	1000X1582X128
35.25	39.80	0.21	1000X1637X128
36.46	41.13	0.22	1000X1692X128
37.66	42.44	0.23	1000X1747X128
38.87	43.78	0.24	1000X1802X128
40.07	45.08	0.24	1000X1857X128
41.27	46.24	0.25	1000X1912X128
8.27	10.06	0.06	1100X372X128
9.61	11.53	0.07	1100X427X128
10.94	12.99	0.07	1100X482X128
12.28	14.46	0.08	1100X537X128
13.62	15.92	0.09	1100X592X128
14.95	17.54	0.10	1100X647X128
16.28	19.00	0.10	1100X702X128
17.62	20.47	0.11	1100X757X128
18.95	21.92	0.12	1100X812X128
20.29	23.39	0.13	1100X867X128
21.62	24.85	0.13	1100X922X128
22.96	26.31	0.14	1100X977X128
24.29	27.77	0.15	1100X1032X128
25.76	29.37	0.16	1100X1087X128
27.09	30.83	0.17	1100X1142X128
28.43	32.30	0.17	1100X1197X128
29.77	33.77	0.18	1100X1252X128
31.10	35.23	0.19	1100X1307X128
32.43	36.68	0.20	1100X1362X128
33.76	38.14	0.20	1100X1417X128
35.10	39.61	0.21	1100X1472X128
36.44	41.07	0.22	1100X1527X128
37.77	42.53	0.23	1100X1582X128
39.10	43.99	0.24	1100X1637X128
40.44	45.46	0.24	1100X1692X128
41.77	46.91	0.25	1100X1747X128
43.11	48.38	0.26	1100X1802X128
44.45	49.85	0.27	1100X1857X128
45.78	51.15	0.27	1100X1912X128
9.07	10.98	0.06	1200X372X128

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x380	7	86	945	39-48	112-121	26-35	5	50	1.22	C	£ 226.91
1000x435	8	86	945	39-48	112-121	26-35	5	50	1.40	C-E-D	£ 258.15
1000x490	9	86	945	39-48	112-121	26-35	5	50	1.57	C-E-D	£ 288.54
1000x545	10	86	945	39-48	112-121	26-35	5	50	1.74	C-E-D	£ 318.93
1000x600	11	86	945	39-48	112-121	26-35	5	50	1.91	C-E-D	£ 350.24
1000x655	12	86	945	39-48	112-121	26-35	5	50	2.08	C-E-D	£ 382.14
1000x710	13	86	945	39-48	112-121	26-35	5	50	2.25	C-E-D	£ 412.53
1000x765	14	86	945	39-48	112-121	26-35	5	50	2.42	C-E-D	£ 442.93
1000x820	15	86	945	39-48	112-121	26-35	5	50	2.59	C-E-D	£ 474.24
1000x875	16	86	945	39-48	112-121	26-35	5	50	2.76	C-E-D	£ 504.63
1000x930	17	86	945	39-48	112-121	26-35	5	50	2.93	C-E-D	£ 535.02
1000x985	18	86	945	39-48	112-121	26-35	5	50	3.10	C-E-D	£ 565.40
1000x1040	19	86	945	39-48	112-121	26-35	5	50	3.29	C-E-D	£ 597.72
1000x1095	20	86	945	39-48	112-121	26-35	5	50	3.46	C-E-D	£ 628.11
1000x1150	21	86	945	39-48	112-121	26-35	5	50	3.63	C-E-D	£ 658.50
1000x1205	22	86	945	39-48	112-121	26-35	5	50	3.80	C-E-D	£ 689.82
1000x1260	23	86	945	39-48	112-121	26-35	5	50	3.97	C-E-D	£ 720.20
1000x1315	24	86	945	39-48	112-121	26-35	5	50	4.14	C-E-D	£ 750.59
1000x1370	25	86	945	39-48	112-121	26-35	5	50	4.31	C-E-D	£ 780.98
1000x1425	26	86	945	39-48	112-121	26-35	5	50	4.48	C	£ 812.29
1000x1480	27	86	945	39-48	112-121	26-35	5	50	4.65	C	£ 842.68
1000x1535	28	86	945	39-48	112-121	26-35	5	50	4.82	C	£ 873.07
1000x1590	29	86	945	39-48	112-121	26-35	5	50	4.99	C	£ 903.47
1000x1645	30	86	945	39-48	112-121	26-35	5	50	5.16	C	£ 934.79
1000x1700	31	86	945	39-48	112-121	26-35	5	50	5.33	C	£ 965.17
1000x1755	32	86	945	39-48	112-121	26-35	5	50	5.50	C	£ 995.56
1000x1810	33	86	945	39-48	112-121	26-35	5	50	5.67	C	£ 1026.88
1000x1865	34	86	945	39-48	112-121	26-35	5	50	5.84	C	£ 1057.26
1200x325	6	86	1145	39-48	112-121	26-35	5	50	1.23	C	£ 222.45
1200x380	7	86	1145	39-48	112-121	26-35	5	50	1.42	C	£ 256.77
1200x435	8	86	1145	39-48	112-121	26-35	5	50	1.62	C-E-D	£ 292.15
1200x490	9	86	1145	39-48	112-121	26-35	5	50	1.82	C-E-D	£ 326.66
1200x545	10	86	1145	39-48	112-121	26-35	5	50	2.02	C-E-D	£ 361.19
1200x600	11	86	1145	39-48	112-121	26-35	5	50	2.22	C-E-D	£ 396.63
1200x655	12	86	1145	39-48	112-121	26-35	5	50	2.42	C-E-D	£ 432.67
1200x710	13	86	1145	39-48	112-121	26-35	5	50	2.62	C-E-D	£ 467.18
1200x765	14	86	1145	39-48	112-121	26-35	5	50	2.82	C-E-D	£ 501.71
1200x820	15	86	1145	39-48	112-121	26-35	5	50	3.02	C-E-D	£ 537.15
1200x875	16	86	1145	39-48	112-121	26-35	5	50	3.22	C-E-D	£ 571.68
1200x930	17	86	1145	39-48	112-121	26-35	5	50	3.42	C-E-D	£ 606.20
1200x985	18	86	1145	39-48	112-121	26-35	5	50	3.62	C-E-D	£ 640.72
1200x1040	19	86	1145	39-48	112-121	26-35	5	50	3.83	C-E-D	£ 677.17
1200x1095	20	86	1145	39-48	112-121	26-35	5	50	4.03	C-E-D	£ 711.70
1200x1150	21	86	1145	39-48	112-121	26-35	5	50	4.23	C-E-D	£ 746.21
1200x1205	22	86	1145	39-48	112-121	26-35	5	50	4.43	C-E-D	£ 781.67
1200x1260	23	86	1145	39-48	112-121	26-35	5	50	4.63	C-E-D	£ 816.18
1200x1315	24	86	1145	39-48	112-121	26-35	5	50	4.82	C-E-D	£ 850.71
1200x1370	25	86	1145	39-48	112-121	26-35	5	50	5.02	C-E-D	£ 885.22
1200x1425	26	86	1145	39-48	112-121	26-35	5	50	5.22	C	£ 920.68
1200x1480	27	86	1145	39-48	112-121	26-35	5	50	5.42	C	£ 955.20
1400x325	6	86	1345	39-48	112-121	26-35	5	50	1.40	C	£ 241.87
1400x380	7	86	1345	39-48	112-121	26-35	5	50	1.63	C	£ 279.27
1400x435	8	86	1345	39-48	112-121	26-35	5	50	1.85	C-E-D	£ 317.73
1400x490	9	86	1345	39-48	112-121	26-35	5	50	2.08	C-E-D	£ 355.34
1400x545	10	86	1345	39-48	112-121	26-35	5	50	2.31	C-E-D	£ 392.94
1400x600	11	86	1345	39-48	112-121	26-35	5	50	2.54	C-E-D	£ 431.47
1400x655	12	86	1345	39-48	112-121	26-35	5	50	2.76	C-E-D	£ 470.58
1400x710	13	86	1345	39-48	112-121	26-35	5	50	2.99	C-E-D	£ 508.18
1400x765	14	86	1345	39-48	112-121	26-35	5	50	3.22	C-E-D	£ 545.79
1400x820	15	86	1345	39-48	112-121	26-35	5	50	3.45	C-E-D	£ 584.32
1400x875	16	86	1345	39-48	112-121	26-35	5	50	3.67	C-E-D	£ 621.92
1400x930	17	86	1345	39-48	112-121	26-35	5	50	3.90	C-E-D	£ 659.53
1400x985	18	86	1345	39-48	112-121	26-35	5	50	4.13	C-E-D	£ 697.13
1400x1040	19	86	1345	39-48	112-121	26-35	5	50	4.37	C-E-D	£ 736.67
1400x1095	20	86	1345	39-48	112-121	26-35	5	50	4.60	C-E-D	£ 774.27
1400x1150	21	86	1345	39-48	112-121	26-35	5	50	4.83	C-E-D	£ 811.87
1400x1205	22	86	1345	39-48	112-121	26-35	5	50	5.06	C-E-D	£ 850.41
1400x1260	23	86	1345	39-48	112-121	26-35	5	50	5.28	C-E-D	£ 888.00
1400x1315	24	86	1345	39-48	112-121	26-35	5	50	5.51	C-E-D	£ 925.60

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x380	866	2953	1126	3839
1000x435	990	3375	1287	4387
1000x490	1113	3797	1447	4936
1000x545	1237	4218	1608	5484
1000x600	1361	4640	1769	6032
1000x655	1485	5062	1930	6581
1000x710	1608	5484	2091	7129
1000x765	1732	5906	2252	7678
1000x820	1856	6328	2412	8226
1000x875	1979	6750	2573	8774
1000x930	2103	7171	2734	9323
1000x985	2227	7593	2895	9871
1000x1040	2350	8015	3056	10420
1000x1095	2474	8437	3216	10968
1000x1150	2598	8859	3377	11516
1000x1205	2722	9281	3538	12065
1000x1260	2845	9702	3699	12613
1000x1315	2969	10124	3860	13162
1000x1370	3093	10546	4021	13710
1000x1425	3216	10968	4181	14258
1000x1480	3340	11390	4342	14807
1000x1535	3464	11812	4503	15355
1000x1590	3588	12234	4664	15904
1000x1645	3711	12655	4825	16452
1000x1700	3835	13077	4985	17000
1000x1755	3959	13499	5146	17549
1000x1810	4082	13921	5307	18097
1000x1865	4206	14343	5468	18646
1200x325	852	2906	1108	3778
1200x380	994	3390	1293	4408
1200x435	1136	3875	1477	5037
1200x490	1278	4359	1662	5667
1200x545	1420	4844	1846	6297
1200x600	1562	5328	2031	6926
1200x655	1704	5812	2216	7556
1200x710	1846	6297	2400	8185
1200x765	1989	6781	2585	8815
1200x820	2131	7265	2770	9445
1200x875	2273	7750	2954	10074
1200x930	2415	8234	3139	10704
1200x985	2557	8718	3324	11334
1200x1040	2699	9203	3508	11963
1200x1095	2841	9687	3693	12593
1200x1150	2983	10171	3878	13223
1200x1205	3125	10656	4062	13852
1200x1260	3267	11140	4247	14482
1200x1315	3409	11624	4432	15112
1200x1370	3551	12109	4616	15741
1200x1425	3693	12593	4801	16371
1200x1480	3835	13077	4986	17001
1400x325	978	3337	1272	4338
1400x380	1142	3893	1484	5061
1400x435	1305	4449	1696	5784
1400x490	1468	5005	1908	6506
1400x545	1631	5561	2120	7229
1400x600	1794	6117	2332	7952
1400x655	1957	6673	2544	8675
1400x710	2120	7229	2756	9398
1400x765	2283	7786	2968	10121
1400x820	2446	8342	3180	10844
1400x875	2609	8898	3392	11567
1400x930	2772	9454	3604	12290
1400x985	2935	10010	3816	13013
1400x1040	3099	10566	4028	13736
1400x1095	3262	11122	4240	14459
1400x1150	3425	11678	4452	15182
1400x1205	3588	12234	4664	15905
1400x1260	3751	12791	4876	16628
1400x1315	3914	13347	5088	17351

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
10.53	12.58	0.07	1200X427X128
12.00	14.18	0.08	1200X482X128
13.47	15.79	0.09	1200X537X128
14.94	17.40	0.10	1200X592X128
16.41	19.16	0.10	1200X647X128
17.87	20.77	0.11	1200X702X128
19.34	22.37	0.12	1200X757X128
20.81	23.97	0.13	1200X812X128
22.28	25.59	0.14	1200X867X128
23.75	27.20	0.15	1200X922X128
25.22	28.80	0.16	1200X977X128
26.67	30.39	0.16	1200X1032X128
28.28	32.14	0.17	1200X1087X128
29.74	33.73	0.18	1200X1142X128
31.21	35.34	0.19	1200X1197X128
32.68	36.95	0.20	1200X1252X128
34.15	38.56	0.21	1200X1307X128
35.61	40.16	0.21	1200X1362X128
37.08	41.76	0.22	1200X1417X128
38.55	43.37	0.23	1200X1472X128
40.02	44.97	0.24	1200X1527X128
41.49	46.58	0.25	1200X1582X128
42.95	48.18	0.26	1200X1637X128
44.41	49.78	0.26	1200X1692X128
45.88	51.39	0.27	1200X1747X128
47.35	53.00	0.28	1200X1802X128
48.82	54.61	0.29	1200X1857X128
50.29	56.05	0.30	1200X1912X128
10.66	12.80	0.07	1400X372X128
12.39	14.69	0.08	1400X427X128
14.13	16.59	0.09	1400X482X128
15.86	18.47	0.10	1400X537X128
17.59	20.37	0.11	1400X592X128
19.33	22.41	0.12	1400X647X128
21.05	24.29	0.13	1400X702X128
22.79	26.19	0.14	1400X757X128
24.52	28.07	0.15	1400X812X128
26.26	29.96	0.16	1400X867X128
27.99	31.85	0.17	1400X922X128
29.72	33.74	0.18	1400X977X128
31.45	35.63	0.19	1400X1032X128
33.31	37.64	0.20	1400X1087X128
35.05	39.55	0.21	1400X1142X128
36.78	41.43	0.22	1400X1197X128
38.52	43.33	0.23	1400X1252X128
40.25	45.22	0.24	1400X1307X128
41.98	47.11	0.25	1400X1362X128
43.71	48.99	0.26	1400X1417X128
45.44	50.88	0.27	1400X1472X128
47.18	52.61	0.28	1400X1527X128
12.25	14.62	0.08	1600X372X128
14.25	16.79	0.09	1600X427X128
16.25	18.98	0.10	1600X482X128
18.25	21.15	0.11	1600X537X128
20.25	23.33	0.13	1600X592X128
22.25	25.66	0.14	1600X647X128
24.24	27.83	0.15	1600X702X128
26.23	29.99	0.16	1600X757X128
28.23	32.17	0.17	1600X812X128
30.23	34.34	0.18	1600X867X128
32.23	36.53	0.19	1600X922X128
34.23	38.71	0.21	1600X977X128
36.22	40.87	0.22	1600X1032X128
38.35	43.18	0.23	1600X1087X128
40.35	45.35	0.24	1600X1142X128
42.35	47.54	0.25	1600X1197X128
44.35	49.71	0.26	1600X1252X128
46.35	51.88	0.27	1600X1307X128
48.34	53.89	0.28	1600X1362X128

ALBITE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel