

BAMBOO DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x239	2	52	245	52-61	78-87	26-35	1	119	0.25	C	£ 58.06
300x359	3	52	245	52-61	78-87	26-35	1	119	0.35	C	£ 81.32
300x479	4	52	245	52-61	78-87	26-35	1	119	0.46	C-E-D	£ 105.57
300x599	5	52	245	52-61	78-87	26-35	1	119	0.57	C-E-D	£ 128.98
300x719	6	52	245	52-61	78-87	26-35	1	119	0.68	C-E-D	£ 153.87
300x839	7	52	245	52-61	78-87	26-35	1	119	0.78	C-E-D	£ 177.28
300x959	8	52	245	52-61	78-87	26-35	1	119	0.89	C-E-D	£ 201.59
300x1079	9	52	245	52-61	78-87	26-35	1	119	1.01	C-E-D	£ 226.86
300x1199	10	52	245	52-61	78-87	26-35	1	119	1.12	C-E-D	£ 250.28
300x1319	11	52	245	52-61	78-87	26-35	1	119	1.23	C-E-D	£ 274.60
300x1439	12	52	245	52-61	78-87	26-35	1	119	1.33	C	£ 298.01
300x1559	13	52	245	52-61	78-87	26-35	1	119	1.44	C	£ 321.42
300x1679	14	52	245	52-61	78-87	26-35	1	119	1.55	C	£ 344.83
300x1799	15	52	245	52-61	78-87	26-35	1	119	1.66	C	£ 369.15
300x1919	16	52	245	52-61	78-87	26-35	1	119	1.76	C	£ 392.56
400x239	2	52	345	52-61	78-87	26-35	1	119	0.28	C	£ 62.99
400x359	3	52	345	52-61	78-87	26-35	1	119	0.40	C	£ 88.65
400x479	4	52	345	52-61	78-87	26-35	1	119	0.52	C-E-D	£ 115.33
400x599	5	52	345	52-61	78-87	26-35	1	119	0.64	C-E-D	£ 141.16
400x719	6	52	345	52-61	78-87	26-35	1	119	0.76	C-E-D	£ 168.45
400x839	7	52	345	52-61	78-87	26-35	1	119	0.88	C-E-D	£ 194.29
400x959	8	52	345	52-61	78-87	26-35	1	119	1.01	C-E-D	£ 221.02
400x1079	9	52	345	52-61	78-87	26-35	1	119	1.14	C-E-D	£ 248.72
400x1199	10	52	345	52-61	78-87	26-35	1	119	1.26	C-E-D	£ 274.55
400x1319	11	52	345	52-61	78-87	26-35	1	119	1.38	C-E-D	£ 301.27
400x1439	12	52	345	52-61	78-87	26-35	1	119	1.51	C	£ 327.11
400x1559	13	52	345	52-61	78-87	26-35	1	119	1.63	C	£ 352.94
400x1679	14	52	345	52-61	78-87	26-35	1	119	1.75	C	£ 378.77
400x1799	15	52	345	52-61	78-87	26-35	1	119	1.87	C	£ 405.50
400x1919	16	52	345	52-61	78-87	26-35	1	119	1.99	C	£ 431.34
500x239	2	52	445	52-61	78-87	26-35	1	119	0.30	C	£ 68.03
500x359	3	52	445	52-61	78-87	26-35	1	119	0.44	C	£ 96.12
500x479	4	52	445	52-61	78-87	26-35	1	119	0.58	C-E-D	£ 125.22
500x599	5	52	445	52-61	78-87	26-35	1	119	0.71	C-E-D	£ 153.46
500x719	6	52	445	52-61	78-87	26-35	1	119	0.85	C-E-D	£ 183.18
500x839	7	52	445	52-61	78-87	26-35	1	119	0.98	C-E-D	£ 211.42
500x959	8	52	445	52-61	78-87	26-35	1	119	1.12	C-E-D	£ 240.58
500x1079	9	52	445	52-61	78-87	26-35	1	119	1.27	C-E-D	£ 270.69
500x1199	10	52	445	52-61	78-87	26-35	1	119	1.41	C-E-D	£ 298.94
500x1319	11	52	445	52-61	78-87	26-35	1	119	1.54	C-E-D	£ 328.08
500x1439	12	52	445	52-61	78-87	26-35	1	119	1.68	C	£ 356.34
500x1559	13	52	445	52-61	78-87	26-35	1	119	1.81	C	£ 384.58
500x1679	14	52	445	52-61	78-87	26-35	1	119	1.95	C	£ 412.84
500x1799	15	52	445	52-61	78-87	26-35	1	119	2.09	C	£ 441.98
500x1919	16	52	445	52-61	78-87	26-35	1	119	2.22	C	£ 470.24
600x239	2	52	545	52-61	78-87	26-35	1	119	0.33	C	£ 72.81
600x359	3	52	545	52-61	78-87	26-35	1	119	0.48	C	£ 103.34
600x479	4	52	545	52-61	78-87	26-35	1	119	0.63	C-E-D	£ 134.85
600x599	5	52	545	52-61	78-87	26-35	1	119	0.78	C-E-D	£ 165.51
600x719	6	52	545	52-61	78-87	26-35	1	119	0.93	C-E-D	£ 197.64
600x839	7	52	545	52-61	78-87	26-35	1	119	1.08	C-E-D	£ 228.30
600x959	8	52	545	52-61	78-87	26-35	1	119	1.23	C-E-D	£ 259.87
600x1079	9	52	545	52-61	78-87	26-35	1	119	1.40	C-E-D	£ 292.42
600x1199	10	52	545	52-61	78-87	26-35	1	119	1.55	C-E-D	£ 323.08
600x1319	11	52	545	52-61	78-87	26-35	1	119	1.70	C-E-D	£ 354.65
600x1439	12	52	545	52-61	78-87	26-35	1	119	1.85	C	£ 385.31
600x1559	13	52	545	52-61	78-87	26-35	1	119	2.00	C	£ 415.98
600x1679	14	52	545	52-61	78-87	26-35	1	119	2.15	C	£ 446.64
600x1799	15	52	545	52-61	78-87	26-35	1	119	2.30	C	£ 478.21
600x1919	16	52	545	52-61	78-87	26-35	1	119	2.45	C	£ 508.89
700x239	2	52	645	52-61	78-87	26-35	1	119	0.36	C	£ 80.15
700x359	3	52	645	52-61	78-87	26-35	1	119	0.53	C	£ 114.10
700x479	4	52	645	52-61	78-87	26-35	1	119	0.69	C-E-D	£ 149.05
700x599	5	52	645	52-61	78-87	26-35	1	119	0.86	C-E-D	£ 183.15
700x719	6	52	645	52-61	78-87	26-35	1	119	1.02	C-E-D	£ 218.71
700x839	7	52	645	52-61	78-87	26-35	1	119	1.18	C-E-D	£ 252.81
700x959	8	52	645	52-61	78-87	26-35	1	119	1.35	C-E-D	£ 287.81
700x1079	9	52	645	52-61	78-87	26-35	1	119	1.53	C-E-D	£ 323.79
700x1199	10	52	645	52-61	78-87	26-35	1	119	1.69	C-E-D	£ 357.88
700x1319	11	52	645	52-61	78-87	26-35	1	119	1.86	C-E-D	£ 392.89

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x239	82	280	107	364
300x359	123	420	160	546
300x479	164	560	213	728
300x599	205	700	267	910
300x719	246	840	320	1092
300x839	287	980	374	1274
300x959	328	1120	427	1456
300x1079	369	1260	480	1638
300x1199	410	1400	534	1820
300x1319	452	1540	587	2002
300x1439	493	1680	640	2184
300x1559	534	1820	694	2365
300x1679	575	1960	747	2547
300x1799	616	2100	800	2729
300x1919	657	2239	854	2911
400x239	112	382	145	496
400x359	168	572	218	744
400x479	224	763	291	992
400x599	280	954	364	1240
400x719	336	1144	436	1488
400x839	392	1335	509	1736
400x959	448	1526	582	1984
400x1079	503	1717	654	2232
400x1199	559	1907	727	2480
400x1319	615	2098	800	2728
400x1439	671	2289	873	2976
400x1559	727	2480	945	3224
400x1679	783	2670	1018	3472
400x1799	839	2861	1091	3720
400x1919	895	3052	1163	3967
500x239	143	487	186	634
500x359	214	731	279	950
500x479	286	975	372	1267
500x599	357	1218	465	1584
500x719	429	1462	557	1901
500x839	500	1706	650	2218
500x959	572	1950	743	2534
500x1079	643	2193	836	2851
500x1199	715	2437	929	3168
500x1319	786	2681	1022	3485
500x1439	858	2924	1115	3802
500x1559	929	3168	1208	4118
500x1679	1001	3412	1301	4435
500x1799	1072	3655	1394	4752
500x1919	1143	3899	1486	5069
600x239	175	598	228	777
600x359	263	897	342	1166
600x479	351	1196	456	1554
600x599	438	1494	570	1943
600x719	526	1793	684	2331
600x839	614	2092	798	2720
600x959	701	2391	912	3108
600x1079	789	2690	1026	3497
600x1199	877	2989	1139	3886
600x1319	964	3288	1253	4274
600x1439	1052	3587	1367	4663
600x1559	1139	3886	1481	5051
600x1679	1227	4184	1595	5440
600x1799	1315	4483	1709	5828
600x1919	1402	4782	1823	6217
700x239	200	682	260	887
700x359	300	1024	390	1331
700x479	400	1365	520	1774
700x599	500	1706	650	2218
700x719	600	2047	780	2661
700x839	700	2388	910	3105
700x959	800	2729	1041	3548
700x1079	900	3071	1171	3992
700x1199	1001	3412	1301	4435
700x1319	1101	3753	1431	4879

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.40	3.27	0.02	490X274X87
3.37	4.37	0.02	490X394X87
4.35	5.47	0.03	490X514X87
5.32	6.73	0.03	490X634X87
6.28	7.82	0.04	490X754X87
7.25	8.92	0.04	490X874X87
8.22	10.01	0.05	490X994X87
9.42	11.34	0.05	490X1114X87
10.39	12.45	0.06	490X1234X87

BAMBOO DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1439	12	52	645	52-61	78-87	26-35	1	119	2.02	C	£ 426.98
700x1559	13	52	645	52-61	78-87	26-35	1	119	2.19	C	£ 461.09
700x1679	14	52	645	52-61	78-87	26-35	1	119	2.35	C	£ 495.19
700x1799	15	52	645	52-61	78-87	26-35	1	119	2.51	C	£ 530.19
700x1919	16	52	645	52-61	78-87	26-35	1	119	2.68	C	£ 564.30
800x239	2	52	745	52-61	78-87	26-35	1	119	0.39	C	£ 85.20
800x359	3	52	745	52-61	78-87	26-35	1	119	0.57	C	£ 121.57
800x479	4	52	745	52-61	78-87	26-35	1	119	0.75	C-E-D	£ 158.93
800x599	5	52	745	52-61	78-87	26-35	1	119	0.93	C-E-D	£ 195.46
800x719	6	52	745	52-61	78-87	26-35	1	119	1.11	C-E-D	£ 233.43
800x839	7	52	745	52-61	78-87	26-35	1	119	1.28	C-E-D	£ 269.96
800x959	8	52	745	52-61	78-87	26-35	1	119	1.46	C-E-D	£ 307.37
800x1079	9	52	745	52-61	78-87	26-35	1	119	1.66	C-E-D	£ 345.75
800x1199	10	52	745	52-61	78-87	26-35	1	1119	1.83	C-E-D	£ 382.28
800x1319	11	52	745	52-61	78-87	26-35	1	119	2.01	C-E-D	£ 419.70
800x1439	12	52	745	52-61	78-87	26-35	1	119	2.19	C	£ 456.22
800x1559	13	52	745	52-61	78-87	26-35	1	119	2.37	C	£ 492.74
800x1679	14	52	745	52-61	78-87	26-35	1	119	2.55	C	£ 529.26
800x1799	15	52	745	52-61	78-87	26-35	1	119	2.73	C	£ 566.67
800x1919	16	52	745	52-61	78-87	26-35	1	119	2.91	C	£ 603.19
900x239	2	52	845	52-61	78-87	26-35	1	119	0.42	C	£ 90.25
900x359	3	52	845	52-61	78-87	26-35	1	119	0.61	C	£ 129.03
900x479	4	52	845	52-61	78-87	26-35	1	119	0.81	C-E-D	£ 168.81
900x599	5	52	845	52-61	78-87	26-35	1	119	1.00	C-E-D	£ 207.76
900x719	6	52	845	52-61	78-87	26-35	1	119	1.19	C-E-D	£ 248.16
900x839	7	52	845	52-61	78-87	26-35	1	119	1.38	C-E-D	£ 287.10
900x959	8	52	845	52-61	78-87	26-35	1	119	1.58	C-E-D	£ 326.93
900x1079	9	52	845	52-61	78-87	26-35	1	119	1.78	C-E-D	£ 367.74
900x1199	10	52	845	52-61	78-87	26-35	1	119	1.98	C-E-D	£ 406.67
900x1319	11	52	845	52-61	78-87	26-35	1	119	2.17	C-E-D	£ 446.51
900x1439	12	52	845	52-61	78-87	26-35	1	119	2.36	C	£ 485.45
900x1559	13	52	845	52-61	78-87	26-35	1	119	2.56	C	£ 524.38
900x1679	14	52	845	52-61	78-87	26-35	1	119	2.75	C	£ 563.32
900x1799	15	52	845	52-61	78-87	26-35	1	119	2.94	C	£ 603.16
900x1919	16	52	845	52-61	78-87	26-35	1	119	3.14	C	£ 642.10
1000x239	2	52	945	52-61	78-87	26-35	1	119	0.45	C	£ 98.58
1000x359	3	52	945	52-61	78-87	26-35	1	119	0.66	C	£ 141.20
1000x479	4	52	945	52-61	78-87	26-35	1	119	0.86	C-E-D	£ 184.87
1000x599	5	52	945	52-61	78-87	26-35	1	119	1.07	C-E-D	£ 227.64
1000x719	6	52	945	52-61	78-87	26-35	1	119	1.28	C-E-D	£ 271.93
1000x839	7	52	945	52-61	78-87	26-35	1	119	1.48	C-E-D	£ 314.72
1000x959	8	52	945	52-61	78-87	26-35	1	119	1.69	C-E-D	£ 358.44
1000x1079	9	52	945	52-61	78-87	26-35	1	119	1.91	C-E-D	£ 403.14
1000x1199	10	52	945	52-61	78-87	26-35	1	119	2.12	C-E-D	£ 445.93
1000x1319	11	52	945	52-61	78-87	26-35	1	119	2.33	C-E-D	£ 489.65
1000x1439	12	52	945	52-61	78-87	26-35	1	119	2.54	C	£ 532.42
1000x1559	13	52	945	52-61	78-87	26-35	1	119	2.74	C	£ 575.20
1000x1679	14	52	945	52-61	78-87	26-35	1	119	2.95	C	£ 617.99
1000x1799	15	52	945	52-61	78-87	26-35	1	119	3.16	C	£ 661.71
1000x1919	16	52	945	52-61	78-87	26-35	1	119	3.36	C	£ 704.48
1200x239	2	52	1145	52-61	78-87	26-35	1	119	0.50	C	£ 111.13
1200x359	3	52	1145	52-61	78-87	26-35	1	119	0.74	C	£ 159.81
1200x479	4	52	1145	52-61	78-87	26-35	1	119	0.98	C-E-D	£ 209.51
1200x599	5	52	1145	52-61	78-87	26-35	1	119	1.21	C-E-D	£ 258.35
1200x719	6	52	1145	52-61	78-87	26-35	1	119	1.45	C-E-D	£ 308.70
1200x839	7	52	1145	52-61	78-87	26-35	1	119	1.68	C-E-D	£ 357.53
1200x959	8	52	1145	52-61	78-87	26-35	1	119	1.92	C-E-D	£ 407.30
1200x1079	9	52	1145	52-61	78-87	26-35	1	119	2.17	C-E-D	£ 458.06
1200x1199	10	52	1145	52-61	78-87	26-35	1	119	2.41	C-E-D	£ 506.90
1200x1319	11	52	1145	52-61	78-87	26-35	1	119	2.64	C-E-D	£ 556.67
1200x1439	12	52	1145	52-61	78-87	26-35	1	119	2.88	C	£ 605.51
1200x1559	13	52	1145	52-61	78-87	26-35	1	119	3.11	C	£ 654.35
1200x1679	14	52	1145	52-61	78-87	26-35	1	119	3.35	C	£ 703.18
1200x1799	15	52	1145	52-61	78-87	26-35	1	119	3.59	C	£ 752.95
1400x239	2	52	1345	52-61	78-87	26-35	1	119	0.56	C	£ 121.57
1400x359	3	52	1345	52-61	78-87	26-35	1	119	0.83	C	£ 175.25
1400x479	4	52	1345	52-61	78-87	26-35	1	119	1.09	C-E-D	£ 229.98
1400x599	5	52	1345	52-61	78-87	26-35	1	119	1.36	C-E-D	£ 283.81
1400x719	6	52	1345	52-61	78-87	26-35	1	119	1.62	C-E-D	£ 339.16
1400x839	7	52	1345	52-61	78-87	26-35	1	119	1.88	C-E-D	£ 392.99

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1439	1201	4094	1561	5322
700x1559	1301	4435	1691	5766
700x1679	1401	4776	1821	6209
700x1799	1501	5118	1951	6653
700x1919	1601	5459	2081	7096
800x239	224	763	291	992
800x359	336	1144	436	1488
800x479	448	1526	582	1984
800x599	559	1907	727	2480
800x719	671	2289	873	2976
800x839	783	2670	1018	3472
800x959	895	3052	1163	3967
800x1079	1007	3433	1309	4463
800x1199	1119	3815	1454	4959
800x1319	1231	4196	1600	5455
800x1439	1342	4578	1745	5951
800x1559	1454	4959	1891	6447
800x1679	1566	5341	2036	6943
800x1799	1678	5722	2182	7439
800x1919	1790	6104	2327	7935
900x239	246	840	320	1092
900x359	369	1260	480	1638
900x479	493	1680	640	2184
900x599	616	2100	800	2729
900x719	739	2519	960	3275
900x839	862	2939	1121	3821
900x959	985	3359	1281	4367
900x1079	1108	3779	1441	4913
900x1199	1231	4199	1601	5459
900x1319	1355	4619	1761	6005
900x1439	1478	5039	1921	6550
900x1559	1601	5459	2081	7096
900x1679	1724	5879	2241	7642
900x1799	1847	6299	2401	8188
900x1919	1970	6718	2561	8734
1000x239	268	913	348	1187
1000x359	402	1369	522	1780
1000x479	535	1826	696	2374
1000x599	669	2282	870	2967
1000x719	803	2739	1044	3561
1000x839	937	3195	1218	4154
1000x959	1071	3652	1392	4747
1000x1079	1205	4108	1566	5341
1000x1199	1339	4565	1740	5934
1000x1319	1473	5021	1914	6528
1000x1439	1606	5478	2088	7121
1000x1559	1740	5934	2262	7715
1000x1679	1874	6391	2436	8308
1000x1799	2008	6847	2610	8901
1000x1919	2142	7304	2784	9495
1200x239	307	1048	400	1363
1200x359	461	1572	599	2044
1200x479	615	2096	799	2725
1200x599	769	2621	999	3407
1200x719	922	3145	1199	4088
1200x839	1076	3669	1399	4769
1200x959	1230	4193	1598	5451
1200x1079	1383	4717	1798	6132
1200x1199	1537	5241	1998	6813
1200x1319	1691	5765	2198	7495
1200x1439	1844	6289	2398	8176
1200x1559	1998	6813	2598	8858
1200x1679	2152	7338	2797	9539
1200x1799	2305	7862	2997	10220
1400x239	353	1204	459	1565
1400x359	529	1805	688	2347
1400x479	706	2407	918	3129
1400x599	882	3009	1147	3911
1400x719	1059	3611	1376	4694
1400x839	1235	4212	1606	5476

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
23.19	26.68	0.12	890X1474X87
25.06	28.75	0.13	890X1594X87
26.94	30.85	0.14	890X1714X87
28.82	32.95	0.15	890X1834X87
30.69	34.87	0.16	890X1954X87
4.67	5.93	0.03	990X27

BAMBOO DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1400x959	8	52	1345	52-61	78-87	26-35	1	119	2.15	C-E-D	£ 447.77
1400x1079	9	52	1345	52-61	78-87	26-35	1	119	2.43	C-E-D	£ 503.54
1400x1199	10	52	1345	52-61	78-87	26-35	1	119	2.69	C-E-D	£ 557.37
1400x1319	11	52	1345	52-61	78-87	26-35	1	119	2.96	C-E-D	£ 612.14
1400x1439	12	52	1345	52-61	78-87	26-35	1	119	3.22	C	£ 665.99
1400x1559	13	52	1345	52-61	78-87	26-35	1	119	3.49	C	£ 719.82
1400x1679	14	52	1345	52-61	78-87	26-35	1	119	3.75	C	£ 773.66
1400x1799	15	52	1345	52-61	78-87	26-35	1	119	4.02	C	£ 828.44

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1400x959	1412	4814	1835	6258
1400x1079	1588	5416	2065	7041
1400x1199	1765	6018	2294	7823
1400x1319	1941	6619	2524	8605
1400x1439	2118	7221	2753	9388
1400x1559	2294	7823	2982	10170
1400x1679	2471	8425	3212	10952
1400x1799	2647	9026	3441	11734

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
28.14	32.24	0.14	1590X994X87
31.83	36.29	0.16	1590X1114X87
35.29	40.11	0.18	1590X1234X87
38.75	43.93	0.19	1590X1354X87
42.21	47.76	0.21	1590X1474X87
45.67	51.58	0.23	1590X1594X87
49.13	55.41	0.24	1590X1714X87
52.59	59.08	0.26	1590X1834X87

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel