

BELLA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x286	5	77	245	64-73	103-112	26-35	9	50	0.39	C	£ 101.14
300x345	6	77	245	64-73	103-112	26-35	9	50	0.46	C	£ 118.83
300x404	7	77	245	64-73	103-112	26-35	9	50	0.54	C-E-D	£ 136.56
300x463	8	77	245	64-73	103-112	26-35	9	50	0.61	C-E-D	£ 155.36
300x522	9	77	245	64-73	103-112	26-35	9	50	0.68	C-E-D	£ 173.28
300x581	10	77	245	64-73	103-112	26-35	9	50	0.76	C-E-D	£ 191.18
300x640	11	77	245	64-73	103-112	26-35	9	50	0.83	C-E-D	£ 211.45
300x699	12	77	245	64-73	103-112	26-35	9	50	0.90	C-E-D	£ 229.36
300x758	13	77	245	64-73	103-112	26-35	9	50	0.97	C-E-D	£ 247.28
300x817	14	77	245	64-73	103-112	26-35	9	50	1.05	C-E-D	£ 265.19
300x876	15	77	245	64-73	103-112	26-35	9	50	1.12	C-E-D	£ 284.00
300x935	16	77	245	64-73	103-112	26-35	9	50	1.19	C-E-D	£ 301.91
300x994	17	77	245	64-73	103-112	26-35	9	50	1.26	C-E-D	£ 319.82
300x1053	18	77	245	64-73	103-112	26-35	9	50	1.35	C-E-D	£ 338.93
300x1112	19	77	245	64-73	103-112	26-35	9	50	1.42	C-E-D	£ 357.74
300x1171	20	77	245	64-73	103-112	26-35	9	50	1.50	C-E-D	£ 375.65
300x1230	21	77	245	64-73	103-112	26-35	9	50	1.57	C-E-D	£ 393.56
300x1289	22	77	245	64-73	103-112	26-35	9	50	1.64	C-E-D	£ 412.39
300x1348	23	77	245	64-73	103-112	26-35	9	50	1.72	C-E-D	£ 430.29
300x1407	24	77	245	64-73	103-112	26-35	9	50	1.79	C	£ 448.21
300x1466	25	77	245	64-73	103-112	26-35	9	50	1.86	C	£ 466.12
300x1525	26	77	245	64-73	103-112	26-35	9	50	1.93	C	£ 484.93
300x1584	27	77	245	64-73	103-112	26-35	9	50	2.01	C	£ 502.84
300x1643	28	77	245	64-73	103-112	26-35	9	50	2.08	C	£ 520.75
300x1702	29	77	245	64-73	103-112	26-35	9	50	2.15	C	£ 538.67
300x1761	30	77	245	64-73	103-112	26-35	9	50	2.22	C	£ 557.47
300x1820	31	77	245	64-73	103-112	26-35	9	50	2.30	C	£ 575.39
300x1879	32	77	245	64-73	103-112	26-35	9	50	2.37	C	£ 593.29
300x1938	33	77	245	64-73	103-112	26-35	9	50	2.44	C	£ 612.11
300x1997	34	77	245	64-73	103-112	26-35	9	50	2.52	C	£ 630.01
400x286	5	77	345	64-73	103-112	26-35	9	50	0.46	C	£ 108.31
400x345	6	77	345	64-73	103-112	26-35	9	50	0.55	C	£ 127.43
400x404	7	77	345	64-73	103-112	26-35	9	50	0.64	C-E-D	£ 146.57
400x463	8	77	345	64-73	103-112	26-35	9	50	0.72	C-E-D	£ 166.80
400x522	9	77	345	64-73	103-112	26-35	9	50	0.81	C-E-D	£ 186.12
400x581	10	77	345	64-73	103-112	26-35	9	50	0.90	C-E-D	£ 205.46
400x640	11	77	345	64-73	103-112	26-35	9	50	0.99	C-E-D	£ 227.14
400x699	12	77	345	64-73	103-112	26-35	9	50	1.07	C-E-D	£ 246.46
400x758	13	77	345	64-73	103-112	26-35	9	50	1.16	C-E-D	£ 265.80
400x817	14	77	345	64-73	103-112	26-35	9	50	1.25	C-E-D	£ 285.13
400x876	15	77	345	64-73	103-112	26-35	9	50	1.33	C-E-D	£ 305.35
400x935	16	77	345	64-73	103-112	26-35	9	50	1.42	C-E-D	£ 324.68
400x994	17	77	345	64-73	103-112	26-35	9	50	1.51	C-E-D	£ 344.01
400x1053	18	77	345	64-73	103-112	26-35	9	50	1.61	C-E-D	£ 364.54
400x1112	19	77	345	64-73	103-112	26-35	9	50	1.70	C-E-D	£ 384.77
400x1171	20	77	345	64-73	103-112	26-35	9	50	1.78	C-E-D	£ 404.10
400x1230	21	77	345	64-73	103-112	26-35	9	50	1.87	C-E-D	£ 423.42
400x1289	22	77	345	64-73	103-112	26-35	9	50	1.96	C-E-D	£ 443.66
400x1348	23	77	345	64-73	103-112	26-35	9	50	2.04	C-E-D	£ 462.98
400x1407	24	77	345	64-73	103-112	26-35	9	50	2.13	C	£ 482.31
400x1466	25	77	345	64-73	103-112	26-35	9	50	2.22	C	£ 501.65
400x1525	26	77	345	64-73	103-112	26-35	9	50	2.31	C	£ 521.86
400x1584	27	77	345	64-73	103-112	26-35	9	50	2.39	C	£ 541.19
400x1643	28	77	345	64-73	103-112	26-35	9	50	2.48	C	£ 560.53
400x1702	29	77	345	64-73	103-112	26-35	9	50	2.57	C	£ 579.86
400x1761	30	77	345	64-73	103-112	26-35	9	50	2.65	C	£ 600.07
400x1820	31	77	345	64-73	103-112	26-35	9	50	2.74	C	£ 619.41
400x1879	32	77	345	64-73	103-112	26-35	9	50	2.83	C	£ 638.74
400x1938	33	77	345	64-73	103-112	26-35	9	50	2.91	C	£ 658.96
400x1997	34	77	345	64-73	103-112	26-35	9	50	3.00	C	£ 678.30
500x286	5	77	445	64-73	103-112	26-35	9	50	0.54	C	£ 115.84
500x345	6	77	445	64-73	103-112	26-35	9	50	0.64	C	£ 136.37
500x404	7	77	445	64-73	103-112	26-35	9	50	0.74	C-E-D	£ 156.93
500x463	8	77	445	64-73	103-112	26-35	9	50	0.84	C-E-D	£ 178.58
500x522	9	77	445	64-73	103-112	26-35	9	50	0.94	C-E-D	£ 199.32
500x581	10	77	445	64-73	103-112	26-35	9	50	1.04	C-E-D	£ 220.07
500x640	11	77	445	64-73	103-112	26-35	9	50	1.14	C-E-D	£ 243.17
500x699	12	77	445	64-73	103-112	26-35	9	50	1.24	C-E-D	£ 263.91
500x758	13	77	445	64-73	103-112	26-35	9	50	1.35	C-E-D	£ 284.66
500x817	14	77	445	64-73	103-112	26-35	9	50	1.45	C-E-D	£ 305.41

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x286	191	652	249	848
300x345	230	783	298	1018
300x404	268	913	348	1187
300x463	306	1044	398	1357
300x522	344	1174	448	1526
300x581	383	1305	497	1696
300x640	421	1435	547	1866
300x699	459	1566	597	2035
300x758	497	1696	647	2205
300x817	536	1827	696	2374
300x876	574	1957	746	2544
300x935	612	2087	796	2714
300x994	650	2218	846	2883
300x1053	689	2348	895	3053
300x1112	727	2479	945	3223
300x1171	765	2609	995	3392
300x1230	803	2740	1044	3562
300x1289	842	2870	1094	3731
300x1348	880	3001	1144	3901
300x1407	918	3131	1194	4071
300x1466	957	3262	1243	4240
300x1525	995	3392	1293	4410
300x1584	1033	3523	1343	4579
300x1643	1071	3653	1393	4749
300x1702	1110	3784	1442	4919
300x1761	1148	3914	1492	5088
300x1820	1186	4044	1542	5258
300x1879	1224	4175	1592	5427
300x1938	1263	4305	1641	5597
300x1997	1301	4436	1691	5767
400x286	261	889	339	1156
400x345	313	1067	407	1387
400x404	365	1245	474	1618
400x463	417	1422	542	1849
400x522	469	1600	610	2080
400x581	521	1778	678	2311
400x640	574	1956	746	2542
400x699	626	2134	813	2774
400x758	678	2311	881	3005
400x817	730	2489	949	3236
400x876	782	2667	1017	3467
400x935	834	2845	1085	3698
400x994	886	3023	1152	3929
400x1053	939	3200	1220	4160
400x1112	991	3378	1288	4392
400x1171	1043	3556	1356	4623
400x1230	1095	3734	1423	4854
400x1289	1147	3912	1491	5085
400x1348	1199	4089	1559	5316
400x1407	1251	4267	1627	5547
400x1466	1303	4445	1695	5778
400x1525	1356	4623	1762	6009
400x1584	1408	4800	1830	6241
400x1643	1460	4978	1898	6472
400x1702	1512	5156	1966	6703
400x1761	1564	5334	2033	6934
400x1820	1616	5512	2101	7165
400x1879	1668	5689	2169	7396
400x1938	1721	5867	2237	7627
400x1997	1773	6045	2305	7859
500x286	333	1136	433	1477
500x345	400	1363	520	1772
500x404	466	1590	606	2067
500x463	533	1817	693	2362
500x522	600	2044	779	2658
500x581	666	2272	866	2953
500x640	733	2499	953	3248
500x699	799	2726	1039	3544
500x758	866	2953	1126	3839
500x817	933	3180	1212	4134

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.93	3.98	0.02	500X333X119
3.46	4.59	0.03	

BELLA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x876	15	77	445	64-73	103-112	26-35	9	50	1.55	C-E-D	£ 327.05
500x935	16	77	445	64-73	103-112	26-35	9	50	1.65	C-E-D	£ 347.80
500x994	17	77	445	64-73	103-112	26-35	9	50	1.75	C-E-D	£ 368.54
500x1053	18	77	445	64-73	103-112	26-35	9	50	1.87	C-E-D	£ 390.49
500x1112	19	77	445	64-73	103-112	26-35	9	50	1.97	C-E-D	£ 412.14
500x1171	20	77	445	64-73	103-112	26-35	9	50	2.07	C-E-D	£ 432.88
500x1230	21	77	445	64-73	103-112	26-35	9	50	2.17	C-E-D	£ 453.63
500x1289	22	77	445	64-73	103-112	26-35	9	50	2.27	C-E-D	£ 475.28
500x1348	23	77	445	64-73	103-112	26-35	9	50	2.37	C-E-D	£ 496.01
500x1407	24	77	445	64-73	103-112	26-35	9	50	2.47	C	£ 516.77
500x1466	25	77	445	64-73	103-112	26-35	9	50	2.58	C	£ 537.50
500x1525	26	77	445	64-73	103-112	26-35	9	50	2.68	C	£ 559.16
500x1584	27	77	445	64-73	103-112	26-35	9	50	2.78	C	£ 579.91
500x1643	28	77	445	64-73	103-112	26-35	9	50	2.88	C	£ 600.64
500x1702	29	77	445	64-73	103-112	26-35	9	50	2.98	C	£ 621.40
500x1761	30	77	445	64-73	103-112	26-35	9	50	3.08	C	£ 643.05
500x1820	31	77	445	64-73	103-112	26-35	9	50	3.18	C	£ 663.78
500x1879	32	77	445	64-73	103-112	26-35	9	50	3.29	C	£ 684.53
500x1938	33	77	445	64-73	103-112	26-35	9	50	3.39	C	£ 706.17
500x1997	34	77	445	64-73	103-112	26-35	9	50	3.49	C	£ 726.92
600x286	5	77	545	64-73	103-112	26-35	9	50	0.61	C	£ 121.93
600x345	6	77	545	64-73	103-112	26-35	9	50	0.72	C	£ 143.89
600x404	7	77	545	64-73	103-112	26-35	9	50	0.84	C-E-D	£ 165.86
600x463	8	77	545	64-73	103-112	26-35	9	50	0.95	C-E-D	£ 188.92
600x522	9	77	545	64-73	103-112	26-35	9	50	1.07	C-E-D	£ 211.07
600x581	10	77	545	64-73	103-112	26-35	9	50	1.18	C-E-D	£ 233.23
600x640	11	77	545	64-73	103-112	26-35	9	50	1.30	C-E-D	£ 257.75
600x699	12	77	545	64-73	103-112	26-35	9	50	1.42	C-E-D	£ 279.92
600x758	13	77	545	64-73	103-112	26-35	9	50	1.53	C-E-D	£ 302.08
600x817	14	77	545	64-73	103-112	26-35	9	50	1.65	C-E-D	£ 324.25
600x876	15	77	545	64-73	103-112	26-35	9	50	1.76	C-E-D	£ 347.31
600x935	16	77	545	64-73	103-112	26-35	9	50	1.88	C-E-D	£ 369.48
600x994	17	77	545	64-73	103-112	26-35	9	50	1.99	C-E-D	£ 391.64
600x1053	18	77	545	64-73	103-112	26-35	9	50	2.12	C-E-D	£ 415.00
600x1112	19	77	545	64-73	103-112	26-35	9	50	2.24	C-E-D	£ 438.07
600x1171	20	77	545	64-73	103-112	26-35	9	50	2.36	C-E-D	£ 460.23
600x1230	21	77	545	64-73	103-112	26-35	9	50	2.47	C-E-D	£ 482.39
600x1289	22	77	545	64-73	103-112	26-35	9	50	2.59	C-E-D	£ 505.46
600x1348	23	77	545	64-73	103-112	26-35	9	50	2.70	C-E-D	£ 527.61
600x1407	24	77	545	64-73	103-112	26-35	9	50	2.82	C	£ 549.77
600x1466	25	77	545	64-73	103-112	26-35	9	50	2.93	C	£ 571.93
600x1525	26	77	545	64-73	103-112	26-35	9	50	3.05	C	£ 594.99
600x1584	27	77	545	64-73	103-112	26-35	9	50	3.16	C	£ 617.17
600x1643	28	77	545	64-73	103-112	26-35	9	50	3.28	C	£ 639.33
600x1702	29	77	545	64-73	103-112	26-35	9	50	3.40	C	£ 661.49
600x1761	30	77	545	64-73	103-112	26-35	9	50	3.51	C	£ 684.56
600x1820	31	77	545	64-73	103-112	26-35	9	50	3.63	C	£ 706.72
600x1879	32	77	545	64-73	103-112	26-35	9	50	3.74	C	£ 728.88
600x1938	33	77	545	64-73	103-112	26-35	9	50	3.86	C	£ 751.94
600x1997	34	77	545	64-73	103-112	26-35	9	50	3.97	C	£ 774.11
700x286	5	77	645	64-73	103-112	26-35	9	50	0.68	C	£ 136.13
700x345	6	77	645	64-73	103-112	26-35	9	50	0.81	C	£ 160.54
700x404	7	77	645	64-73	103-112	26-35	9	50	0.94	C-E-D	£ 184.96
700x463	8	77	645	64-73	103-112	26-35	9	50	1.07	C-E-D	£ 210.48
700x522	9	77	645	64-73	103-112	26-35	9	50	1.20	C-E-D	£ 235.12
700x581	10	77	645	64-73	103-112	26-35	9	50	1.33	C-E-D	£ 259.74
700x640	11	77	645	64-73	103-112	26-35	9	50	1.46	C-E-D	£ 286.72
700x699	12	77	645	64-73	103-112	26-35	9	50	1.59	C-E-D	£ 311.33
700x758	13	77	645	64-73	103-112	26-35	9	50	1.72	C-E-D	£ 335.97
700x817	14	77	645	64-73	103-112	26-35	9	50	1.85	C-E-D	£ 360.59
700x876	15	77	645	64-73	103-112	26-35	9	50	1.98	C-E-D	£ 386.11
700x935	16	77	645	64-73	103-112	26-35	9	50	2.11	C-E-D	£ 410.73
700x994	17	77	645	64-73	103-112	26-35	9	50	2.24	C-E-D	£ 435.36
700x1053	18	77	645	64-73	103-112	26-35	9	50	2.38	C-E-D	£ 461.19
700x1112	19	77	645	64-73	103-112	26-35	9	50	2.51	C-E-D	£ 486.71
700x1171	20	77	645	64-73	103-112	26-35	9	50	2.64	C-E-D	£ 511.33
700x1230	21	77	645	64-73	103-112	26-35	9	50	2.77	C-E-D	£ 535.95
700x1289	22	77	645	64-73	103-112	26-35	9	50	2.90	C-E-D	£ 561.49
700x1348	23	77	645	64-73	103-112	26-35	9	50	3.03	C-E-D	£ 586.10
700x1407	24	77	645	64-73	103-112	26-35	9	50	3.16	C	£ 610.72

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x876	999	3407	1299	4429
500x935	1066	3634	1386	4725
500x994	1132	3862	1472	5020
500x1053	1199	4089	1559	5315
500x1112	1266	4316	1645	5611
500x1171	1332	4543	1732	5906
500x1230	1399	4770	1819	6201
500x1289	1465	4997	1905	6497
500x1348	1532	5224	1992	6792
500x1407	1599	5452	2078	7087
500x1466	1665	5679	2165	7382
500x1525	1732	5906	2252	7678
500x1584	1799	6133	2338	7973
500x1643	1865	6360	2425	8268
500x1702	1932	6587	2511	8564
500x1761	1998	6815	2598	8859
500x1820	2065	7042	2685	9154
500x1879	2132	7269	2771	9449
500x1938	2198	7496	2858	9745
500x1997	2265	7723	2944	10040
600x286	409	1393	531	1811
600x345	490	1672	637	2173
600x404	572	1950	743	2535
600x463	654	2229	850	2897
600x522	735	2507	956	3260
600x581	817	2786	1062	3622
600x640	899	3065	1168	3984
600x699	980	3343	1275	4346
600x758	1062	3622	1381	4708
600x817	1144	3900	1487	5070
600x876	1226	4179	1593	5433
600x935	1307	4458	1699	5795
600x994	1389	4736	1806	6157
600x1053	1471	5015	1912	6519
600x1112	1552	5293	2018	6881
600x1171	1634	5572	2124	7244
600x1230	1716	5851	2230	7606
600x1289	1797	6129	2337	7968
600x1348	1879	6408	2443	8330
600x1407	1961	6686	2549	8692
600x1466	2043	6965	2655	9054
600x1525	2124	7244	2761	9417
600x1584	2206	7522	2868	9779
600x1643	2288	7801	2974	10141
600x1702	2369	8079	3080	10503
600x1761	2451	8358	3186	10865
600x1820	2533	8637	3293	11227
600x1879	2614	8915	3399	11590
600x1938	2696	9194	3505	11952
600x1997	2778	9472	3611	12314
700x286	466	1590	606	2067
700x345	560	1908	727	2481
700x404	653	2226	849	2894
700x463	746	2544	970	3307
700x522	839	2862	1091	3721
700x581	933	3180	1212	4134
700x640	1026	3498	1334	4548
700x699	1119	3816	1455	4961
700x758	1212	4134	1576	5374
700x817	1306	4452	1697	5788
700x876	1399	4770	1819	6201
700x935	1492	5088	1940	6615
700x994	1585	5406	2061	7028
700x1053	1679	5724	2182	7441
700x1112	1772	6042	2303	7855
700x1171	1865	6360	2425	8268
700x1230	1958	6678	2546	8682
700x1289	2052	6996	2667	9095
700x1348	2145	7314	2788	9508
700x1407	2238	7632	2910	9922

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
12.03	14.39	0.08	700X923X119
12.82	15.28	0.09	700X982X119
13.61	16.15	0.09	700X1041X119
14.51	17.15	0.10	700X1100X119
15.30	18.04	0.10	700X1159X119
16.08	18.90	0.11	700X1218X119
16.87	19.79	0.11	700X1277X119
17.66	20.67	0.12	700X1336X119
18.45	21.55	0.12	700X1395X119
19.23	22.43	0.13	700X1454X119
20.02	23.30	0.13	700X1513X119
20.80	24.19	0.14	700X1572X119
21.59	25.07	0.14	700X1631X119
22.38	25.96	0.15	700X1690X119
23.16	26.84	0.15	700X1749X119
23.95	27.72	0.16	700X1808X119
24.73	28.59	0.16	700X1867X119
25.52	29.47	0.17	700X1926X119
26.31	30.35	0.17	700X1985X119
27.10	31.07	0.18	700X2044X119
4.79	6.05	0.04	800X333X119
5.70	7.06	0.04	800X392X119
6.61	8.06	0.05	800X451X119
7.52	9.08	0.05	800X510X119
8.43	10.09	0.06	800X569X119
9.35	11.27	0.06	800X628X119
10.26	12.28	0.07	800X687X119
11.16	13.29	0.08	800X746X119
12.07	14.31	0.08	800X805X119
12.99	15.33	0.09	800X864X119
13.90	16.34	0.09	800X923X119
14.81	17.36	0.10	800X982X119
15.72	18.37	0.10	800X1041X119
16.75	19.50	0.11	800X1100X119
17.66	20.52	0.12	800X1159X119
18.57	21.54	0.12	800X1218X119
19.49	22.55	0.13	800X1277X119
20.40	23.58	0.13	800X1336X119
21.31	24.59	0.14	800X1395X119
22.22	25.60	0.14	800X1454X119
23.13	26.62	0.15	800X1513X119
24.04	27.63	0.15	800X1572X119
24.95	28.65	0.16	800X1631X119
25.87	29.67	0.17	800X1690X119
26.77	30.67	0.17	800X1749X119
27.68	31.69	0.18	800X1808X119
28.59	32.70	0.18	800X1867X119
29.51	33.72	0.19	800X1926X119
30.42	34.74	0.19	800X1985X119
31.33	35.59	0.20	800X2044X119
5.42	6.90	0.04	900X333X119
6.44	8.03	0.05	900X392X119
7.48	9.18	0.05	900X451X119
8.52	10.34	0.06	900X510X119
9.55	11.49	0.07	900X569X119
10.59	12.60	0.07	900X628X119
11.63	13.95	0.08	900X687X119
12.66	15.09	0.08	900X746X119
13.69	16.24	0.09	900X805X119
14.73	17.40	0.10	900X864X119
15.77	18.55	0.10	900X923X119
16.80	19.70	0.11	900X982X119
17.84	20.85	0.12	900X1041X119
18.89	22.12	0.12	900X1100X119
20.03	23.27	0.13	900X1159X119
21.06	24.42	0.14	900X1218X119
22.10	25.57	0.14	900X1277X119
23.14	26.73	0.15	900X1336X119
24.18	27.88	0.15	900X1395X119
25.20	29.01	0.16	900X1454X119

BELLA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1466	25	77	645	64-73	103-112	26-35	9	50	3.29	C	£ 635.35
700x1525	26	77	645	64-73	103-112	26-35	9	50	3.42	C	£ 660.87
700x1584	27	77	645	64-73	103-112	26-35	9	50	3.55	C	£ 685.50
700x1643	28	77	645	64-73	103-112	26-35	9	50	3.68	C	£ 710.13
700x1702	29	77	645	64-73	103-112	26-35	9	50	3.81	C	£ 734.75
700x1761	30	77	645	64-73	103-112	26-35	9	50	3.94	C	£ 760.26
700x1820	31	77	645	64-73	103-112	26-35	9	50	4.07	C	£ 784.90
700x1879	32	77	645	64-73	103-112	26-35	9	50	4.20	C	£ 809.52
700x1938	33	77	645	64-73	103-112	26-35	9	50	4.33	C	£ 835.04
700x1997	34	77	645	64-73	103-112	26-35	9	50	4.46	C	£ 859.66
800x286	5	77	745	64-73	103-112	26-35	9	50	0.75	C	£ 143.65
800x345	6	77	745	64-73	103-112	26-35	9	50	0.89	C	£ 169.48
800x404	7	77	745	64-73	103-112	26-35	9	50	1.04	C-E-D	£ 195.33
800x463	8	77	745	64-73	103-112	26-35	9	50	1.18	C-E-D	£ 222.27
800x522	9	77	745	64-73	103-112	26-35	9	50	1.33	C-E-D	£ 248.31
800x581	10	77	745	64-73	103-112	26-35	9	50	1.47	C-E-D	£ 274.35
800x640	11	77	745	64-73	103-112	26-35	9	50	1.61	C-E-D	£ 302.75
800x699	12	77	745	64-73	103-112	26-35	9	50	1.76	C-E-D	£ 328.78
800x758	13	77	745	64-73	103-112	26-35	9	50	1.90	C-E-D	£ 354.84
800x817	14	77	745	64-73	103-112	26-35	9	50	2.05	C-E-D	£ 380.87
800x876	15	77	745	64-73	103-112	26-35	9	50	2.19	C-E-D	£ 407.82
800x935	16	77	745	64-73	103-112	26-35	9	50	2.34	C-E-D	£ 433.85
800x994	17	77	745	64-73	103-112	26-35	9	50	2.48	C-E-D	£ 459.90
800x1053	18	77	745	64-73	103-112	26-35	9	50	2.64	C-E-D	£ 487.13
800x1112	19	77	745	64-73	103-112	26-35	9	50	2.78	C-E-D	£ 514.08
800x1171	20	77	745	64-73	103-112	26-35	9	50	2.93	C-E-D	£ 540.13
800x1230	21	77	745	64-73	103-112	26-35	9	50	3.07	C-E-D	£ 566.16
800x1289	22	77	745	64-73	103-112	26-35	9	50	3.22	C-E-D	£ 593.11
800x1348	23	77	745	64-73	103-112	26-35	9	50	3.36	C-E-D	£ 619.14
800x1407	24	77	745	64-73	103-112	26-35	9	50	3.50	C	£ 645.19
800x1466	25	77	745	64-73	103-112	26-35	9	50	3.65	C	£ 671.22
800x1525	26	77	745	64-73	103-112	26-35	9	50	3.79	C	£ 698.17
800x1584	27	77	745	64-73	103-112	26-35	9	50	3.94	C	£ 724.20
800x1643	28	77	745	64-73	103-112	26-35	9	50	4.08	C	£ 750.25
800x1702	29	77	745	64-73	103-112	26-35	9	50	4.23	C	£ 776.29
800x1761	30	77	745	64-73	103-112	26-35	9	50	4.37	C	£ 803.23
800x1820	31	77	745	64-73	103-112	26-35	9	50	4.51	C	£ 829.27
800x1879	32	77	745	64-73	103-112	26-35	9	50	4.66	C	£ 855.31
800x1938	33	77	745	64-73	103-112	26-35	9	50	4.80	C	£ 882.25
800x1997	34	77	745	64-73	103-112	26-35	9	50	4.95	C	£ 908.29
900x286	5	77	845	64-73	103-112	26-35	9	50	0.82	C	£ 151.18
900x345	6	77	845	64-73	103-112	26-35	9	50	0.98	C	£ 178.43
900x404	7	77	845	64-73	103-112	26-35	9	50	1.14	C-E-D	£ 205.69
900x463	8	77	845	64-73	103-112	26-35	9	50	1.30	C-E-D	£ 234.05
900x522	9	77	845	64-73	103-112	26-35	9	50	1.46	C-E-D	£ 261.51
900x581	10	77	845	64-73	103-112	26-35	9	50	1.61	C-E-D	£ 288.97
900x640	11	77	845	64-73	103-112	26-35	9	50	1.77	C-E-D	£ 318.79
900x699	12	77	845	64-73	103-112	26-35	9	50	1.93	C-E-D	£ 346.23
900x758	13	77	845	64-73	103-112	26-35	9	50	2.09	C-E-D	£ 373.70
900x817	14	77	845	64-73	103-112	26-35	9	50	2.25	C-E-D	£ 401.16
900x876	15	77	845	64-73	103-112	26-35	9	50	2.41	C-E-D	£ 429.52
900x935	16	77	845	64-73	103-112	26-35	9	50	2.56	C-E-D	£ 456.98
900x994	17	77	845	64-73	103-112	26-35	9	50	2.72	C-E-D	£ 484.42
900x1053	18	77	845	64-73	103-112	26-35	9	50	2.90	C-E-D	£ 513.09
900x1112	19	77	845	64-73	103-112	26-35	9	50	3.05	C-E-D	£ 541.45
900x1171	20	77	845	64-73	103-112	26-35	9	50	3.21	C-E-D	£ 568.91
900x1230	21	77	845	64-73	103-112	26-35	9	50	3.37	C-E-D	£ 596.37
900x1289	22	77	845	64-73	103-112	26-35	9	50	3.53	C-E-D	£ 624.73
900x1348	23	77	845	64-73	103-112	26-35	9	50	3.69	C-E-D	£ 652.18
900x1407	24	77	845	64-73	103-112	26-35	9	50	3.85	C	£ 679.64
900x1466	25	77	845	64-73	103-112	26-35	9	50	4.01	C	£ 707.10
900x1525	26	77	845	64-73	103-112	26-35	9	50	4.16	C	£ 735.46
900x1584	27	77	845	64-73	103-112	26-35	9	50	4.32	C	£ 762.92
900x1643	28	77	845	64-73	103-112	26-35	9	50	4.48	C	£ 790.38
900x1702	29	77	845	64-73	103-112	26-35	9	50	4.64	C	£ 817.83
900x1761	30	77	845	64-73	103-112	26-35	9	50	4.80	C	£ 846.18
900x1820	31	77	845	64-73	103-112	26-35	9	50	4.96	C	£ 873.65
900x1879	32	77	845	64-73	103-112	26-35	9	50	5.12	C	£ 901.11
900x1938	33	77	845	64-73	103-112	26-35	9	50	5.27	C	£ 929.47
900x1997	34	77	845	64-73	103-112	26-35	9	50	5.43	C	£ 956.92

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1466	2331	7950	3031	10335
700x1525	2425	8268	3152	10749
700x1584	2518	8586	3273	11162
700x1643	2611	8904	3395	11576
700x1702	2704	9222	3516	11989
700x1761	2798	9540	3637	12402
700x1820	2891	9858	3758	12816
700x1879	2984	10176	3880	13229
700x1938	3078	10494	4001	13643
700x1997	3171	10812	4122	14056
800x286	521	1778	678	2311
800x345	626	2134	813	2774
800x404	730	2489	949	3236
800x463	834	2845	1085	3698
800x522	939	3200	1220	4160
800x581	1043	3556	1356	4623
800x640	1147	3912	1491	5085
800x699	1251	4267	1627	5547
800x758	1356	4623	1762	6009
800x817	1460	4978	1898	6472
800x876	1564	5334	2033	6934
800x935	1668	5689	2169	7396
800x994	1773	6045	2305	7859
800x1053	1877	6401	2440	8321
800x1112	1981	6756	2576	8783
800x1171	2086	7112	2711	9245
800x1230	2190	7467	2847	9708
800x1289	2294	7823	2982	10170
800x1348	2398	8179	3118	10632
800x1407	2503	8534	3253	11094
800x1466	2607	8890	3389	11557
800x1525	2711	9245	3525	12019
800x1584	2816	9601	3660	12481
800x1643	2920	9957	3796	12943
800x1702	3024	10312	3931	13406
800x1761	3128	10668	4067	13868
800x1820	3233	11023	4202	14330
800x1879	3337	11379	4338	14793
800x1938	3441	11734	4474	15255
800x1997	3545	12090	4609	15717
900x286	574	1957	746	2544
900x345	689	2348	895	3053
900x404	803	2740	1044	3562
900x463	918	3131	1194	4071
900x522	1033	3523	1343	4579
900x581	1148	3914	1492	5088
900x640	1263	4305	1641	5597
900x699	1377	4697	1791	6106
900x758	1492	5088	1940	6615
900x817	1607	5480	2089	7123
900x876	1722	5871	2238	7632
900x935	1836	6262	2387	8141
900x994	1951	6654	2537	8650
900x1053	2066	7045	2686	9159
900x1112	2181	7437	2835	9668
900x1171	2296	7828	2984	10176
900x1230	2410	8219	3133	10685
900x1289	2525	8611	3283	11194
900x1348	2640	9002	3432	11703
900x1407	2755	9394	3581	12212
900x1466	2869	9785	3730	12720
900x1525	2984	10176	3880	13229
900x1584	3099	10568	4029	13738
900x1643	3214	10959	4178	14247
900x1702	3329	11351	4327	14756
900x1761	3443	11742	4476	15264
900x1820	3558	12133	4626	15773
900x1879	3673	12525	4775	16282
900x1938	3788	12916	4924	16791
900x1997	3902	13308	5073	17300

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package
---------------	-----------------	---------

BELLA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall to Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pièces	mm	mm	mm	mm	mm	mm	mm	L		
1000x286	5	77	945	64-73	103-112	26-35	9	50	0,89	C	£ 164.19
1000x345	6	77	945	64-73	103-112	26-35	9	50	1,07	C	£ 193.84
1000x404	7	77	945	64-73	103-112	26-35	9	50	1,24	C-E-D	£ 223.51
1000x463	8	77	945	64-73	103-112	26-35	9	50	1,41	C-E-D	£ 254.31
1000x522	9	77	945	64-73	103-112	26-35	9	50	1,58	C-E-D	£ 284.18
1000x581	10	77	945	64-73	103-112	26-35	9	50	1,76	C-E-D	£ 314.05
1000x640	11	77	945	64-73	103-112	26-35	9	50	1,93	C-E-D	£ 346.35
1000x699	12	77	945	64-73	103-112	26-35	9	50	2,10	C-E-D	£ 376.23
1000x758	13	77	945	64-73	103-112	26-35	9	50	2,28	C-E-D	£ 406.11
1000x817	14	77	945	64-73	103-112	26-35	9	50	2,45	C-E-D	£ 435.98
1000x876	15	77	945	64-73	103-112	26-35	9	50	2,62	C-E-D	£ 466.78
1000x935	16	77	945	64-73	103-112	26-35	9	50	2,79	C-E-D	£ 496.65
1000x994	17	77	945	64-73	103-112	26-35	9	50	2,97	C-E-D	£ 526.52
1000x1053	18	77	945	64-73	103-112	26-35	9	50	3,15	C-E-D	£ 557.63
1000x1112	19	77	945	64-73	103-112	26-35	9	50	3,33	C-E-D	£ 588.43
1000x1171	20	77	945	64-73	103-112	26-35	9	50	3,50	C-E-D	£ 618.30
1000x1230	21	77	945	64-73	103-112	26-35	9	50	3,67	C-E-D	£ 648.17
1000x1289	22	77	945	64-73	103-112	26-35	9	50	3,84	C-E-D	£ 678.98
1000x1348	23	77	945	64-73	103-112	26-35	9	50	4,02	C-E-D	£ 708.85
1000x1407	24	77	945	64-73	103-112	26-35	9	50	4,19	C	£ 738.73
1000x1466	25	77	945	64-73	103-112	26-35	9	50	4,36	C	£ 768.60
1000x1525	26	77	945	64-73	103-112	26-35	9	50	4,54	C	£ 799.39
1000x1584	27	77	945	64-73	103-112	26-35	9	50	4,71	C	£ 829.26
1000x1643	28	77	945	64-73	103-112	26-35	9	50	4,88	C	£ 859.13
1000x1702	29	77	945	64-73	103-112	26-35	9	50	5,05	C	£ 889.00
1000x1761	30	77	945	64-73	103-112	26-35	9	50	5,23	C	£ 919.82
1000x1820	31	77	945	64-73	103-112	26-35	9	50	5,40	C	£ 949.68
1000x1879	32	77	945	64-73	103-112	26-35	9	50	5,57	C	£ 979.55
1000x1938	33	77	945	64-73	103-112	26-35	9	50	5,75	C	£ 1010.35
1000x1997	34	77	945	64-73	103-112	26-35	9	50	5,92	C	£ 1040.22
1200x286	5	77	1145	64-73	103-112	26-35	9	50	1,04	C	£ 185.15
1200x345	6	77	1145	64-73	103-112	26-35	9	50	1,24	C	£ 218.82
1200x404	7	77	1145	64-73	103-112	26-35	9	50	1,44	C-E-D	£ 252.51
1200x463	8	77	1145	64-73	103-112	26-35	9	50	1,64	C-E-D	£ 287.33
1200x522	9	77	1145	64-73	103-112	26-35	9	50	1,84	C-E-D	£ 321.20
1200x581	10	77	1145	64-73	103-112	26-35	9	50	2,04	C-E-D	£ 355.09
1200x640	11	77	1145	64-73	103-112	26-35	9	50	2,24	C-E-D	£ 391.41
1200x699	12	77	1145	64-73	103-112	26-35	9	50	2,45	C-E-D	£ 425.29
1200x758	13	77	1145	64-73	103-112	26-35	9	50	2,65	C-E-D	£ 459.17
1200x817	14	77	1145	64-73	103-112	26-35	9	50	2,85	C-E-D	£ 493.07
1200x876	15	77	1145	64-73	103-112	26-35	9	50	3,05	C-E-D	£ 527.88
1200x935	16	77	1145	64-73	103-112	26-35	9	50	3,25	C-E-D	£ 561.75
1200x994	17	77	1145	64-73	103-112	26-35	9	50	3,45	C-E-D	£ 595.64
1200x1053	18	77	1145	64-73	103-112	26-35	9	50	3,67	C-E-D	£ 630.77
1200x1112	19	77	1145	64-73	103-112	26-35	9	50	3,87	C-E-D	£ 665.57
1200x1171	20	77	1145	64-73	103-112	26-35	9	50	4,07	C-E-D	£ 699.46
1200x1230	21	77	1145	64-73	103-112	26-35	9	50	4,27	C-E-D	£ 733.35
1200x1289	22	77	1145	64-73	103-112	26-35	9	50	4,47	C-E-D	£ 768.16
1200x1348	23	77	1145	64-73	103-112	26-35	9	50	4,68	C-E-D	£ 802.04
1400x286	5	77	1345	64-73	103-112	26-35	9	50	1,18	C	£ 200.74
1400x345	6	77	1345	64-73	103-112	26-35	9	50	1,41	C	£ 237.34
1400x404	7	77	1345	64-73	103-112	26-35	9	50	1,64	C-E-D	£ 273.96
1400x463	8	77	1345	64-73	103-112	26-35	9	50	1,87	C-E-D	£ 311.70
1400x522	9	77	1345	64-73	103-112	26-35	9	50	2,10	C-E-D	£ 348.52
1400x581	10	77	1345	64-73	103-112	26-35	9	50	2,33	C-E-D	£ 385.33
1400x640	11	77	1345	64-73	103-112	26-35	9	50	2,56	C-E-D	£ 424.58
1400x699	12	77	1345	64-73	103-112	26-35	9	50	2,79	C-E-D	£ 461.40
1400x758	13	77	1345	64-73	103-112	26-35	9	50	3,02	C-E-D	£ 498.22
1400x817	14	77	1345	64-73	103-112	26-35	9	50	3,25	C-E-D	£ 535.02
1400x876	15	77	1345	64-73	103-112	26-35	9	50	3,48	C-E-D	£ 572.77
1400x935	16	77	1345	64-73	103-112	26-35	9	50	3,71	C-E-D	£ 609.59
1400x994	17	77	1345	64-73	103-112	26-35	9	50	3,94	C-E-D	£ 646.40
1400x1053	18	77	1345	64-73	103-112	26-35	9	50	4,18	C-E-D	£ 684.45
1400x1112	19	77	1345	64-73	103-112	26-35	9	50	4,41	C-E-D	£ 722.21
1400x1171	20	77	1345	64-73	103-112	26-35	9	50	4,64	C-E-D	£ 759.02
1400x1230	21	77	1345	64-73	103-112	26-35	9	50	4,87	C-E-D	£ 795.83
1400x1289	22	77	1345	64-73	103-112	26-35	9	50	5,10	C-E-D	£ 833.59
1400x1348	23	77	1345	64-73	103-112	26-35	9	50	5,33	C-E-D	£ 870.40

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Wall	Blu	Wall	Blu
1000x286	624	2127	811	2766
1000x345	749	2553	973	3319
1000x404	873	2978	1135	3872
1000x463	998	3404	1298	4425
1000x522	1123	3829	1460	4978
1000x581	1248	4255	1622	5531
1000x640	1373	4680	1784	6085
1000x699	1497	5106	1947	6638
1000x758	1622	5531	2109	7191
1000x817	1747	5957	2271	7744
1000x876	1872	6382	2433	8297
1000x935	1996	6808	2595	8850
1000x994	2121	7233	2758	9403
1000x1053	2246	7659	2920	9957
1000x1112	2371	8084	3082	10510
1000x1171	2496	8510	3244	11063
1000x1230	2620	8935	3406	11616
1000x1289	2745	9361	3569	12169
1000x1348	2870	9786	3731	12722
1000x1407	2995	10212	3893	13275
1000x1466	3119	10637	4055	13829
1000x1525	3244	11063	4217	14382
1000x1584	3369	11488	4380	14935
1000x1643	3494	11914	4542	15488
1000x1702	3619	12339	4704	16041
1000x1761	3743	12765	4866	16594
1000x1820	3868	13190	5029	17147
1000x1879	3993	13616	5191	17700
1000x1938	4118	14041	5353	18254
1000x1997	4242	14467	5515	18807
1200x286	716	2443	931	3176
1200x345	860	2931	1117	3811
1200x404	1003	3420	1304	4446
1200x463	1146	3908	1490	5081
1200x522	1289	4397	1676	5716
1200x581	1433	4885	1862	6351
1200x640	1576	5374	2049	6986
1200x699	1719	5862	2235	7621
1200x758	1862	6351	2421	8256
1200x817	2006	6839	2607	8891
1200x876	2149	7328	2794	9526
1200x935	2292	7817	2980	10162
1200x994	2436	8305	3166	10797
1200x1053	2579	8794	3352	11432
1200x1112	2722	9282	3539	12067
1200x1171	2865	9771	3725	12702
1200x1230	3009	10259	3911	13337
1200x1289	3152	10748	4097	13972
1200x1348	3295	11236	4284	14607
1400x286	822	2805	1069	3646
1400x345	987	3366	1283	4375
1400x404	1151	3926	1497	5104
1400x463	1316	4487	1711	5834
1400x522	1480	5048	1925	6563
1400x581	1645	5609	2138	7292
1400x640	1809	6170	2352	8021
1400x699	1974	6731	2566	8750
1400x758	2138	7292	2780	9479
1400x817	2303	7853	2994	10209
1400x876	2467	8414	3208	10938
1400x935	2632	8975	3421	11667
1400x994	2796	9536	3635	12396
1400x1053	2961	10096	3849	13125
1400x1112	3125	10657	4063	13855
1400x1171	3290	11218	4277	14584
1400x1230	3454	11779	4491	15313
1400x1289	3619	12340	4704	16042
1400x1348	3783	12901	4918	16771

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
7.28	9.07	0.05	1200X333X119
8.68	10.61	0.06	1200X392X119

BELLA DOUBLE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel