

LOVA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x236	3	60	245	56-65	86-95	26-35	4	60	0.29	C	£ 68.50
300x316	4	60	245	56-65	86-95	26-35	4	60	0.37	C	£ 88.41
300x396	5	60	245	56-65	86-95	26-35	4	60	0.46	C	£ 107.45
300x476	6	60	245	56-65	86-95	26-35	4	60	0.54	C-E-D	£ 126.65
300x556	7	60	245	56-65	86-95	26-35	4	60	0.63	C-E-D	£ 145.86
300x636	8	60	245	56-65	86-95	26-35	4	60	0.71	C-E-D	£ 167.42
300x716	9	60	245	56-65	86-95	26-35	4	60	0.80	C-E-D	£ 186.62
300x796	10	60	245	56-65	86-95	26-35	4	60	0.88	C-E-D	£ 205.83
300x876	11	60	245	56-65	86-95	26-35	4	60	0.96	C-E-D	£ 225.94
300x956	12	60	245	56-65	86-95	26-35	4	60	1.05	C-E-D	£ 245.14
300x1036	13	60	245	56-65	86-95	26-35	4	60	1.15	C-E-D	£ 265.13
300x1116	14	60	245	56-65	86-95	26-35	4	60	1.23	C-E-D	£ 284.34
300x1196	15	60	245	56-65	86-95	26-35	4	60	1.32	C-E-D	£ 304.45
300x1276	16	60	245	56-65	86-95	26-35	4	60	1.40	C-E-D	£ 323.64
300x1356	17	60	245	56-65	86-95	26-35	4	60	1.49	C-E-D	£ 342.86
300x1436	18	60	245	56-65	86-95	26-35	4	60	1.57	C	£ 362.07
300x1516	19	60	245	56-65	86-95	26-35	4	60	1.66	C	£ 382.17
300x1596	20	60	245	56-65	86-95	26-35	4	60	1.74	C	£ 401.37
300x1676	21	60	245	56-65	86-95	26-35	4	60	1.83	C	£ 420.58
300x1756	22	60	245	56-65	86-95	26-35	4	60	1.91	C	£ 440.69
300x1836	23	60	245	56-65	86-95	26-35	4	60	2.00	C	£ 459.89
300x1916	24	60	245	56-65	86-95	26-35	4	60	2.08	C	£ 479.09
300x1996	25	60	245	56-65	86-95	26-35	4	60	2.17	C	£ 498.30
400x236	3	60	345	56-65	86-95	26-35	4	60	0.33	C	£ 73.62
400x316	4	60	345	56-65	86-95	26-35	4	60	0.43	C	£ 95.35
400x396	5	60	345	56-65	86-95	26-35	4	60	0.53	C	£ 116.17
400x476	6	60	345	56-65	86-95	26-35	4	60	0.63	C-E-D	£ 137.17
400x556	7	60	345	56-65	86-95	26-35	4	60	0.73	C-E-D	£ 158.15
400x636	8	60	345	56-65	86-95	26-35	4	60	0.82	C-E-D	£ 181.51
400x716	9	60	345	56-65	86-95	26-35	4	60	0.92	C-E-D	£ 202.51
400x796	10	60	345	56-65	86-95	26-35	4	60	1.02	C-E-D	£ 223.51
400x876	11	60	345	56-65	86-95	26-35	4	60	1.12	C-E-D	£ 245.41
400x956	12	60	345	56-65	86-95	26-35	4	60	1.22	C-E-D	£ 266.39
400x1036	13	60	345	56-65	86-95	26-35	4	60	1.33	C-E-D	£ 288.01
400x1116	14	60	345	56-65	86-95	26-35	4	60	1.43	C-E-D	£ 309.01
400x1196	15	60	345	56-65	86-95	26-35	4	60	1.53	C-E-D	£ 330.91
400x1276	16	60	345	56-65	86-95	26-35	4	60	1.63	C-E-D	£ 351.91
400x1356	17	60	345	56-65	86-95	26-35	4	60	1.73	C-E-D	£ 372.91
400x1436	18	60	345	56-65	86-95	26-35	4	60	1.83	C	£ 393.90
400x1516	19	60	345	56-65	86-95	26-35	4	60	1.93	C	£ 415.80
400x1596	20	60	345	56-65	86-95	26-35	4	60	2.03	C	£ 436.79
400x1676	21	60	345	56-65	86-95	26-35	4	60	2.13	C	£ 457.80
400x1756	22	60	345	56-65	86-95	26-35	4	60	2.23	C	£ 479.69
400x1836	23	60	345	56-65	86-95	26-35	4	60	2.33	C	£ 500.69
400x1916	24	60	345	56-65	86-95	26-35	4	60	2.43	C	£ 521.69
400x1996	25	60	345	56-65	86-95	26-35	4	60	2.52	C	£ 542.69
500x236	3	60	445	56-65	86-95	26-35	4	60	0.37	C	£ 78.75
500x316	4	60	445	56-65	86-95	26-35	4	60	0.49	C	£ 102.27
500x396	5	60	445	56-65	86-95	26-35	4	60	0.60	C	£ 124.88
500x476	6	60	445	56-65	86-95	26-35	4	60	0.71	C-E-D	£ 147.66
500x556	7	60	445	56-65	86-95	26-35	4	60	0.83	C-E-D	£ 170.45
500x636	8	60	445	56-65	86-95	26-35	4	60	0.94	C-E-D	£ 195.60
500x716	9	60	445	56-65	86-95	26-35	4	60	1.05	C-E-D	£ 218.39
500x796	10	60	445	56-65	86-95	26-35	4	60	1.17	C-E-D	£ 241.18
500x876	11	60	445	56-65	86-95	26-35	4	60	1.28	C-E-D	£ 264.86
500x956	12	60	445	56-65	86-95	26-35	4	60	1.39	C-E-D	£ 287.66
500x1036	13	60	445	56-65	86-95	26-35	4	60	1.52	C-E-D	£ 310.90
500x1116	14	60	445	56-65	86-95	26-35	4	60	1.63	C-E-D	£ 333.69
500x1196	15	60	445	56-65	86-95	26-35	4	60	1.75	C-E-D	£ 357.37
500x1276	16	60	445	56-65	86-95	26-35	4	60	1.86	C-E-D	£ 380.17
500x1356	17	60	445	56-65	86-95	26-35	4	60	1.97	C-E-D	£ 402.96
500x1436	18	60	445	56-65	86-95	26-35	4	60	2.09	C	£ 425.75
500x1516	19	60	445	56-65	86-95	26-35	4	60	2.20	C	£ 449.43
500x1596	20	60	445	56-65	86-95	26-35	4	60	2.32	C	£ 472.23
500x1676	21	60	445	56-65	86-95	26-35	4	60	2.43	C	£ 495.02
500x1756	22	60	445	56-65	86-95	26-35	4	60	2.54	C	£ 518.70
500x1836	23	60	445	56-65	86-95	26-35	4	60	2.66	C	£ 541.49
500x1916	24	60	445	56-65	86-95	26-35	4	60	2.77	C	£ 564.29
500x1996	25	60	445	56-65	86-95	26-35	4	60	2.88	C	£ 587.08
600x316	4	60	545	56-65	86-95	26-35	4	60	0.54	C	£ 109.19

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x236	136	463	177	602
300x316	183	623	237	810
300x396	229	783	298	1017
300x476	276	942	359	1225
300x556	323	1102	420	1432
300x636	370	1262	481	1640
300x716	417	1421	542	1848
300x796	464	1581	603	2055
300x876	510	1741	664	2263
300x956	557	1900	724	2470
300x1036	602	2052	782	2668
300x1116	649	2212	843	2875
300x1196	695	2371	904	3083
300x1276	742	2531	965	3290
300x1356	789	2691	1026	3498
300x1436	836	2850	1087	3706
300x1516	883	3010	1148	3913
300x1596	930	3170	1208	4121
300x1676	976	3330	1269	4328
300x1756	1023	3489	1330	4536
300x1836	1070	3649	1391	4744
300x1916	1117	3809	1452	4951
300x1996	1164	3968	1513	5159
400x236	185	631	241	820
400x316	249	849	324	1103
400x396	313	1066	407	1386
400x476	377	1284	489	1669
400x556	440	1502	572	1952
400x636	504	1719	655	2235
400x716	568	1937	738	2518
400x796	632	2154	821	2801
400x876	696	2372	904	3084
400x956	759	2590	987	3367
400x1036	820	2796	1066	3635
400x1116	884	3014	1149	3918
400x1196	948	3232	1232	4201
400x1276	1012	3449	1315	4484
400x1356	1075	3667	1398	4767
400x1436	1139	3885	1481	5050
400x1516	1203	4102	1564	5333
400x1596	1267	4320	1647	5616
400x1676	1331	4537	1730	5899
400x1756	1394	4755	1813	6181
400x1836	1458	4973	1896	6464
400x1916	1522	5190	1979	6747
400x1996	1586	5408	2062	7030
500x236	236	806	307	1048
500x316	318	1084	413	1410
500x396	400	1362	519	1771
500x476	481	1640	625	2133
500x556	563	1918	731	2494
500x636	644	2196	837	2855
500x716	726	2474	943	3217
500x796	807	2752	1049	3578
500x876	889	3031	1155	3940
500x956	970	3309	1261	4301
500x1036	1048	3573	1362	4644
500x1116	1129	3851	1468	5006
500x1196	1211	4129	1574	5367
500x1276	1292	4407	1680	5729
500x1356	1374	4685	1786	6090
500x1436	1455	4963	1892	6452
500x1516	1537	5241	1998	6813
500x1596	1618	5519	2104	7175
500x1676	1700	5797	2210	7536
500x1756	1782	6075	2316	7897
500x1836	1863	6353	2422	8259
500x1916	1945	6631	2528	8620
500x1996	2026	6909	2634	8982
600x316	390	1330	507	1729

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.32	3.19	0.02	510X276X100
3.05	4.01	0.02	510X356X100
3.77	4.83	0.03	510X436X100
4.49	5.65	0.03	510X516X100
5.21	6.63	0.04	510X596X100
5.93	7.44	0.04	510X676X100
6.66	8.28	0.04	510X756X100
7.38	9.09	0.05	510X836X100
8.11	9.93	0.05	510X916X100
8.82	10.73	0.06	5

LOVA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
600x396	5	60	545	56-65	86-95	26-35	4	60	0,67	C	£ 133.60
600x476	6	60	545	56-65	86-95	26-35	4	60	0,80	C-E-D	£ 158.18
600x556	7	60	545	56-65	86-95	26-35	4	60	0,93	C-E-D	£ 182.75
600x636	8	60	545	56-65	86-95	26-35	4	60	1,05	C-E-D	£ 209.70
600x716	9	60	545	56-65	86-95	26-35	4	60	1,18	C-E-D	£ 234.27
600x796	10	60	545	56-65	86-95	26-35	4	60	1,31	C-E-D	£ 258.86
600x876	11	60	545	56-65	86-95	26-35	4	60	1,44	C-E-D	£ 284.34
600x956	12	60	545	56-65	86-95	26-35	4	60	1,56	C-E-D	£ 308.92
600x1036	13	60	545	56-65	86-95	26-35	4	60	1,71	C-E-D	£ 333.79
600x1116	14	60	545	56-65	86-95	26-35	4	60	1,83	C-E-D	£ 358.37
600x1196	15	60	545	56-65	86-95	26-35	4	60	1,96	C-E-D	£ 383.85
600x1276	16	60	545	56-65	86-95	26-35	4	60	2,09	C-E-D	£ 408.44
600x1356	17	60	545	56-65	86-95	26-35	4	60	2,22	C-E-D	£ 433.01
600x1436	18	60	545	56-65	86-95	26-35	4	60	2,35	C	£ 457.60
600x1516	19	60	545	56-65	86-95	26-35	4	60	2,47	C	£ 483.07
600x1596	20	60	545	56-65	86-95	26-35	4	60	2,60	C	£ 507.66
600x1676	21	60	545	56-65	86-95	26-35	4	60	2,73	C	£ 532.24
600x1756	22	60	545	56-65	86-95	26-35	4	60	2,86	C	£ 557.72
600x1836	23	60	545	56-65	86-95	26-35	4	60	2,98	C	£ 582.30
600x1916	24	60	545	56-65	86-95	26-35	4	60	3,11	C	£ 606.88
600x1996	25	60	545	56-65	86-95	26-35	4	60	3,24	C	£ 631.47
700x316	4	60	645	56-65	86-95	26-35	4	60	0,60	C	£ 120.40
700x396	5	60	645	56-65	86-95	26-35	4	60	0,74	C	£ 147.60
700x476	6	60	645	56-65	86-95	26-35	4	60	0,88	C-E-D	£ 174.98
700x556	7	60	645	56-65	86-95	26-35	4	60	1,03	C-E-D	£ 202.37
700x636	8	60	645	56-65	86-95	26-35	4	60	1,17	C-E-D	£ 232.13
700x716	9	60	645	56-65	86-95	26-35	4	60	1,31	C-E-D	£ 259.52
700x796	10	60	645	56-65	86-95	26-35	4	60	1,45	C-E-D	£ 286.90
700x876	11	60	645	56-65	86-95	26-35	4	60	1,59	C-E-D	£ 315.19
700x956	12	60	645	56-65	86-95	26-35	4	60	1,74	C-E-D	£ 342.58
700x1036	13	60	645	56-65	86-95	26-35	4	60	1,89	C-E-D	£ 370.10
700x1116	14	60	645	56-65	86-95	26-35	4	60	2,03	C-E-D	£ 397.47
700x1196	15	60	645	56-65	86-95	26-35	4	60	2,18	C-E-D	£ 425.77
700x1276	16	60	645	56-65	86-95	26-35	4	60	2,32	C-E-D	£ 453.16
700x1356	17	60	645	56-65	86-95	26-35	4	60	2,46	C-E-D	£ 480.55
700x1436	18	60	645	56-65	86-95	26-35	4	60	2,60	C	£ 507.93
700x1516	19	60	645	56-65	86-95	26-35	4	60	2,74	C	£ 536.22
700x1596	20	60	645	56-65	86-95	26-35	4	60	2,89	C	£ 563.61
700x1676	21	60	645	56-65	86-95	26-35	4	60	3,03	C	£ 591.00
700x1756	22	60	645	56-65	86-95	26-35	4	60	3,17	C	£ 619.29
700x1836	23	60	645	56-65	86-95	26-35	4	60	3,31	C	£ 646.68
700x1916	24	60	645	56-65	86-95	26-35	4	60	3,46	C	£ 674.07
700x1996	25	60	645	56-65	86-95	26-35	4	60	3,60	C	£ 701.46
800x316	4	60	745	56-65	86-95	26-35	4	60	0,66	C	£ 127.54
800x396	5	60	745	56-65	86-95	26-35	4	60	0,81	C	£ 156.54
800x476	6	60	745	56-65	86-95	26-35	4	60	0,97	C-E-D	£ 185.72
800x556	7	60	745	56-65	86-95	26-35	4	60	1,13	C-E-D	£ 214.88
800x636	8	60	745	56-65	86-95	26-35	4	60	1,28	C-E-D	£ 246.43
800x716	9	60	745	56-65	86-95	26-35	4	60	1,44	C-E-D	£ 275.61
800x796	10	60	745	56-65	86-95	26-35	4	60	1,59	C-E-D	£ 304.80
800x876	11	60	745	56-65	86-95	26-35	4	60	1,75	C-E-D	£ 334.87
800x956	12	60	745	56-65	86-95	26-35	4	60	1,91	C-E-D	£ 364.05
800x1036	13	60	745	56-65	86-95	26-35	4	60	2,08	C-E-D	£ 393.18
800x1116	14	60	745	56-65	86-95	26-35	4	60	2,23	C-E-D	£ 422.37
800x1196	15	60	745	56-65	86-95	26-35	4	60	2,39	C-E-D	£ 452.46
800x1276	16	60	745	56-65	86-95	26-35	4	60	2,55	C-E-D	£ 481.64
800x1356	17	60	745	56-65	86-95	26-35	4	60	2,70	C-E-D	£ 510.82
800x1436	18	60	745	56-65	86-95	26-35	4	60	2,86	C	£ 539.99
800x1516	19	60	745	56-65	86-95	26-35	4	60	3,02	C	£ 570.08
800x1596	20	60	745	56-65	86-95	26-35	4	60	3,17	C	£ 599.26
800x1676	21	60	745	56-65	86-95	26-35	4	60	3,33	C	£ 628.45
800x1756	22	60	745	56-65	86-95	26-35	4	60	3,49	C	£ 658.51
800x1836	23	60	745	56-65	86-95	26-35	4	60	3,64	C	£ 687.70
800x1916	24	60	745	56-65	86-95	26-35	4	60	3,80	C	£ 716.88
800x1996	25	60	745	56-65	86-95	26-35	4	60	3,95	C	£ 746.07
900x316	4	60	845	56-65	86-95	26-35	4	60	0,71	C	£ 134.67
900x396	5	60	845	56-65	86-95	26-35	4	60	0,88	C	£ 165.47
900x476	6	60	845	56-65	86-95	26-35	4	60	1,06	C-E-D	£ 196.43
900x556	7	60	845	56-65	86-95	26-35	4	60	1,23	C-E-D	£ 227.42
900x636	8	60	845	56-65	86-95	26-35	4	60	1,40	C-E-D	£ 260.74

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
600x396	490	1671	637	2172
600x476	590	2012	767	2615
600x556	690	2353	897	3059
600x636	790	2694	1027	3502
600x716	890	3035	1157	3945
600x796	990	3376	1287	4389
600x876	1090	3717	1417	4832
600x956	1190	4058	1547	5275
600x1036	1285	4382	1671	5696
600x1116	1385	4723	1801	6140
600x1196	1485	5064	1931	6583
600x1276	1585	5405	2061	7026
600x1356	1685	5746	2191	7470
600x1436	1785	6087	2321	7913
600x1516	1885	6428	2451	8356
600x1596	1985	6769	2581	8800
600x1676	2085	7110	2711	9243
600x1756	2185	7451	2841	9686
600x1836	2285	7792	2971	10129
600x1916	2385	8133	3101	10573
600x1996	2485	8474	3231	11016
700x316	445	1518	579	1973
700x396	559	1907	727	2479
700x476	673	2297	876	2985
700x556	788	2686	1024	3492
700x636	902	3075	1172	3998
700x716	1016	3464	1321	4504
700x796	1130	3854	1469	5010
700x876	1244	4243	1617	5516
700x956	1358	4632	1766	6022
700x1036	1467	5022	1907	6502
700x1116	1581	5391	2055	7008
700x1196	1695	5780	2204	7514
700x1276	1809	6169	2352	8020
700x1356	1923	6559	2500	8526
700x1436	2038	6948	2649	9032
700x1516	2152	7337	2797	9538
700x1596	2266	7726	2946	10044
700x1676	2380	8116	3094	10550
700x1756	2494	8505	3242	11056
700x1836	2608	8894	3391	11562
700x1916	2722	9283	3539	12068
700x1996	2837	9673	3688	12574
800x316	498	1697	647	2207
800x396	625	2133	813	2772
800x476	753	2568	979	3338
800x556	881	3003	1145	3904
800x636	1008	3438	1311	4470
800x716	1136	3874	1477	5036
800x796	1264	4309	1643	5602
800x876	1391	4744	1809	6167
800x956	1519	5179	1975	6733
800x1036	1640	5593	2132	7271
800x1116	1768	6028	2298	7836
800x1196	1895	6463	2464	8402
800x1276	2023	6899	2630	8968
800x1356	2151	7334	2796	9534
800x1436	2278	7769	2962	10100
800x1516	2406	8204	3128	10666
800x1596	2534	8639	3294	11231
800x1676	2661	9075	3460	11797
800x1756	2789	9510	3625	12363
800x1836	2916	9945	3791	12929
800x1916	3044	10380	3957	13495
800x1996	3172	10816	4123	14060
900x316	548	1868	712	2429
900x396	688	2347	895	3052
900x476	829	2827	1078	3674
900x556	969	3306	1260	4297
900x636	1110	3785	1443	4920

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
6.04	7.47	0.04	810X436X100
7.23	8.81	0.05	810X516X100
8.42	10.30	0.05	810X596X100
9.62	11.64	0.06	810X676X100
10.81	12.98	0.07	810X756X100
12.01	14.31	0.07	810X836X100
13.20	15.65	0.08	810X916X100
14.39	16.98	0.09	810X

LOVA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
900x716	9	60	845	56-65	86-95	26-35	4	60	1.57	C-E-D	£ 291.71
900x796	10	60	845	56-65	86-95	26-35	4	60	1.74	C-E-D	£ 322.68
900x876	11	60	845	56-65	86-95	26-35	4	60	1.91	C-E-D	£ 354.56
900x956	12	60	845	56-65	86-95	26-35	4	60	2.08	C-E-D	£ 385.53
900x1036	13	60	845	56-65	86-95	26-35	4	60	2.26	C-E-D	£ 416.29
900x1116	14	60	845	56-65	86-95	26-35	4	60	2.43	C-E-D	£ 447.27
900x1196	15	60	845	56-65	86-95	26-35	4	60	2.61	C-E-D	£ 479.14
900x1276	16	60	845	56-65	86-95	26-35	4	60	2.78	C-E-D	£ 510.11
900x1356	17	60	845	56-65	86-95	26-35	4	60	2.95	C-E-D	£ 541.09
900x1436	18	60	845	56-65	86-95	26-35	4	60	3.12	C	£ 572.06
900x1516	19	60	845	56-65	86-95	26-35	4	60	3.29	C	£ 603.93
900x1596	20	60	845	56-65	86-95	26-35	4	60	3.46	C	£ 634.90
900x1676	21	60	845	56-65	86-95	26-35	4	60	3.63	C	£ 665.88
900x1756	22	60	845	56-65	86-95	26-35	4	60	3.80	C	£ 697.75
900x1836	23	60	845	56-65	86-95	26-35	4	60	3.97	C	£ 728.72
900x1916	24	60	845	56-65	86-95	26-35	4	60	4.14	C	£ 759.70
900x1996	25	60	845	56-65	86-95	26-35	4	60	4.31	C	£ 790.67
1000x316	4	60	945	56-65	86-95	26-35	4	60	0.77	C	£ 146.71
1000x396	5	60	945	56-65	86-95	26-35	4	60	0.96	C	£ 180.42
1000x476	6	60	945	56-65	86-95	26-35	4	60	1.14	C-E-D	£ 214.31
1000x556	7	60	945	56-65	86-95	26-35	4	60	1.33	C-E-D	£ 248.20
1000x636	8	60	945	56-65	86-95	26-35	4	60	1.51	C-E-D	£ 284.53
1000x716	9	60	945	56-65	86-95	26-35	4	60	1.70	C-E-D	£ 318.43
1000x796	10	60	945	56-65	86-95	26-35	4	60	1.88	C-E-D	£ 352.32
1000x876	11	60	945	56-65	86-95	26-35	4	60	2.07	C-E-D	£ 387.15
1000x956	12	60	945	56-65	86-95	26-35	4	60	2.25	C-E-D	£ 421.04
1000x1036	13	60	945	56-65	86-95	26-35	4	60	2.45	C-E-D	£ 454.54
1000x1116	14	60	945	56-65	86-95	26-35	4	60	2.64	C-E-D	£ 488.44
1000x1196	15	60	945	56-65	86-95	26-35	4	60	2.82	C-E-D	£ 523.26
1000x1276	16	60	945	56-65	86-95	26-35	4	60	3.01	C-E-D	£ 557.16
1000x1356	17	60	945	56-65	86-95	26-35	4	60	3.19	C-E-D	£ 591.05
1000x1436	18	60	945	56-65	86-95	26-35	4	60	3.38	C	£ 624.96
1000x1516	19	60	945	56-65	86-95	26-35	4	60	3.56	C	£ 659.79
1000x1596	20	60	945	56-65	86-95	26-35	4	60	3.75	C	£ 693.68
1000x1676	21	60	945	56-65	86-95	26-35	4	60	3.93	C	£ 727.57
1000x1756	22	60	945	56-65	86-95	26-35	4	60	4.12	C	£ 762.40
1000x1836	23	60	945	56-65	86-95	26-35	4	60	4.30	C	£ 796.29
1000x1916	24	60	945	56-65	86-95	26-35	4	60	4.48	C	£ 830.19
1000x1996	25	60	945	56-65	86-95	26-35	4	60	4.67	C	£ 864.08
1200x316	4	60	1145	56-65	86-95	26-35	4	60	0.89	C	£ 165.68
1200x396	5	60	1145	56-65	86-95	26-35	4	60	1.10	C	£ 204.15
1200x476	6	60	1145	56-65	86-95	26-35	4	60	1.31	C-E-D	£ 242.80
1200x556	7	60	1145	56-65	86-95	26-35	4	60	1.53	C-E-D	£ 281.45
1200x636	8	60	1145	56-65	86-95	26-35	4	60	1.74	C-E-D	£ 322.54
1200x716	9	60	1145	56-65	86-95	26-35	4	60	1.95	C-E-D	£ 361.19
1200x796	10	60	1145	56-65	86-95	26-35	4	60	2.17	C-E-D	£ 399.85
1200x876	11	60	1145	56-65	86-95	26-35	4	60	2.38	C-E-D	£ 439.43
1200x956	12	60	1145	56-65	86-95	26-35	4	60	2.59	C-E-D	£ 478.08
1200x1036	13	60	1145	56-65	86-95	26-35	4	60	2.82	C-E-D	£ 516.00
1200x1116	14	60	1145	56-65	86-95	26-35	4	60	3.04	C-E-D	£ 554.66
1200x1196	15	60	1145	56-65	86-95	26-35	4	60	3.25	C-E-D	£ 594.24
1200x1276	16	60	1145	56-65	86-95	26-35	4	60	3.46	C-E-D	£ 632.90
1200x1356	17	60	1145	56-65	86-95	26-35	4	60	3.68	C-E-D	£ 671.54
1200x1436	18	60	1145	56-65	86-95	26-35	4	60	3.89	C	£ 710.20
1400x316	4	60	1345	56-65	86-95	26-35	4	60	1.00	C	£ 180.45
1400x396	5	60	1345	56-65	86-95	26-35	4	60	1.24	C	£ 222.63
1400x476	6	60	1345	56-65	86-95	26-35	4	60	1.48	C-E-D	£ 264.98
1400x556	7	60	1345	56-65	86-95	26-35	4	60	1.73	C-E-D	£ 307.34
1400x636	8	60	1345	56-65	86-95	26-35	4	60	1.97	C-E-D	£ 352.14
1400x716	9	60	1345	56-65	86-95	26-35	4	60	2.21	C-E-D	£ 394.50
1400x796	10	60	1345	56-65	86-95	26-35	4	60	2.45	C-E-D	£ 436.85
1400x876	11	60	1345	56-65	86-95	26-35	4	60	2.70	C-E-D	£ 480.16
1400x956	12	60	1345	56-65	86-95	26-35	4	60	2.94	C-E-D	£ 522.52
1400x1036	13	60	1345	56-65	86-95	26-35	4	60	3.19	C-E-D	£ 563.80
1400x1116	14	60	1345	56-65	86-95	26-35	4	60	3.44	C-E-D	£ 606.16
1400x1196	15	60	1345	56-65	86-95	26-35	4	60	3.68	C-E-D	£ 649.45
1400x1276	16	60	1345	56-65	86-95	26-35	4	60	3.92	C-E-D	£ 691.81
1400x1356	17	60	1345	56-65	86-95	26-35	4	60	4.16	C-E-D	£ 734.17
1400x1436	18	60	1345	56-65	86-95	26-35	4	60	4.40	C	£ 776.53

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
900x716	1250	4264	1625	5543
900x796	1391	4743	1808	6166
900x876	1531	5222	1991	6788
900x956	1672	5701	2173	7411
900x1036	1805	6156	2347	8003
900x1116	1946	6635	2530	8626
900x1196	2086	7114	2712	9248
900x1276	2227	7593	2895	9871
900x1356	2367	8072	3077	10494
900x1436	2508	8551	3260	11117
900x1516	2648	9030	3443	11740
900x1596	2789	9509	3625	12362
900x1676	2929	9989	3808	12985
900x1756	3070	10468	3991	13608
900x1836	3210	10947	4173	14231
900x1916	3351	11426	4356	14853
900x1996	3491	11905	4538	15476
1000x316	596	2031	774	2640
1000x396	748	2552	973	3317
1000x476	901	3073	1171	3995
1000x556	1054	3594	1370	4672
1000x636	1207	4114	1569	5349
1000x716	1359	4635	1767	6026
1000x796	1512	5156	1966	6703
1000x876	1665	5677	2164	7380
1000x956	1817	6198	2363	8057
1000x1036	1963	6692	2551	8700
1000x1116	2115	7213	2750	9377
1000x1196	2268	7734	2948	10054
1000x1276	2421	8255	3147	10731
1000x1356	2573	8775	3345	11408
1000x1436	2726	9296	3544	12085
1000x1516	2879	9817	3743	12762
1000x1596	3032	10338	3941	13439
1000x1676	3184	10859	4140	14116
1000x1756	3337	11379	4338	14793
1000x1836	3490	11900	4537	15470
1000x1916	3643	12421	4735	16147
1000x1996	3795	12942	4934	16824
1200x316	684	2332	889	3032
1200x396	859	2930	1117	3809
1200x476	1035	3528	1345	4586
1200x556	1210	4126	1573	5364
1200x636	1385	4724	1801	6141
1200x716	1561	5322	2029	6918
1200x796	1736	5920	2257	7696
1200x876	1911	6518	2485	8473
1200x956	2087	7116	2713	9250
1200x1036	2253	7684	2929	9989
1200x1116	2429	8282	3157	10766
1200x1196	2604	8880	3385	11544
1200x1276	2779	9478	3613	12321
1200x1356	2955	10076	3841	13098
1200x1436	3130	10674	4069	13876
1400x316	785	2678	1021	3481
1400x396	987	3364	1283	4373
1400x476	1188	4051	1544	5266
1400x556	1389	4737	1806	6158
1400x636	1591	5424	2068	7051
1400x716	1792	6110	2329	7943
1400x796	1993	6797	2591	8836
1400x876	2195	7483	2853	9728
1400x956	2396	8170	3115	10621
1400x1036	2587	8822	3363	11469
1400x1116	2789	9509	3625	12361
1400x1196	2990	10195	3887	13254
1400x1276	3191	10882	4149	14146
1400x1356	3393	11568	4410	15039
1400x1436	3594	12255	4672	15931

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
14.97	17.67	0.09	1110X756X100
16.63	19.52	0.10	1110X836X100
18.30	21.38	0.11	1110X916X100
19.96	23.22	0.12	1110X996X100
21.61	25.05	0.12	1110X1076X100
23.28	26.92	0.13	1110X1156X100
24.95	28.76	0.14	111

LOVA LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel