

OTIS DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x308	3	68	245	63-72	95-104	26-35	4	100	0.33	C	£ 78.93
300x412	4	68	245	63-72	95-104	26-35	4	100	0.42	C-E-D	£ 101.55
300x516	5	68	245	63-72	95-104	26-35	4	100	0.52	C-E-D	£ 123.82
300x620	6	68	245	63-72	95-104	26-35	4	100	0.62	C-E-D	£ 145.75
300x724	7	68	245	63-72	95-104	26-35	4	100	0.72	C-E-D	£ 168.03
300x828	8	68	245	63-72	95-104	26-35	4	100	0.82	C-E-D	£ 192.27
300x932	9	68	245	63-72	95-104	26-35	4	100	0.92	C-E-D	£ 213.10
300x1036	10	68	245	63-72	95-104	26-35	4	100	1.03	C-E-D	£ 238.13
300x1140	11	68	245	63-72	95-104	26-35	4	100	1.13	C-E-D	£ 259.86
300x1244	12	68	245	63-72	95-104	26-35	4	100	1.22	C-E-D	£ 283.21
300x1348	13	68	245	63-72	95-104	26-35	4	100	1.32	C-E-D	£ 304.04
300x1452	14	68	245	63-72	95-104	26-35	4	100	1.42	C	£ 327.40
300x1556	15	68	245	63-72	95-104	26-35	4	100	1.52	C	£ 349.13
300x1660	16	68	245	63-72	95-104	26-35	4	100	1.62	C	£ 372.49
300x1764	17	68	245	63-72	95-104	26-35	4	100	1.71	C	£ 393.32
300x1868	18	68	245	63-72	95-104	26-35	4	100	1.81	C	£ 416.68
300x1972	19	68	245	63-72	95-104	26-35	4	100	1.91	C	£ 438.41
400x308	3	68	345	63-72	95-104	26-35	4	100	0.37	C	£ 85.37
400x412	4	68	345	63-72	95-104	26-35	4	100	0.48	C-E-D	£ 110.10
400x516	5	68	345	63-72	95-104	26-35	4	100	0.59	C-E-D	£ 134.49
400x620	6	68	345	63-72	95-104	26-35	4	100	0.71	C-E-D	£ 158.53
400x724	7	68	345	63-72	95-104	26-35	4	100	0.82	C-E-D	£ 182.93
400x828	8	68	345	63-72	95-104	26-35	4	100	0.93	C-E-D	£ 209.31
400x932	9	68	345	63-72	95-104	26-35	4	100	1.04	C-E-D	£ 232.25
400x1036	10	68	345	63-72	95-104	26-35	4	100	1.17	C-E-D	£ 259.38
400x1140	11	68	345	63-72	95-104	26-35	4	100	1.28	C-E-D	£ 283.24
400x1244	12	68	345	63-72	95-104	26-35	4	100	1.40	C-E-D	£ 308.71
400x1348	13	68	345	63-72	95-104	26-35	4	100	1.51	C-E-D	£ 331.65
400x1452	14	68	345	63-72	95-104	26-35	4	100	1.62	C	£ 357.13
400x1556	15	68	345	63-72	95-104	26-35	4	100	1.73	C	£ 380.97
400x1660	16	68	345	63-72	95-104	26-35	4	100	1.85	C	£ 406.45
400x1764	17	68	345	63-72	95-104	26-35	4	100	1.96	C	£ 429.40
400x1868	18	68	345	63-72	95-104	26-35	4	100	2.07	C	£ 454.86
400x1972	19	68	345	63-72	95-104	26-35	4	100	2.18	C	£ 478.70
500x308	3	68	445	63-72	95-104	26-35	4	100	0.41	C	£ 91.81
500x412	4	68	445	63-72	95-104	26-35	4	100	0.54	C-E-D	£ 118.66
500x516	5	68	445	63-72	95-104	26-35	4	100	0.67	C-E-D	£ 145.16
500x620	6	68	445	63-72	95-104	26-35	4	100	0.79	C-E-D	£ 171.31
500x724	7	68	445	63-72	95-104	26-35	4	100	0.92	C-E-D	£ 197.84
500x828	8	68	445	63-72	95-104	26-35	4	100	1.05	C-E-D	£ 226.32
500x932	9	68	445	63-72	95-104	26-35	4	100	1.17	C-E-D	£ 251.40
500x1036	10	68	445	63-72	95-104	26-35	4	100	1.31	C-E-D	£ 280.64
500x1140	11	68	445	63-72	95-104	26-35	4	100	1.44	C-E-D	£ 306.61
500x1244	12	68	445	63-72	95-104	26-35	4	100	1.57	C-E-D	£ 334.19
500x1348	13	68	445	63-72	95-104	26-35	4	100	1.69	C-E-D	£ 359.26
500x1452	14	68	445	63-72	95-104	26-35	4	100	1.82	C	£ 386.85
500x1556	15	68	445	63-72	95-104	26-35	4	100	1.95	C	£ 412.81
500x1660	16	68	445	63-72	95-104	26-35	4	100	2.07	C	£ 440.39
500x1764	17	68	445	63-72	95-104	26-35	4	100	2.20	C	£ 465.47
500x1868	18	68	445	63-72	95-104	26-35	4	100	2.33	C	£ 493.05
500x1972	19	68	445	63-72	95-104	26-35	4	100	2.45	C	£ 519.02
600x308	3	68	545	63-72	95-104	26-35	4	100	0.45	C	£ 98.25
600x412	4	68	545	63-72	95-104	26-35	4	100	0.60	C-E-D	£ 127.23
600x516	5	68	545	63-72	95-104	26-35	4	100	0.74	C-E-D	£ 155.84
600x620	6	68	545	63-72	95-104	26-35	4	100	0.88	C-E-D	£ 184.11
600x724	7	68	545	63-72	95-104	26-35	4	100	1.02	C-E-D	£ 212.74
600x828	8	68	545	63-72	95-104	26-35	4	100	1.16	C-E-D	£ 243.36
600x932	9	68	545	63-72	95-104	26-35	4	100	1.30	C-E-D	£ 270.53
600x1036	10	68	545	63-72	95-104	26-35	4	100	1.46	C-E-D	£ 301.90
600x1140	11	68	545	63-72	95-104	26-35	4	100	1.60	C-E-D	£ 329.98
600x1244	12	68	545	63-72	95-104	26-35	4	100	1.74	C-E-D	£ 359.69
600x1348	13	68	545	63-72	95-104	26-35	4	100	1.88	C-E-D	£ 386.87
600x1452	14	68	545	63-72	95-104	26-35	4	100	2.02	C	£ 416.58
600x1556	15	68	545	63-72	95-104	26-35	4	100	2.16	C	£ 444.65
600x1660	16	68	545	63-72	95-104	26-35	4	100	2.30	C	£ 474.36
600x1764	17	68	545	63-72	95-104	26-35	4	100	2.44	C	£ 501.54
600x1868	18	68	545	63-72	95-104	26-35	4	100	2.59	C	£ 531.25
600x1972	19	68	545	63-72	95-104	26-35	4	100	2.73	C	£ 559.32
700x308	3	68	645	63-72	95-104	26-35	4	100	0.50	C	£ 108.04
700x412	4	68	645	63-72	95-104	26-35	4	100	0.65	C-E-D	£ 140.17

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x308	151	514	196	668
300x412	201	685	261	890
300x516	251	856	326	1113
300x620	301	1028	392	1336
300x724	352	1199	457	1558
300x828	402	1370	522	1781
300x932	452	1541	588	2004
300x1036	502	1712	653	2226
300x1140	552	1884	718	2449
300x1244	603	2055	783	2671
300x1348	653	2226	849	2894
300x1452	703	2397	914	3117
300x1556	753	2569	979	3339
300x1660	804	2740	1045	3562
300x1764	854	2911	1110	3785
300x1868	904	3082	1175	4007
300x1972	954	3254	1240	4230
400x308	205	700	267	910
400x412	274	933	356	1214
400x516	342	1167	445	1517
400x620	411	1400	534	1820
400x724	479	1634	623	2124
400x828	547	1867	712	2427
400x932	616	2100	801	2730
400x1036	684	2334	890	3034
400x1140	753	2567	979	3337
400x1244	821	2800	1068	3641
400x1348	890	3034	1157	3944
400x1452	958	3267	1246	4247
400x1556	1027	3501	1335	4551
400x1660	1095	3734	1423	4854
400x1764	1163	3967	1512	5157
400x1868	1232	4201	1601	5461
400x1972	1300	4434	1690	5764
500x308	262	894	341	1163
500x412	350	1193	455	1550
500x516	437	1491	568	1938
500x620	525	1789	682	2326
500x724	612	2087	796	2713
500x828	699	2385	909	3101
500x932	787	2683	1023	3488
500x1036	874	2982	1137	3876
500x1140	962	3280	1250	4264
500x1244	1049	3578	1364	4651
500x1348	1137	3876	1478	5039
500x1452	1224	4174	1591	5426
500x1556	1312	4472	1705	5814
500x1660	1399	4770	1819	6202
500x1764	1486	5069	1932	6589
500x1868	1574	5367	2046	6977
500x1972	1661	5665	2160	7364
600x308	322	1097	418	1426
600x412	429	1463	558	1902
600x516	536	1828	697	2377
600x620	643	2194	836	2852
600x724	751	2560	976	3328
600x828	858	2925	1115	3803
600x932	965	3291	1255	4278
600x1036	1072	3657	1394	4754
600x1140	1180	4022	1533	5229
600x1244	1287	4388	1673	5705
600x1348	1394	4754	1812	6180
600x1452	1501	5120	1952	6655
600x1556	1609	5485	2091	7131
600x1660	1716	5851	2231	7606
600x1764	1823	6217	2370	8082
600x1868	1930	6582	2509	8557
600x1972	2038	6948	2649	9032
700x308	367	1252	477	1628
700x412	490	1670	637	2171

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.88	3.83	0.02	500X348X108
3.72	4.85	0.03	500X452X108
4.56	5.79	0.04	500X556X108
5.39	6.91	0.04	500X660X108
6.23	7.87	0.05	500X764X108
7.07	8.83	0.05	500X868X108
7.91	9.79	0.06	500X9

OTIS DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x516	5	68	645	63-72	95-104	26-35	4	100	0,81	C-E-D	£ 171.95
700x620	6	68	645	63-72	95-104	26-35	4	100	0,96	C-E-D	£ 203.37
700x724	7	68	645	63-72	95-104	26-35	4	100	1,12	C-E-D	£ 235.18
700x828	8	68	645	63-72	95-104	26-35	4	100	1,27	C-E-D	£ 268.94
700x932	9	68	645	63-72	95-104	26-35	4	100	1,43	C-E-D	£ 299.28
700x1036	10	68	645	63-72	95-104	26-35	4	100	1,60	C-E-D	£ 333.81
700x1140	11	68	645	63-72	95-104	26-35	4	100	1,75	C-E-D	£ 365.06
700x1244	12	68	645	63-72	95-104	26-35	4	100	1,91	C-E-D	£ 397.93
700x1348	13	68	645	63-72	95-104	26-35	4	100	2,07	C-E-D	£ 428.27
700x1452	14	68	645	63-72	95-104	26-35	4	100	2,22	C	£ 461.13
700x1556	15	68	645	63-72	95-104	26-35	4	100	2,38	C	£ 492.37
700x1660	16	68	645	63-72	95-104	26-35	4	100	2,53	C	£ 525.24
700x1764	17	68	645	63-72	95-104	26-35	4	100	2,69	C	£ 555.57
700x1868	18	68	645	63-72	95-104	26-35	4	100	2,84	C	£ 588.44
700x1972	19	68	645	63-72	95-104	26-35	4	100	3,00	C	£ 619.68
800x308	3	68	745	63-72	95-104	26-35	4	100	0,54	C	£ 114.70
800x412	4	68	745	63-72	95-104	26-35	4	100	0,71	C-E-D	£ 148.94
800x516	5	68	745	63-72	95-104	26-35	4	100	0,88	C-E-D	£ 182.84
800x620	6	68	745	63-72	95-104	26-35	4	100	1,05	C-E-D	£ 216.39
800x724	7	68	745	63-72	95-104	26-35	4	100	1,22	C-E-D	£ 250.29
800x828	8	68	745	63-72	95-104	26-35	4	100	1,39	C-E-D	£ 286.19
800x932	9	68	745	63-72	95-104	26-35	4	100	1,56	C-E-D	£ 318.64
800x1036	10	68	745	63-72	95-104	26-35	4	100	1,74	C-E-D	£ 355.30
800x1140	11	68	745	63-72	95-104	26-35	4	100	1,91	C-E-D	£ 388.65
800x1244	12	68	745	63-72	95-104	26-35	4	100	2,08	C-E-D	£ 423.63
800x1348	13	68	745	63-72	95-104	26-35	4	100	2,25	C-E-D	£ 456.09
800x1452	14	68	745	63-72	95-104	26-35	4	100	2,42	C	£ 491.07
800x1556	15	68	745	63-72	95-104	26-35	4	100	2,59	C	£ 524.42
800x1660	16	68	745	63-72	95-104	26-35	4	100	2,76	C	£ 559.42
800x1764	17	68	745	63-72	95-104	26-35	4	100	2,93	C	£ 591.87
800x1868	18	68	745	63-72	95-104	26-35	4	100	3,10	C	£ 626.84
800x1972	19	68	745	63-72	95-104	26-35	4	100	3,27	C	£ 660.21
900x308	3	68	845	63-72	95-104	26-35	4	100	0,58	C	£ 121.36
900x412	4	68	845	63-72	95-104	26-35	4	100	0,77	C-E-D	£ 157.73
900x516	5	68	845	63-72	95-104	26-35	4	100	0,95	C-E-D	£ 193.72
900x620	6	68	845	63-72	95-104	26-35	4	100	1,14	C-E-D	£ 229.39
900x724	7	68	845	63-72	95-104	26-35	4	100	1,32	C-E-D	£ 265.43
900x828	8	68	845	63-72	95-104	26-35	4	100	1,50	C-E-D	£ 303.43
900x932	9	68	845	63-72	95-104	26-35	4	100	1,69	C-E-D	£ 338.00
900x1036	10	68	845	63-72	95-104	26-35	4	100	1,89	C-E-D	£ 376.77
900x1140	11	68	845	63-72	95-104	26-35	4	100	2,07	C-E-D	£ 412.24
900x1244	12	68	845	63-72	95-104	26-35	4	100	2,25	C-E-D	£ 449.34
900x1348	13	68	845	63-72	95-104	26-35	4	100	2,44	C-E-D	£ 483.92
900x1452	14	68	845	63-72	95-104	26-35	4	100	2,62	C	£ 521.01
900x1556	15	68	845	63-72	95-104	26-35	4	100	2,81	C	£ 556.49
900x1660	16	68	845	63-72	95-104	26-35	4	100	2,99	C	£ 593.58
900x1764	17	68	845	63-72	95-104	26-35	4	100	3,17	C	£ 628.16
900x1868	18	68	845	63-72	95-104	26-35	4	100	3,36	C	£ 665.27
900x1972	19	68	845	63-72	95-104	26-35	4	100	3,54	C	£ 700.73
1000x308	3	68	945	63-72	95-104	26-35	4	100	0,63	C	£ 132.43
1000x412	4	68	945	63-72	95-104	26-35	4	100	0,82	C-E-D	£ 172.24
1000x516	5	68	945	63-72	95-104	26-35	4	100	1,02	C-E-D	£ 211.68
1000x620	6	68	945	63-72	95-104	26-35	4	100	1,22	C-E-D	£ 250.76
1000x724	7	68	945	63-72	95-104	26-35	4	100	1,42	C-E-D	£ 290.23
1000x828	8	68	945	63-72	95-104	26-35	4	100	1,62	C-E-D	£ 331.73
1000x932	9	68	945	63-72	95-104	26-35	4	100	1,82	C-E-D	£ 369.69
1000x1036	10	68	945	63-72	95-104	26-35	4	100	2,03	C-E-D	£ 411.98
1000x1140	11	68	945	63-72	95-104	26-35	4	100	2,23	C-E-D	£ 450.86
1000x1244	12	68	945	63-72	95-104	26-35	4	100	2,43	C-E-D	£ 491.42
1000x1348	13	68	945	63-72	95-104	26-35	4	100	2,62	C-E-D	£ 529.38
1000x1452	14	68	945	63-72	95-104	26-35	4	100	2,82	C	£ 569.95
1000x1556	15	68	945	63-72	95-104	26-35	4	100	3,02	C	£ 608.84
1000x1660	16	68	945	63-72	95-104	26-35	4	100	3,22	C	£ 649.40
1000x1764	17	68	945	63-72	95-104	26-35	4	100	3,42	C	£ 687.36
1000x1868	18	68	945	63-72	95-104	26-35	4	100	3,61	C	£ 727.93
1000x1972	19	68	945	63-72	95-104	26-35	4	100	3,81	C	£ 766.82
1200x308	3	68	1145	63-72	95-104	26-35	4	100	0,71	C	£ 149.44
1200x412	4	68	1145	63-72	95-104	26-35	4	100	0,94	C-E-D	£ 194.71
1200x516	5	68	1145	63-72	95-104	26-35	4	100	1,17	C-E-D	£ 239.60
1200x620	6	68	1145	63-72	95-104	26-35	4	100	1,39	C-E-D	£ 284.16

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x516	612	2087	796	2713
700x620	734	2504	955	3256
700x724	857	2922	1114	3798
700x828	979	3339	1273	4341
700x932	1102	3757	1432	4884
700x1036	1224	4174	1591	5426
700x1140	1346	4592	1750	5969
700x1244	1469	5009	1910	6512
700x1348	1591	5426	2069	7054
700x1452	1714	5844	2228	7597
700x1556	1836	6261	2387	8140
700x1660	1959	6679	2546	8682
700x1764	2081	7096	2705	9225
700x1868	2203	7513	2864	9767
700x1972	2326	7931	3023	10310
800x308	411	1400	534	1820
800x412	547	1867	712	2427
800x516	684	2334	890	3034
800x620	821	2800	1068	3641
800x724	958	3267	1246	4247
800x828	1095	3734	1423	4854
800x932	1232	4201	1601	5461
800x1036	1369	4667	1779	6068
800x1140	1506	5134	1957	6674
800x1244	1642	5601	2135	7281
800x1348	1779	6068	2313	7888
800x1452	1916	6534	2491	8495
800x1556	2053	7001	2669	9101
800x1660	2190	7468	2847	9708
800x1764	2327	7935	3025	10315
800x1868	2464	8401	3203	10922
800x1972	2601	8868	3381	11528
900x308	452	1541	588	2004
900x412	603	2055	783	2671
900x516	753	2569	979	3339
900x620	904	3082	1175	4007
900x724	1055	3596	1371	4675
900x828	1205	4110	1567	5343
900x932	1356	4624	1763	6011
900x1036	1507	5137	1959	6679
900x1140	1657	5651	2154	7346
900x1244	1808	6165	2350	8014
900x1348	1959	6679	2546	8682
900x1452	2109	7192	2742	9350
900x1556	2260	7706	2938	10018
900x1660	2410	8220	3134	10686
900x1764	2561	8734	3329	11354
900x1868	2712	9247	3525	12021
900x1972	2862	9761	3721	12689
1000x308	491	1675	639	2178
1000x412	655	2234	852	2904
1000x516	819	2792	1065	3630
1000x620	983	3351	1277	4356
1000x724	1146	3909	1490	5082
1000x828	1310	4468	1703	5808
1000x932	1474	5026	1916	6534
1000x1036	1638	5585	2129	7260
1000x1140	1802	6143	2342	7986
1000x1244	1965	6702	2555	8712
1000x1348	2129	7260	2768	9438
1000x1452	2293	7819	2981	10165
1000x1556	2457	8377	3194	10891
1000x1660	2620	8936	3407	11617
1000x1764	2784	9494	3620	12343
1000x1868	2948	10053	3832	13069
1000x1972	3112	10611	4045	13795
1200x308	564	1924	733	2501
1200x412	752	2565	978	3334
1200x516	940	3206	1222	4168
1200x620	1128	3847	1467	5002

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
8.26	10.07	0.06	900X556X108
9.83	12.01	0.07	900X660X108
11.41	13.78	0.08	900X764X108
13.00	15.58	0.09	900X868X108
14.58	17.35	0.10	900X972X108
16.34	19.32	0.11	900X1076X108
17.92	21.09	0.12	900X1180X108
19.49	22.89	0.13	900X1284X108
21.07	24.65	0.14	900X1388X108
22.65	26.45	0.15	900X1492X108
24.23	28.21	0.16	900X1596X108
25.81	30.02	0.17	900X1700X108
27.39	31.77	0.18	900X1804X108
28.96	33.58	0.19	900X1908X108
30.54	35.23	0.20	900X2012X108
5.66	7.16	0.04	1000X348X108
7.42	9.20	0.05	1000X452X108
9.19	11.14	0.07	1000X556X108
10.95	13.29	0.08	1000X660X108
12.71	15.26	0.09	1000X764X108
14.48	17.28	0.10	1000X868X108
16.24	19.23	0.11	1000X972X108
18.19	21.43	0.12	1000X1076X108
19.96	23.40	0.13	1000X1180X108
21.71	25.38	0.14	1000X1284X108
23.48	27.36	0.15	1000X1388X108
25.24	29.36	0.17	1000X1492X108
27.01	31.32	0.18	1000X1596X108
28.78	33.33	0.19	1000X1700X108
30.54	35.30	0.20	1000X1804X108
32.30	37.29	0.21	1000X1908X108
34.07	39.16	0.22	1000X2012X108
6.21	7.82	0.05	1100X348X108
8.16	10.07	0.06	1100X452X108
10.12	12.22	0.07	1100X556X108
12.06	14.58	0.08	1100X660X108
14.01	16.75	0.10	1100X764X108
15.96	18.95	0.11	1100X868X108
17.91	21.12	0.12	1100X972X108
20.04	23.51	0.13	1100X1076X108
21.99	25.68	0.15	1100X1180X108
23.94	27.88	0.16	1100X1284X108
25.89	30.07	0.17	1100X1388X108
27.84	32.27	0.18	1100X1492X108
29.79	34.44	0.19	1100X1596X108
31.74	36.64	0.21	1100X1700X108
33.69	38.81	0.22	1100X1804X108
35.63	41.02	0.23	1100X1908X108
37.59	43.08	0.24	1100X2012X108
6.77	8.49	0.05	1200X348X108
8.91	10.93	0.06	1200X452X108
11.04	13.29	0.08	1200X556X108
13.17	15.85	0.09	1200X660X108
15.31	18.23	0.10	1200X764X108
17.44	20.64	0.12	1200X868X108
19.58	23.02	0.13	1200X972X108
21.90	25.60	0.14	1200X1076X108
24.03	27.98	0.16	1200X1180X108
26.16	30.38	0.17	1200X1284X108
28.30	32.76	0.18	1200X1388X108
30.43	35.18	0.20	1200X1492X108
32.57	37.55	0.21	1200X1596X108
34.71	39.96	0.23	1200X1700X108
36.84	42.34	0.24	1200X1804X108
38.97	44.75	0.25	1200X1908X108
41.11	47.01	0.27	1200X2012X108
7.88	9.82	0.06	1400X348X108
10.39	12.66	0.07	1400X452X108
12.90	15.44	0.09	1400X556X108
15.39	18.40	0.10	1400X660X108

OTIS DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1200x724	7	68	1145	63-72	95-104	26-35	4	100	1,42	C-E-D	£ 329.07
1200x828	8	68	1145	63-72	95-104	26-35	4	100	1,85	C-E-D	£ 376.04
1200x932	9	68	1145	63-72	95-104	26-35	4	100	2,07	C-E-D	£ 419.45
1200x1036	10	68	1145	63-72	95-104	26-35	4	100	2,31	C-E-D	£ 467.21
1200x1140	11	68	1145	63-72	95-104	26-35	4	100	2,54	C-E-D	£ 511.54
1200x1244	12	68	1145	63-72	95-104	26-35	4	100	2,77	C-E-D	£ 557.58
1200x1348	13	68	1145	63-72	95-104	26-35	4	100	3,00	C-E-D	£ 600.99
1400x308	3	68	1345	63-72	95-104	26-35	4	100	0,80	C	£ 163.21
1400x412	4	68	1345	63-72	95-104	26-35	4	100	1,05	C-E-D	£ 212.86
1400x516	5	68	1345	63-72	95-104	26-35	4	100	1,31	C-E-D	£ 262.14
1400x620	6	68	1345	63-72	95-104	26-35	4	100	1,56	C-E-D	£ 311.07
1400x724	7	68	1345	63-72	95-104	26-35	4	100	1,82	C-E-D	£ 360.37
1400x828	8	68	1345	63-72	95-104	26-35	4	100	2,08	C-E-D	£ 411.71
1400x932	9	68	1345	63-72	95-104	26-35	4	100	2,33	C-E-D	£ 459.50
1400x1036	10	68	1345	63-72	95-104	26-35	4	100	2,60	C-E-D	£ 511.64
1400x1140	11	68	1345	63-72	95-104	26-35	4	100	2,86	C-E-D	£ 560.36
1400x1244	12	68	1345	63-72	95-104	26-35	4	100	3,11	C-E-D	£ 610.77
1400x1348	13	68	1345	63-72	95-104	26-35	4	100	3,37	C-E-D	£ 658.56

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
1200x724	1316	4489	1711	5835
1200x828	1504	5130	1956	6669
1200x932	1692	5771	2200	7502
1200x1036	1880	6412	2445	8336
1200x1140	2069	7054	2689	9170
1200x1244	2257	7695	2934	10003
1200x1348	2445	8336	3178	10837
1400x308	648	2209	842	2871
1400x412	864	2945	1123	3828
1400x516	1080	3681	1403	4786
1400x620	1295	4417	1684	5743
1400x724	1511	5154	1965	6700
1400x828	1727	5890	2245	7657
1400x932	1943	6626	2526	8614
1400x1036	2159	7362	2807	9571
1400x1140	2375	8099	3087	10528
1400x1244	2591	8835	3368	11485
1400x1348	2807	9571	3649	12442

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
17.90	21.19	0.12	1400X764X108
20.41	24.01	0.14	1400X868X108
22.91	26.79	0.15	1400X972X108
25.60	29.79	0.17	1400X1076X108
28.11	32.58	0.18	1400X1180X108
30.61	35.38	0.20	1400X1284X108
33.11	38.06	0.21	1400X1388X108
8.99	11.14	0.07	1600X348X108
11.87	14.40	0.08	1600X452X108
14.75	17.58	0.10	1600X556X108
17.62	20.96	0.12	1600X660X108
20.49	24.15	0.14	1600X764X108
23.37	27.38	0.15	1600X868X108
26.25	30.57	0.17	1600X972X108
29.31	33.99	0.19	1600X1076X108
32.19	37.17	0.21	1600X1180X108
35.05	40.38	0.23	1600X1284X108
37.93	43.41	0.24	1600X1388X108

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel