

VOLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
300x188	3	36	245	56-65	106-115	26-35	4	60	0,26	C	£ 65.05
300x252	4	36	245	56-65	106-115	26-35	4	60	0,33	C	£ 84.19
300x316	5	36	245	56-65	106-115	26-35	4	60	0,41	C	£ 102.43
300x380	6	36	245	56-65	106-115	26-35	4	60	0,49	C	£ 120.67
300x444	7	36	245	56-65	106-115	26-35	4	60	0,56	C-E-D	£ 138.97
300x508	8	36	245	56-65	106-115	26-35	4	60	0,64	C-E-D	£ 158.22
300x572	9	36	245	56-65	106-115	26-35	4	60	0,71	C-E-D	£ 176.54
300x636	10	36	245	56-65	106-115	26-35	4	60	0,79	C-E-D	£ 196.33
300x700	11	36	245	56-65	106-115	26-35	4	60	0,87	C-E-D	£ 215.55
300x764	12	36	245	56-65	106-115	26-35	4	60	0,94	C-E-D	£ 233.87
300x828	13	36	245	56-65	106-115	26-35	4	60	1,02	C-E-D	£ 252.20
300x892	14	36	245	56-65	106-115	26-35	4	60	1,09	C-E-D	£ 270.53
300x956	15	36	245	56-65	106-115	26-35	4	60	1,17	C-E-D	£ 289.76
300x1020	16	36	245	56-65	106-115	26-35	4	60	1,24	C-E-D	£ 308.08
300x1084	17	36	245	56-65	106-115	26-35	4	60	1,33	C-E-D	£ 327.72
300x1148	18	36	245	56-65	106-115	26-35	4	60	1,41	C-E-D	£ 346.04
300x1212	19	36	245	56-65	106-115	26-35	4	60	1,49	C-E-D	£ 365.27
300x1276	20	36	245	56-65	106-115	26-35	4	60	1,56	C-E-D	£ 383.60
300x1340	21	36	245	56-65	106-115	26-35	4	60	1,64	C-E-D	£ 401.93
300x1404	22	36	245	56-65	106-115	26-35	4	60	1,71	C	£ 421.15
300x1468	23	36	245	56-65	106-115	26-35	4	60	1,79	C	£ 439.48
300x1532	24	36	245	56-65	106-115	26-35	4	60	1,87	C	£ 457.80
300x1596	25	36	245	56-65	106-115	26-35	4	60	1,94	C	£ 476.13
300x1660	26	36	245	56-65	106-115	26-35	4	60	2,02	C	£ 495.35
300x1724	27	36	245	56-65	106-115	26-35	4	60	2,09	C	£ 513.68
300x1788	28	36	245	56-65	106-115	26-35	4	60	2,17	C	£ 532.01
300x1852	29	36	245	56-65	106-115	26-35	4	60	2,24	C	£ 550.34
300x1916	30	36	245	56-65	106-115	26-35	4	60	2,32	C	£ 569.55
300x1980	31	36	245	56-65	106-115	26-35	4	60	2,40	C	£ 587.88
400x188	3	36	345	56-65	106-115	26-35	4	60	0,30	C	£ 70.19
400x252	4	36	345	56-65	106-115	26-35	4	60	0,39	C	£ 91.02
400x316	5	36	345	56-65	106-115	26-35	4	60	0,48	C	£ 110.96
400x380	6	36	345	56-65	106-115	26-35	4	60	0,57	C	£ 130.88
400x444	7	36	345	56-65	106-115	26-35	4	60	0,66	C-E-D	£ 150.88
400x508	8	36	345	56-65	106-115	26-35	4	60	0,75	C-E-D	£ 171.78
400x572	9	36	345	56-65	106-115	26-35	4	60	0,84	C-E-D	£ 191.79
400x636	10	36	345	56-65	106-115	26-35	4	60	0,93	C-E-D	£ 213.27
400x700	11	36	345	56-65	106-115	26-35	4	60	1,02	C-E-D	£ 234.18
400x764	12	36	345	56-65	106-115	26-35	4	60	1,11	C-E-D	£ 254.20
400x828	13	36	345	56-65	106-115	26-35	4	60	1,20	C-E-D	£ 274.21
400x892	14	36	345	56-65	106-115	26-35	4	60	1,29	C-E-D	£ 294.23
400x956	15	36	345	56-65	106-115	26-35	4	60	1,38	C-E-D	£ 315.14
400x1020	16	36	345	56-65	106-115	26-35	4	60	1,47	C-E-D	£ 335.16
400x1084	17	36	345	56-65	106-115	26-35	4	60	1,58	C-E-D	£ 356.48
400x1148	18	36	345	56-65	106-115	26-35	4	60	1,67	C-E-D	£ 376.50
400x1212	19	36	345	56-65	106-115	26-35	4	60	1,76	C-E-D	£ 397.41
400x1276	20	36	345	56-65	106-115	26-35	4	60	1,85	C-E-D	£ 417.42
400x1340	21	36	345	56-65	106-115	26-35	4	60	1,94	C-E-D	£ 437.44
400x1404	22	36	345	56-65	106-115	26-35	4	60	2,03	C	£ 458.35
400x1468	23	36	345	56-65	106-115	26-35	4	60	2,12	C	£ 478.37
400x1532	24	36	345	56-65	106-115	26-35	4	60	2,21	C	£ 498.38
400x1596	25	36	345	56-65	106-115	26-35	4	60	2,30	C	£ 518.40
400x1660	26	36	345	56-65	106-115	26-35	4	60	2,39	C	£ 539.30
400x1724	27	36	345	56-65	106-115	26-35	4	60	2,48	C	£ 559.32
400x1788	28	36	345	56-65	106-115	26-35	4	60	2,57	C	£ 579.34
400x1852	29	36	345	56-65	106-115	26-35	4	60	2,66	C	£ 599.35
400x1916	30	36	345	56-65	106-115	26-35	4	60	2,75	C	£ 620.27
400x1980	31	36	345	56-65	106-115	26-35	4	60	2,84	C	£ 640.27
500x188	3	36	445	56-65	106-115	26-35	4	60	0,34	C	£ 75.45
500x252	4	36	445	56-65	106-115	26-35	4	60	0,45	C	£ 97.98
500x316	5	36	445	56-65	106-115	26-35	4	60	0,55	C	£ 119.59
500x380	6	36	445	56-65	106-115	26-35	4	60	0,66	C	£ 141.21
500x444	7	36	445	56-65	106-115	26-35	4	60	0,76	C-E-D	£ 162.89
500x508	8	36	445	56-65	106-115	26-35	4	60	0,87	C-E-D	£ 185.49
500x572	9	36	445	56-65	106-115	26-35	4	60	0,97	C-E-D	£ 207.19
500x636	10	36	445	56-65	106-115	26-35	4	60	1,08	C-E-D	£ 230.35
500x700	11	36	445	56-65	106-115	26-35	4	60	1,18	C-E-D	£ 252.95
500x764	12	36	445	56-65	106-115	26-35	4	60	1,28	C-E-D	£ 274.65
500x828	13	36	445	56-65	106-115	26-35	4	60	1,39	C-E-D	£ 296.35
500x892	14	36	445	56-65	106-115	26-35	4	60	1,49	C-E-D	£ 318.06

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
300x188	93	316	120	411
300x252	124	421	161	548
300x316	154	527	201	685
300x380	185	632	241	821
300x444	216	737	281	958
300x508	247	842	321	1095
300x572	278	948	361	1232
300x636	309	1053	401	1369
300x700	340	1158	442	1506
300x764	371	1264	482	1643
300x828	401	1369	522	1780
300x892	432	1474	562	1917
300x956	463	1580	602	2054
300x1020	494	1685	642	2190
300x1084	525	1790	682	2327
300x1148	556	1896	723	2464
300x1212	587	2001	763	2601
300x1276	618	2106	803	2738
300x1340	649	2211	843	2875
300x1404	679	2317	883	3012
300x1468	710	2422	923	3149
300x1532	741	2527	964	3286
300x1596	772	2633	1004	3422
300x1660	803	2738	1044	3559
300x1724	834	2843	1084	3696
300x1788	865	2949	1124	3833
300x1852	896	3054	1164	3970
300x1916	926	3159	1204	4107
300x1980	957	3265	1245	4244
400x188	126	431	164	560
400x252	168	574	219	746
400x316	210	718	274	933
400x380	253	861	328	1119
400x444	295	1005	383	1306
400x508	337	1148	438	1493
400x572	379	1292	492	1679
400x636	421	1435	547	1866
400x700	463	1579	602	2052
400x764	505	1722	657	2239
400x828	547	1866	711	2425
400x892	589	2009	766	2612
400x956	631	2153	821	2798
400x1020	673	2296	875	2985
400x1084	715	2440	930	3172
400x1148	758	2583	985	3358
400x1212	800	2727	1040	3545
400x1276	842	2870	1094	3731
400x1340	884	3014	1149	3918
400x1404	926	3157	1204	4104
400x1468	968	3301	1258	4291
400x1532	1010	3444	1313	4478
400x1596	1052	3588	1368	4664
400x1660	1094	3731	1422	4851
400x1724	1136	3875	1477	5037
400x1788	1178	4018	1532	5224
400x1852	1220	4162	1587	5410
400x1916	1263	4305	1641	5597
400x1980	1305	4449	1696	5783
500x188	161	550	210	715
500x252	215	733	280	953
500x316	269	917	349	1192
500x380	323	1100	419	1430
500x444	376	1283	489	1668
500x508	430	1467	559	1907
500x572	484	1650	629	2145
500x636	538	1833	699	2384
500x700	591	2017	769	2622
500x764	645	2200	839	2860
500x828	699	2384	909	3099
500x892	753	2567	979	3337

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
2.22	3.02	0.01	500X223X71
2.88	3.74	0.02	500X287X71
3.53	4.45	0.02	500X351X71
4.18	5.18	0.02	500X415X71
4.84	5.90	0.02	500X479X71
5.50	6.64	0.02	500X543X71
6.15	7.51	0.03	500X607X71
6.81	8.24	0.03	500X671X71
7.47	8.98	0.03	500X735X71
8.12	9.69	0.03	500X799X71
8.77	10.40	0.04	500X863X71
9.43	11.13	0.04	500X927X71
10.09	11.86	0.04	500X991X71
10.75	12.59	0.04	500X1055X71
11.53	13.44	0.04	500X1119X71
12.17	14.13	0.05	500X1183X71
12.83	14.87	0.05	500X1247X71
13.49	15.59	0.05	500X1311X71
14.15	16.33	0.05	500X1375X71
14.80	17.04	0.06	500X1439X71
15.46	17.76	0.06	500X1503X71
16.11	18.48	0.06	500X1567X71
16.77	19.21	0.06	500X1631X71
17.42	19.92	0.07	500X1695X71
18.08	20.66	0.07	500X1759X71
18.74	21.37	0.07	500X1823X71
19.38	22.09	0.07	500X1887X71
20.04	22.81	0.07	500X1951X71
20.70	23.38	0.08	500X2015X71
2.67	3.54	0.01	600X223X71
3.47	4.42	0.02	600X287X71
4.28	5.30	0.02	600X351X71
5.07	6.18	0.02	600X415X71
5.88	7.06	0.03	600X479X71
6.69	7.96	0.03	600X543X71
7.49	8.98	0.03	600X607X71
8.30	9.89	0.03	600X671X71
9.10	10.75	0.04	600X735X71
9.90	11.64	0.04	600X799X71
10.70	12.51	0.04	600X863X71
11.51	13.41	0.04	600X927X71
12.32	14.29	0.05	600X991X71
13.12	15.18	0.05	600X1055X71
14.05	16.17	0.05	600X1119X71
14.85	17.07	0.06	600X1183X71
15.65	17.93	0.06	600X1247X71
16.46	18.83	0.06	600X1311X71
17.26	19.71	0.06	600X1375X71
18.07	20.59	0.07	600X1439X71
18.88	21.49	0.07	600X1503X71
19.67	22.35	0.07	600X1567X71
20.48	23.24	0.07	600X1631X71
21.28	24.12	0.08	600X1695X71
22.09	25.01	0.08	600X1759X71
22.90	25.90	0.08	600X1823X71
23.69	26.76	0.09	600X1887X71
24.50	27.66	0.09	600X1951X71
25.30	28.37	0.09	600X2015X71
3.11	4.04	0.02	700X223X71
4.07	5.10	0.02	700X287X71
5.02	6.14	0.02	700X351X71
5.96	7.17	0.03	700X415X71
6.92	8.22	0.03	700X479X71
7.87	9.27	0.03	700X543X71
8.83	10.46	0.04	700X607X71
9.78	11.51	0.04	700X671X71
10.74	12.55	0.04	700X735X71
11.68	13.59	0.04	700X799X71
12.63	14.63	0.05	700X863X71
13.59	15.68	0.05	700X927X71

VOLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
500x956	15	36	445	56-65	106-115	26-35	4	60	1,60	C-E-D	£ 340.66
500x1020	16	36	445	56-65	106-115	26-35	4	60	1,70	C-E-D	£ 362.35
500x1084	17	36	445	56-65	106-115	26-35	4	60	1,82	C-E-D	£ 385.37
500x1148	18	36	445	56-65	106-115	26-35	4	60	1,93	C-E-D	£ 407.07
500x1212	19	36	445	56-65	106-115	26-35	4	60	2,03	C-E-D	£ 429.68
500x1276	20	36	445	56-65	106-115	26-35	4	60	2,13	C-E-D	£ 451.38
500x1340	21	36	445	56-65	106-115	26-35	4	60	2,24	C-E-D	£ 473.08
500x1404	22	36	445	56-65	106-115	26-35	4	60	2,34	C	£ 495.69
500x1468	23	36	445	56-65	106-115	26-35	4	60	2,45	C	£ 517.38
500x1532	24	36	445	56-65	106-115	26-35	4	60	2,55	C	£ 539.08
500x1596	25	36	445	56-65	106-115	26-35	4	60	2,66	C	£ 560.78
500x1660	26	36	445	56-65	106-115	26-35	4	60	2,76	C	£ 583.38
500x1724	27	36	445	56-65	106-115	26-35	4	60	2,86	C	£ 605.09
500x1788	28	36	445	56-65	106-115	26-35	4	60	2,97	C	£ 626.79
500x1852	29	36	445	56-65	106-115	26-35	4	60	3,07	C	£ 648.50
500x1916	30	36	445	56-65	106-115	26-35	4	60	3,18	C	£ 671.09
500x1980	31	36	445	56-65	106-115	26-35	4	60	3,28	C	£ 692.79
600x188	3	36	545	56-65	106-115	26-35	4	60	0,39	C	£ 80.47
600x252	4	36	545	56-65	106-115	26-35	4	60	0,51	C	£ 104.68
600x316	5	36	545	56-65	106-115	26-35	4	60	0,62	C	£ 127.97
600x380	6	36	545	56-65	106-115	26-35	4	60	0,74	C	£ 151.29
600x444	7	36	545	56-65	106-115	26-35	4	60	0,86	C-E-D	£ 174.65
600x508	8	36	545	56-65	106-115	26-35	4	60	0,98	C-E-D	£ 198.93
600x572	9	36	545	56-65	106-115	26-35	4	60	1,10	C-E-D	£ 222.32
600x636	10	36	545	56-65	106-115	26-35	4	60	1,22	C-E-D	£ 247.18
600x700	11	36	545	56-65	106-115	26-35	4	60	1,34	C-E-D	£ 271.46
600x764	12	36	545	56-65	106-115	26-35	4	60	1,46	C-E-D	£ 294.85
600x828	13	36	545	56-65	106-115	26-35	4	60	1,57	C-E-D	£ 318.24
600x892	14	36	545	56-65	106-115	26-35	4	60	1,69	C-E-D	£ 341.64
600x956	15	36	545	56-65	106-115	26-35	4	60	1,81	C-E-D	£ 365.92
600x1020	16	36	545	56-65	106-115	26-35	4	60	1,93	C-E-D	£ 389.30
600x1084	17	36	545	56-65	106-115	26-35	4	60	2,06	C-E-D	£ 414.01
600x1148	18	36	545	56-65	106-115	26-35	4	60	2,18	C-E-D	£ 437.40
600x1212	19	36	545	56-65	106-115	26-35	4	60	2,30	C-E-D	£ 461.69
600x1276	20	36	545	56-65	106-115	26-35	4	60	2,42	C-E-D	£ 485.08
600x1340	21	36	545	56-65	106-115	26-35	4	60	2,54	C-E-D	£ 508.46
600x1404	22	36	545	56-65	106-115	26-35	4	60	2,66	C	£ 532.76
600x1468	23	36	545	56-65	106-115	26-35	4	60	2,78	C	£ 556.15
600x1532	24	36	545	56-65	106-115	26-35	4	60	2,89	C	£ 579.52
600x1596	25	36	545	56-65	106-115	26-35	4	60	3,01	C	£ 602.93
600x1660	26	36	545	56-65	106-115	26-35	4	60	3,13	C	£ 627.21
600x1724	27	36	545	56-65	106-115	26-35	4	60	3,25	C	£ 650.59
600x1788	28	36	545	56-65	106-115	26-35	4	60	3,37	C	£ 673.98
600x1852	29	36	545	56-65	106-115	26-35	4	60	3,49	C	£ 697.38
600x1916	30	36	545	56-65	106-115	26-35	4	60	3,61	C	£ 721.66
600x1980	31	36	545	56-65	106-115	26-35	4	60	3,73	C	£ 745.05
700x188	3	36	645	56-65	106-115	26-35	4	60	0,43	C	£ 89.04
700x252	4	36	645	56-65	106-115	26-35	4	60	0,56	C	£ 115.95
700x316	5	36	645	56-65	106-115	26-35	4	60	0,70	C	£ 141.97
700x380	6	36	645	56-65	106-115	26-35	4	60	0,83	C	£ 167.97
700x444	7	36	645	56-65	106-115	26-35	4	60	0,96	C-E-D	£ 194.04
700x508	8	36	645	56-65	106-115	26-35	4	60	1,10	C-E-D	£ 221.03
700x572	9	36	645	56-65	106-115	26-35	4	60	1,23	C-E-D	£ 247.12
700x636	10	36	645	56-65	106-115	26-35	4	60	1,36	C-E-D	£ 274.67
700x700	11	36	645	56-65	106-115	26-35	4	60	1,49	C-E-D	£ 301.66
700x764	12	36	645	56-65	106-115	26-35	4	60	1,63	C-E-D	£ 327.74
700x828	13	36	645	56-65	106-115	26-35	4	60	1,76	C-E-D	£ 353.84
700x892	14	36	645	56-65	106-115	26-35	4	60	1,89	C-E-D	£ 379.94
700x956	15	36	645	56-65	106-115	26-35	4	60	2,03	C-E-D	£ 406.92
700x1020	16	36	645	56-65	106-115	26-35	4	60	2,16	C-E-D	£ 433.02
700x1084	17	36	645	56-65	106-115	26-35	4	60	2,31	C-E-D	£ 460.43
700x1148	18	36	645	56-65	106-115	26-35	4	60	2,44	C-E-D	£ 486.51
700x1212	19	36	645	56-65	106-115	26-35	4	60	2,57	C-E-D	£ 513.51
700x1276	20	36	645	56-65	106-115	26-35	4	60	2,71	C-E-D	£ 539.60
700x1340	21	36	645	56-65	106-115	26-35	4	60	2,84	C-E-D	£ 565.69
700x1404	22	36	645	56-65	106-115	26-35	4	60	2,97	C	£ 592.68
700x1468	23	36	645	56-65	106-115	26-35	4	60	3,11	C	£ 618.78
700x1532	24	36	645	56-65	106-115	26-35	4	60	3,24	C	£ 644.86
700x1596	25	36	645	56-65	106-115	26-35	4	60	3,37	C	£ 670.96
700x1660	26	36	645	56-65	106-115	26-35	4	60	3,50	C	£ 697.96

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
500x956	807	2750	1048	3575
500x1020	860	2934	1118	3814
500x1084	914	3117	1188	4052
500x1148	968	3300	1258	4290
500x1212	1022	3484	1328	4529
500x1276	1075	3667	1398	4767
500x1340	1129	3850	1468	5005
500x1404	1183	4034	1538	5244
500x1468	1237	4217	1608	5482
500x1532	1290	4400	1678	5720
500x1596	1344	4584	1747	5959
500x1660	1398	4767	1817	6197
500x1724	1452	4950	1887	6435
500x1788	1505	5134	1957	6674
500x1852	1559	5317	2027	6912
500x1916	1613	5500	2097	7151
500x1980	1667	5684	2167	7389
600x188	198	675	257	877
600x252	264	900	343	1169
600x316	330	1124	429	1462
600x380	396	1349	514	1754
600x444	462	1574	600	2046
600x508	528	1799	686	2339
600x572	594	2024	772	2631
600x636	659	2249	857	2923
600x700	725	2474	943	3216
600x764	791	2699	1029	3508
600x828	857	2923	1114	3800
600x892	923	3148	1200	4093
600x956	989	3373	1286	4385
600x1020	1055	3598	1372	4677
600x1084	1121	3823	1457	4970
600x1148	1187	4048	1543	5262
600x1212	1253	4273	1629	5554
600x1276	1319	4497	1715	5847
600x1340	1385	4722	1800	6139
600x1404	1451	4947	1886	6431
600x1468	1517	5172	1972	6724
600x1532	1583	5397	2057	7016
600x1596	1649	5622	2143	7308
600x1660	1715	5847	2229	7601
600x1724	1781	6072	2315	7893
600x1788	1846	6296	2400	8185
600x1852	1912	6521	2486	8478
600x1916	1978	6746	2572	8770
600x1980	2044	6971	2658	9062
700x188	226	770	294	1001
700x252	301	1027	391	1335
700x316	376	1283	489	1668
700x380	452	1540	587	2002
700x444	527	1797	685	2336
700x508	602	2054	783	2670
700x572	677	2310	881	3003
700x636	753	2567	979	3337
700x700	828	2824	1076	3671
700x764	903	3080	1174	4004
700x828	979	3337	1272	4338
700x892	1054	3594	1370	4672
700x956	1129	3850	1468	5005
700x1020	1204	4107	1566	5339
700x1084	1280	4364	1664	5673
700x1148	1355	4620	1761	6006
700x1212	1430	4877	1859	6340
700x1276	1505	5134	1957	6674
700x1340	1581	5390	2055	7008
700x1404	1656	5647	2153	7341
700x1468	1731	5904	2251	7675
700x1532	1807	6160	2349	8009
700x1596	1882	6417	2446	8342
700x1660	1957	6674	2544	8676

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
14.54	16.72	0.05	700X991X71
15.50	17.77	0.06	700X1055X

VOLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
700x1724	27	36	645	56-65	106-115	26-35	4	60	3.64	C	£ 724.04
700x1788	28	36	645	56-65	106-115	26-35	4	60	3.77	C	£ 750.13
700x1852	29	36	645	56-65	106-115	26-35	4	60	3.90	C	£ 776.23
700x1916	30	36	645	56-65	106-115	26-35	4	60	4.04	C	£ 803.21
700x1980	31	36	645	56-65	106-115	26-35	4	60	4.17	C	£ 829.31
800x188	3	36	745	56-65	106-115	26-35	4	60	0.47	C	£ 94.31
800x252	4	36	745	56-65	106-115	26-35	4	60	0.62	C	£ 122.91
800x316	5	36	745	56-65	106-115	26-35	4	60	0.77	C	£ 150.60
800x380	6	36	745	56-65	106-115	26-35	4	60	0.92	C	£ 178.30
800x444	7	36	745	56-65	106-115	26-35	4	60	1.06	C-E-D	£ 206.06
800x508	8	36	745	56-65	106-115	26-35	4	60	1.21	C-E-D	£ 234.73
800x572	9	36	745	56-65	106-115	26-35	4	60	1.36	C-E-D	£ 262.51
800x636	10	36	745	56-65	106-115	26-35	4	60	1.50	C-E-D	£ 291.74
800x700	11	36	745	56-65	106-115	26-35	4	60	1.65	C-E-D	£ 320.42
800x764	12	36	745	56-65	106-115	26-35	4	60	1.80	C-E-D	£ 348.20
800x828	13	36	745	56-65	106-115	26-35	4	60	1.95	C-E-D	£ 375.98
800x892	14	36	745	56-65	106-115	26-35	4	60	2.09	C-E-D	£ 403.77
800x956	15	36	745	56-65	106-115	26-35	4	60	2.24	C-E-D	£ 432.44
800x1020	16	36	745	56-65	106-115	26-35	4	60	2.39	C-E-D	£ 460.23
800x1084	17	36	745	56-65	106-115	26-35	4	60	2.55	C-E-D	£ 489.32
800x1148	18	36	745	56-65	106-115	26-35	4	60	2.70	C-E-D	£ 517.10
800x1212	19	36	745	56-65	106-115	26-35	4	60	2.84	C-E-D	£ 545.77
800x1276	20	36	745	56-65	106-115	26-35	4	60	2.99	C-E-D	£ 573.56
800x1340	21	36	745	56-65	106-115	26-35	4	60	3.14	C-E-D	£ 601.33
800x1404	22	36	745	56-65	106-115	26-35	4	60	3.29	C	£ 630.01
800x1468	23	36	745	56-65	106-115	26-35	4	60	3.43	C	£ 657.78
800x1532	24	36	745	56-65	106-115	26-35	4	60	3.58	C	£ 685.57
800x1596	25	36	745	56-65	106-115	26-35	4	60	3.73	C	£ 713.35
800x1660	26	36	745	56-65	106-115	26-35	4	60	3.88	C	£ 742.02
800x1724	27	36	745	56-65	106-115	26-35	4	60	4.02	C	£ 769.81
800x1788	28	36	745	56-65	106-115	26-35	4	60	4.17	C	£ 797.60
800x1852	29	36	745	56-65	106-115	26-35	4	60	4.32	C	£ 825.37
800x1916	30	36	745	56-65	106-115	26-35	4	60	4.47	C	£ 854.05
800x1980	31	36	745	56-65	106-115	26-35	4	60	4.61	C	£ 881.82
900x188	3	36	845	56-65	106-115	26-35	4	60	0.52	C	£ 99.57
900x252	4	36	845	56-65	106-115	26-35	4	60	0.68	C	£ 129.87
900x316	5	36	845	56-65	106-115	26-35	4	60	0.84	C	£ 159.24
900x380	6	36	845	56-65	106-115	26-35	4	60	1.00	C	£ 188.63
900x444	7	36	845	56-65	106-115	26-35	4	60	1.16	C-E-D	£ 218.06
900x508	8	36	845	56-65	106-115	26-35	4	60	1.32	C-E-D	£ 248.44
900x572	9	36	845	56-65	106-115	26-35	4	60	1.49	C-E-D	£ 277.90
900x636	10	36	845	56-65	106-115	26-35	4	60	1.65	C-E-D	£ 308.83
900x700	11	36	845	56-65	106-115	26-35	4	60	1.81	C-E-D	£ 339.19
900x764	12	36	845	56-65	106-115	26-35	4	60	1.97	C-E-D	£ 368.67
900x828	13	36	845	56-65	106-115	26-35	4	60	2.13	C-E-D	£ 398.13
900x892	14	36	845	56-65	106-115	26-35	4	60	2.29	C-E-D	£ 427.59
900x956	15	36	845	56-65	106-115	26-35	4	60	2.46	C-E-D	£ 457.96
900x1020	16	36	845	56-65	106-115	26-35	4	60	2.62	C-E-D	£ 487.42
900x1084	17	36	845	56-65	106-115	26-35	4	60	2.79	C-E-D	£ 518.21
900x1148	18	36	845	56-65	106-115	26-35	4	60	2.95	C-E-D	£ 547.67
900x1212	19	36	845	56-65	106-115	26-35	4	60	3.12	C-E-D	£ 578.04
900x1276	20	36	845	56-65	106-115	26-35	4	60	3.28	C-E-D	£ 607.50
900x1340	21	36	845	56-65	106-115	26-35	4	60	3.44	C-E-D	£ 636.98
900x1404	22	36	845	56-65	106-115	26-35	4	60	3.60	C	£ 667.33
900x1468	23	36	845	56-65	106-115	26-35	4	60	3.76	C	£ 696.81
900x1532	24	36	845	56-65	106-115	26-35	4	60	3.92	C	£ 726.27
900x1596	25	36	845	56-65	106-115	26-35	4	60	4.09	C	£ 755.75
900x1660	26	36	845	56-65	106-115	26-35	4	60	4.25	C	£ 786.10
900x1724	27	36	845	56-65	106-115	26-35	4	60	4.41	C	£ 815.58
900x1788	28	36	845	56-65	106-115	26-35	4	60	4.57	C	£ 845.03
900x1852	29	36	845	56-65	106-115	26-35	4	60	4.73	C	£ 874.51
900x1916	30	36	845	56-65	106-115	26-35	4	60	4.89	C	£ 904.87
900x1980	31	36	845	56-65	106-115	26-35	4	60	5.06	C	£ 934.35
1000x188	3	36	945	56-65	106-115	26-35	4	60	0.56	C	£ 108.46
1000x252	4	36	945	56-65	106-115	26-35	4	60	0.73	C	£ 141.53
1000x316	5	36	945	56-65	106-115	26-35	4	60	0.91	C	£ 173.67
1000x380	6	36	945	56-65	106-115	26-35	4	60	1.09	C	£ 205.81
1000x444	7	36	945	56-65	106-115	26-35	4	60	1.26	C-E-D	£ 238.02
1000x508	8	36	945	56-65	106-115	26-35	4	60	1.44	C-E-D	£ 271.18
1000x572	9	36	945	56-65	106-115	26-35	4	60	1.61	C-E-D	£ 303.41

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
700x1724	2032	6931	2642	9010
700x1788	2108	7187	2740	9343
700x1852	2183	7444	2838	9677
700x1916	2258	7701	2936	10011
700x1980	2334	7957	3034	10344
800x188	253	861	328	1119
800x252	337	1148	438	1493
800x316	421	1435	547	1866
800x380	505	1722	657	2239
800x444	589	2009	766	2612
800x508	673	2296	875	2985
800x572	758	2583	985	3358
800x636	842	2870	1094	3731
800x700	926	3157	1204	4104
800x764	1010	3444	1313	4478
800x828	1094	3731	1422	4851
800x892	1178	4018	1532	5224
800x956	1263	4305	1641	5597
800x1020	1347	4592	1751	5970
800x1084	1431	4879	1860	6343
800x1148	1515	5166	1970	6716
800x1212	1599	5453	2079	7089
800x1276	1683	5740	2188	7462
800x1340	1768	6027	2298	7836
800x1404	1852	6314	2407	8209
800x1468	1936	6601	2517	8582
800x1532	2020	6888	2626	8955
800x1596	2104	7175	2736	9328
800x1660	2188	7462	2845	9701
800x1724	2273	7750	2954	10074
800x1788	2357	8037	3064	10447
800x1852	2441	8324	3173	10821
800x1916	2525	8611	3283	11194
800x1980	2609	8898	3392	11567
900x188	278	948	361	1232
900x252	371	1264	482	1643
900x316	463	1580	602	2054
900x380	556	1896	723	2464
900x444	649	2211	843	2875
900x508	741	2527	964	3286
900x572	834	2843	1084	3696
900x636	926	3159	1204	4107
900x700	1019	3475	1325	4518
900x764	1112	3791	1445	4928
900x828	1204	4107	1566	5339
900x892	1297	4423	1686	5750
900x956	1390	4739	1807	6160
900x1020	1482	5055	1927	6571
900x1084	1575	5371	2047	6982
900x1148	1668	5687	2168	7393
900x1212	1760	6003	2288	7803
900x1276	1853	6318	2409	8214
900x1340	1946	6634	2529	8625
900x1404	2038	6950	2650	9035
900x1468	2131	7266	2770	9446
900x1532	2223	7582	2891	9857
900x1596	2316	7898	3011	10267
900x1660	2409	8214	3131	10678
900x1724	2501	8530	3252	11089
900x1788	2594	8846	3372	11500
900x1852	2687	9162	3493	11910
900x1916	2779	9478	3613	12321
900x1980	2872	9794	3734	12732
1000x188	302	1030	393	1339
1000x252	403	1374	524	1786
1000x316	504	1717	655	2232
1000x380	604	2061	786	2679
1000x444	705	2404	917	3125
1000x508	806	2748	1047	3572
1000x572	906	3091	1178	4018

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
34.12	38.07	0.12	900X1759X71
35.37	39.44	0.12	90

VOLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
1000x636	10	36	945	56-65	106-115	26-35	4	60	1,79	C-E-D	£ 337.15
1000x700	11	36	945	56-65	106-115	26-35	4	60	1,97	C-E-D	£ 370.30
1000x764	12	36	945	56-65	106-115	26-35	4	60	2,14	C-E-D	£ 402.53
1000x828	13	36	945	56-65	106-115	26-35	4	60	2,32	C-E-D	£ 434.77
1000x892	14	36	945	56-65	106-115	26-35	4	60	2,49	C-E-D	£ 466.98
1000x956	15	36	945	56-65	106-115	26-35	4	60	2,67	C-E-D	£ 500.15
1000x1020	16	36	945	56-65	106-115	26-35	4	60	2,85	C-E-D	£ 532.37
1000x1084	17	36	945	56-65	106-115	26-35	4	60	3,04	C-E-D	£ 565.96
1000x1148	18	36	945	56-65	106-115	26-35	4	60	3,21	C-E-D	£ 598.19
1000x1212	19	36	945	56-65	106-115	26-35	4	60	3,39	C-E-D	£ 631.35
1000x1276	20	36	945	56-65	106-115	26-35	4	60	3,56	C-E-D	£ 663.59
1000x1340	21	36	945	56-65	106-115	26-35	4	60	3,74	C-E-D	£ 695.81
1000x1404	22	36	945	56-65	106-115	26-35	4	60	3,92	C	£ 728.97
1000x1468	23	36	945	56-65	106-115	26-35	4	60	4,09	C	£ 761.20
1000x1532	24	36	945	56-65	106-115	26-35	4	60	4,27	C	£ 793.42
1000x1596	25	36	945	56-65	106-115	26-35	4	60	4,44	C	£ 825.65
1000x1660	26	36	945	56-65	106-115	26-35	4	60	4,62	C	£ 858.81
1000x1724	27	36	945	56-65	106-115	26-35	4	60	4,80	C	£ 891.04
1000x1788	28	36	945	56-65	106-115	26-35	4	60	4,97	C	£ 923.27
1000x1852	29	36	945	56-65	106-115	26-35	4	60	5,15	C	£ 955.50
1000x1916	30	36	945	56-65	106-115	26-35	4	60	5,32	C	£ 988.66
1000x1980	31	36	945	56-65	106-115	26-35	4	60	5,50	C	£ 1020.89
1200x188	3	36	1145	56-65	106-115	26-35	4	60	0,64	C	£ 122.52
1200x252	4	36	1145	56-65	106-115	26-35	4	60	0,85	C	£ 160.12
1200x316	5	36	1145	56-65	106-115	26-35	4	60	1,05	C	£ 196.81
1200x380	6	36	1145	56-65	106-115	26-35	4	60	1,26	C	£ 233.50
1200x444	7	36	1145	56-65	106-115	26-35	4	60	1,46	C-E-D	£ 270.23
1200x508	8	36	1145	56-65	106-115	26-35	4	60	1,67	C-E-D	£ 307.93
1200x572	9	36	1145	56-65	106-115	26-35	4	60	1,87	C-E-D	£ 344.71
1200x636	10	36	1145	56-65	106-115	26-35	4	60	2,08	C-E-D	£ 382.99
1200x700	11	36	1145	56-65	106-115	26-35	4	60	2,28	C-E-D	£ 420.68
1200x764	12	36	1145	56-65	106-115	26-35	4	60	2,49	C-E-D	£ 457.46
1200x828	13	36	1145	56-65	106-115	26-35	4	60	2,69	C-E-D	£ 494.23
1200x892	14	36	1145	56-65	106-115	26-35	4	60	2,89	C-E-D	£ 531.00
1200x956	15	36	1145	56-65	106-115	26-35	4	60	3,10	C-E-D	£ 568.70
1200x1020	16	36	1145	56-65	106-115	26-35	4	60	3,30	C-E-D	£ 605.47
1200x1084	17	36	1145	56-65	106-115	26-35	4	60	3,52	C-E-D	£ 643.60
1200x1148	18	36	1145	56-65	106-115	26-35	4	60	3,73	C-E-D	£ 680.37
1200x1212	19	36	1145	56-65	106-115	26-35	4	60	3,93	C-E-D	£ 718.07
1200x1276	20	36	1145	56-65	106-115	26-35	4	60	4,14	C-E-D	£ 754.85
1200x1340	21	36	1145	56-65	106-115	26-35	4	60	4,34	C-E-D	£ 791.61
1200x1404	22	36	1145	56-65	106-115	26-35	4	60	4,54	C	£ 829.31
1200x1468	23	36	1145	56-65	106-115	26-35	4	60	4,75	C	£ 866.09
1400x188	3	36	1345	56-65	106-115	26-35	4	60	0,73	C	£ 133.40
1400x252	4	36	1345	56-65	106-115	26-35	4	60	0,96	C	£ 174.51
1400x316	5	36	1345	56-65	106-115	26-35	4	60	1,20	C	£ 214.70
1400x380	6	36	1345	56-65	106-115	26-35	4	60	1,43	C	£ 254.87
1400x444	7	36	1345	56-65	106-115	26-35	4	60	1,66	C-E-D	£ 295.11
1400x508	8	36	1345	56-65	106-115	26-35	4	60	1,90	C-E-D	£ 336.30
1400x572	9	36	1345	56-65	106-115	26-35	4	60	2,13	C-E-D	£ 376.56
1400x636	10	36	1345	56-65	106-115	26-35	4	60	2,36	C-E-D	£ 418.33
1400x700	11	36	1345	56-65	106-115	26-35	4	60	2,60	C-E-D	£ 459.52
1400x764	12	36	1345	56-65	106-115	26-35	4	60	2,83	C-E-D	£ 499.77
1400x828	13	36	1345	56-65	106-115	26-35	4	60	3,06	C-E-D	£ 540.04
1400x892	14	36	1345	56-65	106-115	26-35	4	60	3,29	C-E-D	£ 580.30
1400x956	15	36	1345	56-65	106-115	26-35	4	60	3,53	C-E-D	£ 621.50
1400x1020	16	36	1345	56-65	106-115	26-35	4	60	3,76	C-E-D	£ 661.75
1400x1084	17	36	1345	56-65	106-115	26-35	4	60	4,01	C-E-D	£ 703.38
1400x1148	18	36	1345	56-65	106-115	26-35	4	60	4,24	C-E-D	£ 743.64
1400x1212	19	36	1345	56-65	106-115	26-35	4	60	4,47	C-E-D	£ 784.84
1400x1276	20	36	1345	56-65	106-115	26-35	4	60	4,71	C-E-D	£ 825.09
1400x1340	21	36	1345	56-65	106-115	26-35	4	60	4,94	C-E-D	£ 865.36
1400x1404	22	36	1345	56-65	106-115	26-35	4	60	5,17	C	£ 906.54
1400x1468	23	36	1345	56-65	106-115	26-35	4	60	5,41	C	£ 946.81

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu
1000x636	1007	3434	1309	4465
1000x700	1108	3778	1440	4911
1000x764	1209	4121	1571	5358
1000x828	1309	4465	1702	5804
1000x892	1410	4808	1833	6251
1000x956	1511	5152	1964	6697
1000x1020	1611	5495	2095	7144
1000x1084	1712	5839	2226	7590
1000x1148	1813	6182	2357	8037
1000x1212	1914	6525	2488	8483
1000x1276	2014	6869	2619	8929
1000x1340	2115	7212	2750	9376
1000x1404	2216	7556	2880	9822
1000x1468	2316	7899	3011	10269
1000x1532	2417	8243	3142	10715
1000x1596	2518	8586	3273	11162
1000x1660	2619	8929	3404	11608
1000x1724	2719	9273	3535	12055
1000x1788	2820	9616	3666	12501
1000x1852	2921	9955	3797	12948
1000x1916	3021	10303	3928	13394
1000x1980	3122	10647	4059	13841
1200x188	347	1183	451	1538
1200x252	463	1577	601	2051
1200x316	578	1972	752	2563
1200x380	694	2366	902	3076
1200x444	809	2760	1052	3588
1200x508	925	3155	1203	4101
1200x572	1041	3549	1353	4614
1200x636	1156	3943	1503	5126
1200x700	1272	4338	1654	5639
1200x764	1388	4732	1804	6151
1200x828	1503	5126	1954	6664
1200x892	1619	5521	2105	7177
1200x956	1735	5915	2255	7689
1200x1020	1850	6309	2405	8202
1200x1084	1966	6704	2556	8715
1200x1148	2081	7098	2706	9227
1200x1212	2197	7492	2856	9740
1200x1276	2313	7887	3007	10252
1200x1340	2428	8281	3157	10765
1200x1404	2544	8675	3307	11278
1200x1468	2660	9069	3458	11790
1400x188	398	1358	518	1766
1400x252	531	1811	690	2354
1400x316	664	2264	863	2943
1400x380	797	2717	1036	3531
1400x444	929	3169	1208	4120
1400x508	1062	3622	1381	4709
1400x572	1195	4075	1553	5297
1400x636	1328	4528	1726	5886
1400x700	1460	4980	1899	6474
1400x764	1593	5433	2071	7063
1400x828	1726	5886	2244	7651
1400x892	1859	6338	2416	8240
1400x956	1992	6791	2589	8829
1400x1020	2124	7244	2762	9417
1400x1084	2257	7697	2934	10006
1400x1148	2390	8150	3107	10594
1400x1212	2523	8602	3279	11183
1400x1276	2655	9055	3452	11771
1400x1340	2788	9508	3625	12360
1400x1404	2921	9960	3797	12949
1400x1468	3054	10413	3970	13537

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
17,21	19,69	0,06	1200X671X71
18,90	21,52	0,07	1200X735X71
20,59	23,37	0,07	1200X799X71
22,29	25,21	0,08	1200X863X71
23,98	27,04	0,08	1200X927X71
25,68	28,89	0,09	1200X991X71
27,38	30,74	0,09	1200X1055X71
29,20	32,70	0,10	1200X1119X71
30,88	34,53	0,11	1200X1183X71
32,58	36,38	0,11	1200X1247X71
34,28	38,23	0,12	1200X1311X71
35,98	40,07	0,12	1200X1375X71
37,67	41,92	0,13	1200X1439X71
39,37	43,76	0,13	1200X1503X71
41,06	45,60	0,14	1200X1567X71
42,75	47,43	0,14	1200X1631X71
44,45	49,29	0,15	1200X1695X71

VOLE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

Height x Width (H x W)	Tube	Depth (D)	Pipe Centers (A)	Wall To Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Prices Ex. Vat
mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		
			√	x	x	x	√	√			

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request.
Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

Height x Width (H x W)	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
mm				

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm