

ALBITE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010100103000435	280 x 440	8	86	245	39-48	112-121	26-35	5	50	0,57	C-E-D
5010100103000490	280 x 490	9	86	245	39-48	112-121	26-35	5	50	0,64	C-E-D
5010100103000545	280 x 550	10	86	245	39-48	112-121	26-35	5	50	0,71	C-E-D
5010100103000600	280 x 600	11	86	245	39-48	112-121	26-35	5	50	0,78	C-E-D
5010100103000655	280 x 660	12	86	245	39-48	112-121	26-35	5	50	0,85	C-E-D
5010100103000710	280 x 710	13	86	245	39-48	112-121	26-35	5	50	0,92	C-E-D
5010100103000765	280 x 770	14	86	245	39-48	112-121	26-35	5	50	0,99	C-E-D
5010100103000820	280 x 820	15	86	245	39-48	112-121	26-35	5	50	1,06	C-E-D
5010100103000875	280 x 880	16	86	245	39-48	112-121	26-35	5	50	1,13	C-E-D
5010100103000930	280 x 930	17	86	245	39-48	112-121	26-35	5	50	1,20	C-E-D
5010100103000985	280 x 990	18	86	245	39-48	112-121	26-35	5	50	1,27	C-E-D
5010100103001040	280 x 1040	19	86	245	39-48	112-121	26-35	5	50	1,34	C-E-D
5010100103001095	280 x 1100	20	86	245	39-48	112-121	26-35	5	50	1,41	C-E-D
5010100103001150	280 x 1150	21	86	245	39-48	112-121	26-35	5	50	1,48	C-E-D
5010100103001205	280 x 1210	22	86	245	39-48	112-121	26-35	5	50	1,55	C-E-D
5010100103001260	280 x 1260	23	86	245	39-48	112-121	26-35	5	50	1,62	C-E-D
5010100103001315	280 x 1320	24	86	245	39-48	112-121	26-35	5	50	1,69	C-E-D
5010100103001370	280 x 1370	25	86	245	39-48	112-121	26-35	5	50	1,76	C-E-D
5010100103001425	280 x 1430	26	86	245	39-48	112-121	26-35	5	50	1,83	C
5010100103001480	280 x 1480	27	86	245	39-48	112-121	26-35	5	50	1,90	C
5010100103001535	280 x 1540	28	86	245	39-48	112-121	26-35	5	50	1,97	C
5010100103001590	280 x 1590	29	86	245	39-48	112-121	26-35	5	50	2,05	C
5010100103001645	280 x 1650	30	86	245	39-48	112-121	26-35	5	50	2,12	C
5010100103001700	280 x 1700	31	86	245	39-48	112-121	26-35	5	50	2,19	C
5010100103001755	280 x 1760	32	86	245	39-48	112-121	26-35	5	50	2,26	C
5010100103001810	280 x 1810	33	86	245	39-48	112-121	26-35	5	50	2,33	C
5010100103001865	280 x 1870	34	86	245	39-48	112-121	26-35	5	50	2,40	C
5010100103001920	280 x 1920	35	86	245	39-48	112-121	26-35	5	50	2,47	C
5010100103001975	280 x 1980	36	86	245	39-48	112-121	26-35	5	50	2,54	C
5010100104000325	380 x 330	6	86	345	39-48	112-121	26-35	5	50	0,51	C
5010100104000380	380 x 380	7	86	345	39-48	112-121	26-35	5	50	0,60	C
5010100104000435	380 x 440	8	86	345	39-48	112-121	26-35	5	50	0,68	C-E-D
5010100104000490	380 x 490	9	86	345	39-48	112-121	26-35	5	50	0,76	C-E-D
5010100104000545	380 x 550	10	86	345	39-48	112-121	26-35	5	50	0,85	C-E-D
5010100104000600	380 x 600	11	86	345	39-48	112-121	26-35	5	50	0,93	C-E-D
5010100104000655	380 x 660	12	86	345	39-48	112-121	26-35	5	50	1,02	C-E-D
5010100104000710	380 x 710	13	86	345	39-48	112-121	26-35	5	50	1,10	C-E-D
5010100104000765	380 x 770	14	86	345	39-48	112-121	26-35	5	50	1,19	C-E-D
5010100104000820	380 x 820	15	86	345	39-48	112-121	26-35	5	50	1,27	C-E-D
5010100104000875	380 x 880	16	86	345	39-48	112-121	26-35	5	50	1,36	C-E-D
5010100104000930	380 x 930	17	86	345	39-48	112-121	26-35	5	50	1,44	C-E-D
5010100104000985	380 x 990	18	86	345	39-48	112-121	26-35	5	50	1,53	C-E-D
5010100104001040	380 x 1040	19	86	345	39-48	112-121	26-35	5	50	1,61	C-E-D
5010100104001095	380 x 1100	20	86	345	39-48	112-121	26-35	5	50	1,70	C-E-D
5010100104001150	380 x 1150	21	86	345	39-48	112-121	26-35	5	50	1,78	C-E-D
5010100104001205	380 x 1210	22	86	345	39-48	112-121	26-35	5	50	1,87	C-E-D
5010100104001260	380 x 1260	23	86	345	39-48	112-121	26-35	5	50	1,95	C-E-D
5010100104001315	380 x 1320	24	86	345	39-48	112-121	26-35	5	50	2,04	C-E-D
5010100104001370	380 x 1370	25	86	345	39-48	112-121	26-35	5	50	2,12	C-E-D
5010100104001425	380 x 1430	26	86	345	39-48	112-121	26-35	5	50	2,21	C
5010100104001480	380 x 1480	27	86	345	39-48	112-121	26-35	5	50	2,29	C
5010100104001535	380 x 1540	28	86	345	39-48	112-121	26-35	5	50	2,38	C
5010100104001590	380 x 1590	29	86	345	39-48	112-121	26-35	5	50	2,46	C
5010100104001645	380 x 1650	30	86	345	39-48	112-121	26-35	5	50	2,54	C
5010100104001700	380 x 1700	31	86	345	39-48	112-121	26-35	5	50	2,63	C
5010100104001755	380 x 1760	32	86	345	39-48	112-121	26-35	5	50	2,71	C
5010100104001810	380 x 1810	33	86	345	39-48	112-121	26-35	5	50	2,80	C
5010100104001865	380 x 1870	34	86	345	39-48	112-121	26-35	5	50	2,88	C
5010100104001920	380 x 1920	35	86	345	39-48	112-121	26-35	5	50	2,97	C
5010100104001975	380 x 1980	36	86	345	39-48	112-121	26-35	5	50	3,05	C
5010100105000325	480 x 330	6	86	445	39-48	112-121	26-35	5	50	0,60	C
5010100105000380	480 x 380	7	86	445	39-48	112-121	26-35	5	50	0,70	C
5010100105000435	480 x 440	8	86	445	39-48	112-121	26-35	5	50	0,79	C-E-D
5010100105000490	480 x 490	9	86	445	39-48	112-121	26-35	5	50	0,89	C-E-D
5010100105000545	480 x 550	10	86	445	39-48	112-121	26-35	5	50	0,99	C-E-D
5010100105000600	480 x 600	11	86	445	39-48	112-121	26-35	5	50	1,09	C-E-D
5010100105000655	480 x 660	12	86	445	39-48	112-121	26-35	5	50	1,19	C-E-D
5010100105000710	480 x 710	13	86	445	39-48	112-121	26-35	5	50	1,29	C-E-D
5010100105000765	480 x 770	14	86	445	39-48	112-121	26-35	5	50	1,39	C-E-D
5010100105000820	480 x 820	15	86	445	39-48	112-121	26-35	5	50	1,49	C-E-D
5010100105000875	480 x 880	16	86	445	39-48	112-121	26-35	5	50	1,59	C-E-D
5010100105000930	480 x 930	17	86	445	39-48	112-121	26-35	5	50	1,69	C-E-D
5010100105000985	480 x 990	18	86	445	39-48	112-121	26-35	5	50	1,79	C-E-D
5010100105001040	480 x 1040	19	86	445	39-48	112-121	26-35	5	50	1,88	C-E-D
5010100105001095	480 x 1100	20	86	445	39-48	112-121	26-35	5	50	1,98	C-E-D
5010100105001150	480 x 1150	21	86	445	39-48	112-121	26-35	5	50	2,08	C-E-D
5010100105001205	480 x 1210	22	86	445	39-48	112-121	26-35	5	50	2,18	C-E-D
5010100105001260	480 x 1260	23	86	445	39-48	112-121	26-35	5	50	2,28	C-E-D
5010100105001315	480 x 1320	24	86	445	39-48	112-121	26-35	5	50	2,38	C-E-D
5010100105001370	480 x 1370	25	86	445	39-48	112-121	26-35	5	50	2,48	C-E-D
5010100105001425	480 x 1430	26	86	445	39-48	112-121	26-35	5	50	2,58	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010100103000435	303	1035	395	1345
5010100103000490	341	1164	444	1513
5010100103000545	379	1293	493	1682
5010100103000600	417	1423	542	1850
5010100103000655	455	1552	592	2018
5010100103000710	493	1682	641	2186
5010100103000765	531	1811	690	2354
5010100103000820	569	1940	740	2522
5010100103000875	607	2070	789	2690
5010100103000930	645	2199	838	2859
5010100103000985	683	2328	888	3027
5010100103001040	721	2458	937	3195
5010100103001095	759	2587	986	3363
5010100103001150	797	2716	1036	3531
5010100103001205	835	2846	1085	3699
5010100103001260	872	2975	1134	3868
5010100103001315	910	3104	1183	4036
5010100103001370	948	3234	1233	4204
5010100103001425	986	3363	1282	4372
5010100103001480	1024	3492	1331	4540
5010100103001535	1062	3622	1381	4708
5010100103001590	1100	3751	1430	4876
5010100103001645	1138	3880	1479	5045
5010100103001700	1176	4010	1529	5213
5010100103001755	1214	4139	1578	5381
5010100103001810	1252	4269	1627	5549
5010100103001865	1290	4398	1677	5717
5010100103001920	1328	4527	1726	5885
5010100103001975	1366	4657	1775	6054
5010100104000325	310	1058	403	1375
5010100104000380	362	1234	470	1604
5010100104000435	414	1410	538	1833
5010100104000490	465	1586	605	2062
5010100104000545	517	1763	672	2292
5010100104000600	569	1939	739	2521
5010100104000655	620	2115	806	2750
5010100104000710	672	2292	874	2979
5010100104000765	724	2468	941	3208
5010100104000820	775	2644	1008	3437
5010100104000875	827	2820	1075	3666
5010100104000930	879	2997	1142	3896
5010100104000985	930	3173	1210	4125
5010100104001040	982	3349	1277	4354
5010100104001095	1034	3525	1344	4583
5010100104001150	1086	3702	1411	4812
5010100104001205	1137	3878	1478	5041
5010100104001260	1189	4054	1546	5271
5010100104001315	1241	4231	1613	5500
5010100104001370	1292	4407	1680	5729
5010100104001425	1344	4583	1747	5958
5010100104001480	1396	4759	1814	6187
5010100104001535	1447	4936	1882	6416
5010100104001590	1499	5112	1949	6645
5010100104001645	1551	5288	2016	6875
5010100104001700	1602	5464	2083	7104
5010100104001755	1654	5641	2150	7333
5010100104001810	1706	5817	2218	7562
5010100104001865	1758	5993	2285	7791
5010100104001920	1809	6170	2352	8020
5010100104001975	1861	6346	2419	8250
5010100105000325	396	1351	515	1757
5010100105000380	462	1576	601	2049
5010100105000435	528	1802	687	2342
5010100105000490	594	2027	773	2635
5010100105000545	660	2252	859	2928
5010100105000600	726	2477	944	3220
5010100105000655	793	2702	1030	3513
5010100105000710	859	2928	1116	3806
5010100105000765	925	3153	1202	4099
5010100105000820	991	3378	1288	4391
5010100105000875	1057	3603	1374	4684
5010100105000930	1123	3828	1460	4977
5010100105000985	1189	4054	1545	5270
5010100105001040	1255	4279	1631	5563
5010100105001095	1321	4504	1717	5855
5010100105001150	1387	4729	1803	6148
5010100105001205	1453	4955	1889	6441
5010100105001260	1519	5180	1975	6734
5010100105001315	1585	5405	2061	7026
5010100105001370	1651	5630	2146	7319
5010100105001425	1717	5855	2232	7612

ALBITE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010100105001480	480 x 1480	27	86	445	39-48	112-121	26-35	5	50	2,48	C
5010100105001535	480 x 1540	28	86	445	39-48	112-121	26-35	5	50	2,78	C
5010100105001590	480 x 1590	29	86	445	39-48	112-121	26-35	5	50	2,87	C
5010100105001645	480 x 1650	30	86	445	39-48	112-121	26-35	5	50	2,97	C
5010100105001700	480 x 1700	31	86	445	39-48	112-121	26-35	5	50	3,07	C
5010100105001755	480 x 1760	32	86	445	39-48	112-121	26-35	5	50	3,17	C
5010100105001810	480 x 1810	33	86	445	39-48	112-121	26-35	5	50	3,27	C
5010100105001865	480 x 1870	34	86	445	39-48	112-121	26-35	5	50	3,37	C
5010100105001920	480 x 1920	35	86	445	39-48	112-121	26-35	5	50	3,47	C
5010100105001975	480 x 1980	36	86	445	39-48	112-121	26-35	5	50	3,57	C
5010100106000325	580 x 330	6	86	545	39-48	112-121	26-35	5	50	0,68	C
5010100106000380	580 x 380	7	86	545	39-48	112-121	26-35	5	50	0,80	C
5010100106000435	580 x 440	8	86	545	39-48	112-121	26-35	5	50	0,91	C-E-D
5010100106000490	580 x 490	9	86	545	39-48	112-121	26-35	5	50	1,02	C-E-D
5010100106000545	580 x 550	10	86	545	39-48	112-121	26-35	5	50	1,14	C-E-D
5010100106000600	580 x 600	11	86	545	39-48	112-121	26-35	5	50	1,25	C-E-D
5010100106000655	580 x 660	12	86	545	39-48	112-121	26-35	5	50	1,36	C-E-D
5010100106000710	580 x 710	13	86	545	39-48	112-121	26-35	5	50	1,48	C-E-D
5010100106000765	580 x 770	14	86	545	39-48	112-121	26-35	5	50	1,59	C-E-D
5010100106000820	580 x 820	15	86	545	39-48	112-121	26-35	5	50	1,70	C-E-D
5010100106000875	580 x 880	16	86	545	39-48	112-121	26-35	5	50	1,82	C-E-D
5010100106000930	580 x 930	17	86	545	39-48	112-121	26-35	5	50	1,93	C-E-D
5010100106000985	580 x 990	18	86	545	39-48	112-121	26-35	5	50	2,04	C-E-D
5010100106001040	580 x 1040	19	86	545	39-48	112-121	26-35	5	50	2,16	C-E-D
5010100106001095	580 x 1100	20	86	545	39-48	112-121	26-35	5	50	2,27	C-E-D
5010100106001150	580 x 1150	21	86	545	39-48	112-121	26-35	5	50	2,38	C-E-D
5010100106001205	580 x 1210	22	86	545	39-48	112-121	26-35	5	50	2,50	C-E-D
5010100106001260	580 x 1260	23	86	545	39-48	112-121	26-35	5	50	2,61	C-E-D
5010100106001315	580 x 1320	24	86	545	39-48	112-121	26-35	5	50	2,72	C-E-D
5010100106001370	580 x 1370	25	86	545	39-48	112-121	26-35	5	50	2,84	C-E-D
5010100106001425	580 x 1430	26	86	545	39-48	112-121	26-35	5	50	2,95	C
5010100106001480	580 x 1480	27	86	545	39-48	112-121	26-35	5	50	3,06	C
5010100106001535	580 x 1540	28	86	545	39-48	112-121	26-35	5	50	3,18	C
5010100106001590	580 x 1590	29	86	545	39-48	112-121	26-35	5	50	3,29	C
5010100106001645	580 x 1650	30	86	545	39-48	112-121	26-35	5	50	3,40	C
5010100106001700	580 x 1700	31	86	545	39-48	112-121	26-35	5	50	3,52	C
5010100106001755	580 x 1760	32	86	545	39-48	112-121	26-35	5	50	3,63	C
5010100106001810	580 x 1810	33	86	545	39-48	112-121	26-35	5	50	3,74	C
5010100106001865	580 x 1870	34	86	545	39-48	112-121	26-35	5	50	3,86	C
5010100106001920	580 x 1920	35	86	545	39-48	112-121	26-35	5	50	3,97	C
5010100106001975	580 x 1980	36	86	545	39-48	112-121	26-35	5	50	4,08	C
5010100107000325	680 x 330	6	86	645	39-48	112-121	26-35	5	50	0,77	C
5010100107000380	680 x 380	7	86	645	39-48	112-121	26-35	5	50	0,90	C
5010100107000435	680 x 440	8	86	645	39-48	112-121	26-35	5	50	1,02	C-E-D
5010100107000490	680 x 490	9	86	645	39-48	112-121	26-35	5	50	1,15	C-E-D
5010100107000545	680 x 550	10	86	645	39-48	112-121	26-35	5	50	1,28	C-E-D
5010100107000600	680 x 600	11	86	645	39-48	112-121	26-35	5	50	1,41	C-E-D
5010100107000655	680 x 660	12	86	645	39-48	112-121	26-35	5	50	1,53	C-E-D
5010100107000710	680 x 710	13	86	645	39-48	112-121	26-35	5	50	1,66	C-E-D
5010100107000765	680 x 770	14	86	645	39-48	112-121	26-35	5	50	1,79	C-E-D
5010100107000820	680 x 820	15	86	645	39-48	112-121	26-35	5	50	1,92	C-E-D
5010100107000875	680 x 880	16	86	645	39-48	112-121	26-35	5	50	2,04	C-E-D
5010100107000930	680 x 930	17	86	645	39-48	112-121	26-35	5	50	2,17	C-E-D
5010100107000985	680 x 990	18	86	645	39-48	112-121	26-35	5	50	2,30	C-E-D
5010100107001040	680 x 1040	19	86	645	39-48	112-121	26-35	5	50	2,43	C-E-D
5010100107001095	680 x 1100	20	86	645	39-48	112-121	26-35	5	50	2,56	C-E-D
5010100107001150	680 x 1150	21	86	645	39-48	112-121	26-35	5	50	2,68	C-E-D
5010100107001205	680 x 1210	22	86	645	39-48	112-121	26-35	5	50	2,81	C-E-D
5010100107001260	680 x 1260	23	86	645	39-48	112-121	26-35	5	50	2,94	C-E-D
5010100107001315	680 x 1320	24	86	645	39-48	112-121	26-35	5	50	3,07	C-E-D
5010100107001370	680 x 1370	25	86	645	39-48	112-121	26-35	5	50	3,19	C-E-D
5010100107001425	680 x 1430	26	86	645	39-48	112-121	26-35	5	50	3,32	C
5010100107001480	680 x 1480	27	86	645	39-48	112-121	26-35	5	50	3,45	C
5010100107001535	680 x 1540	28	86	645	39-48	112-121	26-35	5	50	3,58	C
5010100107001590	680 x 1590	29	86	645	39-48	112-121	26-35	5	50	3,70	C
5010100107001645	680 x 1650	30	86	645	39-48	112-121	26-35	5	50	3,83	C
5010100107001700	680 x 1700	31	86	645	39-48	112-121	26-35	5	50	3,96	C
5010100107001755	680 x 1760	32	86	645	39-48	112-121	26-35	5	50	4,09	C
5010100107001810	680 x 1810	33	86	645	39-48	112-121	26-35	5	50	4,21	C
5010100107001865	680 x 1870	34	86	645	39-48	112-121	26-35	5	50	4,34	C
5010100108000325	780 x 330	6	86	745	39-48	112-121	26-35	5	50	0,85	C
5010100108000380	780 x 380	7	86	745	39-48	112-121	26-35	5	50	1,00	C
5010100108000435	780 x 440	8	86	745	39-48	112-121	26-35	5	50	1,14	C-E-D
5010100108000490	780 x 490	9	86	745	39-48	112-121	26-35	5	50	1,28	C-E-D
5010100108000545	780 x 550	10	86	745	39-48	112-121	26-35	5	50	1,42	C-E-D
5010100108000600	780 x 600	11	86	745	39-48	112-121	26-35	5	50	1,56	C-E-D
5010100108000655	780 x 660	12	86	745	39-48	112-121	26-35	5	50	1,71	C-E-D
5010100108000710	780 x 710	13	86	745	39-48	112-121	26-35	5	50	1,85	C-E-D
5010100108000765	780 x 770	14	86	745	39-48	112-121	26-35	5	50	1,99	C-E-D
5010100108000820	780 x 820	15	86	745	39-48	112-121	26-35	5	50	2,13	C-E-D
5010100108000875	780 x 880	16	86	745	39-48	112-121	26-35	5	50	2,27	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010100105001480		1783	6081	2318	7905
5010100105001535		1849	6306	2404	8197
5010100105001590		1915	6531	2490	8490
5010100105001645		1981	6756	2576	8783
5010100105001700		2047	6981	2662	9076
5010100105001755		2113	7207	2747	9368
5010100105001810		2179	7432	2833	9661
5010100105001865		2245	7657	2919	9954
5010100105001920		2311	7882	3005	10247
5010100105001975		2378	8107	3091	10540
5010100106000325		486	1657	632	2154
5010100106000380		567	1933	737	2514
5010100106000435		648	2210	842	2873
5010100106000490		729	2486	948	3232
5010100106000545		810	2762	1053	3591
5010100106000600		891	3038	1158	3950
5010100106000655		972	3315	1264	4309
5010100106000710		1053	3591	1369	4668
5010100106000765		1134	3867	1474	5027
5010100106000820		1215	4143	1580	5386
5010100106000875		1296	4419	1685	5745
5010100106000930		1377	4696	1790	6104
5010100106000985		1458	4972	1895	6463
5010100106001040		1539	5248	2001	6822
5010100106001095		1620	5524	2106	7181
5010100106001150		1701	5800	2211	7541
5010100106001205		1782	6077	2317	7900
5010100106001260		1863	6353	2422	8259
5010100106001315		1944	6629	2527	8618
5010100106001370		2025	6905	2633	8977
5010100106001425		2106	7181	2738	9336
5010100106001480		2187	7458	2843	9695
5010100106001535		2268	7734	2948	10054
5010100106001590		2349	8010	3054	10413
5010100106001645		2430	8286	3159	10772
5010100106001700		2511	8563	3264	11131
5010100106001755		2592	8839	3370	11490
5010100106001810		2673	9115	3475	11849
5010100106001865		2754	9391	3580	12208
5010100106001920		2835	9667	3686	12568
5010100106001975		2916	9944	3791	12927
5010100107000325		555	1892	721	2459
5010100107000380		647	2207	841	2869
5010100107000435		740	2522	962	3279
5010100107000490		832	2838	1082	3689
5010100107000545		925	3153	1202	4099
5010100107000600		1017	3468	1322	4509
5010100107000655		1110	3783	1442	4918
5010100107000710		1202	4099	1563	5328
5010100107000765		1294	4414	1683	5738
5010100107000820		1387	4729	1803	6148
5010100107000875		1479	5045	1923	6558
5010100107000930		1572	5360	2043	6968
5010100107000985		1664	5675	2164	7378
5010100107001040		1757	5990	2284	7788
5010100107001095		1849	6306	2404	8197
5010100107001150		1942	6621	2524	8607
5010100107001205		2034	6936	2644	9017
5010100107001260		2127	7252	2765	9427
5010100107001315		2219	7567	2885	9837
5010100107001370		2311	7882	3005	10247
5010100107001425		2404	8197	3125	10657
5010100107001480		2496	8513	3245	11067
5010100107001535		2589	8828	3366	11476
5010100107001590		2681	9143	3486	11886
5010100107001645		2774	9459	3606	12296
5010100107001700		2866	9774	3726	12706
5010100107001755		2959	10089	3846	13116
5010100107001810		3051	10404	3966	13526
5010100107001865		3144	10720	4087	13936
5010100108000325		620	2115	806	2750
5010100108000380		724	2468	941	3208
5010100108000435		827	2820	1075	3666
5010100108000490		930	3173	1210	4125
5010100108000545		1034	3525	1344	4583
5010100108000600		1137	3878	1478	5041
5010100108000655		1241	4231	1613	5500
5010100108000710		1344	4583	1747	5958
5010100108000765		1447	4936	1882	6416
5010100108000820		1551	5288	2016	6875
5010100108000875		1654	5641	2150	7333

ALBITE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010100108000930	780 x 930	17	86	745	39-48	112-121	26-35	5	50	2.42	C-E-D
5010100108000985	780 x 990	18	86	745	39-48	112-121	26-35	5	50	2.56	C-E-D
5010100108001040	780 x 1040	19	86	745	39-48	112-121	26-35	5	50	2.70	C-E-D
5010100108001095	780 x 1100	20	86	745	39-48	112-121	26-35	5	50	2.84	C-E-D
5010100108001150	780 x 1150	21	86	745	39-48	112-121	26-35	5	50	2.98	C-E-D
5010100108001205	780 x 1210	22	86	745	39-48	112-121	26-35	5	50	3.13	C-E-D
5010100108001260	780 x 1260	23	86	745	39-48	112-121	26-35	5	50	3.27	C-E-D
5010100108001315	780 x 1320	24	86	745	39-48	112-121	26-35	5	50	3.41	C-E-D
5010100108001370	780 x 1370	25	86	745	39-48	112-121	26-35	5	50	3.55	C-E-D
5010100108001425	780 x 1430	26	86	745	39-48	112-121	26-35	5	50	3.69	C
5010100108001480	780 x 1480	27	86	745	39-48	112-121	26-35	5	50	3.83	C
5010100108001535	780 x 1540	28	86	745	39-48	112-121	26-35	5	50	3.98	C
5010100108001590	780 x 1590	29	86	745	39-48	112-121	26-35	5	50	4.12	C
5010100108001645	780 x 1650	30	86	745	39-48	112-121	26-35	5	50	4.26	C
5010100108001700	780 x 1700	31	86	745	39-48	112-121	26-35	5	50	4.40	C
5010100108001755	780 x 1760	32	86	745	39-48	112-121	26-35	5	50	4.54	C
5010100108001810	780 x 1810	33	86	745	39-48	112-121	26-35	5	50	4.69	C
5010100108001865	780 x 1870	34	86	745	39-48	112-121	26-35	5	50	4.83	C
5010100109000325	880 x 330	6	86	845	39-48	112-121	26-35	5	50	0.94	C
5010100109000380	880 x 380	7	86	845	39-48	112-121	26-35	5	50	1.10	C
5010100109000435	880 x 440	8	86	845	39-48	112-121	26-35	5	50	1.25	C-E-D
5010100109000490	880 x 490	9	86	845	39-48	112-121	26-35	5	50	1.41	C-E-D
5010100109000545	880 x 550	10	86	845	39-48	112-121	26-35	5	50	1.56	C-E-D
5010100109000600	880 x 600	11	86	845	39-48	112-121	26-35	5	50	1.72	C-E-D
5010100109000655	880 x 660	12	86	845	39-48	112-121	26-35	5	50	1.88	C-E-D
5010100109000710	880 x 710	13	86	845	39-48	112-121	26-35	5	50	2.03	C-E-D
5010100109000765	880 x 770	14	86	845	39-48	112-121	26-35	5	50	2.19	C-E-D
5010100109000820	880 x 820	15	86	845	39-48	112-121	26-35	5	50	2.35	C-E-D
5010100109000875	880 x 880	16	86	845	39-48	112-121	26-35	5	50	2.50	C-E-D
5010100109000930	880 x 930	17	86	845	39-48	112-121	26-35	5	50	2.66	C-E-D
5010100109000985	880 x 990	18	86	845	39-48	112-121	26-35	5	50	2.81	C-E-D
5010100109001040	880 x 1040	19	86	845	39-48	112-121	26-35	5	50	2.97	C-E-D
5010100109001095	880 x 1100	20	86	845	39-48	112-121	26-35	5	50	3.13	C-E-D
5010100109001150	880 x 1150	21	86	845	39-48	112-121	26-35	5	50	3.28	C-E-D
5010100109001205	880 x 1210	22	86	845	39-48	112-121	26-35	5	50	3.44	C-E-D
5010100109001260	880 x 1260	23	86	845	39-48	112-121	26-35	5	50	3.60	C-E-D
5010100109001315	880 x 1320	24	86	845	39-48	112-121	26-35	5	50	3.75	C-E-D
5010100109001370	880 x 1370	25	86	845	39-48	112-121	26-35	5	50	3.91	C-E-D
5010100109001425	880 x 1430	26	86	845	39-48	112-121	26-35	5	50	4.06	C
5010100109001480	880 x 1480	27	86	845	39-48	112-121	26-35	5	50	4.22	C
5010100109001535	880 x 1540	28	86	845	39-48	112-121	26-35	5	50	4.38	C
5010100109001590	880 x 1590	29	86	845	39-48	112-121	26-35	5	50	4.53	C
5010100109001645	880 x 1650	30	86	845	39-48	112-121	26-35	5	50	4.69	C
5010100109001700	880 x 1700	31	86	845	39-48	112-121	26-35	5	50	4.85	C
5010100109001755	880 x 1760	32	86	845	39-48	112-121	26-35	5	50	5.00	C
5010100109001810	880 x 1810	33	86	845	39-48	112-121	26-35	5	50	5.16	C
5010100109001865	880 x 1870	34	86	845	39-48	112-121	26-35	5	50	5.31	C
5010100110000325	980 x 330	6	86	945	39-48	112-121	26-35	5	50	1.03	C
5010100110000380	980 x 380	7	86	945	39-48	112-121	26-35	5	50	1.20	C
5010100110000435	980 x 440	8	86	945	39-48	112-121	26-35	5	50	1.37	C-E-D
5010100110000490	980 x 490	9	86	945	39-48	112-121	26-35	5	50	1.54	C-E-D
5010100110000545	980 x 550	10	86	945	39-48	112-121	26-35	5	50	1.71	C-E-D
5010100110000600	980 x 600	11	86	945	39-48	112-121	26-35	5	50	1.88	C-E-D
5010100110000655	980 x 660	12	86	945	39-48	112-121	26-35	5	50	2.05	C-E-D
5010100110000710	980 x 710	13	86	945	39-48	112-121	26-35	5	50	2.22	C-E-D
5010100110000765	980 x 770	14	86	945	39-48	112-121	26-35	5	50	2.39	C-E-D
5010100110000820	980 x 820	15	86	945	39-48	112-121	26-35	5	50	2.56	C-E-D
5010100110000875	980 x 880	16	86	945	39-48	112-121	26-35	5	50	2.73	C-E-D
5010100110000930	980 x 930	17	86	945	39-48	112-121	26-35	5	50	2.90	C-E-D
5010100110000985	980 x 990	18	86	945	39-48	112-121	26-35	5	50	3.07	C-E-D
5010100110001040	980 x 1040	19	86	945	39-48	112-121	26-35	5	50	3.24	C-E-D
5010100110001095	980 x 1100	20	86	945	39-48	112-121	26-35	5	50	3.41	C-E-D
5010100110001150	980 x 1150	21	86	945	39-48	112-121	26-35	5	50	3.58	C-E-D
5010100110001205	980 x 1210	22	86	945	39-48	112-121	26-35	5	50	3.75	C-E-D
5010100110001260	980 x 1260	23	86	945	39-48	112-121	26-35	5	50	3.92	C-E-D
5010100110001315	980 x 1320	24	86	945	39-48	112-121	26-35	5	50	4.10	C-E-D
5010100110001370	980 x 1370	25	86	945	39-48	112-121	26-35	5	50	4.27	C-E-D
5010100110001425	980 x 1430	26	86	945	39-48	112-121	26-35	5	50	4.44	C
5010100110001480	980 x 1480	27	86	945	39-48	112-121	26-35	5	50	4.61	C
5010100110001535	980 x 1540	28	86	945	39-48	112-121	26-35	5	50	4.78	C
5010100110001590	980 x 1590	29	86	945	39-48	112-121	26-35	5	50	4.95	C
5010100110001645	980 x 1650	30	86	945	39-48	112-121	26-35	5	50	5.12	C
5010100110001700	980 x 1700	31	86	945	39-48	112-121	26-35	5	50	5.29	C
5010100110001755	980 x 1760	32	86	945	39-48	112-121	26-35	5	50	5.46	C
5010100110001810	980 x 1810	33	86	945	39-48	112-121	26-35	5	50	5.63	C
5010100110001865	980 x 1870	34	86	945	39-48	112-121	26-35	5	50	5.80	C
5010100112000325	1180 x 330	6	86	1145	39-48	112-121	26-35	5	50	1.20	C
5010100112000380	1180 x 380	7	86	1145	39-48	112-121	26-35	5	50	1.40	C
5010100112000435	1180 x 440	8	86	1145	39-48	112-121	26-35	5	50	1.60	C-E-D
5010100112000490	1180 x 490	9	86	1145	39-48	112-121	26-35	5	50	1.79	C-E-D
5010100112000545	1180 x 550	10	86	1145	39-48	112-121	26-35	5	50	1.99	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010100108000930		1758	5993	2285	7791
5010100108000985		1861	6346	2419	8250
5010100108001040		1964	6698	2554	8708
5010100108001095		2068	7051	2688	9166
5010100108001150		2171	7403	2822	9624
5010100108001205		2274	7756	2957	10083
5010100108001260		2378	8109	3091	10541
5010100108001315		2481	8461	3226	10999
5010100108001370		2585	8814	3360	11458
5010100108001425		2688	9166	3494	11916
5010100108001480		2791	9519	3629	12374
5010100108001535		2895	9871	3763	12833
5010100108001590		2998	10224	3898	13291
5010100108001645		3102	10576	4032	13749
5010100108001700		3205	10929	4166	14207
5010100108001755		3308	11281	4301	14666
5010100108001810		3412	11634	4435	15124
5010100108001865		3515	11986	4570	15582
5010100109000325		683	2328	888	3027
5010100109000380		797	2716	1036	3531
5010100109000435		910	3104	1183	4036
5010100109000490		1024	3492	1331	4540
5010100109000545		1138	3880	1479	5045
5010100109000600		1252	4269	1627	5549
5010100109000655		1366	4657	1775	6054
5010100109000710		1479	5045	1923	6558
5010100109000765		1593	5433	2071	7062
5010100109000820		1707	5821	2219	7567
5010100109000875		1821	6209	2367	8071
5010100109000930		1935	6597	2515	8576
5010100109000985		2048	6985	2663	9080
5010100109001040		2162	7373	2811	9585
5010100109001095		2276	7761	2959	10089
5010100109001150		2390	8149	3107	10594
5010100109001205		2504	8537	3255	11098
5010100109001260		2617	8925	3402	11603
5010100109001315		2731	9313	3550	12107
5010100109001370		2845	9701	3698	12611
5010100109001425		2959	10089	3846	13116
5010100109001480		3072	10477	3994	13620
5010100109001535		3186	10865	4142	14125
5010100109001590		3300	11253	4290	14629
5010100109001645		3414	11641	4438	15134
5010100109001700		3528	12029	4586	15638
5010100109001755		3641	12417	4734	16143
5010100109001810		3755	12805	4882	16647
5010100109001865		3869	13194	5030	17152
5010100110000325		742	2531	965	3290
5010100110000380		866	2953	1126	3839
5010100110000435		990	3375	1287	4387
5010100110000490		1113	3797	1447	4936
5010100110000545		1237	4218	1608	5484
5010100110000600		1361	4640	1769	6032
5010100110000655		1485	5062	1930	6581
5010100110000710		1608	5484	2091	7129
5010100110000765		1732	5906	2252	7678
5010100110000820		1856	6328	2412	8226
5010100110000875		1979	6750	2573	8774
5010100110000930		2103	7171	2734	9323
5010100110000985		2227	7593	2895	9871
5010100110001040		2350	8015	3056	10420
5010100110001095		2474	8437	3216	10968
5010100110001150		2598	8859	3377	11516
5010100110001205		2722	9281	3538	12065
5010100110001260		2845	9702	3699	12613
5010100110001315		2969	10124	3860	13162
5010100110001370		3093	10546	4021	13710
5010100110001425		3216	10968	4181	14258
5010100110001480		3340	11390	4342	14807
5010100110001535		3464	11812	4503	15355
5010100110001590		3588	12234	4664	15904
5010100110001645		3711	12655	4825	16452
5010100110001700		3835	13077	4985	17000
5010100110001755		3959	13499	5146	17549
5010100110001810		4082	13921	5307	18097
5010100110001865		4206	14343	5468	18646
5010100112000325		852	2906	1108	3778
5010100112000380		994	3390	1293	4408
5010100112000435		1136	3875	1477	5037
5010100112000490		1278	4359	1662	5667
5010100112000545		1420	4844	1846	6297

ALBITE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010100112000600	1180 x 600	11	86	1145	39-48	112-121	26-35	5	50	2,19	C-E-D
5010100112000655	1180 x 660	12	86	1145	39-48	112-121	26-35	5	50	2,39	C-E-D
5010100112000710	1180 x 710	13	86	1145	39-48	112-121	26-35	5	50	2,59	C-E-D
5010100112000765	1180 x 770	14	86	1145	39-48	112-121	26-35	5	50	2,79	C-E-D
5010100112000820	1180 x 820	15	86	1145	39-48	112-121	26-35	5	50	2,99	C-E-D
5010100112000875	1180 x 880	16	86	1145	39-48	112-121	26-35	5	50	3,19	C-E-D
5010100112000930	1180 x 930	17	86	1145	39-48	112-121	26-35	5	50	3,39	C-E-D
5010100112000985	1180 x 990	18	86	1145	39-48	112-121	26-35	5	50	3,59	C-E-D
5010100112001040	1180 x 1040	19	86	1145	39-48	112-121	26-35	5	50	3,79	C-E-D
5010100112001095	1180 x 1100	20	86	1145	39-48	112-121	26-35	5	50	3,99	C-E-D
5010100112001150	1180 x 1150	21	86	1145	39-48	112-121	26-35	5	50	4,18	C-E-D
5010100112001205	1180 x 1210	22	86	1145	39-48	112-121	26-35	5	50	4,38	C-E-D
5010100112001260	1180 x 1260	23	86	1145	39-48	112-121	26-35	5	50	4,58	C-E-D
5010100112001315	1180 x 1320	24	86	1145	39-48	112-121	26-35	5	50	4,78	C-E-D
5010100112001370	1180 x 1370	25	86	1145	39-48	112-121	26-35	5	50	4,98	C-E-D
5010100112001425	1180 x 1430	26	86	1145	39-48	112-121	26-35	5	50	5,18	C
5010100112001480	1180 x 1480	27	86	1145	39-48	112-121	26-35	5	50	5,38	C
5010100114000325	1380 x 330	6	86	1345	39-48	112-121	26-35	5	50	1,37	C
5010100114000380	1380 x 380	7	86	1345	39-48	112-121	26-35	5	50	1,60	C
5010100114000435	1380 x 440	8	86	1345	39-48	112-121	26-35	5	50	1,82	C-E-D
5010100114000490	1380 x 490	9	86	1345	39-48	112-121	26-35	5	50	2,05	C-E-D
5010100114000545	1380 x 550	10	86	1345	39-48	112-121	26-35	5	50	2,28	C-E-D
5010100114000600	1380 x 600	11	86	1345	39-48	112-121	26-35	5	50	2,51	C-E-D
5010100114000655	1380 x 660	12	86	1345	39-48	112-121	26-35	5	50	2,74	C-E-D
5010100114000710	1380 x 710	13	86	1345	39-48	112-121	26-35	5	50	2,96	C-E-D
5010100114000765	1380 x 770	14	86	1345	39-48	112-121	26-35	5	50	3,19	C-E-D
5010100114000820	1380 x 820	15	86	1345	39-48	112-121	26-35	5	50	3,42	C-E-D
5010100114000875	1380 x 880	16	86	1345	39-48	112-121	26-35	5	50	3,65	C-E-D
5010100114000930	1380 x 930	17	86	1345	39-48	112-121	26-35	5	50	3,87	C-E-D
5010100114000985	1380 x 990	18	86	1345	39-48	112-121	26-35	5	50	4,10	C-E-D
5010100114001040	1380 x 1040	19	86	1345	39-48	112-121	26-35	5	50	4,33	C-E-D
5010100114001095	1380 x 1100	20	86	1345	39-48	112-121	26-35	5	50	4,56	C-E-D
5010100114001150	1380 x 1150	21	86	1345	39-48	112-121	26-35	5	50	4,79	C-E-D
5010100114001205	1380 x 1210	22	86	1345	39-48	112-121	26-35	5	50	5,01	C-E-D
5010100114001260	1380 x 1260	23	86	1345	39-48	112-121	26-35	5	50	5,24	C-E-D
5010100114001315	1380 x 1320	24	86	1345	39-48	112-121	26-35	5	50	5,47	C-E-D
5010100116000325	1580 x 330	6	86	1545	39-48	112-121	26-35	5	50	1,54	C
5010100116000380	1580 x 380	7	86	1545	39-48	112-121	26-35	5	50	1,80	C
5010100116000435	1580 x 440	8	86	1545	39-48	112-121	26-35	5	50	2,05	C-E-D
5010100116000490	1580 x 490	9	86	1545	39-48	112-121	26-35	5	50	2,31	C-E-D
5010100116000545	1580 x 550	10	86	1545	39-48	112-121	26-35	5	50	2,57	C-E-D
5010100116000600	1580 x 600	11	86	1545	39-48	112-121	26-35	5	50	2,82	C-E-D
5010100116000655	1580 x 660	12	86	1545	39-48	112-121	26-35	5	50	3,08	C-E-D
5010100116000710	1580 x 710	13	86	1545	39-48	112-121	26-35	5	50	3,33	C-E-D
5010100116000765	1580 x 770	14	86	1545	39-48	112-121	26-35	5	50	3,59	C-E-D
5010100116000820	1580 x 820	15	86	1545	39-48	112-121	26-35	5	50	3,85	C-E-D
5010100116000875	1580 x 880	16	86	1545	39-48	112-121	26-35	5	50	4,10	C-E-D
5010100116000930	1580 x 930	17	86	1545	39-48	112-121	26-35	5	50	4,36	C-E-D
5010100116000985	1580 x 990	18	86	1545	39-48	112-121	26-35	5	50	4,62	C-E-D
5010100116001040	1580 x 1040	19	86	1545	39-48	112-121	26-35	5	50	4,87	C-E-D
5010100118000325	1780 x 330	6	86	1745	39-48	112-121	26-35	5	50	1,71	C
5010100118000380	1780 x 380	7	86	1745	39-48	112-121	26-35	5	50	2,00	C
5010100118000435	1780 x 440	8	86	1745	39-48	112-121	26-35	5	50	2,28	C-E-D
5010100118000490	1780 x 490	9	86	1745	39-48	112-121	26-35	5	50	2,57	C-E-D
5010100118000545	1780 x 550	10	86	1745	39-48	112-121	26-35	5	50	2,85	C-E-D
5010100118000600	1780 x 600	11	86	1745	39-48	112-121	26-35	5	50	3,14	C-E-D
5010100118000655	1780 x 660	12	86	1745	39-48	112-121	26-35	5	50	3,42	C-E-D
5010100118000710	1780 x 710	13	86	1745	39-48	112-121	26-35	5	50	3,71	C-E-D
5010100118000765	1780 x 770	14	86	1745	39-48	112-121	26-35	5	50	3,99	C-E-D
5010100118000820	1780 x 820	15	86	1745	39-48	112-121	26-35	5	50	4,28	C-E-D
5010100118000875	1780 x 880	16	86	1745	39-48	112-121	26-35	5	50	4,56	C-E-D
5010100118000930	1780 x 930	17	86	1745	39-48	112-121	26-35	5	50	4,85	C-E-D
5010100118000985	1780 x 990	18	86	1745	39-48	112-121	26-35	5	50	5,13	C-E-D
5010100118001040	1780 x 1040	19	86	1745	39-48	112-121	26-35	5	50	5,42	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010100112000600	1562	5328	2031	6926	
5010100112000655	1704	5812	2216	7556	
5010100112000710	1846	6297	2400	8185	
5010100112000765	1989	6781	2585	8815	
5010100112000820	2131	7265	2770	9445	
5010100112000875	2273	7750	2954	10074	
5010100112000930	2415	8234	3139	10704	
5010100112000985	2557	8718	3324	11334	
5010100112001040	2699	9203	3508	11963	
5010100112001095	2841	9687	3693	12593	
5010100112001150	2983	10171	3878	13223	
5010100112001205	3125	10656	4062	13852	
5010100112001260	3267	11140	4247	14482	
5010100112001315	3409	11624	4432	15112	
5010100112001370	3551	12109	4616	15741	
5010100112001425	3693	12593	4801	16371	
5010100112001480	3835	13077	4986	17001	
5010100114000325	978	3337	1272	4338	
5010100114000380	1142	3893	1484	5061	
5010100114000435	1305	4449	1696	5784	
5010100114000490	1468	5005	1908	6506	
5010100114000545	1631	5561	2120	7229	
5010100114000600	1794	6117	2332	7952	
5010100114000655	1957	6673	2544	8675	
5010100114000710	2120	7229	2756	9398	
5010100114000765	2283	7786	2968	10121	
5010100114000820	2446	8342	3180	10844	
5010100114000875	2609	8898	3392	11567	
5010100114000930	2772	9454	3604	12290	
5010100114000985	2935	10010	3816	13013	
5010100114001040	3099	10566	4028	13736	
5010100114001095	3262	11122	4240	14459	
5010100114001150	3425	11678	4452	15182	
5010100114001205	3588	12234	4664	15905	
5010100114001260	3751	12791	4876	16628	
5010100114001315	3914	13347	5088	17351	
5010100116000325	1123	3831	1461	4980	
5010100116000380	1311	4470	1704	5810	
5010100116000435	1498	5108	1947	6640	
5010100116000490	1685	5747	2191	7470	
5010100116000545	1872	6385	2434	8301	
5010100116000600	2060	7024	2678	9131	
5010100116000655	2247	7662	2921	9961	
5010100116000710	2434	8301	3164	10791	
5010100116000765	2621	8939	3408	11621	
5010100116000820	2809	9578	3651	12451	
5010100116000875	2996	10216	3895	13281	
5010100116000930	3183	10855	4138	14111	
5010100116000985	3370	11493	4382	14941	
5010100116001040	3558	12132	4625	15771	
5010100118000325	1290	4399	1677	5718	
5010100118000380	1505	5132	1956	6671	
5010100118000435	1720	5865	2236	7624	
5010100118000490	1935	6598	2515	8577	
5010100118000545	2150	7331	2795	9530	
5010100118000600	2365	8064	3074	10483	
5010100118000655	2580	8797	3354	11436	
5010100118000710	2795	9530	3633	12389	
5010100118000765	3010	10263	3913	13342	
5010100118000820	3225	10997	4192	14295	
5010100118000875	3440	11730	4472	15249	
5010100118000930	3655	12463	4751	16202	
5010100118000985	3870	13196	5031	17155	
5010100118001040	4085	13929	5310	18108	