

BESTO XL

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101003000300	300 x 300	3	85	245	62-71	111-120	26-35	5	92	0,30	C
5010101003000400	300 x 400	4	85	245	62-71	111-120	26-35	5	92	0,40	C-E-D
5010101003000500	300 x 500	5	85	245	62-71	111-120	26-35	5	92	0,50	C-E-D
5010101003000600	300 x 600	6	85	245	62-71	111-120	26-35	5	92	0,60	C-E-D
5010101003000700	300 x 700	7	85	245	62-71	111-120	26-35	5	92	0,70	C-E-D
5010101003000800	300 x 800	8	85	245	62-71	111-120	26-35	5	92	0,80	C-E-D
5010101003000900	300 x 900	9	85	245	62-71	111-120	26-35	5	92	0,90	C-E-D
5010101003001000	300 x 1000	10	85	245	62-71	111-120	26-35	5	92	1,00	C-E-D
5010101003001100	300 x 1100	11	85	245	62-71	111-120	26-35	5	92	1,10	C-E-D
5010101003001200	300 x 1200	12	85	245	62-71	111-120	26-35	5	92	1,20	C-E-D
5010101003001300	300 x 1300	13	85	245	62-71	111-120	26-35	5	92	1,30	C-E-D
5010101003001400	300 x 1400	14	85	245	62-71	111-120	26-35	5	92	1,40	C-E-D
5010101003001500	300 x 1500	15	85	245	62-71	111-120	26-35	5	92	1,50	C
5010101003001600	300 x 1600	16	85	245	62-71	111-120	26-35	5	92	1,60	C
5010101003001700	300 x 1700	17	85	245	62-71	111-120	26-35	5	92	1,70	C
5010101003001800	300 x 1800	18	85	245	62-71	111-120	26-35	5	92	1,80	C
5010101003001900	300 x 1900	19	85	245	62-71	111-120	26-35	5	92	1,90	C
5010101004000300	400 x 300	3	85	345	62-71	111-120	26-35	5	92	0,35	C
5010101004000400	400 x 400	4	85	345	62-71	111-120	26-35	5	92	0,46	C-E-D
5010101004000500	400 x 500	5	85	345	62-71	111-120	26-35	5	92	0,57	C-E-D
5010101004000600	400 x 600	6	85	345	62-71	111-120	26-35	5	92	0,69	C-E-D
5010101004000700	400 x 700	7	85	345	62-71	111-120	26-35	5	92	0,80	C-E-D
5010101004000800	400 x 800	8	85	345	62-71	111-120	26-35	5	92	0,92	C-E-D
5010101004000900	400 x 900	9	85	345	62-71	111-120	26-35	5	92	1,03	C-E-D
5010101004001000	400 x 1000	10	85	345	62-71	111-120	26-35	5	92	1,14	C-E-D
5010101004001100	400 x 1100	11	85	345	62-71	111-120	26-35	5	92	1,26	C-E-D
5010101004001200	400 x 1200	12	85	345	62-71	111-120	26-35	5	92	1,37	C-E-D
5010101004001300	400 x 1300	13	85	345	62-71	111-120	26-35	5	92	1,48	C-E-D
5010101004001400	400 x 1400	14	85	345	62-71	111-120	26-35	5	92	1,60	C-E-D
5010101004001500	400 x 1500	15	85	345	62-71	111-120	26-35	5	92	1,71	C
5010101004001600	400 x 1600	16	85	345	62-71	111-120	26-35	5	92	1,83	C
5010101004001700	400 x 1700	17	85	345	62-71	111-120	26-35	5	92	1,94	C
5010101004001800	400 x 1800	18	85	345	62-71	111-120	26-35	5	92	2,05	C
5010101004001900	400 x 1900	19	85	345	62-71	111-120	26-35	5	92	2,17	C
5010101005000300	500 x 300	3	85	445	62-71	111-120	26-35	5	92	0,39	C
5010101005000400	500 x 400	4	85	445	62-71	111-120	26-35	5	92	0,52	C-E-D
5010101005000500	500 x 500	5	85	445	62-71	111-120	26-35	5	92	0,65	C-E-D
5010101005000600	500 x 600	6	85	445	62-71	111-120	26-35	5	92	0,77	C-E-D
5010101005000700	500 x 700	7	85	445	62-71	111-120	26-35	5	92	0,90	C-E-D
5010101005000800	500 x 800	8	85	445	62-71	111-120	26-35	5	92	1,03	C-E-D
5010101005000900	500 x 900	9	85	445	62-71	111-120	26-35	5	92	1,16	C-E-D
5010101005001000	500 x 1000	10	85	445	62-71	111-120	26-35	5	92	1,29	C-E-D
5010101005001100	500 x 1100	11	85	445	62-71	111-120	26-35	5	92	1,41	C-E-D
5010101005001200	500 x 1200	12	85	445	62-71	111-120	26-35	5	92	1,54	C-E-D
5010101005001300	500 x 1300	13	85	445	62-71	111-120	26-35	5	92	1,67	C-E-D
5010101005001400	500 x 1400	14	85	445	62-71	111-120	26-35	5	92	1,80	C-E-D
5010101005001500	500 x 1500	15	85	445	62-71	111-120	26-35	5	92	1,93	C
5010101005001600	500 x 1600	16	85	445	62-71	111-120	26-35	5	92	2,05	C
5010101005001700	500 x 1700	17	85	445	62-71	111-120	26-35	5	92	2,18	C
5010101005001800	500 x 1800	18	85	445	62-71	111-120	26-35	5	92	2,31	C
5010101005001900	500 x 1900	19	85	445	62-71	111-120	26-35	5	92	2,44	C
5010101006000300	600 x 300	3	85	545	62-71	111-120	26-35	5	92	0,43	C
5010101006000400	600 x 400	4	85	545	62-71	111-120	26-35	5	92	0,57	C-E-D
5010101006000500	600 x 500	5	85	545	62-71	111-120	26-35	5	92	0,72	C-E-D
5010101006000600	600 x 600	6	85	545	62-71	111-120	26-35	5	92	0,86	C-E-D
5010101006000700	600 x 700	7	85	545	62-71	111-120	26-35	5	92	1,00	C-E-D
5010101006000800	600 x 800	8	85	545	62-71	111-120	26-35	5	92	1,14	C-E-D
5010101006000900	600 x 900	9	85	545	62-71	111-120	26-35	5	92	1,29	C-E-D
5010101006001000	600 x 1000	10	85	545	62-71	111-120	26-35	5	92	1,43	C-E-D
5010101006001100	600 x 1100	11	85	545	62-71	111-120	26-35	5	92	1,57	C-E-D
5010101006001200	600 x 1200	12	85	545	62-71	111-120	26-35	5	92	1,71	C-E-D
5010101006001300	600 x 1300	13	85	545	62-71	111-120	26-35	5	92	1,86	C-E-D
5010101006001400	600 x 1400	14	85	545	62-71	111-120	26-35	5	92	2,00	C-E-D
5010101006001500	600 x 1500	15	85	545	62-71	111-120	26-35	5	92	2,14	C
5010101006001600	600 x 1600	16	85	545	62-71	111-120	26-35	5	92	2,28	C
5010101006001700	600 x 1700	17	85	545	62-71	111-120	26-35	5	92	2,43	C
5010101006001800	600 x 1800	18	85	545	62-71	111-120	26-35	5	92	2,57	C
5010101006001900	600 x 1900	19	85	545	62-71	111-120	26-35	5	92	2,71	C
5010101007000300	700 x 300	3	85	645	62-71	111-120	26-35	5	92	0,48	C
5010101007000400	700 x 400	4	85	645	62-71	111-120	26-35	5	92	0,63	C-E-D
5010101007000500	700 x 500	5	85	645	62-71	111-120	26-35	5	92	0,79	C-E-D
5010101007000600	700 x 600	6	85	645	62-71	111-120	26-35	5	92	0,95	C-E-D
5010101007000700	700 x 700	7	85	645	62-71	111-120	26-35	5	92	1,10	C-E-D
5010101007000800	700 x 800	8	85	645	62-71	111-120	26-35	5	92	1,26	C-E-D
5010101007000900	700 x 900	9	85	645	62-71	111-120	26-35	5	92	1,42	C-E-D
5010101007001000	700 x 1000	10	85	645	62-71	111-120	26-35	5	92	1,57	C-E-D
5010101007001100	700 x 1100	11	85	645	62-71	111-120	26-35	5	92	1,73	C-E-D
5010101007001200	700 x 1200	12	85	645	62-71	111-120	26-35	5	92	1,89	C-E-D
5010101007001300	700 x 1300	13	85	645	62-71	111-120	26-35	5	92	2,04	C-E-D
5010101007001400	700 x 1400	14	85	645	62-71	111-120	26-35	5	92	2,20	C-E-D
5010101007001500	700 x 1500	15	85	645	62-71	111-120	26-35	5	92	2,36	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101003000300	16	56	21	72
5010101003000400	22	74	28	96
5010101003000500	27	93	35	120
5010101003000600	33	111	42	144
5010101003000700	38	130	49	168
5010101003000800	43	148	56	193
5010101003000900	49	167	64	217
5010101003001000	54	185	71	241
5010101003001100	60	204	78	265
5010101003001200	65	222	85	289
5010101003001300	71	241	92	313
5010101003001400	76	259	99	337
5010101003001500	81	278	106	361
5010101003001600	87	296	113	385
5010101003001700	92	315	120	409
5010101003001800	98	333	127	433
5010101003001900	103	352	134	457
5010101004000300	22	76	29	98
5010101004000400	30	101	38	131
5010101004000500	37	126	48	164
5010101004000600	44	151	58	197
5010101004000700	52	176	67	229
5010101004000800	59	202	77	262
5010101004000900	67	227	86	295
5010101004001000	74	252	96	328
5010101004001100	81	277	106	360
5010101004001200	89	302	115	393
5010101004001300	96	328	125	426
5010101004001400	103	353	134	459
5010101004001500	111	378	144	491
5010101004001600	118	403	154	524
5010101004001700	126	428	163	557
5010101004001800	133	454	173	590
5010101004001900	140	479	183	622
5010101005000300	28	97	37	126
5010101005000400	38	129	49	168
5010101005000500	47	161	61	209
5010101005000600	57	193	74	251
5010101005000700	66	226	86	293
5010101005000800	76	258	98	335
5010101005000900	85	290	111	377
5010101005001000	95	322	123	419
5010101005001100	104	354	135	461
5010101005001200	113	387	147	503
5010101005001300	123	419	160	545
5010101005001400	132	451	172	586
5010101005001500	142	483	184	628
5010101005001600	151	516	197	670
5010101005001700	161	548	209	712
5010101005001800	170	580	221	754
5010101005001900	180	612	233	796
5010101006000300	35	118	45	154
5010101006000400	46	158	60	205
5010101006000500	58	197	75	257
5010101006000600	69	237	90	308
5010101006000700	81	276	105	359
5010101006000800	93	316	120	411
5010101006000900	104	355	135	462
5010101006001000	116	395	151	513
5010101006001100	127	434	166	565
5010101006001200	139	474	181	616
5010101006001300	151	513	196	667
5010101006001400	162	553	211	719
5010101006001500	174	592	226	770
5010101006001600	185	632	241	821
5010101006001700	197	671	256	873
5010101006001800	208	711	271	924
5010101006001900	220	750	286	975
5010101007000300	40	135	52	176
5010101007000400	53	180	69	234
5010101007000500	66	225	86	293
5010101007000600	79	270	103	352
5010101007000700	93	316	120	410
5010101007000800	106	361	137	469
5010101007000900	119	406	155	527
5010101007001000	132	451	172	586
5010101007001100	145	496	189	645
5010101007001200	159	541	206	703
5010101007001300	172	586	223	762
5010101007001400	185	631	241	820
5010101007001500	198	676	258	879

BESTO XL

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101007001600	700 x 1600	16	85	645	62-71	111-120	26-35	5	92	2.51	C
5010101007001700	700 x 1700	17	85	645	62-71	111-120	26-35	5	92	2.67	C
5010101007001800	700 x 1800	18	85	645	62-71	111-120	26-35	5	92	2.83	C
5010101007001900	700 x 1900	19	85	645	62-71	111-120	26-35	5	92	2.98	C
5010101008000400	800 x 400	4	85	745	62-71	111-120	26-35	5	92	0.69	C-E-D
5010101008000500	800 x 500	5	85	745	62-71	111-120	26-35	5	92	0.86	C-E-D
5010101008000600	800 x 600	6	85	745	62-71	111-120	26-35	5	92	1.03	C-E-D
5010101008000700	800 x 700	7	85	745	62-71	111-120	26-35	5	92	1.20	C-E-D
5010101008000800	800 x 800	8	85	745	62-71	111-120	26-35	5	92	1.37	C-E-D
5010101008000900	800 x 900	9	85	745	62-71	111-120	26-35	5	92	1.54	C-E-D
5010101008001000	800 x 1000	10	85	745	62-71	111-120	26-35	5	92	1.71	C-E-D
5010101008001100	800 x 1100	11	85	745	62-71	111-120	26-35	5	92	1.89	C-E-D
5010101008001200	800 x 1200	12	85	745	62-71	111-120	26-35	5	92	2.06	C-E-D
5010101008001300	800 x 1300	13	85	745	62-71	111-120	26-35	5	92	2.23	C-E-D
5010101008001400	800 x 1400	14	85	745	62-71	111-120	26-35	5	92	2.40	C-E-D
5010101008001500	800 x 1500	15	85	745	62-71	111-120	26-35	5	92	2.57	C
5010101008001600	800 x 1600	16	85	745	62-71	111-120	26-35	5	92	2.74	C
5010101008001700	800 x 1700	17	85	745	62-71	111-120	26-35	5	92	2.91	C
5010101008001800	800 x 1800	18	85	745	62-71	111-120	26-35	5	92	3.08	C
5010101008001900	800 x 1900	19	85	745	62-71	111-120	26-35	5	92	3.25	C
5010101009000300	900 x 300	3	85	845	62-71	111-120	26-35	5	92	0.56	C
5010101009000400	900 x 400	4	85	845	62-71	111-120	26-35	5	92	0.75	C-E-D
5010101009000500	900 x 500	5	85	845	62-71	111-120	26-35	5	92	0.93	C-E-D
5010101009000600	900 x 600	6	85	845	62-71	111-120	26-35	5	92	1.12	C-E-D
5010101009000700	900 x 700	7	85	845	62-71	111-120	26-35	5	92	1.30	C-E-D
5010101009000800	900 x 800	8	85	845	62-71	111-120	26-35	5	92	1.49	C-E-D
5010101009000900	900 x 900	9	85	845	62-71	111-120	26-35	5	92	1.67	C-E-D
5010101009001000	900 x 1000	10	85	845	62-71	111-120	26-35	5	92	1.86	C-E-D
5010101009001100	900 x 1100	11	85	845	62-71	111-120	26-35	5	92	2.04	C-E-D
5010101009001200	900 x 1200	12	85	845	62-71	111-120	26-35	5	92	2.23	C-E-D
5010101009001300	900 x 1300	13	85	845	62-71	111-120	26-35	5	92	2.41	C-E-D
5010101009001400	900 x 1400	14	85	845	62-71	111-120	26-35	5	92	2.60	C-E-D
5010101009001500	900 x 1500	15	85	845	62-71	111-120	26-35	5	92	2.78	C
5010101009001600	900 x 1600	16	85	845	62-71	111-120	26-35	5	92	2.97	C
5010101009001700	900 x 1700	17	85	845	62-71	111-120	26-35	5	92	3.16	C
5010101009001800	900 x 1800	18	85	845	62-71	111-120	26-35	5	92	3.34	C
5010101009001900	900 x 1900	19	85	845	62-71	111-120	26-35	5	92	3.53	C
5010101010000300	1000 x 300	3	85	945	62-71	111-120	26-35	5	92	0.60	C
5010101010000400	1000 x 400	4	85	945	62-71	111-120	26-35	5	92	0.80	C-E-D
5010101010000500	1000 x 500	5	85	945	62-71	111-120	26-35	5	92	1.00	C-E-D
5010101010000600	1000 x 600	6	85	945	62-71	111-120	26-35	5	92	1.20	C-E-D
5010101010000700	1000 x 700	7	85	945	62-71	111-120	26-35	5	92	1.40	C-E-D
5010101010000800	1000 x 800	8	85	945	62-71	111-120	26-35	5	92	1.60	C-E-D
5010101010000900	1000 x 900	9	85	945	62-71	111-120	26-35	5	92	1.80	C-E-D
5010101010001000	1000 x 1000	10	85	945	62-71	111-120	26-35	5	92	2.00	C-E-D
5010101010001100	1000 x 1100	11	85	945	62-71	111-120	26-35	5	92	2.20	C-E-D
5010101010001200	1000 x 1200	12	85	945	62-71	111-120	26-35	5	92	2.40	C-E-D
5010101010001300	1000 x 1300	13	85	945	62-71	111-120	26-35	5	92	2.60	C-E-D
5010101010001400	1000 x 1400	14	85	945	62-71	111-120	26-35	5	92	2.80	C-E-D
5010101010001500	1000 x 1500	15	85	945	62-71	111-120	26-35	5	92	3.00	C
5010101010001600	1000 x 1600	16	85	945	62-71	111-120	26-35	5	92	3.20	C
5010101010001700	1000 x 1700	17	85	945	62-71	111-120	26-35	5	92	3.40	C
5010101010001800	1000 x 1800	18	85	945	62-71	111-120	26-35	5	92	3.60	C
5010101010001900	1000 x 1900	19	85	945	62-71	111-120	26-35	5	92	3.80	C
5010101012000300	1200 x 300	3	85	1145	62-71	111-120	26-35	5	92	0.69	C
5010101012000400	1200 x 400	4	85	1145	62-71	111-120	26-35	5	92	0.92	C-E-D
5010101012000500	1200 x 500	5	85	1145	62-71	111-120	26-35	5	92	1.15	C-E-D
5010101012000600	1200 x 600	6	85	1145	62-71	111-120	26-35	5	92	1.37	C-E-D
5010101012000700	1200 x 700	7	85	1145	62-71	111-120	26-35	5	92	1.60	C-E-D
5010101012000800	1200 x 800	8	85	1145	62-71	111-120	26-35	5	92	1.83	C-E-D
5010101012000900	1200 x 900	9	85	1145	62-71	111-120	26-35	5	92	2.06	C-E-D
5010101012001000	1200 x 1000	10	85	1145	62-71	111-120	26-35	5	92	2.29	C-E-D
5010101012001100	1200 x 1100	11	85	1145	62-71	111-120	26-35	5	92	2.52	C-E-D
5010101012001200	1200 x 1200	12	85	1145	62-71	111-120	26-35	5	92	2.74	C-E-D
5010101012001300	1200 x 1300	13	85	1145	62-71	111-120	26-35	5	92	2.97	C-E-D
5010101012001400	1200 x 1400	14	85	1145	62-71	111-120	26-35	5	92	3.20	C-E-D
5010101012001500	1200 x 1500	15	85	1145	62-71	111-120	26-35	5	92	3.43	C
5010101012001600	1200 x 1600	16	85	1145	62-71	111-120	26-35	5	92	3.66	C
5010101012001700	1200 x 1700	17	85	1145	62-71	111-120	26-35	5	92	3.88	C
5010101012001800	1200 x 1800	18	85	1145	62-71	111-120	26-35	5	92	4.11	C
5010101014000300	1400 x 300	3	85	1345	62-71	111-120	26-35	5	92	0.78	C
5010101014000400	1400 x 400	4	85	1345	62-71	111-120	26-35	5	92	1.03	C-E-D
5010101014000500	1400 x 500	5	85	1345	62-71	111-120	26-35	5	92	1.29	C-E-D
5010101014000600	1400 x 600	6	85	1345	62-71	111-120	26-35	5	92	1.55	C-E-D
5010101014000700	1400 x 700	7	85	1345	62-71	111-120	26-35	5	92	1.80	C-E-D
5010101014000800	1400 x 800	8	85	1345	62-71	111-120	26-35	5	92	2.06	C-E-D
5010101014000900	1400 x 900	9	85	1345	62-71	111-120	26-35	5	92	2.32	C-E-D
5010101014001000	1400 x 1000	10	85	1345	62-71	111-120	26-35	5	92	2.57	C-E-D
5010101014001100	1400 x 1100	11	85	1345	62-71	111-120	26-35	5	92	2.83	C-E-D
5010101014001200	1400 x 1200	12	85	1345	62-71	111-120	26-35	5	92	3.09	C-E-D
5010101014001300	1400 x 1300	13	85	1345	62-71	111-120	26-35	5	92	3.34	C-E-D

HEAT OUTPUTS INFORMATION


MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010101007001600	212	721	275	938
5010101007001700	225	766	292	996
5010101007001800	238	811	309	1055
5010101007001900	251	857	327	1113
5010101008000400	59	202	77	262
5010101008000500	74	252	96	328
5010101008000600	89	302	115	393
5010101008000700	103	353	134	459
5010101008000800	118	403	154	524
5010101008000900	133	454	173	590
5010101008001000	148	504	192	655
5010101008001100	163	554	211	721
5010101008001200	177	605	231	786
5010101008001300	192	655	250	852
5010101008001400	207	706	269	917
5010101008001500	222	756	288	983
5010101008001600	236	806	307	1048
5010101008001700	251	857	327	1114
5010101008001800	266	907	346	1179
5010101008001900	281	958	365	1245
5010101009000300	49	166	63	216
5010101009000400	65	222	85	288
5010101009000500	81	277	106	361
5010101009000600	98	333	127	433
5010101009000700	114	388	148	505
5010101009000800	130	444	169	577
5010101009000900	146	499	190	649
5010101009001000	163	555	212	721
5010101009001100	179	610	233	793
5010101009001200	195	666	254	865
5010101009001300	212	721	275	938
5010101009001400	228	777	296	1010
5010101009001500	244	832	317	1082
5010101009001600	260	888	338	1154
5010101009001700	277	943	360	1226
5010101009001800	293	999	381	1298
5010101009001900	309	1054	402	1370
5010101010000300	53	181	69	235
5010101010000400	71	241	92	314
5010101010000500	88	302	115	392
5010101010000600	106	362	138	471
5010101010000700	124	422	161	549
5010101010000800	142	483	184	627
5010101010000900	159	543	207	706
5010101010001000	177	603	230	784
5010101010001100	195	664	253	863
5010101010001200	212	724	276	941
5010101010001300	230	784	299	1019
5010101010001400	248	845	322	1098
5010101010001500	265	905	345	1176
5010101010001600	283	965	368	1255
5010101010001700	301	1025	391	1333
5010101010001800	318	1086	414	1412
5010101010001900	336	1146	437	1490
5010101012000300	61	208	79	270
5010101012000400	81	277	106	360
5010101012000500	102	346	132	450
5010101012000600	122	416	158	540
5010101012000700	142	485	185	630
5010101012000800	162	554	211	720
5010101012000900	183	623	238	810
5010101012001000	203	693	264	900
5010101012001100	223	762	290	990
5010101012001200	244	831	317	1080
5010101012001300	264	900	343	1170
5010101012001400	284	970	370	1260
5010101012001500	305	1039	396	1351
5010101012001600	325	1108	422	1441
5010101012001700	345	1177	449	1531
5010101012001800	366	1247	475	1621
5010101014000300	70	239	91	310
5010101014000400	93	318	121	414
5010101014000500	117	398	152	517
5010101014000600	140	477	182	620
5010101014000700	163	557	212	724
5010101014000800	187	636	243	827
5010101014000900	210	716	273	930
5010101014001000	233	795	303	1034
5010101014001100	257	875	333	1137
5010101014001200	280	954	364	1241
5010101014001300	303	1034	394	1344

BESTO XL

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101014001400	1400 x 1400	14	85	1345	62-71	111-120	26-35	5	92	3,60	C-E-D
5010101014001500	1400 x 1500	15	85	1345	62-71	111-120	26-35	5	92	3,86	C
5010101014001600	1400 x 1600	16	85	1345	62-71	111-120	26-35	5	92	4,11	C
5010101014001700	1400 x 1700	17	85	1345	62-71	111-120	26-35	5	92	4,37	C
5010101014001800	1400 x 1800	18	85	1345	62-71	111-120	26-35	5	92	4,63	C
5010101016000300	1600 x 300	3	85	1545	62-71	111-120	26-35	5	92	0,86	C
5010101016000400	1600 x 400	4	85	1545	62-71	111-120	26-35	5	92	1,15	C-E-D
5010101016000500	1600 x 500	5	85	1545	62-71	111-120	26-35	5	92	1,43	C-E-D
5010101016000600	1600 x 600	6	85	1545	62-71	111-120	26-35	5	92	1,72	C-E-D
5010101016000700	1600 x 700	7	85	1545	62-71	111-120	26-35	5	92	2,00	C-E-D
5010101016000800	1600 x 800	8	85	1545	62-71	111-120	26-35	5	92	2,29	C-E-D
5010101016000900	1600 x 900	9	85	1545	62-71	111-120	26-35	5	92	2,57	C-E-D
5010101016001000	1600 x 1000	10	85	1545	62-71	111-120	26-35	5	92	2,86	C-E-D
5010101016001100	1600 x 1100	11	85	1545	62-71	111-120	26-35	5	92	3,14	C-E-D
5010101016001200	1600 x 1200	12	85	1545	62-71	111-120	26-35	5	92	3,43	C-E-D
5010101016001300	1600 x 1300	13	85	1545	62-71	111-120	26-35	5	92	3,72	C-E-D
5010101018000300	1800 x 300	3	85	1745	62-71	111-120	26-35	5	92	0,95	C
5010101018000400	1800 x 400	4	85	1745	62-71	111-120	26-35	5	92	1,26	C-E-D
5010101018000500	1800 x 500	5	85	1745	62-71	111-120	26-35	5	92	1,57	C-E-D
5010101018000600	1800 x 600	6	85	1745	62-71	111-120	26-35	5	92	1,89	C-E-D
5010101018000700	1800 x 700	7	85	1745	62-71	111-120	26-35	5	92	2,20	C-E-D
5010101018000800	1800 x 800	8	85	1745	62-71	111-120	26-35	5	92	2,52	C-E-D
5010101018000900	1800 x 900	9	85	1745	62-71	111-120	26-35	5	92	2,83	C-E-D
5010101018001000	1800 x 1000	10	85	1745	62-71	111-120	26-35	5	92	3,14	C-E-D
5010101018001100	1800 x 1100	11	85	1745	62-71	111-120	26-35	5	92	3,46	C-E-D
5010101018001200	1800 x 1200	12	85	1745	62-71	111-120	26-35	5	92	3,77	C-E-D



HEAT OUTPUTS INFORMATION					LOGISTICS INFORMATION			
MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
	Watt	Btu	Watt	Btu	kg	kg	m³	mm
5010101014001400	326	1113	424	1447	27,88	33,85	0,29	1530X1447X127
5010101014001500	350	1193	455	1551	29,88	36,16	0,31	1530X1547X127
5010101014001600	373	1272	485	1654	31,87	38,46	0,33	1530X1647X127
5010101014001700	396	1352	515	1757	33,86	40,76	0,34	1530X1747X127
5010101014001800	420	1431	546	1861	35,85	43,07	0,36	1530X1847X127
5010101016000300	80	274	104	356	6,68	9,32	0,08	1730X347X127
5010101016000400	107	365	139	475	8,91	11,89	0,10	1730X447X127
5010101016000500	134	457	174	594	11,13	14,46	0,13	1730X547X127
5010101016000600	161	548	209	712	13,35	17,03	0,15	1730X647X127
5010101016000700	187	639	244	831	15,58	19,76	0,17	1730X747X127
5010101016000800	214	731	279	950	17,80	22,33	0,19	1730X847X127
5010101016000900	241	822	313	1068	20,03	24,91	0,21	1730X947X127
5010101016001000	268	913	348	1187	22,26	27,48	0,24	1730X1047X127
5010101016001100	295	1005	383	1306	24,48	30,05	0,26	1730X1147X127
5010101016001200	321	1096	418	1425	26,70	32,61	0,28	1730X1247X127
5010101016001300	348	1187	453	1543	28,93	35,19	0,30	1730X1347X127
5010101018000300	92	315	120	409	7,38	10,13	0,09	1930X347X127
5010101018000400	123	419	160	545	9,84	12,97	0,11	1930X447X127
5010101018000500	154	524	200	682	12,30	15,80	0,14	1930X547X127
5010101018000600	185	629	240	818	14,75	18,64	0,16	1930X647X127
5010101018000700	215	734	280	954	17,21	21,65	0,19	1930X747X127
5010101018000800	246	839	320	1091	19,67	24,49	0,21	1930X847X127
5010101018000900	277	944	360	1227	22,13	27,33	0,24	1930X947X127
5010101018001000	308	1049	400	1363	24,59	30,16	0,26	1930X1047X127
5010101018001100	338	1153	440	1499	27,05	33,01	0,29	1930X1147X127
5010101018001200	369	1258	480	1636	29,50	35,85	0,31	1930X1247X127

C: Central Heating / E: Electric / D: Dual Fuel