

BIANCO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101103000333	280 x 330	4	39	245	42-51	66-75	26-35	3	80	0,35	C
5010101103000417	280 x 420	5	39	245	42-51	66-75	26-35	3	80	0,44	C-E-D
5010101103000501	280 x 500	6	39	245	42-51	66-75	26-35	3	80	0,52	C-E-D
5010101103000585	280 x 590	7	39	245	42-51	66-75	26-35	3	80	0,61	C-E-D
5010101103000649	280 x 670	8	39	245	42-51	66-75	26-35	3	80	0,70	C-E-D
5010101103000753	280 x 750	9	39	245	42-51	66-75	26-35	3	80	0,79	C-E-D
5010101103000837	280 x 840	10	39	245	42-51	66-75	26-35	3	80	0,87	C-E-D
5010101103000921	280 x 920	11	39	245	42-51	66-75	26-35	3	80	0,96	C-E-D
5010101103001005	280 x 1010	12	39	245	42-51	66-75	26-35	3	80	1,05	C-E-D
5010101103001089	280 x 1090	13	39	245	42-51	66-75	26-35	3	80	1,13	C-E-D
5010101103001173	280 x 1170	14	39	245	42-51	66-75	26-35	3	80	1,22	C-E-D
5010101103001257	280 x 1260	15	39	245	42-51	66-75	26-35	3	80	1,31	C-E-D
5010101103001341	280 x 1340	16	39	245	42-51	66-75	26-35	3	80	1,39	C-E-D
5010101103001425	280 x 1430	17	39	245	42-51	66-75	26-35	3	80	1,48	C
5010101103001509	280 x 1510	18	39	245	42-51	66-75	26-35	3	80	1,57	C
5010101103001593	280 x 1590	19	39	245	42-51	66-75	26-35	3	80	1,65	C
5010101103001677	280 x 1680	20	39	245	42-51	66-75	26-35	3	80	1,74	C
5010101103001761	280 x 1760	21	39	245	42-51	66-75	26-35	3	80	1,83	C
5010101103001845	280 x 1850	22	39	245	42-51	66-75	26-35	3	80	1,91	C
5010101103001929	280 x 1930	23	39	245	42-51	66-75	26-35	3	80	2,00	C
5010101104000333	380 x 330	4	39	345	42-51	66-75	26-35	3	80	0,41	C
5010101104000417	380 x 420	5	39	345	42-51	66-75	26-35	3	80	0,51	C-E-D
5010101104000501	380 x 500	6	39	345	42-51	66-75	26-35	3	80	0,61	C-E-D
5010101104000585	380 x 590	7	39	345	42-51	66-75	26-35	3	80	0,71	C-E-D
5010101104000649	380 x 670	8	39	345	42-51	66-75	26-35	3	80	0,81	C-E-D
5010101104000753	380 x 750	9	39	345	42-51	66-75	26-35	3	80	0,91	C-E-D
5010101104000837	380 x 840	10	39	345	42-51	66-75	26-35	3	80	1,01	C-E-D
5010101104000921	380 x 920	11	39	345	42-51	66-75	26-35	3	80	1,12	C-E-D
5010101104001005	380 x 1010	12	39	345	42-51	66-75	26-35	3	80	1,22	C-E-D
5010101104001089	380 x 1090	13	39	345	42-51	66-75	26-35	3	80	1,32	C-E-D
5010101104001173	380 x 1170	14	39	345	42-51	66-75	26-35	3	80	1,42	C-E-D
5010101104001257	380 x 1260	15	39	345	42-51	66-75	26-35	3	80	1,52	C-E-D
5010101104001341	380 x 1340	16	39	345	42-51	66-75	26-35	3	80	1,62	C-E-D
5010101104001425	380 x 1430	17	39	345	42-51	66-75	26-35	3	80	1,72	C
5010101104001509	380 x 1510	18	39	345	42-51	66-75	26-35	3	80	1,82	C
5010101104001593	380 x 1590	19	39	345	42-51	66-75	26-35	3	80	1,93	C
5010101104001677	380 x 1680	20	39	345	42-51	66-75	26-35	3	80	2,03	C
5010101104001761	380 x 1760	21	39	345	42-51	66-75	26-35	3	80	2,13	C
5010101104001845	380 x 1850	22	39	345	42-51	66-75	26-35	3	80	2,23	C
5010101104001929	380 x 1930	23	39	345	42-51	66-75	26-35	3	80	2,33	C
5010101105000333	480 x 330	4	39	445	42-51	66-75	26-35	3	80	0,47	C
5010101105000417	480 x 420	5	39	445	42-51	66-75	26-35	3	80	0,58	C-E-D
5010101105000501	480 x 500	6	39	445	42-51	66-75	26-35	3	80	0,70	C-E-D
5010101105000585	480 x 590	7	39	445	42-51	66-75	26-35	3	80	0,81	C-E-D
5010101105000649	480 x 670	8	39	445	42-51	66-75	26-35	3	80	0,93	C-E-D
5010101105000753	480 x 750	9	39	445	42-51	66-75	26-35	3	80	1,04	C-E-D
5010101105000837	480 x 840	10	39	445	42-51	66-75	26-35	3	80	1,16	C-E-D
5010101105000921	480 x 920	11	39	445	42-51	66-75	26-35	3	80	1,27	C-E-D
5010101105001005	480 x 1010	12	39	445	42-51	66-75	26-35	3	80	1,39	C-E-D
5010101105001089	480 x 1090	13	39	445	42-51	66-75	26-35	3	80	1,50	C-E-D
5010101105001173	480 x 1170	14	39	445	42-51	66-75	26-35	3	80	1,62	C-E-D
5010101105001257	480 x 1260	15	39	445	42-51	66-75	26-35	3	80	1,74	C-E-D
5010101105001341	480 x 1340	16	39	445	42-51	66-75	26-35	3	80	1,85	C-E-D
5010101105001425	480 x 1430	17	39	445	42-51	66-75	26-35	3	80	1,97	C
5010101105001509	480 x 1510	18	39	445	42-51	66-75	26-35	3	80	2,08	C
5010101105001593	480 x 1590	19	39	445	42-51	66-75	26-35	3	80	2,20	C
5010101105001677	480 x 1680	20	39	445	42-51	66-75	26-35	3	80	2,31	C
5010101105001761	480 x 1760	21	39	445	42-51	66-75	26-35	3	80	2,43	C
5010101105001845	480 x 1850	22	39	445	42-51	66-75	26-35	3	80	2,54	C
5010101105001929	480 x 1930	23	39	445	42-51	66-75	26-35	3	80	2,66	C
5010101106000333	580 x 330	4	39	545	42-51	66-75	26-35	3	80	0,52	C
5010101106000417	580 x 420	5	39	545	42-51	66-75	26-35	3	80	0,65	C-E-D
5010101106000501	580 x 500	6	39	545	42-51	66-75	26-35	3	80	0,78	C-E-D
5010101106000585	580 x 590	7	39	545	42-51	66-75	26-35	3	80	0,91	C-E-D
5010101106000649	580 x 670	8	39	545	42-51	66-75	26-35	3	80	1,04	C-E-D
5010101106000753	580 x 750	9	39	545	42-51	66-75	26-35	3	80	1,17	C-E-D
5010101106000837	580 x 840	10	39	545	42-51	66-75	26-35	3	80	1,30	C-E-D
5010101106000921	580 x 920	11	39	545	42-51	66-75	26-35	3	80	1,43	C-E-D
5010101106001005	580 x 1010	12	39	545	42-51	66-75	26-35	3	80	1,56	C-E-D
5010101106001089	580 x 1090	13	39	545	42-51	66-75	26-35	3	80	1,69	C-E-D
5010101106001173	580 x 1170	14	39	545	42-51	66-75	26-35	3	80	1,82	C-E-D
5010101106001257	580 x 1260	15	39	545	42-51	66-75	26-35	3	80	1,95	C-E-D
5010101106001341	580 x 1340	16	39	545	42-51	66-75	26-35	3	80	2,08	C-E-D
5010101106001425	580 x 1430	17	39	545	42-51	66-75	26-35	3	80	2,21	C
5010101106001509	580 x 1510	18	39	545	42-51	66-75	26-35	3	80	2,34	C
5010101106001593	580 x 1590	19	39	545	42-51	66-75	26-35	3	80	2,47	C
5010101106001677	580 x 1680	20	39	545	42-51	66-75	26-35	3	80	2,60	C
5010101106001761	580 x 1760	21	39	545	42-51	66-75	26-35	3	80	2,73	C
5010101106001845	580 x 1850	22	39	545	42-51	66-75	26-35	3	80	2,86	C
5010101106001929	580 x 1930	23	39	545	42-51	66-75	26-35	3	80	2,99	C
5010101107000333	680 x 330	4	39	645	42-51	66-75	26-35	3	80	0,58	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010101103000333	126	431	164	560	
5010101103000417	158	538	205	700	
5010101103000501	189	646	246	840	
5010101103000585	221	753	287	979	
5010101103000649	253	861	328	1119	
5010101103000753	284	969	369	1259	
5010101103000837	316	1076	410	1399	
5010101103000921	347	1184	451	1539	
5010101103001005	379	1292	492	1679	
5010101103001089	410	1399	533	1819	
5010101103001173	442	1507	574	1959	
5010101103001257	473	1614	615	2099	
5010101103001341	505	1722	657	2239	
5010101103001425	537	1830	698	2379	
5010101103001509	568	1937	739	2519	
5010101103001593	600	2045	780	2658	
5010101103001677	631	2153	821	2798	
5010101103001761	663	2260	862	2938	
5010101103001845	694	2368	903	3078	
5010101103001929	726	2476	944	3218	
5010101104000333	172	587	224	763	
5010101104000417	215	733	280	953	
5010101104000501	258	880	336	1144	
5010101104000585	301	1027	391	1335	
5010101104000649	344	1173	447	1525	
5010101104000753	387	1320	503	1716	
5010101104000837	430	1467	559	1907	
5010101104000921	473	1613	615	2097	
5010101104001005	516	1760	671	2288	
5010101104001089	559	1907	727	2479	
5010101104001173	602	2053	783	2669	
5010101104001257	645	2200	839	2860	
5010101104001341	688	2347	895	3051	
5010101104001425	731	2494	951	3242	
5010101104001509	774	2640	1007	3432	
5010101104001593	817	2787	1062	3623	
5010101104001677	860	2934	1118	3814	
5010101104001761	903	3080	1174	4004	
5010101104001845	946	3227	1230	4195	
5010101104001929	989	3374	1286	4386	
5010101105000333	220	750	286	974	
5010101105000417	275	937	357	1218	
5010101105000501	330	1124	429	1462	
5010101105000585	385	1312	500	1705	
5010101105000649	440	1499	572	1949	
5010101105000753	495	1687	643	2193	
5010101105000837	550	1874	714	2436	
5010101105000921	604	2061	786	2680	
5010101105001005	659	2249	857	2923	
5010101105001089	714	2436	929	3167	
5010101105001173	769	2623	1000	3411	
5010101105001257	824	2811	1072	3654	
5010101105001341	879	2998	1143	3898	
5010101105001425	934	3186	1214	4141	
5010101105001509	989	3373	1286	4385	
5010101105001593	1044	3560	1357	4629	
5010101105001677	1099	3748	1429	4872	
5010101105001761	1154	3935	1500	5116	
5010101105001845	1209	4123	1572	5359	
5010101105001929	1264	4310	1643	5603	
5010101106000333	270	919	350	1195	
5010101106000417	337	1149	438	1494	
5010101106000501	404	1379	526	1793	
5010101106000585	472	1609	613	2091	
5010101106000649	539	1839	701	2390	
5010101106000753	607	2069	789	2689	
5010101106000837	674	2298	876	2988	
5010101106000921	741	2528	964	3287	
5010101106001005	809	2758	1051	3585	
5010101106001089	876	2988	1139	3884	
5010101106001173	944	3218	1227	4183	
5010101106001257	1011	3448	1314	4482	
5010101106001341	1078	3677	1402	4781	
5010101106001425	1146	3907	1490	5079	
5010101106001509	1213	4137	1577	5378	
5010101106001593	1281	4367	1665	5677	
5010101106001677	1348	4597	1752	5976	
5010101106001761	1415	4827	1840	6274	
5010101106001845	1483	5056	1928	6573	
5010101106001929	1550	5286	2015	6872	
5010101107000333	308	1049	400	1364	

BIANCO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101107000417	680 x 420	5	39	645	42-51	66-75	26-35	3	80	0,72	C-E-D
5010101107000501	680 x 500	6	39	645	42-51	66-75	26-35	3	80	0,87	C-E-D
5010101107000585	680 x 590	7	39	645	42-51	66-75	26-35	3	80	1,01	C-E-D
5010101107000649	680 x 670	8	39	645	42-51	66-75	26-35	3	80	1,16	C-E-D
5010101107000753	680 x 750	9	39	645	42-51	66-75	26-35	3	80	1,30	C-E-D
5010101107000837	680 x 840	10	39	645	42-51	66-75	26-35	3	80	1,44	C-E-D
5010101107000921	680 x 920	11	39	645	42-51	66-75	26-35	3	80	1,59	C-E-D
5010101107001005	680 x 1010	12	39	645	42-51	66-75	26-35	3	80	1,73	C-E-D
5010101107001089	680 x 1090	13	39	645	42-51	66-75	26-35	3	80	1,88	C-E-D
5010101107001173	680 x 1170	14	39	645	42-51	66-75	26-35	3	80	2,02	C-E-D
5010101107001257	680 x 1260	15	39	645	42-51	66-75	26-35	3	80	2,16	C-E-D
5010101107001341	680 x 1340	16	39	645	42-51	66-75	26-35	3	80	2,31	C-E-D
5010101107001425	680 x 1430	17	39	645	42-51	66-75	26-35	3	80	2,45	C
5010101107001509	680 x 1510	18	39	645	42-51	66-75	26-35	3	80	2,60	C
5010101107001593	680 x 1590	19	39	645	42-51	66-75	26-35	3	80	2,74	C
5010101107001677	680 x 1680	20	39	645	42-51	66-75	26-35	3	80	2,88	C
5010101107001761	680 x 1760	21	39	645	42-51	66-75	26-35	3	80	3,03	C
5010101107001845	680 x 1850	22	39	645	42-51	66-75	26-35	3	80	3,17	C
5010101107001929	680 x 1930	23	39	645	42-51	66-75	26-35	3	80	3,32	C
5010101108000333	780 x 330	4	39	745	42-51	66-75	26-35	3	80	0,44	C
5010101108000417	780 x 420	5	39	745	42-51	66-75	26-35	3	80	0,80	C-E-D
5010101108000501	780 x 500	6	39	745	42-51	66-75	26-35	3	80	0,95	C-E-D
5010101108000585	780 x 590	7	39	745	42-51	66-75	26-35	3	80	1,11	C-E-D
5010101108000649	780 x 670	8	39	745	42-51	66-75	26-35	3	80	1,27	C-E-D
5010101108000753	780 x 750	9	39	745	42-51	66-75	26-35	3	80	1,43	C-E-D
5010101108000837	780 x 840	10	39	745	42-51	66-75	26-35	3	80	1,59	C-E-D
5010101108000921	780 x 920	11	39	745	42-51	66-75	26-35	3	80	1,75	C-E-D
5010101108001005	780 x 1010	12	39	745	42-51	66-75	26-35	3	80	1,90	C-E-D
5010101108001089	780 x 1090	13	39	745	42-51	66-75	26-35	3	80	2,06	C-E-D
5010101108001173	780 x 1170	14	39	745	42-51	66-75	26-35	3	80	2,22	C-E-D
5010101108001257	780 x 1260	15	39	745	42-51	66-75	26-35	3	80	2,38	C-E-D
5010101108001341	780 x 1340	16	39	745	42-51	66-75	26-35	3	80	2,54	C-E-D
5010101108001425	780 x 1430	17	39	745	42-51	66-75	26-35	3	80	2,70	C
5010101108001509	780 x 1510	18	39	745	42-51	66-75	26-35	3	80	2,85	C
5010101108001593	780 x 1590	19	39	745	42-51	66-75	26-35	3	80	3,01	C
5010101108001677	780 x 1680	20	39	745	42-51	66-75	26-35	3	80	3,17	C
5010101108001761	780 x 1760	21	39	745	42-51	66-75	26-35	3	80	3,33	C
5010101108001845	780 x 1850	22	39	745	42-51	66-75	26-35	3	80	3,49	C
5010101108001929	780 x 1930	23	39	745	42-51	66-75	26-35	3	80	3,65	C
5010101109000333	880 x 330	4	39	845	42-51	66-75	26-35	3	80	0,69	C
5010101109000417	880 x 420	5	39	845	42-51	66-75	26-35	3	80	0,87	C-E-D
5010101109000501	880 x 500	6	39	845	42-51	66-75	26-35	3	80	1,04	C-E-D
5010101109000585	880 x 590	7	39	845	42-51	66-75	26-35	3	80	1,21	C-E-D
5010101109000649	880 x 670	8	39	845	42-51	66-75	26-35	3	80	1,38	C-E-D
5010101109000753	880 x 750	9	39	845	42-51	66-75	26-35	3	80	1,56	C-E-D
5010101109000837	880 x 840	10	39	845	42-51	66-75	26-35	3	80	1,73	C-E-D
5010101109000921	880 x 920	11	39	845	42-51	66-75	26-35	3	80	1,90	C-E-D
5010101109001005	880 x 1010	12	39	845	42-51	66-75	26-35	3	80	2,08	C-E-D
5010101109001089	880 x 1090	13	39	845	42-51	66-75	26-35	3	80	2,25	C-E-D
5010101109001173	880 x 1170	14	39	845	42-51	66-75	26-35	3	80	2,42	C-E-D
5010101109001257	880 x 1260	15	39	845	42-51	66-75	26-35	3	80	2,59	C-E-D
5010101109001341	880 x 1340	16	39	845	42-51	66-75	26-35	3	80	2,77	C-E-D
5010101109001425	880 x 1430	17	39	845	42-51	66-75	26-35	3	80	2,94	C
5010101109001509	880 x 1510	18	39	845	42-51	66-75	26-35	3	80	3,11	C
5010101109001593	880 x 1590	19	39	845	42-51	66-75	26-35	3	80	3,28	C
5010101109001677	880 x 1680	20	39	845	42-51	66-75	26-35	3	80	3,46	C
5010101109001761	880 x 1760	21	39	845	42-51	66-75	26-35	3	80	3,63	C
5010101109001845	880 x 1850	22	39	845	42-51	66-75	26-35	3	80	3,80	C
5010101109001929	880 x 1930	23	39	845	42-51	66-75	26-35	3	80	3,97	C
5010101110000333	980 x 330	4	39	945	42-51	66-75	26-35	3	80	0,75	C
5010101110000417	980 x 420	5	39	945	42-51	66-75	26-35	3	80	0,94	C-E-D
5010101110000501	980 x 500	6	39	945	42-51	66-75	26-35	3	80	1,13	C-E-D
5010101110000585	980 x 590	7	39	945	42-51	66-75	26-35	3	80	1,31	C-E-D
5010101110000649	980 x 670	8	39	945	42-51	66-75	26-35	3	80	1,50	C-E-D
5010101110000753	980 x 750	9	39	945	42-51	66-75	26-35	3	80	1,69	C-E-D
5010101110000837	980 x 840	10	39	945	42-51	66-75	26-35	3	80	1,87	C-E-D
5010101110000921	980 x 920	11	39	945	42-51	66-75	26-35	3	80	2,06	C-E-D
5010101110001005	980 x 1010	12	39	945	42-51	66-75	26-35	3	80	2,25	C-E-D
5010101110001089	980 x 1090	13	39	945	42-51	66-75	26-35	3	80	2,43	C-E-D
5010101110001173	980 x 1170	14	39	945	42-51	66-75	26-35	3	80	2,62	C-E-D
5010101110001257	980 x 1260	15	39	945	42-51	66-75	26-35	3	80	2,81	C-E-D
5010101110001341	980 x 1340	16	39	945	42-51	66-75	26-35	3	80	2,99	C-E-D
5010101110001425	980 x 1430	17	39	945	42-51	66-75	26-35	3	80	3,18	C
5010101110001509	980 x 1510	18	39	945	42-51	66-75	26-35	3	80	3,37	C
5010101110001593	980 x 1590	19	39	945	42-51	66-75	26-35	3	80	3,56	C
5010101110001677	980 x 1680	20	39	945	42-51	66-75	26-35	3	80	3,74	C
5010101110001761	980 x 1760	21	39	945	42-51	66-75	26-35	3	80	3,93	C
5010101110001845	980 x 1850	22	39	945	42-51	66-75	26-35	3	80	4,12	C
5010101110001929	980 x 1930	23	39	945	42-51	66-75	26-35	3	80	4,30	C
5010101112000333	1180 x 330	4	39	1145	42-51	66-75	26-35	3	80	0,87	C
5010101112000417	1180 x 420	5	39	1145	42-51	66-75	26-35	3	80	1,08	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010101107000417	385	1312	500	1705	
5010101107000501	462	1574	600	2046	
5010101107000585	539	1836	700	2387	
5010101107000649	615	2099	800	2728	
5010101107000753	692	2361	900	3069	
5010101107000837	769	2623	1000	3411	
5010101107000921	846	2886	1100	3752	
5010101107001005	923	3148	1200	4093	
5010101107001089	1000	3411	1300	4434	
5010101107001173	1077	3673	1400	4775	
5010101107001257	1154	3935	1500	5116	
5010101107001341	1231	4198	1600	5457	
5010101107001425	1308	4460	1700	5798	
5010101107001509	1385	4722	1800	6139	
5010101107001593	1462	4985	1900	6480	
5010101107001677	1539	5247	2000	6821	
5010101107001761	1616	5509	2100	7162	
5010101107001845	1693	5772	2200	7503	
5010101107001929	1770	6034	2300	7844	
5010101108000333	344	1173	447	1525	
5010101108000417	430	1467	559	1907	
5010101108000501	516	1760	671	2288	
5010101108000585	602	2053	783	2669	
5010101108000649	688	2347	895	3051	
5010101108000753	774	2640	1007	3432	
5010101108000837	860	2934	1118	3814	
5010101108000921	946	3227	1230	4195	
5010101108001005	1032	3520	1342	4576	
5010101108001089	1118	3814	1454	4958	
5010101108001173	1204	4107	1566	5339	
5010101108001257	1290	4400	1678	5720	
5010101108001341	1376	4694	1789	6102	
5010101108001425	1462	4987	1901	6483	
5010101108001509	1548	5280	2013	6864	
5010101108001593	1635	5574	2125	7246	
5010101108001677	1721	5867	2237	7627	
5010101108001761	1807	6160	2349	8008	
5010101108001845	1893	6454	2460	8390	
5010101108001929	1979	6747	2572	8771	
5010101109000333	379	1292	492	1679	
5010101109000417	473	1614	615	2099	
5010101109000501	568	1937	739	2519	
5010101109000585	663	2260	862	2938	
5010101109000649	758	2583	985	3358	
5010101109000753	852	2906	1108	3778	
5010101109000837	947	3229	1231	4198	
5010101109000921	1042	3552	1354	4617	
5010101109001005	1136	3875	1477	5037	
5010101109001089	1231	4198	1600	5457	
5010101109001173	1326	4520	1723	5877	
5010101109001257	1420	4843	1846	6296	
5010101109001341	1515	5166	1970	6716	
5010101109001425	1610	5489	2093	7136	
5010101109001509	1704	5812	2216	7556	
5010101109001593	1799	6135	2339	7975	
5010101109001677	1894	6458	2462	8395	
5010101109001761	1988	6781	2585	8815	
5010101109001845	2083	7104	2708	9235	
5010101109001929	2178	7427	2831	9654	
5010101110000333	412	1404	535	1825	
5010101110000417	515	1755	669	2282	
5010101110000501	618	2106	803	2738	
5010101110000585	721	2457	937	3194	
5010101110000649	824	2808	1071	3651	
5010101110000753	926	3159	1204	4107	
5010101110000837	1029	3510	1338	4563	
5010101110000921	1132	3861	1472	5020	
5010101110001005	1235	4212	1606	5476	
5010101110001089	1338	4563	1740	5932	
5010101110001173	1441	4914	1873	6389	
5010101110001257	1544	5265	2007	6845	
5010101110001341	1647	5616	2141	7301	
5010101110001425	1750	5967	2275	7758	
5010101110001509	1853	6318	2409	8214	
5010101110001593	1956	6669	2543	8670	
5010101110001677	2059	7020	2676	9126	
5010101110001761	2162	7371	2810	9583	
5010101110001845	2265	7722	2944	10039	
5010101110001929	2368	8073	3078	10495	
5010101112000333	473	1615	615	2096	
5010101112000417	591	2012	768	2620	

BIANCO

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101112000501	1180 x 500	6	39	1145	42-51	66-75	26-35	3	80	1,30	C-E-D
5010101112000585	1180 x 590	7	39	1145	42-51	66-75	26-35	3	80	1,51	C-E-D
5010101112000649	1180 x 670	8	39	1145	42-51	66-75	26-35	3	80	1,73	C-E-D
5010101112000753	1180 x 750	9	39	1145	42-51	66-75	26-35	3	80	1,94	C-E-D
5010101112000837	1180 x 840	10	39	1145	42-51	66-75	26-35	3	80	2,16	C-E-D
5010101112000921	1180 x 920	11	39	1145	42-51	66-75	26-35	3	80	2,37	C-E-D
5010101112001005	1180 x 1010	12	39	1145	42-51	66-75	26-35	3	80	2,59	C-E-D
5010101112001089	1180 x 1090	13	39	1145	42-51	66-75	26-35	3	80	2,81	C-E-D
5010101112001173	1180 x 1170	14	39	1145	42-51	66-75	26-35	3	80	3,02	C-E-D
5010101112001257	1180 x 1260	15	39	1145	42-51	66-75	26-35	3	80	3,24	C-E-D
5010101112001341	1180 x 1340	16	39	1145	42-51	66-75	26-35	3	80	3,45	C-E-D
5010101112001425	1180 x 1430	17	39	1145	42-51	66-75	26-35	3	80	3,67	C
5010101114000333	1380 x 330	4	39	1345	42-51	66-75	26-35	3	80	0,98	C
5010101114000417	1380 x 420	5	39	1345	42-51	66-75	26-35	3	80	1,22	C-E-D
5010101114000501	1380 x 500	6	39	1345	42-51	66-75	26-35	3	80	1,47	C-E-D
5010101114000585	1380 x 590	7	39	1345	42-51	66-75	26-35	3	80	1,71	C-E-D
5010101114000649	1380 x 670	8	39	1345	42-51	66-75	26-35	3	80	1,96	C-E-D
5010101114000753	1380 x 750	9	39	1345	42-51	66-75	26-35	3	80	2,20	C-E-D
5010101114000837	1380 x 840	10	39	1345	42-51	66-75	26-35	3	80	2,44	C-E-D
5010101114000921	1380 x 920	11	39	1345	42-51	66-75	26-35	3	80	2,69	C-E-D
5010101114001005	1380 x 1010	12	39	1345	42-51	66-75	26-35	3	80	2,93	C-E-D
5010101114001089	1380 x 1090	13	39	1345	42-51	66-75	26-35	3	80	3,18	C-E-D
5010101114001173	1380 x 1170	14	39	1345	42-51	66-75	26-35	3	80	3,42	C-E-D
5010101114001257	1380 x 1260	15	39	1345	42-51	66-75	26-35	3	80	3,67	C-E-D
5010101114001341	1380 x 1340	16	39	1345	42-51	66-75	26-35	3	80	3,91	C-E-D
5010101116000333	1580 x 330	4	39	1545	42-51	66-75	26-35	3	80	1,09	C
5010101116000417	1580 x 420	5	39	1545	42-51	66-75	26-35	3	80	1,37	C-E-D
5010101116000501	1580 x 500	6	39	1545	42-51	66-75	26-35	3	80	1,64	C-E-D
5010101116000585	1580 x 590	7	39	1545	42-51	66-75	26-35	3	80	1,91	C-E-D
5010101116000649	1580 x 670	8	39	1545	42-51	66-75	26-35	3	80	2,19	C-E-D
5010101116000753	1580 x 750	9	39	1545	42-51	66-75	26-35	3	80	2,46	C-E-D
5010101116000837	1580 x 840	10	39	1545	42-51	66-75	26-35	3	80	2,73	C-E-D
5010101116000921	1580 x 920	11	39	1545	42-51	66-75	26-35	3	80	3,00	C-E-D
5010101116001005	1580 x 1010	12	39	1545	42-51	66-75	26-35	3	80	3,28	C-E-D
5010101118000333	1780 x 330	4	39	1745	42-51	66-75	26-35	3	80	1,21	C
5010101118000417	1780 x 420	5	39	1745	42-51	66-75	26-35	3	80	1,51	C-E-D
5010101118000501	1780 x 500	6	39	1745	42-51	66-75	26-35	3	80	1,81	C-E-D
5010101118000585	1780 x 590	7	39	1745	42-51	66-75	26-35	3	80	2,11	C-E-D
5010101118000649	1780 x 670	8	39	1745	42-51	66-75	26-35	3	80	2,41	C-E-D
5010101118000753	1780 x 750	9	39	1745	42-51	66-75	26-35	3	80	2,72	C-E-D
5010101118000837	1780 x 840	10	39	1745	42-51	66-75	26-35	3	80	3,02	C-E-D
5010101118000921	1780 x 920	11	39	1745	42-51	66-75	26-35	3	80	3,32	C-E-D
5010101118001005	1780 x 1010	12	39	1745	42-51	66-75	26-35	3	80	3,62	C-E-D
5010101120000333	1980 x 330	4	39	1945	42-51	66-75	26-35	3	80	1,32	C
5010101120000417	1980 x 420	5	39	1945	42-51	66-75	26-35	3	80	1,65	C-E-D
5010101120000501	1980 x 500	6	39	1945	42-51	66-75	26-35	3	80	1,98	C-E-D
5010101120000585	1980 x 590	7	39	1945	42-51	66-75	26-35	3	80	2,31	C-E-D
5010101120000649	1980 x 670	8	39	1945	42-51	66-75	26-35	3	80	2,64	C-E-D
5010101120000753	1980 x 750	9	39	1945	42-51	66-75	26-35	3	80	2,97	C-E-D
5010101120000837	1980 x 840	10	39	1945	42-51	66-75	26-35	3	80	3,30	C-E-D
5010101120000921	1980 x 920	11	39	1945	42-51	66-75	26-35	3	80	3,63	C-E-D
5010101120001005	1980 x 1010	12	39	1945	42-51	66-75	26-35	3	80	3,96	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101112000501	709	2418	922	3144
5010101112000585	827	2821	1076	3668
5010101112000649	946	3224	1229	4191
5010101112000753	1064	3627	1383	4715
5010101112000837	1182	4030	1536	5239
5010101112000921	1300	4433	1690	5763
5010101112001005	1418	4836	1844	6287
5010101112001089	1536	5239	1997	6811
5010101112001173	1655	5642	2151	7335
5010101112001257	1773	6045	2305	7859
5010101112001341	1891	6448	2458	8383
5010101112001425	2009	6851	2612	8907
5010101114000333	543	1851	706	2406
5010101114000417	679	2314	882	3008
5010101114000501	814	2776	1058	3609
5010101114000585	950	3239	1235	4211
5010101114000649	1086	3702	1411	4812
5010101114000753	1221	4165	1588	5414
5010101114000837	1357	4627	1764	6016
5010101114000921	1493	5090	1941	6617
5010101114001005	1628	5553	2117	7219
5010101114001089	1764	6016	2293	7820
5010101114001173	1900	6478	2470	8422
5010101114001257	2036	6941	2646	9023
5010101114001341	2171	7404	2823	9625
5010101116000333	623	2125	810	2763
5010101116000417	779	2657	1013	3453
5010101116000501	935	3188	1215	4144
5010101116000585	1091	3719	1418	4835
5010101116000649	1246	4250	1620	5526
5010101116000753	1402	4782	1823	6216
5010101116000837	1558	5313	2025	6907
5010101116000921	1714	5844	2228	7598
5010101116001005	1870	6376	2431	8288
5010101118000333	716	2440	930	3172
5010101118000417	894	3050	1163	3965
5010101118000501	1073	3660	1395	4758
5010101118000585	1252	4270	1628	5551
5010101118000649	1431	4880	1860	6344
5010101118000753	1610	5490	2093	7137
5010101118000837	1789	6100	2326	7930
5010101118000921	1968	6710	2558	8723
5010101118001005	2147	7320	2791	9516
5010101120000333	822	2802	1068	3642
5010101120000417	1027	3502	1335	4553
5010101120000501	1232	4202	1602	5463
5010101120000585	1438	4903	1869	6374
5010101120000649	1643	5603	2136	7284
5010101120000753	1849	6304	2403	8195
5010101120000837	2054	7004	2670	9105
5010101120000921	2259	7704	2937	10016
5010101120001005	2465	8405	3204	10926

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
9.35	11.64	0.06	1290X536X74
10.91	13.42	0.06	1290X620X74
12.47	15.35	0.07	1290X704X74
14.03	17.12	0.08	1290X788X74
15.59	18.89	0.09	1290X872X74
17.15	20.66	0.10	1290X956X74
18.70	22.42	0.10	1290X1040X74
20.26	24.19	0.11	1290X1124X74
21.82	25.96	0.12	1290X1208X74
23.38	27.72	0.13	1290X1292X74
24.94	29.49	0.14	1290X1376X74
26.50	31.27	0.14	1290X1460X74
7.12	9.20	0.05	1490X368X74
8.90	11.22	0.05	1490X452X74
10.67	13.24	0.06	1490X536X74
12.45	15.25	0.07	1490X620X74
14.22	17.42	0.08	1490X704X74
16.00	19.45	0.09	1490X788X74
17.78	21.47	0.10	1490X872X74
19.56	23.48	0.11	1490X956X74
21.33	25.50	0.12	1490X1040X74
23.11	27.52	0.13	1490X1124X74
24.89	29.52	0.14	1490X1208X74
26.67	31.56	0.15	1490X1292X74
28.45	33.58	0.16	1490X1376X74
7.96	10.25	0.05	1690X368X74
9.95	12.52	0.06	1690X452X74
11.95	14.79	0.07	1690X536X74
13.94	17.05	0.08	1690X620X74
15.93	19.47	0.09	1690X704X74
17.92	21.73	0.10	1690X788X74
19.91	23.98	0.11	1690X872X74
21.91	26.26	0.12	1690X956X74
23.90	28.53	0.14	1690X1040X74
8.84	11.33	0.06	1890X368X74
11.05	13.86	0.07	1890X452X74
13.27	16.37	0.08	1890X536X74
15.48	18.88	0.09	1890X620X74
17.69	21.55	0.10	1890X704X74
19.90	24.06	0.12	1890X788X74
22.11	26.57	0.13	1890X872X74
24.33	29.09	0.14	1890X956X74
26.53	31.59	0.15	1890X1040X74
9.72	12.44	0.06	2090X368X74
12.15	15.20	0.07	2090X452X74
14.59	17.98	0.09	2090X536X74
17.02	20.73	0.10	2090X620X74
19.45	23.65	0.11	2090X704X74
21.87	26.41	0.13	2090X788X74
24.30	29.16	0.14	2090X872X74
26.74	31.93	0.15	2090X956X74
29.17	34.70	0.17	2090X1040X74