

CHIMO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101403000300	280 x 300	3	57	245	35-44	79-88	22-31	5	100	0.29	C
5010101403000395	280 x 400	4	57	245	35-44	79-88	22-31	5	100	0.39	C
5010101403000490	280 x 490	5	57	245	35-44	79-88	22-31	5	100	0.48	C-E-D
5010101403000585	280 x 590	6	57	245	35-44	79-88	22-31	5	100	0.57	C-E-D
5010101403000680	280 x 680	7	57	245	35-44	79-88	22-31	5	100	0.67	C-E-D
5010101403000775	280 x 780	8	57	245	35-44	79-88	22-31	5	100	0.76	C-E-D
5010101403000870	280 x 870	9	57	245	35-44	79-88	22-31	5	100	0.85	C-E-D
5010101403000965	280 x 970	10	57	245	35-44	79-88	22-31	5	100	0.94	C-E-D
5010101403001060	280 x 1060	11	57	245	35-44	79-88	22-31	5	100	1.04	C-E-D
5010101403001155	280 x 1160	12	57	245	35-44	79-88	22-31	5	100	1.13	C-E-D
5010101403001250	280 x 1250	13	57	245	35-44	79-88	22-31	5	100	1.22	C-E-D
5010101403001345	280 x 1350	14	57	245	35-44	79-88	22-31	5	100	1.32	C-E-D
5010101403001440	280 x 1440	15	57	245	35-44	79-88	22-31	5	100	1.41	C
5010101403001535	280 x 1540	16	57	245	35-44	79-88	22-31	5	100	1.50	C
5010101403001630	280 x 1630	17	57	245	35-44	79-88	22-31	5	100	1.60	C
5010101403001725	280 x 1730	18	57	245	35-44	79-88	22-31	5	100	1.69	C
5010101403001820	280 x 1820	19	57	245	35-44	79-88	22-31	5	100	1.78	C
5010101403001915	280 x 1920	20	57	245	35-44	79-88	22-31	5	100	1.88	C
5010101404000300	380 x 300	3	57	345	35-44	79-88	22-31	5	100	0.34	C
5010101404000395	380 x 400	4	57	345	35-44	79-88	22-31	5	100	0.44	C
5010101404000490	380 x 490	5	57	345	35-44	79-88	22-31	5	100	0.55	C-E-D
5010101404000585	380 x 590	6	57	345	35-44	79-88	22-31	5	100	0.66	C-E-D
5010101404000680	380 x 680	7	57	345	35-44	79-88	22-31	5	100	0.77	C-E-D
5010101404000775	380 x 780	8	57	345	35-44	79-88	22-31	5	100	0.87	C-E-D
5010101404000870	380 x 870	9	57	345	35-44	79-88	22-31	5	100	0.98	C-E-D
5010101404000965	380 x 970	10	57	345	35-44	79-88	22-31	5	100	1.09	C-E-D
5010101404001060	380 x 1060	11	57	345	35-44	79-88	22-31	5	100	1.19	C-E-D
5010101404001155	380 x 1160	12	57	345	35-44	79-88	22-31	5	100	1.30	C-E-D
5010101404001250	380 x 1250	13	57	345	35-44	79-88	22-31	5	100	1.41	C-E-D
5010101404001345	380 x 1350	14	57	345	35-44	79-88	22-31	5	100	1.52	C-E-D
5010101404001440	380 x 1440	15	57	345	35-44	79-88	22-31	5	100	1.62	C
5010101404001535	380 x 1540	16	57	345	35-44	79-88	22-31	5	100	1.73	C
5010101404001630	380 x 1630	17	57	345	35-44	79-88	22-31	5	100	1.84	C
5010101404001725	380 x 1730	18	57	345	35-44	79-88	22-31	5	100	1.95	C
5010101404001820	380 x 1820	19	57	345	35-44	79-88	22-31	5	100	2.05	C
5010101404001915	380 x 1920	20	57	345	35-44	79-88	22-31	5	100	2.16	C
5010101405000300	480 x 300	3	57	445	35-44	79-88	22-31	5	100	0.38	C
5010101405000395	480 x 400	4	57	445	35-44	79-88	22-31	5	100	0.50	C
5010101405000490	480 x 490	5	57	445	35-44	79-88	22-31	5	100	0.62	C-E-D
5010101405000585	480 x 590	6	57	445	35-44	79-88	22-31	5	100	0.74	C-E-D
5010101405000680	480 x 680	7	57	445	35-44	79-88	22-31	5	100	0.87	C-E-D
5010101405000775	480 x 780	8	57	445	35-44	79-88	22-31	5	100	0.99	C-E-D
5010101405000870	480 x 870	9	57	445	35-44	79-88	22-31	5	100	1.11	C-E-D
5010101405000965	480 x 970	10	57	445	35-44	79-88	22-31	5	100	1.23	C-E-D
5010101405001060	480 x 1060	11	57	445	35-44	79-88	22-31	5	100	1.35	C-E-D
5010101405001155	480 x 1160	12	57	445	35-44	79-88	22-31	5	100	1.47	C-E-D
5010101405001250	480 x 1250	13	57	445	35-44	79-88	22-31	5	100	1.60	C-E-D
5010101405001345	480 x 1350	14	57	445	35-44	79-88	22-31	5	100	1.72	C-E-D
5010101405001440	480 x 1440	15	57	445	35-44	79-88	22-31	5	100	1.84	C
5010101405001535	480 x 1540	16	57	445	35-44	79-88	22-31	5	100	1.96	C
5010101405001630	480 x 1630	17	57	445	35-44	79-88	22-31	5	100	2.08	C
5010101405001725	480 x 1730	18	57	445	35-44	79-88	22-31	5	100	2.20	C
5010101405001820	480 x 1820	19	57	445	35-44	79-88	22-31	5	100	2.33	C
5010101405001915	480 x 1920	20	57	445	35-44	79-88	22-31	5	100	2.45	C
5010101406000300	580 x 300	3	57	545	35-44	79-88	22-31	5	100	0.42	C
5010101406000395	580 x 400	4	57	545	35-44	79-88	22-31	5	100	0.56	C
5010101406000490	580 x 490	5	57	545	35-44	79-88	22-31	5	100	0.69	C-E-D
5010101406000585	580 x 590	6	57	545	35-44	79-88	22-31	5	100	0.83	C-E-D
5010101406000680	580 x 680	7	57	545	35-44	79-88	22-31	5	100	0.97	C-E-D
5010101406000775	580 x 780	8	57	545	35-44	79-88	22-31	5	100	1.10	C-E-D
5010101406000870	580 x 870	9	57	545	35-44	79-88	22-31	5	100	1.24	C-E-D
5010101406000965	580 x 970	10	57	545	35-44	79-88	22-31	5	100	1.37	C-E-D
5010101406001060	580 x 1060	11	57	545	35-44	79-88	22-31	5	100	1.51	C-E-D
5010101406001155	580 x 1160	12	57	545	35-44	79-88	22-31	5	100	1.65	C-E-D
5010101406001250	580 x 1250	13	57	545	35-44	79-88	22-31	5	100	1.78	C-E-D
5010101406001345	580 x 1350	14	57	545	35-44	79-88	22-31	5	100	1.92	C-E-D
5010101406001440	580 x 1440	15	57	545	35-44	79-88	22-31	5	100	2.05	C
5010101406001535	580 x 1540	16	57	545	35-44	79-88	22-31	5	100	2.19	C
5010101406001630	580 x 1630	17	57	545	35-44	79-88	22-31	5	100	2.33	C
5010101406001725	580 x 1730	18	57	545	35-44	79-88	22-31	5	100	2.46	C
5010101406001820	580 x 1820	19	57	545	35-44	79-88	22-31	5	100	2.60	C
5010101406001915	580 x 1920	20	57	545	35-44	79-88	22-31	5	100	2.73	C
5010101407000300	680 x 300	3	57	645	35-44	79-88	22-31	5	100	0.46	C
5010101407000395	680 x 400	4	57	645	35-44	79-88	22-31	5	100	0.61	C
5010101407000490	680 x 490	5	57	645	35-44	79-88	22-31	5	100	0.76	C-E-D
5010101407000585	680 x 590	6	57	645	35-44	79-88	22-31	5	100	0.92	C-E-D
5010101407000680	680 x 680	7	57	645	35-44	79-88	22-31	5	100	1.07	C-E-D
5010101407000775	680 x 780	8	57	645	35-44	79-88	22-31	5	100	1.22	C-E-D
5010101407000870	680 x 870	9	57	645	35-44	79-88	22-31	5	100	1.37	C-E-D
5010101407000965	680 x 970	10	57	645	35-44	79-88	22-31	5	100	1.52	C-E-D
5010101407001060	680 x 1060	11	57	645	35-44	79-88	22-31	5	100	1.67	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010101403000300	110	376	143	489	
5010101403000395	147	501	191	652	
5010101403000490	184	626	239	814	
5010101403000585	220	752	287	977	
5010101403000680	257	877	334	1140	
5010101403000775	294	1002	382	1303	
5010101403000870	331	1128	430	1466	
5010101403000965	367	1253	478	1629	
5010101403001060	404	1378	525	1792	
5010101403001155	441	1504	573	1955	
5010101403001250	478	1629	621	2117	
5010101403001345	514	1754	669	2280	
5010101403001440	551	1879	716	2443	
5010101403001535	588	2005	764	2606	
5010101403001630	625	2130	812	2769	
5010101403001725	661	2255	860	2932	
5010101403001820	698	2381	908	3095	
5010101403001915	735	2506	955	3258	
5010101404000300	150	512	195	666	
5010101404000395	200	683	260	888	
5010101404000490	250	854	325	1110	
5010101404000585	300	1024	391	1332	
5010101404000680	351	1195	456	1554	
5010101404000775	401	1366	521	1776	
5010101404000870	451	1537	586	1998	
5010101404000965	501	1707	651	2220	
5010101404001060	551	1878	716	2442	
5010101404001155	601	2049	781	2664	
5010101404001250	651	2220	846	2886	
5010101404001345	701	2390	911	3108	
5010101404001440	751	2561	976	3330	
5010101404001535	801	2732	1041	3551	
5010101404001630	851	2903	1107	3773	
5010101404001725	901	3073	1172	3995	
5010101404001820	951	3244	1237	4217	
5010101404001915	1001	3415	1302	4439	
5010101405000300	192	654	249	851	
5010101405000395	256	873	333	1131	
5010101405000490	320	1091	416	1418	
5010101405000585	384	1309	499	1702	
5010101405000680	448	1527	582	1985	
5010101405000775	512	1745	665	2269	
5010101405000870	576	1963	748	2552	
5010101405000965	640	2181	832	2836	
5010101405001060	704	2400	915	3119	
5010101405001155	768	2618	998	3403	
5010101405001250	832	2836	1081	3687	
5010101405001345	896	3054	1164	3970	
5010101405001440	960	3272	1247	4254	
5010101405001535	1024	3490	1331	4537	
5010101405001630	1088	3708	1414	4821	
5010101405001725	1151	3927	1497	5105	
5010101405001820	1215	4145	1580	5388	
5010101405001915	1279	4363	1663	5672	
5010101406000300	235	803	306	1043	
5010101406000395	314	1070	408	1391	
5010101406000490	392	1338	510	1739	
5010101406000585	471	1605	612	2087	
5010101406000680	549	1873	714	2435	
5010101406000775	628	2140	816	2783	
5010101406000870	706	2408	918	3130	
5010101406000965	785	2675	1020	3478	
5010101406001060	863	2943	1122	3826	
5010101406001155	942	3211	1224	4174	
5010101406001250	1020	3478	1326	4522	
5010101406001345	1098	3746	1428	4869	
5010101406001440	1177	4013	1530	5217	
5010101406001535	1255	4281	1632	5565	
5010101406001630	1334	4548	1734	5913	
5010101406001725	1412	4816	1836	6261	
5010101406001820	1491	5083	1938	6608	
5010101406001915	1569	5351	2040	6956	
5010101407000300	269	916	349	1191	
5010101407000395	358	1222	466	1588	
5010101407000490	448	1527	582	1985	
5010101407000585	537	1832	699	2382	
5010101407000680	627	2138	815	2779	
5010101407000775	716	2443	931	3176	
5010101407000870	806	2749	1048	3573	
5010101407000965	896	3054	1164	3970	
5010101407001060	985	3359	1281	4367	

CHIMO

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101407001155	680 x 1 160	12	57	645	35-44	79-88	22-31	5	100	1,82	C-E-D
5010101407001250	680 x 1 250	13	57	645	35-44	79-88	22-31	5	100	1,97	C-E-D
5010101407001345	680 x 1 350	14	57	645	35-44	79-88	22-31	5	100	2,12	C-E-D
5010101407001440	680 x 1 440	15	57	645	35-44	79-88	22-31	5	100	2,27	C
5010101407001535	680 x 1 540	16	57	645	35-44	79-88	22-31	5	100	2,42	C
5010101407001630	680 x 1 630	17	57	645	35-44	79-88	22-31	5	100	2,57	C
5010101407001725	680 x 1 730	18	57	645	35-44	79-88	22-31	5	100	2,72	C
5010101407001820	680 x 1 820	19	57	645	35-44	79-88	22-31	5	100	2,87	C
5010101407001915	680 x 1 920	20	57	645	35-44	79-88	22-31	5	100	3,02	C
5010101408000300	780 x 300	3	57	745	35-44	79-88	22-31	5	100	0,51	C
5010101408000395	780 x 400	4	57	745	35-44	79-88	22-31	5	100	0,67	C
5010101408000490	780 x 490	5	57	745	35-44	79-88	22-31	5	100	0,84	C-E-D
5010101408000585	780 x 590	6	57	745	35-44	79-88	22-31	5	100	1,00	C-E-D
5010101408000680	780 x 680	7	57	745	35-44	79-88	22-31	5	100	1,17	C-E-D
5010101408000775	780 x 780	8	57	745	35-44	79-88	22-31	5	100	1,33	C-E-D
5010101408000870	780 x 870	9	57	745	35-44	79-88	22-31	5	100	1,49	C-E-D
5010101408000965	780 x 970	10	57	745	35-44	79-88	22-31	5	100	1,66	C-E-D
5010101408001060	780 x 1 060	11	57	745	35-44	79-88	22-31	5	100	1,82	C-E-D
5010101408001155	780 x 1 160	12	57	745	35-44	79-88	22-31	5	100	1,99	C-E-D
5010101408001250	780 x 1 250	13	57	745	35-44	79-88	22-31	5	100	2,15	C-E-D
5010101408001345	780 x 1 350	14	57	745	35-44	79-88	22-31	5	100	2,32	C-E-D
5010101408001440	780 x 1 440	15	57	745	35-44	79-88	22-31	5	100	2,48	C
5010101408001535	780 x 1 540	16	57	745	35-44	79-88	22-31	5	100	2,65	C
5010101408001630	780 x 1 630	17	57	745	35-44	79-88	22-31	5	100	2,81	C
5010101408001725	780 x 1 730	18	57	745	35-44	79-88	22-31	5	100	2,98	C
5010101408001820	780 x 1 820	19	57	745	35-44	79-88	22-31	5	100	3,14	C
5010101408001915	780 x 1 920	20	57	745	35-44	79-88	22-31	5	100	3,31	C
5010101409000300	880 x 300	3	57	845	35-44	79-88	22-31	5	100	0,55	C
5010101409000395	880 x 400	4	57	845	35-44	79-88	22-31	5	100	0,73	C
5010101409000490	880 x 490	5	57	845	35-44	79-88	22-31	5	100	0,91	C-E-D
5010101409000585	880 x 590	6	57	845	35-44	79-88	22-31	5	100	1,09	C-E-D
5010101409000680	880 x 680	7	57	845	35-44	79-88	22-31	5	100	1,27	C-E-D
5010101409000775	880 x 780	8	57	845	35-44	79-88	22-31	5	100	1,44	C-E-D
5010101409000870	880 x 870	9	57	845	35-44	79-88	22-31	5	100	1,62	C-E-D
5010101409000965	880 x 970	10	57	845	35-44	79-88	22-31	5	100	1,80	C-E-D
5010101409001060	880 x 1 060	11	57	845	35-44	79-88	22-31	5	100	1,98	C-E-D
5010101409001155	880 x 1 160	12	57	845	35-44	79-88	22-31	5	100	2,16	C-E-D
5010101409001250	880 x 1 250	13	57	845	35-44	79-88	22-31	5	100	2,34	C-E-D
5010101409001345	880 x 1 350	14	57	845	35-44	79-88	22-31	5	100	2,52	C-E-D
5010101409001440	880 x 1 440	15	57	845	35-44	79-88	22-31	5	100	2,70	C
5010101409001535	880 x 1 540	16	57	845	35-44	79-88	22-31	5	100	2,88	C
5010101409001630	880 x 1 630	17	57	845	35-44	79-88	22-31	5	100	3,05	C
5010101409001725	880 x 1 730	18	57	845	35-44	79-88	22-31	5	100	3,23	C
5010101409001820	880 x 1 820	19	57	845	35-44	79-88	22-31	5	100	3,41	C
5010101409001915	880 x 1 920	20	57	845	35-44	79-88	22-31	5	100	3,59	C
5010101410000300	980 x 300	3	57	945	35-44	79-88	22-31	5	100	0,59	C
5010101410000395	980 x 400	4	57	945	35-44	79-88	22-31	5	100	0,79	C
5010101410000490	980 x 490	5	57	945	35-44	79-88	22-31	5	100	0,98	C-E-D
5010101410000585	980 x 590	6	57	945	35-44	79-88	22-31	5	100	1,17	C-E-D
5010101410000680	980 x 680	7	57	945	35-44	79-88	22-31	5	100	1,37	C-E-D
5010101410000775	980 x 780	8	57	945	35-44	79-88	22-31	5	100	1,56	C-E-D
5010101410000870	980 x 870	9	57	945	35-44	79-88	22-31	5	100	1,75	C-E-D
5010101410000965	980 x 970	10	57	945	35-44	79-88	22-31	5	100	1,95	C-E-D
5010101410001060	980 x 1 060	11	57	945	35-44	79-88	22-31	5	100	2,14	C-E-D
5010101410001155	980 x 1 160	12	57	945	35-44	79-88	22-31	5	100	2,33	C-E-D
5010101410001250	980 x 1 250	13	57	945	35-44	79-88	22-31	5	100	2,53	C-E-D
5010101410001345	980 x 1 350	14	57	945	35-44	79-88	22-31	5	100	2,72	C-E-D
5010101410001440	980 x 1 440	15	57	945	35-44	79-88	22-31	5	100	2,91	C
5010101410001535	980 x 1 540	16	57	945	35-44	79-88	22-31	5	100	3,10	C
5010101410001630	980 x 1 630	17	57	945	35-44	79-88	22-31	5	100	3,30	C
5010101410001725	980 x 1 730	18	57	945	35-44	79-88	22-31	5	100	3,49	C
5010101410001820	980 x 1 820	19	57	945	35-44	79-88	22-31	5	100	3,68	C
5010101410001915	980 x 1 920	20	57	945	35-44	79-88	22-31	5	100	3,88	C
5010101412000300	1180 x 300	3	57	1145	35-44	79-88	22-31	5	100	0,68	C
5010101412000395	1180 x 400	4	57	1145	35-44	79-88	22-31	5	100	0,90	C
5010101412000490	1180 x 490	5	57	1145	35-44	79-88	22-31	5	100	1,12	C-E-D
5010101412000585	1180 x 590	6	57	1145	35-44	79-88	22-31	5	100	1,34	C-E-D
5010101412000680	1180 x 680	7	57	1145	35-44	79-88	22-31	5	100	1,57	C-E-D
5010101412000775	1180 x 780	8	57	1145	35-44	79-88	22-31	5	100	1,79	C-E-D
5010101412000870	1180 x 870	9	57	1145	35-44	79-88	22-31	5	100	2,01	C-E-D
5010101412000965	1180 x 970	10	57	1145	35-44	79-88	22-31	5	100	2,23	C-E-D
5010101412001060	1180 x 1 060	11	57	1145	35-44	79-88	22-31	5	100	2,45	C-E-D
5010101412001155	1180 x 1 160	12	57	1145	35-44	79-88	22-31	5	100	2,68	C-E-D
5010101412001250	1180 x 1 250	13	57	1145	35-44	79-88	22-31	5	100	2,90	C-E-D
5010101412001345	1180 x 1 350	14	57	1145	35-44	79-88	22-31	5	100	3,12	C-E-D
5010101412001440	1180 x 1 440	15	57	1145	35-44	79-88	22-31	5	100	3,34	C
5010101414000300	1380 x 300	3	57	1345	35-44	79-88	22-31	5	100	0,76	C
5010101414000395	1380 x 400	4	57	1345	35-44	79-88	22-31	5	100	1,02	C
5010101414000490	1380 x 490	5	57	1345	35-44	79-88	22-31	5	100	1,27	C-E-D
5010101414000585	1380 x 590	6	57	1345	35-44	79-88	22-31	5	100	1,52	C-E-D
5010101414000680	1380 x 680	7	57	1345	35-44	79-88	22-31	5	100	1,77	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101407001155	1075	3665	1397	4764
5010101407001250	1164	3970	1514	5161
5010101407001345	1254	4276	1630	5558
5010101407001440	1343	4581	1746	5955
5010101407001535	1433	4886	1863	6352
5010101407001630	1523	5192	1979	6749
5010101407001725	1612	5497	2096	7146
5010101407001820	1702	5803	2212	7543
5010101407001915	1791	6108	2329	7940
5010101408000300	300	1024	391	1332
5010101408000395	401	1366	521	1776
5010101408000490	501	1707	651	2220
5010101408000585	601	2049	781	2664
5010101408000680	701	2390	911	3108
5010101408000775	801	2732	1041	3551
5010101408000870	901	3073	1172	3995
5010101408000965	1001	3415	1302	4439
5010101408001060	1102	3756	1432	4883
5010101408001155	1202	4098	1562	5327
5010101408001250	1302	4439	1692	5771
5010101408001345	1402	4781	1823	6215
5010101408001440	1502	5122	1953	6659
5010101408001535	1602	5464	2083	7103
5010101408001630	1702	5805	2213	7547
5010101408001725	1803	6147	2343	7991
5010101408001820	1903	6488	2474	8435
5010101408001915	2003	6830	2604	8879
5010101409000300	331	1128	430	1466
5010101409000395	441	1504	573	1955
5010101409000490	551	1879	716	2443
5010101409000585	661	2255	860	2932
5010101409000680	772	2631	1003	3420
5010101409000775	882	3007	1146	3909
5010101409000870	992	3383	1290	4398
5010101409000965	1102	3759	1433	4886
5010101409001060	1213	4135	1576	5375</

CHIMO

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101414000775	1380 x 780	8	57	1345	35-44	79-88	22-31	5	100	2,02	C-E-D
5010101414000870	1380 x 870	9	57	1345	35-44	79-88	22-31	5	100	2,27	C-E-D
5010101414000965	1380 x 970	10	57	1345	35-44	79-88	22-31	5	100	2,52	C-E-D
5010101414001060	1380 x 1060	11	57	1345	35-44	79-88	22-31	5	100	2,77	C-E-D
5010101414001155	1380 x 1160	12	57	1345	35-44	79-88	22-31	5	100	3,02	C-E-D
5010101414001250	1380 x 1250	13	57	1345	35-44	79-88	22-31	5	100	3,27	C-E-D
5010101414001345	1380 x 1350	14	57	1345	35-44	79-88	22-31	5	100	3,52	C-E-D
5010101414001440	1380 x 1440	15	57	1345	35-44	79-88	22-31	5	100	3,77	C
5010101416000300	1580 x 300	3	57	1545	35-44	79-88	22-31	5	100	0,85	C
5010101416000395	1580 x 400	4	57	1545	35-44	79-88	22-31	5	100	1,13	C
5010101416000490	1580 x 490	5	57	1545	35-44	79-88	22-31	5	100	1,41	C-E-D
5010101416000585	1580 x 590	6	57	1545	35-44	79-88	22-31	5	100	1,69	C-E-D
5010101416000680	1580 x 680	7	57	1545	35-44	79-88	22-31	5	100	1,97	C-E-D
5010101416000775	1580 x 780	8	57	1545	35-44	79-88	22-31	5	100	2,25	C-E-D
5010101416000870	1580 x 870	9	57	1545	35-44	79-88	22-31	5	100	2,52	C-E-D
5010101416000965	1580 x 970	10	57	1545	35-44	79-88	22-31	5	100	2,80	C-E-D
5010101416001060	1580 x 1060	11	57	1545	35-44	79-88	22-31	5	100	3,08	C-E-D
5010101418000300	1780 x 300	3	57	1745	35-44	79-88	22-31	5	100	0,94	C
5010101418000395	1780 x 400	4	57	1745	35-44	79-88	22-31	5	100	1,24	C
5010101418000490	1780 x 490	5	57	1745	35-44	79-88	22-31	5	100	1,55	C-E-D
5010101418000585	1780 x 590	6	57	1745	35-44	79-88	22-31	5	100	1,86	C-E-D
5010101418000680	1780 x 680	7	57	1745	35-44	79-88	22-31	5	100	2,17	C-E-D
5010101418000775	1780 x 780	8	57	1745	35-44	79-88	22-31	5	100	2,47	C-E-D
5010101418000870	1780 x 870	9	57	1745	35-44	79-88	22-31	5	100	2,78	C-E-D
5010101418000965	1780 x 970	10	57	1745	35-44	79-88	22-31	5	100	3,09	C-E-D
5010101418001060	1780 x 1060	11	57	1745	35-44	79-88	22-31	5	100	3,40	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101414000775	1264	4309	1643	5602
5010101414000870	1422	4848	1848	6302
5010101414000965	1580	5387	2054	7003
5010101414001060	1738	5925	2259	7703
5010101414001155	1896	6464	2464	8403
5010101414001250	2054	7003	2670	9104
5010101414001345	2212	7541	2875	9804
5010101414001440	2370	8080	3080	10504
5010101416000300	544	1855	707	2412
5010101416000395	725	2474	943	3216
5010101416000490	907	3092	1179	4020
5010101416000585	1088	3711	1415	4824
5010101416000680	1270	4329	1650	5628
5010101416000775	1451	4948	1886	6432
5010101416000870	1632	5566	2122	7236
5010101416000965	1814	6185	2358	8040
5010101416001060	1995	6803	2594	8844
5010101418000300	625	2130	812	2769
5010101418000395	833	2840	1083	3693
5010101418000490	1041	3551	1354	4616
5010101418000585	1249	4261	1624	5539
5010101418000680	1458	4971	1895	6462
5010101418000775	1666	5681	2166	7385
5010101418000870	1874	6391	2436	8308
5010101418000965	2082	7101	2707	9231
5010101418001060	2291	7811	2978	10155

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
16,89	20,68	0,12	1500X815X97
18,99	23,07	0,14	1500X910X97
21,10	25,46	0,15	1500X1005X97
23,20	27,84	0,17	1500X1100X97
25,30	30,23	0,18	1500X1195X97
27,41	32,63	0,19	1500X1290X97
29,51	35,02	0,21	1500X1385X97
31,62	37,42	0,22	1500X1480X97
7,14	9,55	0,06	1700X340X97
9,50	12,24	0,08	1700X435X97
11,86	14,92	0,09	1700X530X97
14,23	17,61	0,11	1700X625X97
16,59	20,45	0,12	1700X720X97
18,95	23,14	0,14	1700X815X97
21,31	25,82	0,16	1700X910X97
23,67	28,49	0,17	1700X1005X97
26,04	31,19	0,19	1700X1100X97
7,93	10,71	0,07	1900X340X97
10,56	13,69	0,09	1900X435X97
13,18	16,66	0,10	1900X530X97
15,81	19,66	0,12	1900X625X97
18,43	22,78	0,14	1900X720X97
21,06	25,77	0,16	1900X815X97
23,68	28,75	0,17	1900X910X97
26,30	31,73	0,19	1900X1005X97
28,94	34,71	0,21	1900X1100X97

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel