

CHIMO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101503000300	280 x 300	3	88	245	56-65	100-109	12-21	5	100	0.29	C
5010101503000395	280 x 400	4	88	245	56-65	100-109	12-21	5	100	0.39	C
5010101503000490	280 x 490	5	88	245	56-65	100-109	12-21	5	100	0.48	C-E-D
5010101503000585	280 x 590	6	88	245	56-65	100-109	12-21	5	100	0.57	C-E-D
5010101503000680	280 x 680	7	88	245	56-65	100-109	12-21	5	100	0.67	C-E-D
5010101503000775	280 x 780	8	88	245	56-65	100-109	12-21	5	100	0.76	C-E-D
5010101503000870	280 x 870	9	88	245	56-65	100-109	12-21	5	100	0.85	C-E-D
5010101503000965	280 x 970	10	88	245	56-65	100-109	12-21	5	100	0.94	C-E-D
5010101503001060	280 x 1060	11	88	245	56-65	100-109	12-21	5	100	1.04	C-E-D
5010101503001155	280 x 1160	12	88	245	56-65	100-109	12-21	5	100	1.13	C-E-D
5010101503001250	280 x 1250	13	88	245	56-65	100-109	12-21	5	100	1.22	C-E-D
5010101503001345	280 x 1350	14	88	245	56-65	100-109	12-21	5	100	1.32	C-E-D
5010101503001440	280 x 1440	15	88	245	56-65	100-109	12-21	5	100	1.41	C
5010101503001535	280 x 1540	16	88	245	56-65	100-109	12-21	5	100	1.50	C
5010101503001630	280 x 1630	17	88	245	56-65	100-109	12-21	5	100	1.60	C
5010101503001725	280 x 1730	18	88	245	56-65	100-109	12-21	5	100	1.69	C
5010101503001820	280 x 1820	19	88	245	56-65	100-109	12-21	5	100	1.78	C
5010101503001915	280 x 1920	20	88	245	56-65	100-109	12-21	5	100	1.88	C
5010101504000300	380 x 300	3	88	345	56-65	100-109	12-21	5	100	0.34	C
5010101504000395	380 x 400	4	88	345	56-65	100-109	12-21	5	100	0.44	C
5010101504000490	380 x 490	5	88	345	56-65	100-109	12-21	5	100	0.55	C-E-D
5010101504000585	380 x 590	6	88	345	56-65	100-109	12-21	5	100	0.66	C-E-D
5010101504000680	380 x 680	7	88	345	56-65	100-109	12-21	5	100	0.77	C-E-D
5010101504000775	380 x 780	8	88	345	56-65	100-109	12-21	5	100	0.87	C-E-D
5010101504000870	380 x 870	9	88	345	56-65	100-109	12-21	5	100	0.98	C-E-D
5010101504000965	380 x 970	10	88	345	56-65	100-109	12-21	5	100	1.09	C-E-D
5010101504001060	380 x 1060	11	88	345	56-65	100-109	12-21	5	100	1.19	C-E-D
5010101504001155	380 x 1160	12	88	345	56-65	100-109	12-21	5	100	1.30	C-E-D
5010101504001250	380 x 1250	13	88	345	56-65	100-109	12-21	5	100	1.41	C-E-D
5010101504001345	380 x 1350	14	88	345	56-65	100-109	12-21	5	100	1.52	C-E-D
5010101504001440	380 x 1440	15	88	345	56-65	100-109	12-21	5	100	1.62	C
5010101504001535	380 x 1540	16	88	345	56-65	100-109	12-21	5	100	1.73	C
5010101504001630	380 x 1630	17	88	345	56-65	100-109	12-21	5	100	1.84	C
5010101504001725	380 x 1730	18	88	345	56-65	100-109	12-21	5	100	1.95	C
5010101504001820	380 x 1820	19	88	345	56-65	100-109	12-21	5	100	2.05	C
5010101504001915	380 x 1920	20	88	345	56-65	100-109	12-21	5	100	2.16	C
5010101505000300	480 x 300	3	88	445	56-65	100-109	12-21	5	100	0.38	C
5010101505000395	480 x 400	4	88	445	56-65	100-109	12-21	5	100	0.50	C
5010101505000490	480 x 490	5	88	445	56-65	100-109	12-21	5	100	0.62	C-E-D
5010101505000585	480 x 590	6	88	445	56-65	100-109	12-21	5	100	0.74	C-E-D
5010101505000680	480 x 680	7	88	445	56-65	100-109	12-21	5	100	0.87	C-E-D
5010101505000775	480 x 780	8	88	445	56-65	100-109	12-21	5	100	0.99	C-E-D
5010101505000870	480 x 870	9	88	445	56-65	100-109	12-21	5	100	1.11	C-E-D
5010101505000965	480 x 970	10	88	445	56-65	100-109	12-21	5	100	1.23	C-E-D
5010101505001060	480 x 1060	11	88	445	56-65	100-109	12-21	5	100	1.35	C-E-D
5010101505001155	480 x 1160	12	88	445	56-65	100-109	12-21	5	100	1.47	C-E-D
5010101505001250	480 x 1250	13	88	445	56-65	100-109	12-21	5	100	1.60	C-E-D
5010101505001345	480 x 1350	14	88	445	56-65	100-109	12-21	5	100	1.72	C-E-D
5010101505001440	480 x 1440	15	88	445	56-65	100-109	12-21	5	100	1.84	C
5010101505001535	480 x 1540	16	88	445	56-65	100-109	12-21	5	100	1.96	C
5010101505001630	480 x 1630	17	88	445	56-65	100-109	12-21	5	100	2.08	C
5010101505001725	480 x 1730	18	88	445	56-65	100-109	12-21	5	100	2.20	C
5010101505001820	480 x 1820	19	88	445	56-65	100-109	12-21	5	100	2.33	C
5010101505001915	480 x 1920	20	88	445	56-65	100-109	12-21	5	100	2.45	C
5010101506000300	580 x 300	3	88	545	56-65	100-109	12-21	5	100	0.42	C
5010101506000395	580 x 400	4	88	545	56-65	100-109	12-21	5	100	0.56	C
5010101506000490	580 x 490	5	88	545	56-65	100-109	12-21	5	100	0.69	C-E-D
5010101506000585	580 x 590	6	88	545	56-65	100-109	12-21	5	100	0.83	C-E-D
5010101506000680	580 x 680	7	88	545	56-65	100-109	12-21	5	100	0.97	C-E-D
5010101506000775	580 x 780	8	88	545	56-65	100-109	12-21	5	100	1.10	C-E-D
5010101506000870	580 x 870	9	88	545	56-65	100-109	12-21	5	100	1.24	C-E-D
5010101506000965	580 x 970	10	88	545	56-65	100-109	12-21	5	100	1.37	C-E-D
5010101506001060	580 x 1060	11	88	545	56-65	100-109	12-21	5	100	1.51	C-E-D
5010101506001155	580 x 1160	12	88	545	56-65	100-109	12-21	5	100	1.65	C-E-D
5010101506001250	580 x 1250	13	88	545	56-65	100-109	12-21	5	100	1.78	C-E-D
5010101506001345	580 x 1350	14	88	545	56-65	100-109	12-21	5	100	1.92	C-E-D
5010101506001440	580 x 1440	15	88	545	56-65	100-109	12-21	5	100	2.05	C
5010101506001535	580 x 1540	16	88	545	56-65	100-109	12-21	5	100	2.19	C
5010101506001630	580 x 1630	17	88	545	56-65	100-109	12-21	5	100	2.33	C
5010101506001725	580 x 1730	18	88	545	56-65	100-109	12-21	5	100	2.46	C
5010101506001820	580 x 1820	19	88	545	56-65	100-109	12-21	5	100	2.60	C
5010101506001915	580 x 1920	20	88	545	56-65	100-109	12-21	5	100	2.73	C
5010101507000300	680 x 300	3	88	645	56-65	100-109	12-21	5	100	0.46	C
5010101507000395	680 x 400	4	88	645	56-65	100-109	12-21	5	100	0.61	C
5010101507000490	680 x 490	5	88	645	56-65	100-109	12-21	5	100	0.76	C-E-D
5010101507000585	680 x 590	6	88	645	56-65	100-109	12-21	5	100	0.92	C-E-D
5010101507000680	680 x 680	7	88	645	56-65	100-109	12-21	5	100	1.07	C-E-D
5010101507000775	680 x 780	8	88	645	56-65	100-109	12-21	5	100	1.22	C-E-D
5010101507000870	680 x 870	9	88	645	56-65	100-109	12-21	5	100	1.37	C-E-D
5010101507000965	680 x 970	10	88	645	56-65	100-109	12-21	5	100	1.52	C-E-D
5010101507001060	680 x 1060	11	88	645	56-65	100-109	12-21	5	100	1.67	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101503000300	165	562	214	731
5010101503000395	220	749	286	974
5010101503000490	275	937	357	1218
5010101503000585	330	1124	429	1461
5010101503000680	385	1311	500	1705
5010101503000775	439	1499	571	1948
5010101503000870	494	1686	643	2192
5010101503000965	549	1873	714	2435
5010101503001060	604	2061	786	2679
5010101503001155	659	2248	857	2922
5010101503001250	714	2435	928	3166
5010101503001345	769	2623	1000	3409
5010101503001440	824	2810	1071	3653
5010101503001535	879	2997	1143	3897
5010101503001630	934	3185	1214	4140
5010101503001725	989	3372	1286	4384
5010101503001820	1044	3559	1357	4627
5010101503001915	1099	3747	1428	4871
5010101504000300	225	766	292	996
5010101504000395	299	1021	389	1328
5010101504000490	374	1276	487	1659
5010101504000585	449	1532	584	1991
5010101504000680	524	1787	681	2323
5010101504000775	599	2042	779	2655
5010101504000870	674	2298	876	2987
5010101504000965	749	2553	973	3319
5010101504001060	824	2808	1071	3651
5010101504001155	898	3063	1168	3983
5010101504001250	973	3319	1265	4314
5010101504001345	1048	3574	1363	4646
5010101504001440	1123	3829	1460	4978
5010101504001535	1198	4085	1557	5310
5010101504001630	1273	4340	1655	5642
5010101504001725	1348	4595	1752	5974
5010101504001820	1422	4850	1849	6306
5010101504001915	1497	5106	1946	6638
5010101505000300	283	975	373	1272
5010101505000395	387	1309	497	1696
5010101505000490	478	1631	622	2120
5010101505000585	574	1957	746	2544
5010101505000680	670	2283	870	2968
5010101505000775	765	2609	995	3392
5010101505000870	861	2935	1119	3816
5010101505000965	956	3262	1243	4240
5010101505001060	1052	3588	1368	4664
5010101505001155	1148	3914	1492	5088
5010101505001250	1243	4240	1616	5512
5010101505001345	1339	4566	1741	5936
5010101505001440	1435	4892	1865	6360
5010101505001535	1530	5219	1989	6784
5010101505001630	1626	5545	2114	7208
5010101505001725	1722	5871	2238	7632
5010101505001820	1817	6197	2362	8056
5010101505001915	1913	6523	2487	8480
5010101506000300	352	1200	458	1560
5010101506000395	469	1600	610	2080
5010101506000490	587	2000	763	2600
5010101506000585	704	2400	915	3120
5010101506000680	821	2800	1068	3640
5010101506000775	938	3200	1220	4160
5010101506000870	1056	3600	1373	4680
5010101506000965	1173	4000	1525	5200
5010101506001060	1290	4400	1678	5720
5010101506001155	1408	4800	1830	6240
5010101506001250	1525	5200	1983	6760
5010101506001345	1642	5600	2135	7281
5010101506001440	1760	6000	2288	7801
5010101506001535	1877	6400	2440	8321
5010101506001630	1994	6800	2593	8841
5010101506001725	2112	7200	2745	9361
5010101506001820	2229	7601	2898	9881
5010101506001915	2346	8001	3050	10401
5010101507000300	402	1370	522	1781
5010101507000395	536	1827	696	2374
5010101507000490	670	2283	870	2968
5010101507000585	803	2740	1044	3562
5010101507000680	937	3196	1219	4155
5010101507000775	1071	3653	1393	4749
5010101507000870	1205	4110	1567	5342
5010101507000965	1339	4566	1741	5936
5010101507001060	1473	5023	1915	6530

CHIMO DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101507001155	680 x 1160	12	88	645	56-65	100-109	12-21	5	100	1.82	C-E-D
5010101507001250	680 x 1250	13	88	645	56-65	100-109	12-21	5	100	1.97	C-E-D
5010101507001345	680 x 1350	14	88	645	56-65	100-109	12-21	5	100	2.12	C-E-D
5010101507001440	680 x 1440	15	88	645	56-65	100-109	12-21	5	100	2.27	C
5010101507001535	680 x 1540	16	88	645	56-65	100-109	12-21	5	100	2.42	C
5010101507001630	680 x 1630	17	88	645	56-65	100-109	12-21	5	100	2.57	C
5010101507001725	680 x 1730	18	88	645	56-65	100-109	12-21	5	100	2.72	C
5010101507001820	680 x 1820	19	88	645	56-65	100-109	12-21	5	100	2.87	C
5010101507001915	680 x 1920	20	88	645	56-65	100-109	12-21	5	100	3.02	C
5010101508000300	780 x 300	3	88	745	56-65	100-109	12-21	5	100	0.51	C
5010101508000395	780 x 400	4	88	745	56-65	100-109	12-21	5	100	0.67	C
5010101508000490	780 x 490	5	88	745	56-65	100-109	12-21	5	100	0.84	C-E-D
5010101508000585	780 x 590	6	88	745	56-65	100-109	12-21	5	100	1.00	C-E-D
5010101508000680	780 x 680	7	88	745	56-65	100-109	12-21	5	100	1.17	C-E-D
5010101508000775	780 x 780	8	88	745	56-65	100-109	12-21	5	100	1.33	C-E-D
5010101508000870	780 x 870	9	88	745	56-65	100-109	12-21	5	100	1.49	C-E-D
5010101508000965	780 x 970	10	88	745	56-65	100-109	12-21	5	100	1.66	C-E-D
5010101508001060	780 x 1060	11	88	745	56-65	100-109	12-21	5	100	1.82	C-E-D
5010101508001155	780 x 1160	12	88	745	56-65	100-109	12-21	5	100	1.99	C-E-D
5010101508001250	780 x 1250	13	88	745	56-65	100-109	12-21	5	100	2.15	C-E-D
5010101508001345	780 x 1350	14	88	745	56-65	100-109	12-21	5	100	2.32	C-E-D
5010101508001440	780 x 1440	15	88	745	56-65	100-109	12-21	5	100	2.48	C
5010101508001535	780 x 1540	16	88	745	56-65	100-109	12-21	5	100	2.65	C
5010101508001630	780 x 1630	17	88	745	56-65	100-109	12-21	5	100	2.81	C
5010101508001725	780 x 1730	18	88	745	56-65	100-109	12-21	5	100	2.98	C
5010101508001820	780 x 1820	19	88	745	56-65	100-109	12-21	5	100	3.14	C
5010101508001915	780 x 1920	20	88	745	56-65	100-109	12-21	5	100	3.31	C
5010101509000300	880 x 300	3	88	845	56-65	100-109	12-21	5	100	0.55	C
5010101509000395	880 x 400	4	88	845	56-65	100-109	12-21	5	100	0.73	C
5010101509000490	880 x 490	5	88	845	56-65	100-109	12-21	5	100	0.91	C-E-D
5010101509000585	880 x 590	6	88	845	56-65	100-109	12-21	5	100	1.09	C-E-D
5010101509000680	880 x 680	7	88	845	56-65	100-109	12-21	5	100	1.27	C-E-D
5010101509000775	880 x 780	8	88	845	56-65	100-109	12-21	5	100	1.44	C-E-D
5010101509000870	880 x 870	9	88	845	56-65	100-109	12-21	5	100	1.62	C-E-D
5010101509000965	880 x 970	10	88	845	56-65	100-109	12-21	5	100	1.80	C-E-D
5010101509001060	880 x 1060	11	88	845	56-65	100-109	12-21	5	100	1.98	C-E-D
5010101509001155	880 x 1160	12	88	845	56-65	100-109	12-21	5	100	2.16	C-E-D
5010101509001250	880 x 1250	13	88	845	56-65	100-109	12-21	5	100	2.34	C-E-D
5010101509001345	880 x 1350	14	88	845	56-65	100-109	12-21	5	100	2.52	C-E-D
5010101509001440	880 x 1440	15	88	845	56-65	100-109	12-21	5	100	2.70	C
5010101509001535	880 x 1540	16	88	845	56-65	100-109	12-21	5	100	2.88	C
5010101509001630	880 x 1630	17	88	845	56-65	100-109	12-21	5	100	3.05	C
5010101509001725	880 x 1730	18	88	845	56-65	100-109	12-21	5	100	3.23	C
5010101509001820	880 x 1820	19	88	845	56-65	100-109	12-21	5	100	3.41	C
5010101509001915	880 x 1920	20	88	845	56-65	100-109	12-21	5	100	3.59	C
5010101510000300	980 x 300	3	88	945	56-65	100-109	12-21	5	100	0.59	C
5010101510000395	980 x 400	4	88	945	56-65	100-109	12-21	5	100	0.79	C
5010101510000490	980 x 490	5	88	945	56-65	100-109	12-21	5	100	0.98	C-E-D
5010101510000585	980 x 590	6	88	945	56-65	100-109	12-21	5	100	1.17	C-E-D
5010101510000680	980 x 680	7	88	945	56-65	100-109	12-21	5	100	1.37	C-E-D
5010101510000775	980 x 780	8	88	945	56-65	100-109	12-21	5	100	1.56	C-E-D
5010101510000870	980 x 870	9	88	945	56-65	100-109	12-21	5	100	1.75	C-E-D
5010101510000965	980 x 970	10	88	945	56-65	100-109	12-21	5	100	1.95	C-E-D
5010101510001060	980 x 1060	11	88	945	56-65	100-109	12-21	5	100	2.14	C-E-D
5010101510001155	980 x 1160	12	88	945	56-65	100-109	12-21	5	100	2.33	C-E-D
5010101510001250	980 x 1250	13	88	945	56-65	100-109	12-21	5	100	2.53	C-E-D
5010101510001345	980 x 1350	14	88	945	56-65	100-109	12-21	5	100	2.72	C-E-D
5010101510001440	980 x 1440	15	88	945	56-65	100-109	12-21	5	100	2.91	C
5010101510001535	980 x 1540	16	88	945	56-65	100-109	12-21	5	100	3.10	C
5010101510001630	980 x 1630	17	88	945	56-65	100-109	12-21	5	100	3.30	C
5010101510001725	980 x 1730	18	88	945	56-65	100-109	12-21	5	100	3.49	C
5010101510001820	980 x 1820	19	88	945	56-65	100-109	12-21	5	100	3.68	C
5010101510001915	980 x 1920	20	88	945	56-65	100-109	12-21	5	100	3.88	C
5010101512000300	1180 x 300	3	88	1145	56-65	100-109	12-21	5	100	0.68	C
5010101512000395	1180 x 400	4	88	1145	56-65	100-109	12-21	5	100	0.90	C
5010101512000490	1180 x 490	5	88	1145	56-65	100-109	12-21	5	100	1.12	C-E-D
5010101512000585	1180 x 590	6	88	1145	56-65	100-109	12-21	5	100	1.34	C-E-D
5010101512000680	1180 x 680	7	88	1145	56-65	100-109	12-21	5	100	1.57	C-E-D
5010101512000775	1180 x 780	8	88	1145	56-65	100-109	12-21	5	100	1.79	C-E-D
5010101512000870	1180 x 870	9	88	1145	56-65	100-109	12-21	5	100	2.01	C-E-D
5010101512000965	1180 x 970	10	88	1145	56-65	100-109	12-21	5	100	2.23	C-E-D
5010101512001060	1180 x 1060	11	88	1145	56-65	100-109	12-21	5	100	2.45	C-E-D
5010101512001155	1180 x 1160	12	88	1145	56-65	100-109	12-21	5	100	2.68	C-E-D
5010101512001250	1180 x 1250	13	88	1145	56-65	100-109	12-21	5	100	2.90	C-E-D
5010101512001345	1180 x 1350	14	88	1145	56-65	100-109	12-21	5	100	3.12	C-E-D
5010101512001440	1180 x 1440	15	88	1145	56-65	100-109	12-21	5	100	3.34	C
5010101514000300	1380 x 300	3	88	1345	56-65	100-109	12-21	5	100	0.76	C
5010101514000395	1380 x 400	4	88	1345	56-65	100-109	12-21	5	100	1.02	C
5010101514000490	1380 x 490	5	88	1345	56-65	100-109	12-21	5	100	1.27	C-E-D
5010101514000585	1380 x 590	6	88	1345	56-65	100-109	12-21	5	100	1.52	C-E-D
5010101514000680	1380 x 680	7	88	1345	56-65	100-109	12-21	5	100	1.77	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010101507001155	1607	5479	2089	7123
5010101507001250	1741	5936	2263	7717
5010101507001345	1875	6393	2437	8310
5010101507001440	2009	6849	2611	8904
5010101507001535	2142	7306	2785	9498
5010101507001630	2276	7763	2959	10091
5010101507001725	2410	8219	3133	10685
5010101507001820	2544	8676	3307	11278
5010101507001915	2678	9132	3482	11872
5010101508000300	449	1532	584	1991
5010101508000395	599	2042	779	2655
5010101508000490	749	2553	973	3319
5010101508000585	898	3063	1168	3983
5010101508000680	1048	3574	1363	4646
5010101508000775	1198	4085	1557	5310
5010101508000870	1348	4595	1752	5974
5010101508000965	1497	5106	1946	6638
5010101508001060	1647	5616	2141	7301
5010101508001155	1797	6127	2336	7965
5010101508001250	1946	6638	2530	8629
5010101508001345	2096	7148	2725	9293
5010101508001440	2246	7659	2920	9956
5010101508001535	2396	8169	3114	10620
5010101508001630	2545	8680	3309	11284
5010101508001725	2695	9190	3504	11948
5010101508001820	2845	9701	3698	12611
5010101508001915	2995	10212	3893	13275
5010101509000300	494	1686	643	2192
5010101509000395	659	2248	857	2922
5010101509000490	824	2810	1071	3653
5010101509000585	989	3372	1286	4384
5010101509000680	1154	3934	1500	5114
5010101509000775	1318	4496	1714	5845
5010101509000870	1483	5058	1928	6575
5010101509000965	1648	5620	2143	7306
5010101509001060	1813	6182	2357	8036
5010101509001155	1978	6744	2571	8767
5010101509001250	2143	7306	2785	9498
5010101509001345	2307	7868	2999	10228
5010101509001440	2472	8430	3214	10959
5010101509001535	2637	8992	3428	11689
5010101509001630	2802	9554	3642	12420
5010101509001725	2967	10116	3856	13151
5010101509001820	3131	10678	4071	13881
5010101509001915	3296	11240	4285	14612
5010101510000300	538	1833	699	2383
5010101510000395	717	2444	932	3177
5010101510000490	896	3055	1165	3971
5010101510000585	1075	3666	1397	4765
5010101510000680	1254	4277	1630	5560
5010101510000775	1433	4888	1863	6354
5010101510000870	1612	5499	2096	7148
5010101510000965	1792	6110	2329	7942
5010101510001060	1971	6720	2562	8737
5010101510001155	2150	7331	2795	9531
5010101510001250	2329	7942	3028	10325
5010101510001345	2508	8553	3261	11119
5010101510001440	2687	9164	3494	11913
5010101510001535	2867	9775	3727	12708
5010101510001630	3046	10386	3960	13502
5010101510001725	3225	10997	4192	14296
5010101510001820	3404	11608	4425	15090
5010101510001915	3583	12219	4658	15885
5010101512000300	617	2104	802	2736
5010101512000395	823	2806	1070	3648
5010101512000490	1029	3507	1337	4560
5010101512000585	1234	4209	1605	5471
5010101512000680	1440	4910	1872	6383
5010101512000775	1646	5612	2139	7295
5010101512000870	1851	6313	2407	8207
5010101512000965	2057	7015	2674	9119
5010101512001060	2263	7716	2942	10031
5010101512001155	2469	8418	3209	10943
5010101512001250	2674	9119	3476	11855
5010101512001345	2880	9821	3744	12767
5010101512001440	3086	10522	4011	13679
5010101514000300	709	2416	921	3141
5010101514000395	945	3222	1238	4188
5010101514000490	1181	4027	1535	5235
5010101514000585	1417	4832	1842	6282
5010101514000680	1653	5638	2149	7329

CHIMO DOUBLE

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010101514000775	1380 x 780	8	88	1345	56-65	100-109	12-21	5	100	2,02	C-E-D
5010101514000870	1380 x 870	9	88	1345	56-65	100-109	12-21	5	100	2,27	C-E-D
5010101514000965	1380 x 970	10	88	1345	56-65	100-109	12-21	5	100	2,52	C-E-D
5010101514001060	1380 x 1060	11	88	1345	56-65	100-109	12-21	5	100	2,77	C-E-D
5010101514001155	1380 x 1160	12	88	1345	56-65	100-109	12-21	5	100	3,02	C-E-D
5010101514001250	1380 x 1250	13	88	1345	56-65	100-109	12-21	5	100	3,27	C-E-D
5010101514001345	1380 x 1350	14	88	1345	56-65	100-109	12-21	5	100	3,52	C-E-D
5010101514001440	1380 x 1440	15	88	1345	56-65	100-109	12-21	5	100	3,77	C
5010101516000300	1580 x 300	3	88	1545	56-65	100-109	12-21	5	100	0,85	C
5010101516000395	1580 x 400	4	88	1545	56-65	100-109	12-21	5	100	1,13	C
5010101516000490	1580 x 490	5	88	1545	56-65	100-109	12-21	5	100	1,41	C-E-D
5010101516000585	1580 x 590	6	88	1545	56-65	100-109	12-21	5	100	1,69	C-E-D
5010101516000680	1580 x 680	7	88	1545	56-65	100-109	12-21	5	100	1,97	C-E-D
5010101516000775	1580 x 780	8	88	1545	56-65	100-109	12-21	5	100	2,25	C-E-D
5010101516000870	1580 x 870	9	88	1545	56-65	100-109	12-21	5	100	2,52	C-E-D
5010101516000965	1580 x 970	10	88	1545	56-65	100-109	12-21	5	100	2,80	C-E-D
5010101516001060	1580 x 1060	11	88	1545	56-65	100-109	12-21	5	100	3,08	C-E-D
5010101518000300	1780 x 300	3	88	1745	56-65	100-109	12-21	5	100	0,94	C
5010101518000395	1780 x 400	4	88	1745	56-65	100-109	12-21	5	100	1,24	C
5010101518000490	1780 x 490	5	88	1745	56-65	100-109	12-21	5	100	1,55	C-E-D
5010101518000585	1780 x 590	6	88	1745	56-65	100-109	12-21	5	100	1,86	C-E-D
5010101518000680	1780 x 680	7	88	1745	56-65	100-109	12-21	5	100	2,17	C-E-D
5010101518000775	1780 x 780	8	88	1745	56-65	100-109	12-21	5	100	2,47	C-E-D
5010101518000870	1780 x 870	9	88	1745	56-65	100-109	12-21	5	100	2,78	C-E-D
5010101518000965	1780 x 970	10	88	1745	56-65	100-109	12-21	5	100	3,09	C-E-D
5010101518001060	1780 x 1060	11	88	1745	56-65	100-109	12-21	5	100	3,40	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010101514000775	1889	6443	2456	8376
5010101514000870	2126	7249	2763	9423
5010101514000965	2362	8054	3070	10470
5010101514001060	2598	8859	3377	11517
5010101514001155	2834	9665	3685	12564
5010101514001250	3070	10470	3992	13611
5010101514001345	3307	11276	4299	14658
5010101514001440	3543	12081	4606	15705
5010101516000300	814	2774	1058	3606
5010101516000395	1085	3699	1410	4809
5010101516000490	1356	4624	1763	6011
5010101516000585	1627	5548	2115	7213
5010101516000680	1898	6473	2468	8415
5010101516000775	2169	7398	2820	9617
5010101516000870	2441	8323	3173	10819
5010101516000965	2712	9247	3525	12021
5010101516001060	2983	10172	3878	13224
5010101518000300	934	3185	1214	4141
5010101518000395	1245	4247	1619	5521
5010101518000490	1557	5309	2024	6901
5010101518000585	1868	6370	2429	8282
5010101518000680	2180	7432	2833	9662
5010101518000775	2491	8494	3238	11042
5010101518000870	2802	9556	3643	12422
5010101518000965	3114	10617	4048	13802
5010101518001060	3425	11679	4452	15183

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
28,87	32,74	0,17	1510X822X130
32,47	36,64	0,19	1510X917X130
36,07	40,54	0,20	1510X1012X130
39,67	44,42	0,22	1510X1107X130
43,26	48,30	0,24	1510X1202X130
46,87	52,21	0,26	1510X1297X130
50,47	56,10	0,28	1510X1392X130
54,07	59,99	0,30	1510X1487X130
12,29	14,82	0,08	1710X347X130
16,36	19,22	0,10	1710X442X130
20,43	23,62	0,12	1710X537X130
24,51	28,02	0,15	1710X632X130
28,58	32,55	0,17	1710X727X130
32,66	36,95	0,19	1710X822X130
36,73	41,36	0,21	1710X917X130
40,80	45,74	0,23	1710X1012X130
44,88	50,16	0,25	1710X1107X130
13,73	16,38	0,09	1910X347X130
18,28	21,28	0,11	1910X442X130
22,83	26,19	0,14	1910X537X130
27,39	31,12	0,16	1910X632X130
31,94	36,16	0,19	1910X727X130
36,50	41,07	0,21	1910X822X130
41,05	45,99	0,23	1910X917X130
45,60	50,90	0,26	1910X1012X130
50,16	55,82	0,28	1910X1107X130

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel