

MODEL CODE		Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C	Heat Outputs ΔT 60 °C	Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)		
		mm	pieces	mm	mm	mm	mm	mm	mm	mm	L			Watt	Btu	Watt	Btu	kg	kg	m³	mm
5010102003000300		280 x 300	6	37	245	44-53	63-72	26-35	6	45	0,36	C	5010102003000300	156	531	202	690	2,23	3,11	0,01	390X335X72
5010102003000351		280 x 350	7	37	245	44-53	63-72	26-35	6	45	0,42	C	5010102003000351	182	620	236	806	2,61	3,55	0,02	390X386X72
5010102003000402		280 x 400	8	37	245	44-53	63-72	26-35	6	45	0,48	C-E-D	5010102003000402	208	708	270	921	2,98	3,95	0,02	390X437X72
5010102003000453		280 x 450	9	37	245	44-53	63-72	26-35	6	45	0,54	C-E-D	5010102003000453	234	797	304	1036	3,36	4,38	0,02	390X488X72
5010102003000504		280 x 500	10	37	245	44-53	63-72	26-35	6	45	0,60	C-E-D	5010102003000504	260	885	337	1151	3,73	4,80	0,02	390X539X72
5010102003000555		280 x 560	11	37	245	44-53	63-72	26-35	6	45	0,66	C-E-D	5010102003000555	286	974	371	1266	4,11	5,22	0,02	390X590X72
5010102003000606		280 x 610	12	37	245	44-53	63-72	26-35	6	45	0,72	C-E-D	5010102003000606	312	1062	405	1381	4,48	5,80	0,02	390X641X72
5010102003000657		280 x 660	13	37	245	44-53	63-72	26-35	6	45	0,78	C-E-D	5010102003000657	337	1151	439	1496	4,85	6,20	0,02	390X692X72
5010102003000708		280 x 710	14	37	245	44-53	63-72	26-35	6	45	0,84	C-E-D	5010102003000708	363	1239	472	1611	5,23	6,64	0,03	390X743X72
5010102003000759		280 x 760	15	37	245	44-53	63-72	26-35	6	45	0,90	C-E-D	5010102003000759	389	1328	506	1726	5,60	7,05	0,03	390X794X72
5010102003000810		280 x 810	16	37	245	44-53	63-72	26-35	6	45	0,96	C-E-D	5010102003000810	415	1416	540	1841	5,98	7,47	0,03	390X845X72
5010102003000861		280 x 860	17	37	245	44-53	63-72	26-35	6	45	1,01	C-E-D	5010102003000861	441	1505	574	1956	6,35	7,90	0,03	390X896X72
5010102003000912		280 x 910	18	37	245	44-53	63-72	26-35	6	45	1,07	C-E-D	5010102003000912	467	1593	607	2071	6,72	8,30	0,03	390X947X72
5010102003000963		280 x 960	19	37	245	44-53	63-72	26-35	6	45	1,13	C-E-D	5010102003000963	493	1682	641	2186	7,09	8,72	0,03	390X998X72
5010102003001014		280 x 1010	20	37	245	44-53	63-72	26-35	6	45	1,19	C-E-D	5010102003001014	519	1770	675	2302	7,47	9,14	0,03	390X1049X72
5010102003001065		280 x 1070	21	37	245	44-53	63-72	26-35	6	45	1,25	C-E-D	5010102003001065	545	1859	709	2417	7,85	9,56	0,04	390X1100X72
5010102003001116		280 x 1120	22	37	245	44-53	63-72	26-35	6	45	1,31	C-E-D	5010102003001116	571	1947	742	2532	8,22	9,98	0,04	390X1151X72
5010102003001167		280 x 1170	23	37	245	44-53	63-72	26-35	6	45	1,37	C-E-D	5010102003001167	597	2036	776	2647	8,60	10,41	0,04	390X1202X72
5010102003001218		280 x 1220	24	37	245	44-53	63-72	26-35	6	45	1,43	C-E-D	5010102003001218	623	2125	810	2762	8,96	10,82	0,04	390X1253X72
5010102003001269		280 x 1270	25	37	245	44-53	63-72	26-35	6	45	1,49	C-E-D	5010102003001269	649	2213	844	2877	9,34	11,23	0,04	390X1304X72
5010102003001320		280 x 1320	26	37	245	44-53	63-72	26-35	6	45	1,55	C-E-D	5010102003001320	675	2302	877	2992	9,71	11,65	0,04	390X1355X72
5010102003001371		280 x 1370	27	37	245	44-53	63-72	26-35	6	45	1,61	C-E-D	5010102003001371	701	2390	911	3107	10,09	12,08	0,04	390X1406X72
5010102003001422		280 x 1420	28	37	245	44-53	63-72	26-35	6	45	1,67	C	5010102003001422	727	2479	945	3222	10,46	12,49	0,05	390X1457X72
5010102003001473		280 x 1470	29	37	245	44-53	63-72	26-35	6	45	1,73	C	5010102003001473	753	2567	979	3337	10,83	12,90	0,05	390X1508X72
5010102003001524		280 x 1520	30	37	245	44-53	63-72	26-35	6	45	1,79	C	5010102003001524	779	2656	1012	3452	11,21	13,33	0,05	390X1559X72
5010102003001575		280 x 1580	31	37	245	44-53	63-72	26-35	6	45	1,85	C	5010102003001575	805	2744	1046	3567	11,58	13,75	0,05	390X1610X72
5010102003001626		280 x 1630	32	37	245	44-53	63-72	26-35	6	45	1,91	C	5010102003001626	831	2833	1080	3682	11,96	14,17	0,05	390X1661X72
5010102003001677		280 x 1680	33	37	245	44-53	63-72	26-35	6	45	1,97	C	5010102003001677	857	2921	1114	3798	12,33	14,59	0,05	390X1712X72
5010102003001728		280 x 1730	34	37	245	44-53	63-72	26-35	6	45	2,03	C	5010102003001728	883	3010	1147	3913	12,71	15,01	0,05	390X1763X72
5010102003001779		280 x 1780	35	37	245	44-53	63-72	26-35	6	45	2,09	C	5010102003001779	909	3098	1181	4028	13,07	15,41	0,06	390X1814X72
5010102003001830		280 x 1830	36	37	245	44-53	63-72	26-35	6	45	2,15	C	5010102003001830	935	3187	1215	4143	13,45	15,84	0,06	390X1865X72
5010102003001881		280 x 1880	37	37	245	44-53	63-72	26-35	6	45	2,21	C	5010102003001881	960	3275	1249	4258	13,82	16,25	0,06	390X1916X72
5010102003001932		280 x 1930	38	37	245	44-53	63-72	26-35	6	45	2,27	C	5010102003001932	986	3364	1282	4373	14,20	16,68	0,06	390X1967X72
5010102003001983		280 x 1980	39	37	245	44-53	63-72	26-35	6	45	2,33	C	5010102003001983	1012	3452	1316	4488	14,58	17,10	0,06	390X2018X72
5010102004000300		380 x 300	6	37	345	44-53	63-72	26-35	6	45	0,45	C	5010102004000300	212	724	276	941	2,83	3,82	0,02	490X335X72
5010102004000351		380 x 350	7	37	345	44-53	63-72	26-35	6	45	0,52	C	5010102004000351	248	844	322	1098	3,30	4,34	0,02	490X386X72
5010102004000402		380 x 400	8	37	345	44-53	63-72	26-35	6	45	0,59	C-E-D	5010102004000402	283	965	368	1255	3,77	4,86	0,02	490X437X72
5010102004000453		380 x 450	9	37	345	44-53	63-72	26-35	6	45	0,67	C-E-D	5010102004000453	318	1086	414	1411	4,25	5,40	0,02	490X488X72
5010102004000504		380 x 500	10	37	345	44-53	63-72	26-35	6	45	0,74	C-E-D	5010102004000504	354	1206	460	1568	4,72	5,93	0,02	490X539X72
5010102004000555		380 x 560	11	37	345	44-53	63-72	26-35	6	45	0,81	C-E-D	5010102004000555	389	1327	506	1725	5,20	6,45	0,03	490X590X72
5010102004000606		380 x 610	12	37	345	44-53	63-72	26-35	6	45	0,89	C-E-D	5010102004000606	425	1448	552	1882	5,66	7,13	0,03	490X641X72
5010102004000657		380 x 660	13	37	345	44-53	63-72	26-35	6	45	0,96	C-E-D	5010102004000657	460	1568	598	2039	6,14	7,67	0,03	490X692X72
501010200400070																					

MODEL CODE		Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
		mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102005000963		480 x 960	19	37	445	44-53	63-72	26-35	6	45	1,68	C-E-D
5010102005001014		480 x 1010	20	37	445	44-53	63-72	26-35	6	45	1,77	C-E-D
5010102005001065		480 x 1070	21	37	445	44-53	63-72	26-35	6	45	1,85	C-E-D
5010102005001116		480 x 1120	22	37	445	44-53	63-72	26-35	6	45	1,94	C-E-D
5010102005001167		480 x 1170	23	37	445	44-53	63-72	26-35	6	45	2,03	C-E-D
5010102005001218		480 x 1220	24	37	445	44-53	63-72	26-35	6	45	2,12	C-E-D
5010102005001269		480 x 1270	25	37	445	44-53	63-72	26-35	6	45	2,21	C-E-D
5010102005001320		480 x 1320	26	37	445	44-53	63-72	26-35	6	45	2,30	C-E-D
5010102005001371		480 x 1370	27	37	445	44-53	63-72	26-35	6	45	2,38	C-E-D
5010102005001422		480 x 1420	28	37	445	44-53	63-72	26-35	6	45	2,47	C
5010102005001473		480 x 1470	29	37	445	44-53	63-72	26-35	6	45	2,56	C
5010102005001524		480 x 1520	30	37	445	44-53	63-72	26-35	6	45	2,65	C
5010102005001575		480 x 1580	31	37	445	44-53	63-72	26-35	6	45	2,74	C
5010102005001626		480 x 1630	32	37	445	44-53	63-72	26-35	6	45	2,82	C
5010102005001677		480 x 1680	33	37	445	44-53	63-72	26-35	6	45	2,91	C
5010102005001728		480 x 1730	34	37	445	44-53	63-72	26-35	6	45	3,00	C
5010102005001779		480 x 1780	35	37	445	44-53	63-72	26-35	6	45	3,09	C
5010102005001830		480 x 1830	36	37	445	44-53	63-72	26-35	6	45	3,18	C
5010102005001881		480 x 1880	37	37	445	44-53	63-72	26-35	6	45	3,27	C
5010102005001932		480 x 1930	38	37	445	44-53	63-72	26-35	6	45	3,35	C
5010102005001983		480 x 1980	39	37	445	44-53	63-72	26-35	6	45	3,44	C
5010102006000300		580 x 300	6	37	545	44-53	63-72	26-35	6	45	0,62	C
5010102006000351		580 x 350	7	37	545	44-53	63-72	26-35	6	45	0,72	C
5010102006000402		580 x 400	8	37	545	44-53	63-72	26-35	6	45	0,82	C-E-D
5010102006000453		580 x 450	9	37	545	44-53	63-72	26-35	6	45	0,92	C-E-D
5010102006000504		580 x 500	10	37	545	44-53	63-72	26-35	6	45	1,03	C-E-D
5010102006000555		580 x 560	11	37	545	44-53	63-72	26-35	6	45	1,13	C-E-D
5010102006000606		580 x 610	12	37	545	44-53	63-72	26-35	6	45	1,23	C-E-D
5010102006000657		580 x 660	13	37	545	44-53	63-72	26-35	6	45	1,33	C-E-D
5010102006000708		580 x 710	14	37	545	44-53	63-72	26-35	6	45	1,44	C-E-D
5010102006000759		580 x 760	15	37	545	44-53	63-72	26-35	6	45	1,54	C-E-D
5010102006000810		580 x 810	16	37	545	44-53	63-72	26-35	6	45	1,64	C-E-D
5010102006000861		580 x 860	17	37	545	44-53	63-72	26-35	6	45	1,74	C-E-D
5010102006000912		580 x 910	18	37	545	44-53	63-72	26-35	6	45	1,85	C-E-D
5010102006000963		580 x 960	19	37	545	44-53	63-72	26-35	6	45	1,95	C-E-D
5010102006001014		580 x 1010	20	37	545	44-53	63-72	26-35	6	45	2,05	C-E-D
5010102006001065		580 x 1070	21	37	545	44-53	63-72	26-35	6	45	2,15	C-E-D
5010102006001116		580 x 1120	22	37	545	44-53	63-72	26-35	6	45	2,26	C-E-D
5010102006001167		580 x 1170	23	37	545	44-53	63-72	26-35	6	45	2,36	C-E-D
5010102006001218		580 x 1220	24	37	545	44-53	63-72	26-35	6	45	2,46	C-E-D
5010102006001269		580 x 1270	25	37	545	44-53	63-72	26-35	6	45	2,56	C-E-D
5010102006001320		580 x 1320	26	37	545	44-53	63-72	26-35	6	45	2,67	C-E-D
5010102006001371		580 x 1370	27	37	545	44-53	63-72	26-35	6	45	2,77	C-E-D
5010102006001422		580 x 1420	28	37	545	44-53	63-72	26-35	6	45	2,87	C
5010102006001473		580 x 1470	29	37	545	44-53	63-72	26-35	6	45	2,97	C
5010102006001524		580 x 1520	30	37	545	44-53	63-72	26-35	6	45	3,08	C
5010102006001575		580 x 1580	31	37	545	44-53	63-72	26-35	6	45	3,18	C
5010102006001626		580 x 1630	32	37	545	44-53	63-72	26-35	6	45	3,28	C
5010102006001677		580 x 1680	33	37	545	44-53	63-72	26-35	6	45	3,38	C
5010102006001728		580 x 1730	34	37	545	44-53	63-72	26-35	6	45	3,49	C
5010102006001779		580 x 1780	35	37	545	44-53	63-72	26-35	6	45	3,59	C
5010102006001830		580 x 1830	36	37	545	44-53	63-72	26-35	6	45	3,69	C
5010102006001881		580 x 1880	37	37	545	44-53	63-72	26-35	6	45	3,79	C
5010102006001932		580 x 1930	38	37	545	44-53	63-72	26-35	6	45	3,90	C
5010102006001983		580 x 1980	39	37	545	44-53	63-72	26-35	6	45	4,00	C
5010102007000300		680 x 300	6	37	645	44-53	63-72	26-35	6	45	0,70	C
5010102007000351		680 x 350	7	37	645	44-53	63-72	26-35	6	45	0,82	C
5010102007000402		680 x 400	8	37	645	44-53	63-72	26-35	6	45	0,94	C-E-D
5010102007000453		680 x 450	9	37	645	44-53	63-72	26-35	6	45	1,05	C-E-D
5010102007000504		680 x 500	10	37	645	44-53	63-72	26-35	6	45	1,17	C-E-D
5010102007000555		680 x 560	11	37	645	44-53	63-72	26-35	6	45	1,29	C-E-D
5010102007000606		680 x 610	12	37	645	44-53	63-72	26-35	6	45	1,40	C-E-D
5010102007000657		680 x 660	13	37	645	44-53	63-72	26-35	6	45	1,52	C-E-D
5010102007000708		680 x 710	14	37	645	44-53	63-72	26-35	6	45	1,64	C-E-D
5010102007000759		680 x 760	15	37	645	44-53	63-72	26-35	6	45	1,75	C-E-D
5010102007000810		680 x 810	16	37	645	44-53	63-72	26-35	6	45	1,87	C-E-D
5010102007000861		680 x 860	17	37	645	44-53	63-72	26-35	6	45	1,99	C-E-D
5010102007000912		680 x 910	18	37	645	44-53	63-72	26-35	6	45	2,10	C-E-D
5010102007000963		680 x 960	19	37	645	44-53	63-72	26-35	6	45	2,22	C-E-D
5010102007001014		680 x 1010	20	37	645	44-53	63-72	26-35	6	45	2,34	C-E-D
5010102007001065		680 x 1070	21	37	645	44-53	63-72	26-35	6	45	2,45	C-E-D
5010102007001116		680 x 1120	22	37	645	44-53	63-72	26-35	6	45	2,57	C-E-D
5010102007001167		680 x 1170	23	37	645	44-53	63-72	26-35	6	45	2,69	C-E-D
5010102007001218		680 x 1220	24	37	645	44-53	63-72	26-35	6	45	2,81	C-E-D
5010102007001269		680 x 1270	25	37	645	44-53	63-72	26-35	6	45	2,92	C-E-D
5010102007001320		680 x 1320	26	37	645	44-53	63-72	26-35	6	45	3,04	C-E-D
5010102007001371		680 x 1370	27	37	645	44-53	63-72	26-35	6			

MODEL CODE		Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
		mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102007001626		680 x 1630	32	37	645	44-53	63-72	26-35	6	45	3.74	C
5010102007001677		680 x 1680	33	37	645	44-53	63-72	26-35	6	45	3.86	C
5010102007001728		680 x 1730	34	37	645	44-53	63-72	26-35	6	45	3.97	C
5010102007001779		680 x 1780	35	37	645	44-53	63-72	26-35	6	45	4.09	C
5010102007001830		680 x 1830	36	37	645	44-53	63-72	26-35	6	45	4.21	C
5010102007001881		680 x 1880	37	37	645	44-53	63-72	26-35	6	45	4.32	C
5010102007001932		680 x 1930	38	37	645	44-53	63-72	26-35	6	45	4.44	C
5010102007001983		680 x 1980	39	37	645	44-53	63-72	26-35	6	45	4.56	C
5010102008000300		780 x 300	6	37	745	44-53	63-72	26-35	6	45	0.79	C
5010102008000351		780 x 350	7	37	745	44-53	63-72	26-35	6	45	0.92	C
5010102008000402		780 x 400	8	37	745	44-53	63-72	26-35	6	45	1.05	C-E-D
5010102008000453		780 x 450	9	37	745	44-53	63-72	26-35	6	45	1.18	C-E-D
5010102008000504		780 x 500	10	37	745	44-53	63-72	26-35	6	45	1.31	C-E-D
5010102008000555		780 x 560	11	37	745	44-53	63-72	26-35	6	45	1.44	C-E-D
5010102008000606		780 x 610	12	37	745	44-53	63-72	26-35	6	45	1.57	C-E-D
5010102008000657		780 x 660	13	37	745	44-53	63-72	26-35	6	45	1.71	C-E-D
5010102008000708		780 x 710	14	37	745	44-53	63-72	26-35	6	45	1.84	C-E-D
5010102008000759		780 x 760	15	37	745	44-53	63-72	26-35	6	45	1.97	C-E-D
5010102008000810		780 x 810	16	37	745	44-53	63-72	26-35	6	45	2.10	C-E-D
5010102008000861		780 x 860	17	37	745	44-53	63-72	26-35	6	45	2.23	C-E-D
5010102008000912		780 x 910	18	37	745	44-53	63-72	26-35	6	45	2.36	C-E-D
5010102008000963		780 x 960	19	37	745	44-53	63-72	26-35	6	45	2.49	C-E-D
5010102008001014		780 x 1010	20	37	745	44-53	63-72	26-35	6	45	2.62	C-E-D
5010102008001065		780 x 1070	21	37	745	44-53	63-72	26-35	6	45	2.75	C-E-D
5010102008001116		780 x 1120	22	37	745	44-53	63-72	26-35	6	45	2.89	C-E-D
5010102008001167		780 x 1170	23	37	745	44-53	63-72	26-35	6	45	3.02	C-E-D
5010102008001218		780 x 1220	24	37	745	44-53	63-72	26-35	6	45	3.15	C-E-D
5010102008001269		780 x 1270	25	37	745	44-53	63-72	26-35	6	45	3.28	C-E-D
5010102008001320		780 x 1320	26	37	745	44-53	63-72	26-35	6	45	3.41	C-E-D
5010102008001371		780 x 1370	27	37	745	44-53	63-72	26-35	6	45	3.54	C-E-D
5010102008001422		780 x 1420	28	37	745	44-53	63-72	26-35	6	45	3.67	C
5010102008001473		780 x 1470	29	37	745	44-53	63-72	26-35	6	45	3.80	C
5010102008001524		780 x 1520	30	37	745	44-53	63-72	26-35	6	45	3.93	C
5010102008001575		780 x 1580	31	37	745	44-53	63-72	26-35	6	45	4.07	C
5010102008001626		780 x 1630	32	37	745	44-53	63-72	26-35	6	45	4.20	C
5010102008001677		780 x 1680	33	37	745	44-53	63-72	26-35	6	45	4.33	C
5010102008001728		780 x 1730	34	37	745	44-53	63-72	26-35	6	45	4.46	C
5010102008001779		780 x 1780	35	37	745	44-53	63-72	26-35	6	45	4.59	C
5010102008001830		780 x 1830	36	37	745	44-53	63-72	26-35	6	45	4.72	C
5010102008001881		780 x 1880	37	37	745	44-53	63-72	26-35	6	45	4.85	C
5010102008001932		780 x 1930	38	37	745	44-53	63-72	26-35	6	45	4.98	C
5010102008001983		780 x 1980	39	37	745	44-53	63-72	26-35	6	45	5.11	C
5010102009000300		880 x 300	6	37	845	44-53	63-72	26-35	6	45	0.87	C
5010102009000351		880 x 350	7	37	845	44-53	63-72	26-35	6	45	1.02	C
5010102009000402		880 x 400	8	37	845	44-53	63-72	26-35	6	45	1.16	C-E-D
5010102009000453		880 x 450	9	37	845	44-53	63-72	26-35	6	45	1.31	C-E-D
5010102009000504		880 x 500	10	37	845	44-53	63-72	26-35	6	45	1.46	C-E-D
5010102009000555		880 x 560	11	37	845	44-53	63-72	26-35	6	45	1.60	C-E-D
5010102009000606		880 x 610	12	37	845	44-53	63-72	26-35	6	45	1.75	C-E-D
5010102009000657		880 x 660	13	37	845	44-53	63-72	26-35	6	45	1.89	C-E-D
5010102009000708		880 x 710	14	37	845	44-53	63-72	26-35	6	45	2.04	C-E-D
5010102009000759		880 x 760	15	37	845	44-53	63-72	26-35	6	45	2.18	C-E-D
5010102009000810		880 x 810	16	37	845	44-53	63-72	26-35	6	45	2.33	C-E-D
5010102009000861		880 x 860	17	37	845	44-53	63-72	26-35	6	45	2.47	C-E-D
5010102009000912		880 x 910	18	37	845	44-53	63-72	26-35	6	45	2.62	C-E-D
5010102009000963		880 x 960	19	37	845	44-53	63-72	26-35	6	45	2.76	C-E-D
5010102009001014		880 x 1010	20	37	845	44-53	63-72	26-35	6	45	2.91	C-E-D
5010102009001065		880 x 1070	21	37	845	44-53	63-72	26-35	6	45	3.06	C-E-D
5010102009001116		880 x 1120	22	37	845	44-53	63-72	26-35	6	45	3.20	C-E-D
5010102009001167		880 x 1170	23	37	845	44-53	63-72	26-35	6	45	3.35	C-E-D
5010102009001218		880 x 1220	24	37	845	44-53	63-72	26-35	6	45	3.49	C-E-D
5010102009001269		880 x 1270	25	37	845	44-53	63-72	26-35	6	45	3.64	C-E-D
5010102009001320		880 x 1320	26	37	845	44-53	63-72	26-35	6	45	3.78	C-E-D
5010102009001371		880 x 1370	27	37	845	44-53	63-72	26-35	6	45	3.93	C-E-D
5010102009001422		880 x 1420	28	37	845	44-53	63-72	26-35	6	45	4.07	C
5010102009001473		880 x 1470	29	37	845	44-53	63-72	26-35	6	45	4.22	C
5010102009001524		880 x 1520	30	37	845	44-53	63-72	26-35	6	45	4.36	C
5010102009001575		880 x 1580	31	37	845	44-53	63-72	26-35	6	45	4.51	C
5010102009001626		880 x 1630	32	37	845	44-53	63-72	26-35	6	45	4.65	C
5010102009001677		880 x 1680	33	37	845	44-53	63-72	26-35	6	45	4.80	C
5010102009001728		880 x 1730	34	37	845	44-53	63-72	26-35	6	45	4.95	C
5010102009001779		880 x 1780	35	37	845	44-53	63-72	26-35	6	45	5.09	C
5010102009001830		880 x 1830	36	37	845	44-53	63-72	26-35	6	45	5.24	C
5010102009001881		880 x 1880	37	37	845	44-53	63-72	26-35	6	45	5.38	C
5010102009001932		880 x 1930	38	37	845	44-53	63-72	26-35	6	45	5.53	C
5010102009001983		880 x 1980	39	37	845	44-53	63-72	26-35	6	45	5.67	C
5010102010000300		980 x 300	6	37	945	44-53						

ELMAS LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102010000555	980 x 560	11	37	945	44-53	63-72	26-35	6	45	1,76	C-E-D
5010102010000606	980 x 610	12	37	945	44-53	63-72	26-35	6	45	1,92	C-E-D
5010102010000657	980 x 660	13	37	945	44-53	63-72	26-35	6	45	2,08	C-E-D
5010102010000708	980 x 710	14	37	945	44-53	63-72	26-35	6	45	2,24	C-E-D
5010102010000759	980 x 760	15	37	945	44-53	63-72	26-35	6	45	2,40	C-E-D
5010102010000810	980 x 810	16	37	945	44-53	63-72	26-35	6	45	2,56	C-E-D
5010102010000861	980 x 860	17	37	945	44-53	63-72	26-35	6	45	2,72	C-E-D
5010102010000912	980 x 910	18	37	945	44-53	63-72	26-35	6	45	2,88	C-E-D
5010102010000963	980 x 960	19	37	945	44-53	63-72	26-35	6	45	3,04	C-E-D
5010102010001014	980 x 1010	20	37	945	44-53	63-72	26-35	6	45	3,20	C-E-D
5010102010001065	980 x 1070	21	37	945	44-53	63-72	26-35	6	45	3,36	C-E-D
5010102010001116	980 x 1120	22	37	945	44-53	63-72	26-35	6	45	3,52	C-E-D
5010102010001167	980 x 1170	23	37	945	44-53	63-72	26-35	6	45	3,67	C-E-D
5010102010001218	980 x 1220	24	37	945	44-53	63-72	26-35	6	45	3,83	C-E-D
5010102010001269	980 x 1270	25	37	945	44-53	63-72	26-35	6	45	3,99	C-E-D
5010102010001320	980 x 1320	26	37	945	44-53	63-72	26-35	6	45	4,15	C-E-D
5010102010001371	980 x 1370	27	37	945	44-53	63-72	26-35	6	45	4,31	C-E-D
5010102010001422	980 x 1420	28	37	945	44-53	63-72	26-35	6	45	4,47	C
5010102010001473	980 x 1470	29	37	945	44-53	63-72	26-35	6	45	4,63	C
5010102010001524	980 x 1520	30	37	945	44-53	63-72	26-35	6	45	4,79	C
5010102010001575	980 x 1580	31	37	945	44-53	63-72	26-35	6	45	4,95	C
5010102010001626	980 x 1630	32	37	945	44-53	63-72	26-35	6	45	5,11	C
5010102010001677	980 x 1680	33	37	945	44-53	63-72	26-35	6	45	5,27	C
5010102010001728	980 x 1730	34	37	945	44-53	63-72	26-35	6	45	5,43	C
5010102010001779	980 x 1780	35	37	945	44-53	63-72	26-35	6	45	5,59	C
5010102010001830	980 x 1830	36	37	945	44-53	63-72	26-35	6	45	5,75	C
5010102010001881	980 x 1880	37	37	945	44-53	63-72	26-35	6	45	5,91	C
5010102010001932	980 x 1930	38	37	945	44-53	63-72	26-35	6	45	6,07	C
5010102010001983	980 x 1980	39	37	945	44-53	63-72	26-35	6	45	6,23	C
5010102012000300	1180 x 300	6	37	1145	44-53	63-72	26-35	6	45	1,13	C
5010102012000351	1180 x 350	7	37	1145	44-53	63-72	26-35	6	45	1,32	C
5010102012000402	1180 x 400	8	37	1145	44-53	63-72	26-35	6	45	1,51	C-E-D
5010102012000453	1180 x 450	9	37	1145	44-53	63-72	26-35	6	45	1,70	C-E-D
5010102012000504	1180 x 500	10	37	1145	44-53	63-72	26-35	6	45	1,88	C-E-D
5010102012000555	1180 x 560	11	37	1145	44-53	63-72	26-35	6	45	2,07	C-E-D
5010102012000606	1180 x 610	12	37	1145	44-53	63-72	26-35	6	45	2,26	C-E-D
5010102012000657	1180 x 660	13	37	1145	44-53	63-72	26-35	6	45	2,45	C-E-D
5010102012000708	1180 x 710	14	37	1145	44-53	63-72	26-35	6	45	2,64	C-E-D
5010102012000759	1180 x 760	15	37	1145	44-53	63-72	26-35	6	45	2,83	C-E-D
5010102012000810	1180 x 810	16	37	1145	44-53	63-72	26-35	6	45	3,01	C-E-D
5010102012000861	1180 x 860	17	37	1145	44-53	63-72	26-35	6	45	3,20	C-E-D
5010102012000912	1180 x 910	18	37	1145	44-53	63-72	26-35	6	45	3,39	C-E-D
5010102012000963	1180 x 960	19	37	1145	44-53	63-72	26-35	6	45	3,58	C-E-D
5010102012001014	1180 x 1010	20	37	1145	44-53	63-72	26-35	6	45	3,77	C-E-D
5010102012001065	1180 x 1070	21	37	1145	44-53	63-72	26-35	6	45	3,96	C-E-D
5010102012001116	1180 x 1120	22	37	1145	44-53	63-72	26-35	6	45	4,14	C-E-D
5010102012001167	1180 x 1170	23	37	1145	44-53	63-72	26-35	6	45	4,33	C-E-D
5010102012001218	1180 x 1220	24	37	1145	44-53	63-72	26-35	6	45	4,52	C-E-D
5010102012001269	1180 x 1270	25	37	1145	44-53	63-72	26-35	6	45	4,71	C-E-D
5010102012001320	1180 x 1320	26	37	1145	44-53	63-72	26-35	6	45	4,90	C-E-D
5010102012001371	1180 x 1370	27	37	1145	44-53	63-72	26-35	6	45	5,09	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102010000555	931	3176	1211	4128
5010102010000606	1016	3464	1321	4504
5010102010000657	1101	3753	1431	4879
5010102010000708	1185	4042	1541	5254
5010102010000759	1270	4330	1651	5630
5010102010000810	1355	4619	1761	6005
5010102010000861	1439	4908	1871	6380
5010102010000912	1524	5196	1981	6755
5010102010000963	1609	5485	2091	7131
5010102010001014	1693	5774	2201	7506
5010102010001065	1778	6063	2311	7881
5010102010001116	1863	6351	2421	8257
5010102010001167	1947	6640	2531	8632
5010102010001218	2032	6929	2641	9007
5010102010001269	2117	7217	2751	9382
5010102010001320	2201	7506	2862	9758
5010102010001371	2286	7795	2972	10133
5010102010001422	2370	8083	3082	10508
5010102010001473	2455	8372	3192	10884
5010102010001524	2540	8661	3302	11259
5010102010001575	2624	8949	3412	11634
5010102010001626	2709	9238	3522	12010
5010102010001677	2794	9527	3632	12385
5010102010001728	2878	9816	3742	12760
5010102010001779	2963	10104	3852	13135
5010102010001830	3048	10393	3962	13511
5010102010001881	3132	10682	4072	13886
5010102010001932	3217	10970	4182	14261
5010102010001983	3302	11259	4292	14637
5010102012000300	583	1989	758	2585
5010102012000351	680	2320	885	3016
5010102012000402	778	2652	1011	3447
5010102012000453	875	2983	1137	3878
5010102012000504	972	3315	1264	4309
5010102012000555	1069	3646	1390	4740
5010102012000606	1166	3978	1516	5171
5010102012000657	1264	4309	1643	5602
5010102012000708	1361	4641	1769	6033
5010102012000759	1458	4972	1895	6464
5010102012000810	1555	5303	2022	6894
5010102012000861	1652	5635	2148	7325
5010102012000912	1750	5966	2275	7756
5010102012000963	1847	6298	2401	8187
5010102012001014	1944	6629	2527	8618
5010102012001065	2041	6961	2654	9049
5010102012001116	2138	7292	2780	9480
5010102012001167	2236	7624	2906	9911
5010102012001218	2333	7955	3033	10342
5010102012001269	2430	8287	3159	10773
5010102012001320	2527	8618	3285	11203
5010102012001371	2625	8950	3412	11634

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
11,73	13,86	0,05	1090X590X72
12,78	15,17	0,06	1090X641X72
13,85	16,36	0,06	1090X692X72
14,92	17,53	0,06	1090X743X72
15,99	18,72	0,07	1090X794X72
17,05	19,88	0,07	1090X845X72
18,12	21,06	0,08	1090X896X72
19,18	22,23	0,08	1090X947X72
20,25	23,40	0,08	1090X998X72
21,32	24,59	0,09	1090X1049X72
22,38	25,75	0,09	1090X1100X72
23,45	26,94	0,10	1090X1151X72
24,52	28,11	0,10	1090X1202X72
25,58	29,28	0,10	1090X1253X72
26,65	30,46	0,11	1090X1304X72
27,71	31,62	0,11	1090X1355X72
28,78	32,81	0,12	1090X1406X72
29,85	33,98	0,12	1090X1457X72
30,91	35,15	0,12	1090X1508X72
31,97	36,32	0,13	1090X1559X72
33,04	37,50	0,13	1090X1610X72
34,11	38,68	0,14	1090X1661X72
35,18	39,85	0,14	1090X1712X72
36,25	41,04	0,14	1090X1763X72
37,30	42,19	0,15	1090X1814X72
38,37	43,37	0,15	1090X1865X72
39,44	44,56	0,16	1090X1916X72
40,51	45,73	0,16	1090X1967X72
41,58	46,92	0,16	1090X2018X72
7,57	9,36	0,04	1290X335X72
8,84	10,76	0,04	1290X386X72
10,10	12,14	0,05	1290X437X72
11,37	13,54	0,05	1290X488X72
12,64	14,93	0,06	1290X539X72
13,90	16,33	0,06	1290X590X72
15,16	17,87	0,06	1290X641X72
16,42	19,25	0,07	1290X692X72
17,69	20,65	0,07	1290X743X72
18,95	22,04	0,08	1290X794X72
20,22	23,44	0,08	1290X845X72
21,49	24,83	0,09	1290X896X72
22,74	26,22	0,09	1290X947X72
24,01	27,61	0,10	1290X998X72
25,27	28,99	0,10	1290X1049X72
26,54	30,40	0,11	1290X1100X72
27,80	31,78	0,11	1290X1151X72
29,07	33,19	0,12	1290X1202X72
30,32	34,56	0,12	1290X1253X72
31,59	35,95	0,13	1290X1304X72
32,86	37,35	0,13	1290X1355X72
34,12	38,73	0,14	1290X1406X72