

EXA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102103000306	380 x 310	3	29	245	56-82	72-98	43-66	3	100	0.34	C
5010102103000409	380 x 410	4	29	245	56-82	72-98	43-66	3	100	0.45	C-E-D
5010102103000512	380 x 510	5	29	245	56-82	72-98	43-66	3	100	0.56	C-E-D
5010102103000615	380 x 620	6	29	245	56-82	72-98	43-66	3	100	0.68	C-E-D
5010102103000718	380 x 720	7	29	245	56-82	72-98	43-66	3	100	0.79	C-E-D
5010102103000821	380 x 820	8	29	245	56-82	72-98	43-66	3	100	0.90	C-E-D
5010102103000924	380 x 920	9	29	245	56-82	72-98	43-66	3	100	1.01	C-E-D
5010102103001027	380 x 1030	10	29	245	56-82	72-98	43-66	3	100	1.13	C-E-D
5010102103001130	380 x 1130	11	29	245	56-82	72-98	43-66	3	100	1.24	C-E-D
5010102103001233	380 x 1230	12	29	245	56-82	72-98	43-66	3	100	1.35	C-E-D
5010102103001336	380 x 1340	13	29	245	56-82	72-98	43-66	3	100	1.46	C-E-D
5010102103001439	380 x 1440	14	29	245	56-82	72-98	43-66	3	100	1.57	C
5010102103001542	380 x 1540	15	29	245	56-82	72-98	43-66	3	100	1.69	C
5010102103001645	380 x 1650	16	29	245	56-82	72-98	43-66	3	100	1.80	C
5010102103001748	380 x 1750	17	29	245	56-82	72-98	43-66	3	100	1.91	C
5010102103001851	380 x 1850	18	29	245	56-82	72-98	43-66	3	100	2.02	C
5010102103001954	380 x 1950	19	29	245	56-82	72-98	43-66	3	100	2.14	C
5010102104000306	480 x 310	3	29	345	56-82	72-98	43-66	3	100	0.38	C
5010102104000409	480 x 410	4	29	345	56-82	72-98	43-66	3	100	0.51	C-E-D
5010102104000512	480 x 510	5	29	345	56-82	72-98	43-66	3	100	0.64	C-E-D
5010102104000615	480 x 620	6	29	345	56-82	72-98	43-66	3	100	0.76	C-E-D
5010102104000718	480 x 720	7	29	345	56-82	72-98	43-66	3	100	0.89	C-E-D
5010102104000821	480 x 820	8	29	345	56-82	72-98	43-66	3	100	1.02	C-E-D
5010102104000924	480 x 920	9	29	345	56-82	72-98	43-66	3	100	1.14	C-E-D
5010102104001027	480 x 1030	10	29	345	56-82	72-98	43-66	3	100	1.27	C-E-D
5010102104001130	480 x 1130	11	29	345	56-82	72-98	43-66	3	100	1.39	C-E-D
5010102104001233	480 x 1230	12	29	345	56-82	72-98	43-66	3	100	1.52	C-E-D
5010102104001336	480 x 1340	13	29	345	56-82	72-98	43-66	3	100	1.65	C-E-D
5010102104001439	480 x 1440	14	29	345	56-82	72-98	43-66	3	100	1.77	C
5010102104001542	480 x 1540	15	29	345	56-82	72-98	43-66	3	100	1.90	C
5010102104001645	480 x 1650	16	29	345	56-82	72-98	43-66	3	100	2.03	C
5010102104001748	480 x 1750	17	29	345	56-82	72-98	43-66	3	100	2.15	C
5010102104001851	480 x 1850	18	29	345	56-82	72-98	43-66	3	100	2.28	C
5010102104001954	480 x 1950	19	29	345	56-82	72-98	43-66	3	100	2.41	C
5010102105000409	580 x 410	4	29	445	56-82	72-98	43-66	3	100	0.57	C-E-D
5010102105000512	580 x 510	5	29	445	56-82	72-98	43-66	3	100	0.71	C-E-D
5010102105000615	580 x 620	6	29	445	56-82	72-98	43-66	3	100	0.85	C-E-D
5010102105000718	580 x 720	7	29	445	56-82	72-98	43-66	3	100	0.99	C-E-D
5010102105000821	580 x 820	8	29	445	56-82	72-98	43-66	3	100	1.13	C-E-D
5010102105000924	580 x 920	9	29	445	56-82	72-98	43-66	3	100	1.27	C-E-D
5010102105001027	580 x 1030	10	29	445	56-82	72-98	43-66	3	100	1.41	C-E-D
5010102105001130	580 x 1130	11	29	445	56-82	72-98	43-66	3	100	1.55	C-E-D
5010102105001233	580 x 1230	12	29	445	56-82	72-98	43-66	3	100	1.69	C-E-D
5010102105001336	580 x 1340	13	29	445	56-82	72-98	43-66	3	100	1.83	C-E-D
5010102105001439	580 x 1440	14	29	445	56-82	72-98	43-66	3	100	1.97	C
5010102105001542	580 x 1540	15	29	445	56-82	72-98	43-66	3	100	2.12	C
5010102105001645	580 x 1650	16	29	445	56-82	72-98	43-66	3	100	2.26	C
5010102105001748	580 x 1750	17	29	445	56-82	72-98	43-66	3	100	2.40	C
5010102105001851	580 x 1850	18	29	445	56-82	72-98	43-66	3	100	2.54	C
5010102105001954	580 x 1950	19	29	445	56-82	72-98	43-66	3	100	2.68	C
5010102106000306	680 x 310	3	29	545	56-82	72-98	43-66	3	100	0.47	C
5010102106000409	680 x 410	4	29	545	56-82	72-98	43-66	3	100	0.62	C-E-D
5010102106000512	680 x 510	5	29	545	56-82	72-98	43-66	3	100	0.78	C-E-D
5010102106000615	680 x 620	6	29	545	56-82	72-98	43-66	3	100	0.93	C-E-D
5010102106000718	680 x 720	7	29	545	56-82	72-98	43-66	3	100	1.09	C-E-D
5010102106000821	680 x 820	8	29	545	56-82	72-98	43-66	3	100	1.24	C-E-D
5010102106000924	680 x 920	9	29	545	56-82	72-98	43-66	3	100	1.40	C-E-D
5010102106001027	680 x 1030	10	29	545	56-82	72-98	43-66	3	100	1.55	C-E-D
5010102106001130	680 x 1130	11	29	545	56-82	72-98	43-66	3	100	1.71	C-E-D
5010102106001233	680 x 1230	12	29	545	56-82	72-98	43-66	3	100	1.86	C-E-D
5010102106001336	680 x 1340	13	29	545	56-82	72-98	43-66	3	100	2.02	C-E-D
5010102106001439	680 x 1440	14	29	545	56-82	72-98	43-66	3	100	2.17	C
5010102106001542	680 x 1540	15	29	545	56-82	72-98	43-66	3	100	2.33	C
5010102106001645	680 x 1650	16	29	545	56-82	72-98	43-66	3	100	2.49	C
5010102106001748	680 x 1750	17	29	545	56-82	72-98	43-66	3	100	2.64	C
5010102106001851	680 x 1850	18	29	545	56-82	72-98	43-66	3	100	2.80	C
5010102106001954	680 x 1950	19	29	545	56-82	72-98	43-66	3	100	2.95	C
5010102107000306	780 x 310	3	29	645	56-82	72-98	43-66	3	100	0.51	C
5010102107000409	780 x 410	4	29	645	56-82	72-98	43-66	3	100	0.68	C-E-D
5010102107000512	780 x 510	5	29	645	56-82	72-98	43-66	3	100	0.85	C-E-D
5010102107000615	780 x 620	6	29	645	56-82	72-98	43-66	3	100	1.02	C-E-D
5010102107000718	780 x 720	7	29	645	56-82	72-98	43-66	3	100	1.19	C-E-D
5010102107000821	780 x 820	8	29	645	56-82	72-98	43-66	3	100	1.36	C-E-D
5010102107000924	780 x 920	9	29	645	56-82	72-98	43-66	3	100	1.53	C-E-D
5010102107001027	780 x 1030	10	29	645	56-82	72-98	43-66	3	100	1.70	C-E-D
5010102107001130	780 x 1130	11	29	645	56-82	72-98	43-66	3	100	1.87	C-E-D
5010102107001233	780 x 1230	12	29	645	56-82	72-98	43-66	3	100	2.04	C-E-D
5010102107001336	780 x 1340	13	29	645	56-82	72-98	43-66	3	100	2.21	C-E-D
5010102107001439	780 x 1440	14	29	645	56-82	72-98	43-66	3	100	2.38	C
5010102107001542	780 x 1540	15	29	645	56-82	72-98	43-66	3	100	2.54	C
5010102107001645	780 x 1650	16	29	645	56-82	72-98	43-66	3	100	2.71	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102103000306	82	280	107	364
5010102103000409	109	373	142	485
5010102103000512	137	466	178	606
5010102103000615	164	560	213	728
5010102103000718	191	653	249	849
5010102103000821	219	746	284	970
5010102103000924	246	839	320	1091
5010102103001027	274	933	356	1213
5010102103001130	301	1026	391	1334
5010102103001233	328	1119	427	1455
5010102103001336	356	1213	462	1576
5010102103001439	383	1306	498	1698
5010102103001542	410	1399	533	1819
5010102103001645	438	1492	569	1940
5010102103001748	465	1586	605	2061
5010102103001851	492	1679	640	2183
5010102103001954	520	1772	676	2304
5010102104000306	112	381	145	496
5010102104000409	149	508	194	661
5010102104000512	186	636	242	826
5010102104000615	224	763	291	991
5010102104000718	261	890	339	1157
5010102104000821	298	1017	388	1322
5010102104000924	335	1144	436	1487
5010102104001027	373	1271	485	1652
5010102104001130	410	1398	533	1818
5010102104001233	447	1525	582	1983
5010102104001336	485	1652	630	2148
5010102104001439	522	1780	678	2313
5010102104001542	559	1907	727	2479
5010102104001645	596	2034	775	2644
5010102104001748	634	2161	824	2809
5010102104001851	671	2288	872	2974
5010102104001954	708	2415	921	3140
5010102105000409	191	650	248	844
5010102105000512	238	812	310	1056
5010102105000615	286	974	371	1267
5010102105000718	333	1137	433	1478
5010102105000821	381	1299	495	1689
5010102105000924	429	1462	557	1900
5010102105001027	476	1624	619	2111
5010102105001130	524	1786	681	2322
5010102105001233	571	1949	743	2533
5010102105001336	619	2111	805	2744
5010102105001439	667	2274	867	2956
5010102105001542	714	2436	929	3167
5010102105001645	762	2598	991	3378
5010102105001748	810	2761	1052	3589
5010102105001851	857	2923	1114	3800
5010102105001954	905	3086	1176	4011
5010102106000306	175	598	228	777
5010102106000409	234	797	304	1036
5010102106000512	292	996	380	1295
5010102106000615	350	1195	456	1554
5010102106000718	409	1394	532	1813
5010102106000821	467	1593	607	2071
5010102106000924	526	1793	683	2330
5010102106001027	584	1992	759	2589
5010102106001130	643	2191	835	2848
5010102106001233	701	2390	911	3107
5010102106001336	759	2589	987	3366
5010102106001439	818	2788	1063	3625
5010102106001542	876	2988	1139	3884
5010102106001645	935	3187	1215	4143
5010102106001748	993	3386	1291	4402
5010102106001851	1051	3585	1367	4661
5010102106001954	1110	3784	1443	4920
5010102107000306	200	682	260	887
5010102107000409	267	909	347	1182
5010102107000512	333	1137	433	1478
5010102107000615	400	1364	520	1773
5010102107000718	467	1591	607	2069
5010102107000821	533	1819	693	2364
5010102107000924	600	2046	780	2660
5010102107001027	667	2274	867	2956
5010102107001130	733	2501	953	3251
5010102107001233	800	2728	1040	3547
5010102107001336	867	2956	1127	3842
5010102107001439	933	3183	1213	4138
5010102107001542	1000	3410	1300	4433
5010102107001645	1067	3638	1387	4729

EXA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102107001748	780 x 1750	17	29	645	56-82	72-98	43-66	3	100	2,88	C
5010102107001851	780 x 1850	18	29	645	56-82	72-98	43-66	3	100	3,05	C
5010102107001954	780 x 1950	19	29	645	56-82	72-98	43-66	3	100	3,22	C
5010102108000306	880 x 310	3	29	745	56-82	72-98	43-66	3	100	0,55	C
5010102108000409	880 x 410	4	29	745	56-82	72-98	43-66	3	100	0,74	C-E-D
5010102108000512	880 x 510	5	29	745	56-82	72-98	43-66	3	100	0,92	C-E-D
5010102108000615	880 x 620	6	29	745	56-82	72-98	43-66	3	100	1,11	C-E-D
5010102108000718	880 x 720	7	29	745	56-82	72-98	43-66	3	100	1,29	C-E-D
5010102108000821	880 x 820	8	29	745	56-82	72-98	43-66	3	100	1,47	C-E-D
5010102108000924	880 x 920	9	29	745	56-82	72-98	43-66	3	100	1,66	C-E-D
5010102108001027	880 x 1030	10	29	745	56-82	72-98	43-66	3	100	1,84	C-E-D
5010102108001130	880 x 1130	11	29	745	56-82	72-98	43-66	3	100	2,02	C-E-D
5010102108001233	880 x 1230	12	29	745	56-82	72-98	43-66	3	100	2,21	C-E-D
5010102108001336	880 x 1340	13	29	745	56-82	72-98	43-66	3	100	2,39	C-E-D
5010102108001439	880 x 1440	14	29	745	56-82	72-98	43-66	3	100	2,58	C
5010102108001542	880 x 1540	15	29	745	56-82	72-98	43-66	3	100	2,76	C
5010102108001645	880 x 1650	16	29	745	56-82	72-98	43-66	3	100	2,94	C
5010102108001748	880 x 1750	17	29	745	56-82	72-98	43-66	3	100	3,13	C
5010102108001851	880 x 1850	18	29	745	56-82	72-98	43-66	3	100	3,31	C
5010102108001954	880 x 1950	19	29	745	56-82	72-98	43-66	3	100	3,49	C
5010102109000306	980 x 310	3	29	845	56-82	72-98	43-66	3	100	0,60	C
5010102109000409	980 x 410	4	29	845	56-82	72-98	43-66	3	100	0,80	C-E-D
5010102109000512	980 x 510	5	29	845	56-82	72-98	43-66	3	100	0,99	C-E-D
5010102109000615	980 x 620	6	29	845	56-82	72-98	43-66	3	100	1,19	C-E-D
5010102109000718	980 x 720	7	29	845	56-82	72-98	43-66	3	100	1,39	C-E-D
5010102109000821	980 x 820	8	29	845	56-82	72-98	43-66	3	100	1,59	C-E-D
5010102109000924	980 x 920	9	29	845	56-82	72-98	43-66	3	100	1,79	C-E-D
5010102109001027	980 x 1030	10	29	845	56-82	72-98	43-66	3	100	1,98	C-E-D
5010102109001130	980 x 1130	11	29	845	56-82	72-98	43-66	3	100	2,18	C-E-D
5010102109001233	980 x 1230	12	29	845	56-82	72-98	43-66	3	100	2,38	C-E-D
5010102109001336	980 x 1340	13	29	845	56-82	72-98	43-66	3	100	2,58	C-E-D
5010102109001439	980 x 1440	14	29	845	56-82	72-98	43-66	3	100	2,78	C
5010102109001542	980 x 1540	15	29	845	56-82	72-98	43-66	3	100	2,97	C
5010102109001645	980 x 1650	16	29	845	56-82	72-98	43-66	3	100	3,17	C
5010102109001748	980 x 1750	17	29	845	56-82	72-98	43-66	3	100	3,37	C
5010102109001851	980 x 1850	18	29	845	56-82	72-98	43-66	3	100	3,57	C
5010102109001954	980 x 1950	19	29	845	56-82	72-98	43-66	3	100	3,77	C
5010102110000306	1080 x 310	3	29	945	56-82	72-98	43-66	3	100	0,64	C
5010102110000409	1080 x 410	4	29	945	56-82	72-98	43-66	3	100	0,85	C-E-D
5010102110000512	1080 x 510	5	29	945	56-82	72-98	43-66	3	100	1,06	C-E-D
5010102110000615	1080 x 620	6	29	945	56-82	72-98	43-66	3	100	1,28	C-E-D
5010102110000718	1080 x 720	7	29	945	56-82	72-98	43-66	3	100	1,49	C-E-D
5010102110000821	1080 x 820	8	29	945	56-82	72-98	43-66	3	100	1,70	C-E-D
5010102110000924	1080 x 920	9	29	945	56-82	72-98	43-66	3	100	1,91	C-E-D
5010102110001027	1080 x 1030	10	29	945	56-82	72-98	43-66	3	100	2,13	C-E-D
5010102110001130	1080 x 1130	11	29	945	56-82	72-98	43-66	3	100	2,34	C-E-D
5010102110001233	1080 x 1230	12	29	945	56-82	72-98	43-66	3	100	2,55	C-E-D
5010102110001336	1080 x 1340	13	29	945	56-82	72-98	43-66	3	100	2,76	C-E-D
5010102110001439	1080 x 1440	14	29	945	56-82	72-98	43-66	3	100	2,98	C
5010102110001542	1080 x 1540	15	29	945	56-82	72-98	43-66	3	100	3,19	C
5010102110001645	1080 x 1650	16	29	945	56-82	72-98	43-66	3	100	3,40	C
5010102110001748	1080 x 1750	17	29	945	56-82	72-98	43-66	3	100	3,61	C
5010102110001851	1080 x 1850	18	29	945	56-82	72-98	43-66	3	100	3,82	C
5010102110001954	1080 x 1950	19	29	945	56-82	72-98	43-66	3	100	4,04	C
5010102112000306	1280 x 310	3	29	1145	56-82	72-98	43-66	3	100	0,73	C
5010102112000409	1280 x 410	4	29	1145	56-82	72-98	43-66	3	100	0,97	C-E-D
5010102112000512	1280 x 510	5	29	1145	56-82	72-98	43-66	3	100	1,21	C-E-D
5010102112000615	1280 x 620	6	29	1145	56-82	72-98	43-66	3	100	1,45	C-E-D
5010102112000718	1280 x 720	7	29	1145	56-82	72-98	43-66	3	100	1,69	C-E-D
5010102112000821	1280 x 820	8	29	1145	56-82	72-98	43-66	3	100	1,93	C-E-D
5010102112000924	1280 x 920	9	29	1145	56-82	72-98	43-66	3	100	2,17	C-E-D
5010102112001027	1280 x 1030	10	29	1145	56-82	72-98	43-66	3	100	2,41	C-E-D
5010102112001130	1280 x 1130	11	29	1145	56-82	72-98	43-66	3	100	2,65	C-E-D
5010102112001233	1280 x 1230	12	29	1145	56-82	72-98	43-66	3	100	2,89	C-E-D
5010102112001336	1280 x 1340	13	29	1145	56-82	72-98	43-66	3	100	3,14	C-E-D
5010102112001439	1280 x 1440	14	29	1145	56-82	72-98	43-66	3	100	3,38	C
5010102114000306	1480 x 310	3	29	1345	56-82	72-98	43-66	3	100	0,81	C
5010102114000409	1480 x 410	4	29	1345	56-82	72-98	43-66	3	100	1,08	C-E-D
5010102114000512	1480 x 510	5	29	1345	56-82	72-98	43-66	3	100	1,35	C-E-D
5010102114000615	1480 x 620	6	29	1345	56-82	72-98	43-66	3	100	1,62	C-E-D
5010102114000718	1480 x 720	7	29	1345	56-82	72-98	43-66	3	100	1,89	C-E-D
5010102114000821	1480 x 820	8	29	1345	56-82	72-98	43-66	3	100	2,16	C-E-D
5010102114000924	1480 x 920	9	29	1345	56-82	72-98	43-66	3	100	2,43	C-E-D
5010102114001027	1480 x 1030	10	29	1345	56-82	72-98	43-66	3	100	2,70	C-E-D
5010102114001130	1480 x 1130	11	29	1345	56-82	72-98	43-66	3	100	2,97	C-E-D
5010102114001233	1480 x 1230	12	29	1345	56-82	72-98	43-66	3	100	3,24	C-E-D
5010102114001336	1480 x 1340	13	29	1345	56-82	72-98	43-66	3	100	3,51	C-E-D
5010102114001439	1480 x 1440	14	29	1345	56-82	72-98	43-66	3	100	3,78	C
5010102116000306	1680 x 310	3	29	1545	56-82	72-98	43-66	3	100	0,90	C
5010102116000409	1680 x 410	4	29	1545	56-82	72-98	43-66	3	100	1,20	C-E-D
5010102116000512	1680 x 510	5	29	1545	56-82	72-98	43-66	3	100	1,49	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102107001748	1133	3865	1473	5025
5010102107001851	1200	4092	1560	5320
5010102107001954	1267	4320	1647	5616
5010102108000306	224	763	291	991
5010102108000409	298	1017	388	1322
5010102108000512	373	1271	485	1652
5010102108000615	447	1525	582	1983
5010102108000718	522	1780	678	2313
5010102108000821	596	2034	775	2644
5010102108000924	671	2288	872	2974
5010102108001027	746	2542	969	3305
5010102108001130	820	2796	1066	3635
5010102108001233	895	3051	1163	3966
5010102108001336	969	3305	1260	4296
5010102108001439	1044	3559	1357	4627
5010102108001542	1118	3813	1454	4957
5010102108001645	1193	4068	1551	5288
5010102108001748	1267	4322	1648	5618
5010102108001851	1342	4576	1744	5949
5010102108001954	1416	4830	1841	6279
5010102109000306	246	839	320	1091
5010102109000409	328	1119	427	1455
5010102109000512	410	1399	533	1819
5010102109000615	492	1679	640	2183
5010102109000718	574	1959	747	2546
5010102109000821	656	2239	853	2910
5010102109000924	739	2518	960	3274
5010102109001027	821	2798	1067	3638
5010102109001130	903	3078	1173	4001
5010102109001233	985	3358	1280	4365
5010102109001336	1067	3638	1387	4729
5010102109001439	1149	3917	1493	5093
5010102109001542	1231	4197	1600	5456
5010102109001645	1313	4477	1707	5820
5010102109001748	1395	4757	1813	6184
5010102109001851	1477	5037	1920	6548
5010102109001954	1559	5317	2027	6912
5010102110000306	268	913	348	1186
5010102110000409	357	1217	464	1582
5010102110000512	446	1521	580	1977
5010102110000615	535	1825	696	2373
5010102110000718	624	2129	812	2768
5010102110000821	714	2434	928	3164
5010102110000924	803	2738	1044	3559
5010102110001027	892	3042	1160	3955
5010102110001130	981	3346	1276	4350
5010102110001233	1070	3650	1392	4745
5010102110001336	1160	3955	1508	5141
5010102110001439	1249	4259	1624	5536
5010102110001542	1338	4563	1740	5932
5010102110001645	1427	4867	1855	6327
5010102110001748	1517	5171	1971	6723
5010102110001851	1606	5476	2087	7118
5010102110001954	1695	5780	2203	7514
5010102112000306	307	1048	399	1362
5010102112000409	410	1397	533	1816
5010102112000512	512	1746	666	2270
5010102112000615	615	2096	799	2724
5010102112000718	717	2445	932	3178
5010102112000821	819	2794	1065	3632
5010102112000924	922	3143	1198	4086
5010102112001027	1024	3493	1332	4540
5010102112001130	1127	3842	1465	4994
5010102112001233	1229	4191	1598	5449
5010102112001336	1332	4540	1731	5903
5010102112001439	1434	4890	1864	6357
5010102114000306	353	1203	459	1564
5010102114000409	470	1604	612	2085
5010102114000512	588	2005	764	2607
5010102114000615	706	2406	917	3128
5010102114000718	823	2807	1070	3649
5010102114000821	941	3208	1223	4171
5010102114000924	1058	3609	1376	4692
5010102114001027	1176	4010	1529	5213
5010102114001130	1294	4411	1682	5734
5010102114001233	1411	4812	1835	6256
5010102114001336	1529	5213	1987	6777
5010102114001439	1646	5614	2140	7298
5010102116000306	405	1381	527	1796
5010102116000409	540	1842	702	2394
5010102116000512	675	2302	878	2993

EXA

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102116000615	1680 x 620	6	29	1545	56-82	72-98	43-66	3	100	1.79	C-E-D
5010102116000718	1680 x 720	7	29	1545	56-82	72-98	43-66	3	100	2.09	C-E-D
5010102116000821	1680 x 820	8	29	1545	56-82	72-98	43-66	3	100	2.39	C-E-D
5010102116000924	1680 x 920	9	29	1545	56-82	72-98	43-66	3	100	2.69	C-E-D
5010102116001027	1680 x 1030	10	29	1545	56-82	72-98	43-66	3	100	2.98	C-E-D
5010102118000306	1880 x 310	3	29	1745	56-82	72-98	43-66	3	100	0.98	C
5010102118000409	1880 x 410	4	29	1745	56-82	72-98	43-66	3	100	1.31	C-E-D
5010102118000512	1880 x 510	5	29	1745	56-82	72-98	43-66	3	100	1.64	C-E-D
5010102118000615	1880 x 620	6	29	1745	56-82	72-98	43-66	3	100	1.96	C-E-D
5010102118000718	1880 x 720	7	29	1745	56-82	72-98	43-66	3	100	2.29	C-E-D
5010102118000821	1880 x 820	8	29	1745	56-82	72-98	43-66	3	100	2.62	C-E-D
5010102118000924	1880 x 920	9	29	1745	56-82	72-98	43-66	3	100	2.94	C-E-D
5010102118001027	1880 x 1030	10	29	1745	56-82	72-98	43-66	3	100	3.27	C-E-D

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102116000615	810	2763	1053	3591
5010102116000718	945	3223	1229	4190
5010102116000821	1080	3683	1404	4788
5010102116000924	1215	4144	1580	5387
5010102116001027	1350	4604	1755	5986
5010102118000306	465	1586	605	2062
5010102118000409	620	2115	806	2749
5010102118000512	775	2643	1008	3436
5010102118000615	930	3172	1209	4123
5010102118000718	1085	3701	1411	4811
5010102118000821	1240	4229	1612	5498
5010102118000924	1395	4758	1814	6185
5010102118001027	1550	5286	2015	6872

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
11.31	14.46	0.07	1790X640X61
13.20	16.69	0.09	1790X743X61
15.08	18.92	0.10	1790X846X61
16.96	21.13	0.11	1790X949X61
18.85	23.36	0.12	1790X1052X61
6.22	8.55	0.05	1990X331X61
8.30	10.99	0.06	1990X434X61
10.37	13.44	0.07	1990X537X61
12.45	15.91	0.08	1990X640X61
14.52	18.34	0.10	1990X743X61
16.60	20.80	0.11	1990X846X61
18.67	23.25	0.12	1990X949X61
20.74	25.69	0.13	1990X1052X61

C: Central Heating / E: Electric / D: Dual Fuel