

FIONA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102203000199	280 x 200	2	35	245	37-46	77-86	24-33	1	99	0.20	C
5010102203000299	280 x 300	3	35	245	37-46	77-86	24-33	1	99	0.29	C
5010102203000399	280 x 400	4	35	245	37-46	77-86	24-33	1	99	0.39	C
5010102203000499	280 x 500	5	35	245	37-46	77-86	24-33	1	99	0.48	C-E-D
5010102203000599	280 x 600	6	35	245	37-46	77-86	24-33	1	99	0.58	C-E-D
5010102203000699	280 x 700	7	35	245	37-46	77-86	24-33	1	99	0.68	C-E-D
5010102203000799	280 x 800	8	35	245	37-46	77-86	24-33	1	99	0.77	C-E-D
5010102203000899	280 x 900	9	35	245	37-46	77-86	24-33	1	99	0.87	C-E-D
5010102203000999	280 x 1000	10	35	245	37-46	77-86	24-33	1	99	0.96	C-E-D
5010102203001099	280 x 1100	11	35	245	37-46	77-86	24-33	1	99	1.06	C-E-D
5010102203001199	280 x 1200	12	35	245	37-46	77-86	24-33	1	99	1.16	C-E-D
5010102203001299	280 x 1300	13	35	245	37-46	77-86	24-33	1	99	1.25	C-E-D
5010102203001399	280 x 1400	14	35	245	37-46	77-86	24-33	1	99	1.35	C-E-D
5010102203001499	280 x 1500	15	35	245	37-46	77-86	24-33	1	99	1.44	C
5010102203001599	280 x 1600	16	35	245	37-46	77-86	24-33	1	99	1.54	C
5010102203001699	280 x 1700	17	35	245	37-46	77-86	24-33	1	99	1.64	C
5010102203001799	280 x 1800	18	35	245	37-46	77-86	24-33	1	99	1.73	C
5010102203001899	280 x 1900	19	35	245	37-46	77-86	24-33	1	99	1.83	C
5010102203001999	280 x 2000	20	35	245	37-46	77-86	24-33	1	99	1.92	C
5010102204000199	380 x 200	2	35	345	47-56	127-86	24-33	1	99	0.22	C
5010102204000299	380 x 300	3	35	345	47-56	127-86	24-33	1	99	0.34	C
5010102204000399	380 x 400	4	35	345	47-56	127-86	24-33	1	99	0.45	C
5010102204000499	380 x 500	5	35	345	47-56	127-86	24-33	1	99	0.56	C-E-D
5010102204000599	380 x 600	6	35	345	47-56	127-86	24-33	1	99	0.67	C-E-D
5010102204000699	380 x 700	7	35	345	47-56	127-86	24-33	1	99	0.78	C-E-D
5010102204000799	380 x 800	8	35	345	47-56	127-86	24-33	1	99	0.89	C-E-D
5010102204000899	380 x 900	9	35	345	47-56	127-86	24-33	1	99	1.00	C-E-D
5010102204000999	380 x 1000	10	35	345	47-56	127-86	24-33	1	99	1.11	C-E-D
5010102204001099	380 x 1100	11	35	345	47-56	127-86	24-33	1	99	1.22	C-E-D
5010102204001199	380 x 1200	12	35	345	47-56	127-86	24-33	1	99	1.33	C-E-D
5010102204001299	380 x 1300	13	35	345	47-56	127-86	24-33	1	99	1.44	C-E-D
5010102204001399	380 x 1400	14	35	345	47-56	127-86	24-33	1	99	1.55	C-E-D
5010102204001499	380 x 1500	15	35	345	47-56	127-86	24-33	1	99	1.66	C
5010102204001599	380 x 1600	16	35	345	47-56	127-86	24-33	1	99	1.77	C
5010102204001699	380 x 1700	17	35	345	47-56	127-86	24-33	1	99	1.88	C
5010102204001799	380 x 1800	18	35	345	47-56	127-86	24-33	1	99	1.99	C
5010102204001899	380 x 1900	19	35	345	47-56	127-86	24-33	1	99	2.10	C
5010102204001999	380 x 2000	20	35	345	47-56	127-86	24-33	1	99	2.21	C
5010102205000199	480 x 200	2	35	445	57-66	177-86	24-33	1	99	0.25	C
5010102205000299	480 x 300	3	35	445	57-66	177-86	24-33	1	99	0.38	C
5010102205000399	480 x 400	4	35	445	57-66	177-86	24-33	1	99	0.50	C
5010102205000499	480 x 500	5	35	445	57-66	177-86	24-33	1	99	0.63	C-E-D
5010102205000599	480 x 600	6	35	445	57-66	177-86	24-33	1	99	0.75	C-E-D
5010102205000699	480 x 700	7	35	445	57-66	177-86	24-33	1	99	0.88	C-E-D
5010102205000799	480 x 800	8	35	445	57-66	177-86	24-33	1	99	1.00	C-E-D
5010102205000899	480 x 900	9	35	445	57-66	177-86	24-33	1	99	1.13	C-E-D
5010102205000999	480 x 1000	10	35	445	57-66	177-86	24-33	1	99	1.25	C-E-D
5010102205001099	480 x 1100	11	35	445	57-66	177-86	24-33	1	99	1.37	C-E-D
5010102205001199	480 x 1200	12	35	445	57-66	177-86	24-33	1	99	1.50	C-E-D
5010102205001299	480 x 1300	13	35	445	57-66	177-86	24-33	1	99	1.62	C-E-D
5010102205001399	480 x 1400	14	35	445	57-66	177-86	24-33	1	99	1.75	C-E-D
5010102205001499	480 x 1500	15	35	445	57-66	177-86	24-33	1	99	1.87	C
5010102205001599	480 x 1600	16	35	445	57-66	177-86	24-33	1	99	2.00	C
5010102205001699	480 x 1700	17	35	445	57-66	177-86	24-33	1	99	2.12	C
5010102205001799	480 x 1800	18	35	445	57-66	177-86	24-33	1	99	2.25	C
5010102205001899	480 x 1900	19	35	445	57-66	177-86	24-33	1	99	2.37	C
5010102205001999	480 x 2000	20	35	445	57-66	177-86	24-33	1	99	2.49	C
5010102206000199	580 x 200	2	35	545	67-66	177-86	24-33	1	99	0.28	C
5010102206000299	580 x 300	3	35	545	67-66	177-86	24-33	1	99	0.42	C
5010102206000399	580 x 400	4	35	545	67-66	177-86	24-33	1	99	0.56	C
5010102206000499	580 x 500	5	35	545	67-66	177-86	24-33	1	99	0.70	C-E-D
5010102206000599	580 x 600	6	35	545	67-66	177-86	24-33	1	99	0.84	C-E-D
5010102206000699	580 x 700	7	35	545	67-66	177-86	24-33	1	99	0.98	C-E-D
5010102206000799	580 x 800	8	35	545	67-66	177-86	24-33	1	99	1.12	C-E-D
5010102206000899	580 x 900	9	35	545	67-66	177-86	24-33	1	99	1.25	C-E-D
5010102206000999	580 x 1000	10	35	545	67-66	177-86	24-33	1	99	1.39	C-E-D
5010102206001099	580 x 1100	11	35	545	67-66	177-86	24-33	1	99	1.53	C-E-D
5010102206001199	580 x 1200	12	35	545	67-66	177-86	24-33	1	99	1.67	C-E-D
5010102206001299	580 x 1300	13	35	545	67-66	177-86	24-33	1	99	1.81	C-E-D
5010102206001399	580 x 1400	14	35	545	67-66	177-86	24-33	1	99	1.95	C-E-D
5010102206001499	580 x 1500	15	35	545	67-66	177-86	24-33	1	99	2.09	C
5010102206001599	580 x 1600	16	35	545	67-66	177-86	24-33	1	99	2.23	C
5010102206001699	580 x 1700	17	35	545	67-66	177-86	24-33	1	99	2.36	C
5010102206001799	580 x 1800	18	35	545	67-66	177-86	24-33	1	99	2.50	C
5010102206001899	580 x 1900	19	35	545	67-66	177-86	24-33	1	99	2.64	C
5010102206001999	580 x 2000	20	35	545	67-66	177-86	24-33	1	99	2.78	C
5010102207000199	680 x 200	2	35	645	77-66	177-86	24-33	1	99	0.31	C
5010102207000299	680 x 300	3	35	645	77-66	177-86	24-33	1	99	0.46	C
5010102207000399	680 x 400	4	35	645	77-66	177-86	24-33	1	99	0.62	C
5010102207000499	680 x 500	5	35	645	77-66	177-86	24-33	1	99	0.77	C-E-D
5010102207000599	680 x 600	6	35	645	77-66	177-86	24-33	1	99	0.92	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Btu
5010102203000199	77	263	100	342
5010102203000299	116	395	150	513
5010102203000399	154	526	201	684
5010102203000499	193	658	251	855
5010102203000599	231	789	301	1026
5010102203000699	270	921	351	1197
5010102203000799	309	1052	401	1368
5010102203000899	347	1184	451	1539
5010102203000999	386	1315	502	1710
5010102203001099	424	1447	552	1881
5010102203001199	463	1579	602	2052
5010102203001299	502	1710	652	2223
5010102203001399	540	1842	702	2394
5010102203001499	579	1973	752	2565
5010102203001599	617	2105	802	2736
5010102203001699	656	2236	853	2907
5010102203001799	694	2368	903	3078
5010102203001899	733	2499	953	3249
5010102203001999	772	2631	1003	3420
5010102204000199	105	359	137	466
5010102204000299	158	538	205	699
5010102204000399	210	717	273	932
5010102204000499	263	896	342	1165
5010102204000599	315	1076	410	1398
5010102204000699	368	1255	478	1631
5010102204000799	421	1434	547	1864
5010102204000899	473	1613	615	2097
5010102204000999	526	1793	683	2331
5010102204001099	578	1972	752	2564
5010102204001199	631	2151	820	2797
5010102204001299	683	2331	888	3030
5010102204001399	736	2510	957	3263
5010102204001499	789	2689	1025	3496
5010102204001599	841	2868	1093	3729
5010102204001699	894	3048	1162	3962
5010102204001799	946	3227	1230	4195
5010102204001899	999	3406	1299	4428
5010102204001999	1051	3585	1367	4661
5010102205000199	134	458	175	

FIONA	TECHNICAL INFORMATION								(For connection types, please refer to the last page)				
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type		
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L			
5010102207000699	680 x 700	7	35	645	37-46	77-86	24-33	1	99	1,08	C-ED		
5010102207000799	680 x 800	8	35	645	37-46	77-86	24-33	1	99	1,23	C-ED		
5010102207000899	680 x 900	9	35	645	37-46	77-86	24-33	1	99	1,38	C-ED		
5010102207000999	680 x 1000	10	35	645	37-46	77-86	24-33	1	99	1,54	C-ED		
5010102207001099	680 x 1100	11	35	645	37-46	77-86	24-33	1	99	1,69	C-ED		
5010102207001199	680 x 1200	12	35	645	37-46	77-86	24-33	1	99	1,84	C-ED		
5010102207001299	680 x 1300	13	35	645	37-46	77-86	24-33	1	99	2,00	C-ED		
5010102207001399	680 x 1400	14	35	645	37-46	77-86	24-33	1	99	2,15	C-ED		
5010102207001499	680 x 1500	15	35	645	37-46	77-86	24-33	1	99	2,30	C		
5010102207001599	680 x 1600	16	35	645	37-46	77-86	24-33	1	99	2,45	C		
5010102207001699	680 x 1700	17	35	645	37-46	77-86	24-33	1	99	2,61	C		
5010102207001799	680 x 1800	18	35	645	37-46	77-86	24-33	1	99	2,76	C		
5010102207001899	680 x 1900	19	35	645	37-46	77-86	24-33	1	99	2,91	C		
5010102207001999	680 x 2000	20	35	645	37-46	77-86	24-33	1	99	3,07	C		
5010102208000199	780 x 200	2	35	745	37-46	77-86	24-33	1	99	0,34	C		
5010102208000299	780 x 300	3	35	745	37-46	77-86	24-33	1	99	0,51	C		
5010102208000399	780 x 400	4	35	745	37-46	77-86	24-33	1	99	0,67	C		
5010102208000499	780 x 500	5	35	745	37-46	77-86	24-33	1	99	0,84	C-ED		
5010102208000599	780 x 600	6	35	745	37-46	77-86	24-33	1	99	1,01	C-ED		
5010102208000699	780 x 700	7	35	745	37-46	77-86	24-33	1	99	1,18	C-ED		
5010102208000799	780 x 800	8	35	745	37-46	77-86	24-33	1	99	1,34	C-ED		
5010102208000899	780 x 900	9	35	745	37-46	77-86	24-33	1	99	1,51	C-ED		
5010102208000999	780 x 1000	10	35	745	37-46	77-86	24-33	1	99	1,68	C-ED		
5010102208001099	780 x 1100	11	35	745	37-46	77-86	24-33	1	99	1,85	C-ED		
5010102208001199	780 x 1200	12	35	745	37-46	77-86	24-33	1	99	2,01	C-ED		
5010102208001299	780 x 1300	13	35	745	37-46	77-86	24-33	1	99	2,18	C-ED		
5010102208001399	780 x 1400	14	35	745	37-46	77-86	24-33	1	99	2,35	C-ED		
5010102208001499	780 x 1500	15	35	745	37-46	77-86	24-33	1	99	2,52	C		
5010102208001599	780 x 1600	16	35	745	37-46	77-86	24-33	1	99	2,68	C		
5010102208001699	780 x 1700	17	35	745	37-46	77-86	24-33	1	99	2,85	C		
5010102208001799	780 x 1800	18	35	745	37-46	77-86	24-33	1	99	3,02	C		
5010102208001899	780 x 1900	19	35	745	37-46	77-86	24-33	1	99	3,19	C		
5010102208001999	780 x 2000	20	35	745	37-46	77-86	24-33	1	99	3,35	C		
5010102209000199	880 x 200	2	35	845	37-46	77-86	24-33	1	99	0,37	C		
5010102209000299	880 x 300	3	35	845	37-46	77-86	24-33	1	99	0,55	C		
5010102209000399	880 x 400	4	35	845	37-46	77-86	24-33	1	99	0,73	C		
5010102209000499	880 x 500	5	35	845	37-46	77-86	24-33	1	99	0,91	C-ED		
5010102209000599	880 x 600	6	35	845	37-46	77-86	24-33	1	99	1,09	C-ED		
5010102209000699	880 x 700	7	35	845	37-46	77-86	24-33	1	99	1,28	C-ED		
5010102209000799	880 x 800	8	35	845	37-46	77-86	24-33	1	99	1,46	C-ED		
5010102209000899	880 x 900	9	35	845	37-46	77-86	24-33	1	99	1,64	C-ED		
5010102209000999	880 x 1000	10	35	845	37-46	77-86	24-33	1	99	1,82	C-ED		
5010102209001099	880 x 1100	11	35	845	37-46	77-86	24-33	1	99	2,00	C-ED		
5010102209001199	880 x 1200	12	35	845	37-46	77-86	24-33	1	99	2,19	C-ED		
5010102209001299	880 x 1300	13	35	845	37-46	77-86	24-33	1	99	2,37	C-ED		
5010102209001399	880 x 1400	14	35	845	37-46	77-86	24-33	1	99	2,55	C-ED		
5010102209001499	880 x 1500	15	35	845	37-46	77-86	24-33	1	99	2,73	C		
5010102209001599	880 x 1600	16	35	845	37-46	77-86	24-33	1	99	2,91	C		
5010102209001699	880 x 1700	17	35	845	37-46	77-86	24-33	1	99	3,09	C		
5010102209001799	880 x 1800	18	35	845	37-46	77-86	24-33	1	99	3,28	C		
5010102209001899	880 x 1900	19	35	845	37-46	77-86	24-33	1	99	3,46	C		
5010102209001999	880 x 2000	20	35	845	37-46	77-86	24-33	1	99	3,64	C		
5010102210000199	980 x 200	2	35	945	37-46	77-86	24-33	1	99	0,40	C		
5010102210000299	980 x 300	3	35	945	37-46	77-86	24-33	1	99	0,59	C		
5010102210000399	980 x 400	4	35	945	37-46	77-86	24-33	1	99	0,79	C		
5010102210000499	980 x 500	5	35	945	37-46	77-86	24-33	1	99	0,98	C-ED		
5010102210000599	980 x 600	6	35	945	37-46	77-86	24-33	1	99	1,18	C-ED		
5010102210000699	980 x 700	7	35	945	37-46	77-86	24-33	1	99	1,38	C-ED		
5010102210000799	980 x 800	8	35	945	37-46	77-86	24-33	1	99	1,57	C-ED		
5010102210000899	980 x 900	9	35	945	37-46	77-86	24-33	1	99	1,77	C-ED		
5010102210000999	980 x 1000	10	35	945	37-46	77-86	24-33	1	99	1,96	C-ED		
5010102210001099	980 x 1100	11	35	945	37-46	77-86	24-33	1	99	2,16	C-ED		
5010102210001199	980 x 1200	12	35	945	37-46	77-86	24-33	1	99	2,36	C-ED		
5010102210001299	980 x 1300	13	35	945	37-46	77-86	24-33	1	99	2,55	C-ED		
5010102210001399	980 x 1400	14	35	945	37-46	77-86	24-33	1	99	2,75	C-ED		
5010102210001499	980 x 1500	15	35	945	37-46	77-86	24-33	1	99	2,94	C		
5010102210001599	980 x 1600	16	35	945	37-46	77-86	24-33	1	99	3,14	C		
5010102210001699	980 x 1700	17	35	945	37-46	77-86	24-33	1	99	3,34	C		
5010102210001799	980 x 1800	18	35	945	37-46	77-86	24-33	1	99	3,53	C		
5010102210001899	980 x 1900	19	35	945	37-46	77-86	24-33	1	99	3,73	C		
5010102210001999	980 x 2000	20	35	945	37-46	77-86	24-33	1	99	3,92	C		
5010102212000199	1180 x 200	2	35	1145	37-46	77-86	24-33	1	99	0,45	C		
5010102212000299	1180 x 300	3	35	1145	37-46	77-86	24-33	1	99	0,68	C		
5010102212000399	1180 x 400	4	35	1145	37-46	77-86	24-33	1	99	0,90	C		
5010102212000499	1180 x 500	5	35	1145	37-46	77-86	24-33	1	99	1,13	C-ED		
5010102212000599	1180 x 600	6	35	1145	37-46	77-86	24-33	1	99	1,35	C-ED		
5010102212000699	1180 x 700	7	35	1145	37-46	77-86	24-33	1	99	1,58	C-ED		
5010102212000799	1180 x 800	8	35	1145	37-46	77-86	24-33	1	99	1,80	C-ED		
5010102212000899	1180 x 900	9	35	1145	37-46	77-86	24-33	1	99	2,03	C-ED		
5010102212000999	1180 x 1000	10	35	1145	37-46	77-86	24-33	1	99	2,25	C-ED		
5010102212001099	1180 x 1100	11	35	1145	37-46	77-86	24-33	1	99	2,48	C-ED		

FIONA

TECHNICAL INFORMATION


(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102212001199	1180 x 1200	12	35	1145	37-46	77-86	24-33	1	99	2.70	C-E-D
5010102212001299	1180 x 1300	13	35	1145	37-46	77-86	24-33	1	99	2.92	C-E-D
5010102212001399	1180 x 1400	14	35	1145	37-46	77-86	24-33	1	99	3.15	C-E-D
5010102212001499	1180 x 1500	15	35	1145	37-46	77-86	24-33	1	99	3.37	C
5010102214000199	1380 x 200	2	35	1345	37-46	77-86	24-33	1	99	0.51	C
5010102214000299	1380 x 300	3	35	1345	37-46	77-86	24-33	1	99	0.76	C
5010102214000399	1380 x 400	4	35	1345	37-46	77-86	24-33	1	99	1.02	C
5010102214000499	1380 x 500	5	35	1345	37-46	77-86	24-33	1	99	1.27	C-E-D
5010102214000599	1380 x 600	6	35	1345	37-46	77-86	24-33	1	99	1.52	C-E-D
5010102214000699	1380 x 700	7	35	1345	37-46	77-86	24-33	1	99	1.78	C-E-D
5010102214000799	1380 x 800	8	35	1345	37-46	77-86	24-33	1	99	2.03	C-E-D
5010102214000899	1380 x 900	9	35	1345	37-46	77-86	24-33	1	99	2.28	C-E-D
5010102214000999	1380 x 1000	10	35	1345	37-46	77-86	24-33	1	99	2.54	C-E-D
5010102214001099	1380 x 1100	11	35	1345	37-46	77-86	24-33	1	99	2.79	C-E-D
5010102214001199	1380 x 1200	12	35	1345	37-46	77-86	24-33	1	99	3.04	C-E-D
5010102214001299	1380 x 1300	13	35	1345	37-46	77-86	24-33	1	99	3.30	C-E-D
5010102214001399	1380 x 1400	14	35	1345	37-46	77-86	24-33	1	99	3.55	C-E-D
5010102214001499	1380 x 1500	15	35	1345	37-46	77-86	24-33	1	99	3.80	C
5010102216000199	1580 x 200	2	35	1545	37-46	77-86	24-33	1	99	0.57	C
5010102216000299	1580 x 300	3	35	1545	37-46	77-86	24-33	1	99	0.85	C
5010102216000399	1580 x 400	4	35	1545	37-46	77-86	24-33	1	99	1.13	C
5010102216000499	1580 x 500	5	35	1545	37-46	77-86	24-33	1	99	1.41	C-E-D
5010102216000599	1580 x 600	6	35	1545	37-46	77-86	24-33	1	99	1.70	C-E-D
5010102216000699	1580 x 700	7	35	1545	37-46	77-86	24-33	1	99	1.98	C-E-D
5010102216000799	1580 x 800	8	35	1545	37-46	77-86	24-33	1	99	2.26	C-E-D
5010102216000899	1580 x 900	9	35	1545	37-46	77-86	24-33	1	99	2.54	C-E-D
5010102216000999	1580 x 1000	10	35	1545	37-46	77-86	24-33	1	99	2.82	C-E-D
5010102218000199	1780 x 200	2	35	1745	37-46	77-86	24-33	1	99	0.63	C
5010102218000299	1780 x 300	3	35	1745	37-46	77-86	24-33	1	99	0.94	C
5010102218000399	1780 x 400	4	35	1745	37-46	77-86	24-33	1	99	1.25	C
5010102218000499	1780 x 500	5	35	1745	37-46	77-86	24-33	1	99	1.56	C-E-D
5010102218000599	1780 x 600	6	35	1745	37-46	77-86	24-33	1	99	1.87	C-E-D
5010102218000699	1780 x 700	7	35	1745	37-46	77-86	24-33	1	99	2.18	C-E-D
5010102218000799	1780 x 800	8	35	1745	37-46	77-86	24-33	1	99	2.49	C-E-D
5010102218000899	1780 x 900	9	35	1745	37-46	77-86	24-33	1	99	2.80	C-E-D
5010102218000999	1780 x 1000	10	35	1745	37-46	77-86	24-33	1	99	3.11	C-E-D

HEAT OUTPUTS INFORMATION

LOGISTICS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
	Watt	Btu	Watt	Btu				
5010102212001199	1733	5911	2253	7684	22.58	26.76	0.12	1290X1234X70
5010102212001299	1878	6404	2441	8325	24.46	28.89	0.13	1290X1334X70
5010102212001399	2022	6896	2629	8965	26.34	31.01	0.13	1290X1434X70
5010102212001499	2167	7389	2817	9605	28.23	33.15	0.14	1290X1534X70
5010102214000199	332	1131	431	1470	4.30	5.99	0.03	1490X234X70
5010102214000299	498	1697	647	2206	6.45	8.43	0.04	1490X334X70
5010102214000399	663	2262	862	2941	8.60	10.86	0.05	1490X434X70
5010102214000499	829	2828	1078	3676	10.75	13.30	0.06	1490X534X70
5010102214000599	995	3393	1294	4411	12.89	15.72	0.07	1490X634X70
5010102214000699	1161	3959	1509	5147	15.04	18.31	0.08	1490X734X70
5010102214000799	1327	4525	1725	5882	17.19	20.75	0.09	1490X834X70
5010102214000899	1493	5090	1940	6617	19.34	23.19	0.10	1490X934X70
5010102214000999	1659	5656	2156	7352	21.49	25.62	0.11	1490X1034X70
5010102214001099	1824	6221	2372	8088	23.64	28.06	0.12	1490X1134X70
5010102214001199	1990	6787	2587	8823	25.78	30.48	0.13	1490X1234X70
5010102214001299	2156	7352	2803	9558	27.93	32.91	0.14	1490X1334X70
5010102214001399	2322	7918	3019	10293	30.09	35.37	0.15	1490X1434X70
5010102214001499	2488	8483	3234	11028	32.24	37.79	0.16	1490X1534X70
5010102216000199	381	1299	495	1688	4.83	6.68	0.03	1690X234X70
5010102216000299	571	1948	743	2533	7.23	9.41	0.04	1690X334X70
5010102216000399	762	2597	990	3377	9.64	12.14	0.06	1690X434X70
5010102216000499	952	3247	1238	4221	12.05	14.85	0.07	1690X534X70
5010102216000599	1143	3896	1485	5065	14.47	17.61	0.08	1690X634X70
5010102216000699	1333	4546	1733	5909	16.87	20.49	0.09	1690X734X70
5010102216000799	1523	5195	1980	6753	19.28	23.22	0.10	1690X834X70
5010102216000899	1714	5844	2228	7597	21.69	25.95	0.12	1690X934X70
5010102216000999	1904	6494	2476	8442	24.10	28.67	0.13	1690X1034X70
5010102218000199	437	1491	568	1938	5.36	7.38	0.04	1890X234X70
5010102218000299	656	2237	853	2908	8.04	10.41	0.05	1890X334X70
5010102218000399	875	2982	1137	3877	10.71	13.43	0.06	1890X434X70
5010102218000499	1093	3728	1421	4846	13.39	16.46	0.08	1890X534X70
5010102218000599	1312	4473	1705	5815	16.07	19.50	0.09	1890X634X70
5010102218000699	1530	5219	1990	6785	18.74	22.69	0.10	1890X734X70
5010102218000799	1749	5965	2274	7754	21.42	25.73	0.12	1890X834X70
5010102218000899	1968	6710	2558	8723	24.09	28.76	0.13	1890X934X70
5010102218000999	2186	7456	2842	9692	26.77	31.78	0.14	1890X1034X70



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel