

FIONA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102303000199	280 x 200	2	50	245	66-75	106-115	26-35	1	99	0.20	C
5010102303000299	280 x 300	3	50	245	66-75	106-115	26-35	1	99	0.29	C
5010102303000399	280 x 400	4	50	245	66-75	106-115	26-35	1	99	0.39	C
5010102303000499	280 x 500	5	50	245	66-75	106-115	26-35	1	99	0.48	C-E-D
5010102303000599	280 x 600	6	50	245	66-75	106-115	26-35	1	99	0.58	C-E-D
5010102303000699	280 x 700	7	50	245	66-75	106-115	26-35	1	99	0.68	C-E-D
5010102303000799	280 x 800	8	50	245	66-75	106-115	26-35	1	99	0.77	C-E-D
5010102303000899	280 x 900	9	50	245	66-75	106-115	26-35	1	99	0.87	C-E-D
5010102303000999	280 x 1000	10	50	245	66-75	106-115	26-35	1	99	0.96	C-E-D
5010102303001099	280 x 1100	11	50	245	66-75	106-115	26-35	1	99	1.06	C-E-D
5010102303001199	280 x 1200	12	50	245	66-75	106-115	26-35	1	99	1.16	C-E-D
5010102303001299	280 x 1300	13	50	245	66-75	106-115	26-35	1	99	1.25	C-E-D
5010102303001399	280 x 1400	14	50	245	66-75	106-115	26-35	1	99	1.35	C-E-D
5010102303001499	280 x 1500	15	50	245	66-75	106-115	26-35	1	99	1.44	C
5010102303001599	280 x 1600	16	50	245	66-75	106-115	26-35	1	99	1.54	C
5010102303001699	280 x 1700	17	50	245	66-75	106-115	26-35	1	99	1.64	C
5010102303001799	280 x 1800	18	50	245	66-75	106-115	26-35	1	99	1.73	C
5010102303001899	280 x 1900	19	50	245	66-75	106-115	26-35	1	99	1.83	C
5010102303001999	280 x 2000	20	50	245	66-75	106-115	26-35	1	99	1.92	C
5010102304000199	380 x 200	2	50	345	66-75	106-115	26-35	1	99	0.22	C
5010102304000299	380 x 300	3	50	345	66-75	106-115	26-35	1	99	0.34	C
5010102304000399	380 x 400	4	50	345	66-75	106-115	26-35	1	99	0.45	C
5010102304000499	380 x 500	5	50	345	66-75	106-115	26-35	1	99	0.56	C-E-D
5010102304000599	380 x 600	6	50	345	66-75	106-115	26-35	1	99	0.67	C-E-D
5010102304000699	380 x 700	7	50	345	66-75	106-115	26-35	1	99	0.78	C-E-D
5010102304000799	380 x 800	8	50	345	66-75	106-115	26-35	1	99	0.89	C-E-D
5010102304000899	380 x 900	9	50	345	66-75	106-115	26-35	1	99	1.00	C-E-D
5010102304000999	380 x 1000	10	50	345	66-75	106-115	26-35	1	99	1.11	C-E-D
5010102304001099	380 x 1100	11	50	345	66-75	106-115	26-35	1	99	1.22	C-E-D
5010102304001199	380 x 1200	12	50	345	66-75	106-115	26-35	1	99	1.33	C-E-D
5010102304001299	380 x 1300	13	50	345	66-75	106-115	26-35	1	99	1.44	C-E-D
5010102304001399	380 x 1400	14	50	345	66-75	106-115	26-35	1	99	1.55	C-E-D
5010102304001499	380 x 1500	15	50	345	66-75	106-115	26-35	1	99	1.66	C
5010102304001599	380 x 1600	16	50	345	66-75	106-115	26-35	1	99	1.77	C
5010102304001699	380 x 1700	17	50	345	66-75	106-115	26-35	1	99	1.88	C
5010102304001799	380 x 1800	18	50	345	66-75	106-115	26-35	1	99	1.99	C
5010102304001899	380 x 1900	19	50	345	66-75	106-115	26-35	1	99	2.10	C
5010102304001999	380 x 2000	20	50	345	66-75	106-115	26-35	1	99	2.21	C
5010102305000199	480 x 200	2	50	445	66-75	106-115	26-35	1	99	0.25	C
5010102305000299	480 x 300	3	50	445	66-75	106-115	26-35	1	99	0.38	C
5010102305000399	480 x 400	4	50	445	66-75	106-115	26-35	1	99	0.50	C
5010102305000499	480 x 500	5	50	445	66-75	106-115	26-35	1	99	0.63	C-E-D
5010102305000599	480 x 600	6	50	445	66-75	106-115	26-35	1	99	0.75	C-E-D
5010102305000699	480 x 700	7	50	445	66-75	106-115	26-35	1	99	0.88	C-E-D
5010102305000799	480 x 800	8	50	445	66-75	106-115	26-35	1	99	1.00	C-E-D
5010102305000899	480 x 900	9	50	445	66-75	106-115	26-35	1	99	1.13	C-E-D
5010102305000999	480 x 1000	10	50	445	66-75	106-115	26-35	1	99	1.25	C-E-D
5010102305001099	480 x 1100	11	50	445	66-75	106-115	26-35	1	99	1.37	C-E-D
5010102305001199	480 x 1200	12	50	445	66-75	106-115	26-35	1	99	1.50	C-E-D
5010102305001299	480 x 1300	13	50	445	66-75	106-115	26-35	1	99	1.62	C-E-D
5010102305001399	480 x 1400	14	50	445	66-75	106-115	26-35	1	99	1.75	C-E-D
5010102305001499	480 x 1500	15	50	445	66-75	106-115	26-35	1	99	1.87	C
5010102305001599	480 x 1600	16	50	445	66-75	106-115	26-35	1	99	2.00	C
5010102305001699	480 x 1700	17	50	445	66-75	106-115	26-35	1	99	2.12	C
5010102305001799	480 x 1800	18	50	445	66-75	106-115	26-35	1	99	2.25	C
5010102305001899	480 x 1900	19	50	445	66-75	106-115	26-35	1	99	2.37	C
5010102305001999	480 x 2000	20	50	445	66-75	106-115	26-35	1	99	2.49	C
5010102306000199	580 x 200	2	50	545	66-75	106-115	26-35	1	99	0.28	C
5010102306000299	580 x 300	3	50	545	66-75	106-115	26-35	1	99	0.42	C
5010102306000399	580 x 400	4	50	545	66-75	106-115	26-35	1	99	0.56	C
5010102306000499	580 x 500	5	50	545	66-75	106-115	26-35	1	99	0.70	C-E-D
5010102306000599	580 x 600	6	50	545	66-75	106-115	26-35	1	99	0.84	C-E-D
5010102306000699	580 x 700	7	50	545	66-75	106-115	26-35	1	99	0.98	C-E-D
5010102306000799	580 x 800	8	50	545	66-75	106-115	26-35	1	99	1.12	C-E-D
5010102306000899	580 x 900	9	50	545	66-75	106-115	26-35	1	99	1.25	C-E-D
5010102306000999	580 x 1000	10	50	545	66-75	106-115	26-35	1	99	1.39	C-E-D
5010102306001099	580 x 1100	11	50	545	66-75	106-115	26-35	1	99	1.53	C-E-D
5010102306001199	580 x 1200	12	50	545	66-75	106-115	26-35	1	99	1.67	C-E-D
5010102306001299	580 x 1300	13	50	545	66-75	106-115	26-35	1	99	1.81	C-E-D
5010102306001399	580 x 1400	14	50	545	66-75	106-115	26-35	1	99	1.95	C-E-D
5010102306001499	580 x 1500	15	50	545	66-75	106-115	26-35	1	99	2.09	C
5010102306001599	580 x 1600	16	50	545	66-75	106-115	26-35	1	99	2.23	C
5010102306001699	580 x 1700	17	50	545	66-75	106-115	26-35	1	99	2.36	C
5010102306001799	580 x 1800	18	50	545	66-75	106-115	26-35	1	99	2.50	C
5010102306001899	580 x 1900	19	50	545	66-75	106-115	26-35	1	99	2.64	C
5010102306001999	580 x 2000	20	50	545	66-75	106-115	26-35	1	99	2.78	C
5010102307000199	680 x 200	2	50	645	66-75	106-115	26-35	1	99	0.31	C
5010102307000299	680 x 300	3	50	645	66-75	106-115	26-35	1	99	0.46	C
5010102307000399	680 x 400	4	50	645	66-75	106-115	26-35	1	99	0.62	C
5010102307000499	680 x 500	5	50	645	66-75	106-115	26-35	1	99	0.77	C-E-D
5010102307000599	680 x 600	6	50	645	66-75	106-115	26-35	1	99	0.92	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Btu
5010102303000199	102	346	132	450
5010102303000299	152	519	198	675
5010102303000399	203	692	264	900
5010102303000499	254	865	330	1125
5010102303000599	305	1039	396	1350
5010102303000699	355	1212	462	1575
5010102303000799	406	1385	528	1800
5010102303000899	457	1558	594	2025
5010102303000999	508	1731	660	2250
5010102303001099	558	1904	726	2475
5010102303001199	609	2077	792	2700
5010102303001299	660	2250	858	2925
5010102303001399	711	2423	924	3150
5010102303001499	761	2596	990	3375
5010102303001599	812	2769	1056	3600
5010102303001699	863	2942	1122	3825
5010102303001799	914	3116	1188	4050
5010102303001899	964	3289	1254	4275
5010102303001999	1015	3462	1320	4500
5010102304000199	138	472	180	613
5010102304000299	208	708	270	920
5010102304000399	277	944	360	1227
5010102304000499	346	1179	450	1533
5010102304000599	415	1415	540	1840
5010102304000699	484	1651	629	2147
5010102304000799	553	1887	719	2453
5010102304000899	623	2123	809	2760
5010102304000999	692	2359	899	3066
5010102304001099	761	2595	989	3373
5010102304001199	830	2831	1079	3680
5010102304001299	899	3066	1169	3986
5010102304001399	968	3302	1259	4293
5010102304001499	1038	3538	1349	4600
5010102304001599	1107	3774	1439	4906
5010102304001699	1176	4010	1529	5213
5010102304001799	1245	4246	1619	5520

FIONA DOUBLE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102307000699	680 x 700	7	50	645	66-75	106-115	26-35	1	99	1,08	C-E-D
5010102307000799	680 x 800	8	50	645	66-75	106-115	26-35	1	99	1,23	C-E-D
5010102307000899	680 x 900	9	50	645	66-75	106-115	26-35	1	99	1,38	C-E-D
5010102307000999	680 x 1000	10	50	645	66-75	106-115	26-35	1	99	1,54	C-E-D
5010102307001099	680 x 1100	11	50	645	66-75	106-115	26-35	1	99	1,69	C-E-D
5010102307001199	680 x 1200	12	50	645	66-75	106-115	26-35	1	99	1,84	C-E-D
5010102307001299	680 x 1300	13	50	645	66-75	106-115	26-35	1	99	2,00	C-E-D
5010102307001399	680 x 1400	14	50	645	66-75	106-115	26-35	1	99	2,15	C-E-D
5010102307001499	680 x 1500	15	50	645	66-75	106-115	26-35	1	99	2,30	C
5010102307001599	680 x 1600	16	50	645	66-75	106-115	26-35	1	99	2,45	C
5010102307001699	680 x 1700	17	50	645	66-75	106-115	26-35	1	99	2,61	C
5010102307001799	680 x 1800	18	50	645	66-75	106-115	26-35	1	99	2,76	C
5010102307001899	680 x 1900	19	50	645	66-75	106-115	26-35	1	99	2,91	C
5010102307001999	680 x 2000	20	50	645	66-75	106-115	26-35	1	99	3,07	C
5010102308000199	780 x 200	2	50	745	66-75	106-115	26-35	1	99	0,34	C
5010102308000299	780 x 300	3	50	745	66-75	106-115	26-35	1	99	0,51	C
5010102308000399	780 x 400	4	50	745	66-75	106-115	26-35	1	99	0,67	C
5010102308000499	780 x 500	5	50	745	66-75	106-115	26-35	1	99	0,84	C-E-D
5010102308000599	780 x 600	6	50	745	66-75	106-115	26-35	1	99	1,01	C-E-D
5010102308000699	780 x 700	7	50	745	66-75	106-115	26-35	1	99	1,18	C-E-D
5010102308000799	780 x 800	8	50	745	66-75	106-115	26-35	1	99	1,34	C-E-D
5010102308000899	780 x 900	9	50	745	66-75	106-115	26-35	1	99	1,51	C-E-D
5010102308000999	780 x 1000	10	50	745	66-75	106-115	26-35	1	99	1,68	C-E-D
5010102308001099	780 x 1100	11	50	745	66-75	106-115	26-35	1	99	1,85	C-E-D
5010102308001199	780 x 1200	12	50	745	66-75	106-115	26-35	1	99	2,01	C-E-D
5010102308001299	780 x 1300	13	50	745	66-75	106-115	26-35	1	99	2,18	C-E-D
5010102308001399	780 x 1400	14	50	745	66-75	106-115	26-35	1	99	2,35	C-E-D
5010102308001499	780 x 1500	15	50	745	66-75	106-115	26-35	1	99	2,52	C
5010102308001599	780 x 1600	16	50	745	66-75	106-115	26-35	1	99	2,68	C
5010102308001699	780 x 1700	17	50	745	66-75	106-115	26-35	1	99	2,85	C
5010102308001799	780 x 1800	18	50	745	66-75	106-115	26-35	1	99	3,02	C
5010102308001899	780 x 1900	19	50	745	66-75	106-115	26-35	1	99	3,19	C
5010102308001999	780 x 2000	20	50	745	66-75	106-115	26-35	1	99	3,35	C
5010102309000199	880 x 200	2	50	845	66-75	106-115	26-35	1	99	0,37	C
5010102309000299	880 x 300	3	50	845	66-75	106-115	26-35	1	99	0,55	C
5010102309000399	880 x 400	4	50	845	66-75	106-115	26-35	1	99	0,73	C
5010102309000499	880 x 500	5	50	845	66-75	106-115	26-35	1	99	0,91	C-E-D
5010102309000599	880 x 600	6	50	845	66-75	106-115	26-35	1	99	1,09	C-E-D
5010102309000699	880 x 700	7	50	845	66-75	106-115	26-35	1	99	1,28	C-E-D
5010102309000799	880 x 800	8	50	845	66-75	106-115	26-35	1	99	1,46	C-E-D
5010102309000899	880 x 900	9	50	845	66-75	106-115	26-35	1	99	1,64	C-E-D
5010102309000999	880 x 1000	10	50	845	66-75	106-115	26-35	1	99	1,82	C-E-D
5010102309001099	880 x 1100	11	50	845	66-75	106-115	26-35	1	99	2,00	C-E-D
5010102309001199	880 x 1200	12	50	845	66-75	106-115	26-35	1	99	2,19	C-E-D
5010102309001299	880 x 1300	13	50	845	66-75	106-115	26-35	1	99	2,37	C-E-D
5010102309001399	880 x 1400	14	50	845	66-75	106-115	26-35	1	99	2,55	C-E-D
5010102309001499	880 x 1500	15	50	845	66-75	106-115	26-35	1	99	2,73	C
5010102309001599	880 x 1600	16	50	845	66-75	106-115	26-35	1	99	2,91	C
5010102309001699	880 x 1700	17	50	845	66-75	106-115	26-35	1	99	3,09	C
5010102309001799	880 x 1800	18	50	845	66-75	106-115	26-35	1	99	3,28	C
5010102309001899	880 x 1900	19	50	845	66-75	106-115	26-35	1	99	3,46	C
5010102309001999	880 x 2000	20	50	845	66-75	106-115	26-35	1	99	3,64	C
5010102310000199	980 x 200	2	50	945	66-75	106-115	26-35	1	99	0,40	C
5010102310000299	980 x 300	3	50	945	66-75	106-115	26-35	1	99	0,59	C
5010102310000399	980 x 400	4	50	945	66-75	106-115	26-35	1	99	0,79	C
5010102310000499	980 x 500	5	50	945	66-75	106-115	26-35	1	99	0,98	C-E-D
5010102310000599	980 x 600	6	50	945	66-75	106-115	26-35	1	99	1,18	C-E-D
5010102310000699	980 x 700	7	50	945	66-75	106-115	26-35	1	99	1,38	C-E-D
5010102310000799	980 x 800	8	50	945	66-75	106-115	26-35	1	99	1,57	C-E-D
5010102310000899	980 x 900	9	50	945	66-75	106-115	26-35	1	99	1,77	C-E-D
5010102310000999	980 x 1000	10	50	945	66-75	106-115	26-35	1	99	1,96	C-E-D
5010102310001099	980 x 1100	11	50	945	66-75	106-115	26-35	1	99	2,16	C-E-D
5010102310001199	980 x 1200	12	50	945	66-75	106-115	26-35	1	99	2,36	C-E-D
5010102310001299	980 x 1300	13	50	945	66-75	106-115	26-35	1	99	2,55	C-E-D
5010102310001399	980 x 1400	14	50	945	66-75	106-115	26-35	1	99	2,75	C-E-D
5010102310001499	980 x 1500	15	50	945	66-75	106-115	26-35	1	99	2,94	C
5010102310001599	980 x 1600	16	50	945	66-75	106-115	26-35	1	99	3,14	C
5010102310001699	980 x 1700	17	50	945	66-75	106-115	26-35	1	99	3,34	C
5010102310001799	980 x 1800	18	50	945	66-75	106-115	26-35	1	99	3,53	C
5010102310001899	980 x 1900	19	50	945	66-75	106-115	26-35	1	99	3,73	C
5010102310001999	980 x 2000	20	50	945	66-75	106-115	26-35	1	99	3,92	C
5010102312000199	1180 x 200	2	50	1145	66-75	106-115	26-35	1	99	0,45	C
5010102312000299	1180 x 300	3	50	1145	66-75	106-115	26-35	1	99	0,68	C
5010102312000399	1180 x 400	4	50	1145	66-75	106-115	26-35	1	99	0,90	C
5010102312000499	1180 x 500	5	50	1145	66-75	106-115	26-35	1	99	1,13	C-E-D
5010102312000599	1180 x 600	6	50	1145	66-75	106-115	26-35	1	99	1,35	C-E-D
5010102312000699	1180 x 700	7	50	1145	66-75	106-115	26-35	1	99	1,58	C-E-D
5010102312000799	1180 x 800	8	50	1145	66-75	106-115	26-35	1	99	1,80	C-E-D
5010102312000899	1180 x 900	9	50	1145	66-75	106-115	26-35	1	99	2,03	C-E-D
5010102312000999	1180 x 1000	10	50	1145	66-75	106-115	26-35	1	99	2,25	C-E-D
5010102312001099	1180 x 1100	11	50	1145	66-75	106-115	26-35	1	99	2,48	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010102307000699	866	2953	1126	3839
5010102307000799	990	3375	1287	4388
5010102307000899	1114	3797	1448	4936
5010102307000999	1237	4219	1608	5485
5010102307001099	1361	4641	1769	6033
5010102307001199	1485	5063	1930	6582
5010102307001299	1608	5485	2091	7130
5010102307001399	1732	5907	2252	7679
5010102307001499	1856	6329	2413	8227
5010102307001599	1980	6750	2573	8776
5010102307001699	2103	7172	2734	9324
5010102307001799	2227	7594	2895	9872
5010102307001899	2351	8016	3056	10421
5010102307001999	2474	8438	3217	10969
5010102308000199	277	944	360	1227
5010102308000299	415	1415	540	1840
5010102308000399	553	1887	719	2453
5010102308000499	692	2359	899	3066
5010102308000599	830	2831	1079	3680
5010102308000699	968	3302	1259	4293
5010102308000799	1107	3774	1439	4906
5010102308000899	1245	4246	1619	5520
5010102308000999	1383	4718	1798	6133
5010102308001099	1522	5189	1978	6746
5010102308001199	1660	5661	2158	7359
5010102308001299	1798	6133	2338	7973
5010102308001399	1937	6605	2518	8586
5010102308001499	2075	7076	2698	9199
5010102308001599	2214	7548	2878	9813
5010102308001699	2352	8020	3057	10426
5010102308001799	2490	8492	3237	11039
5010102308001899	2629	8963	3417	11652
5010102308001999	2767	9435	3597	12266
5010102309000199	305	1039	396	1350
5010102309000299	457	1558	594	2025
5010102309000399	609	2077	792	2700
5010102309000499	761	2596	990	3375
5010102309000599	914	3116	1188	4050
5010102309000699	1066	3635	1386	4725
5010102309000799	1218	4154	1584	5400
5010102309000899	1370	4673	1782	6075
5010102309000999	1523	5193	1980	6750
5010102309001099	1675	5712	2178	7425
5010102309001199	1827	6231	2376	8100
5010102309001299	1980	6750	2573	8776
5010102309001399	2132	7270	2771	9451
5010102309001499	2284	7789	2969	10126
5010102309001599	2436	8308	3167	10801
5010102309001699	2589	8827	3365	11476
5010102309001799	2741	9347	3563	12151
5010102309001899	2893	9866	3761	12826
5010102309001999	3046	10385	3959	13501
5010102310000199	331	1129	430	1468
5010102310000299	497	1694	646	2202
5010102310000399	662	2258	861	2935
5010102310000499	828	2823	1076	3669
5010102310000599	993	3387	1291	4403
5010102310000699	1159	3951	1506	5137
5010102310000799	1324	4516	1722	5871
5010102310000899	1490	5081	1937	6605
5010102310000999	1655	5645	2152	7338
5010102310001099	1821	6209	2367	8072
5010102310001199	1987	6774	2582	8806
5010102310001299	2152	7338	2798	9540
5010102310001399	2318	7903	3013	10274
5010102310001499	2483	8467	3228	11008
5010102310001599	2649	9032	3443	11742
5010102310001699	2814	9596	3658	12475
5010102310001799	2980	10161	3874	13209
5010102310001899	3145	10725	4089	13943
5010102310001999	3311	11290	4304	14677
5010102312000199	380	1296	494	1685
5010102312000299	570	1944	741	2528
5010102312000399	760	2593	988	3370
5010102312000499	950	3241	1235	4213
5010102312000599	1140	3889	1483	5055
5010102312000699	1330	4537	1730	5898
5010102312000799	1521	5185	1977	6741
5010102312000899	1711	5833	2224	7583
5010102312000999	1901	6481	2471	8426
5010102312001099	2091	7129	2718	9268

FIONA DOUBLE

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102312001199	1180 x 1200	12	50	1145	66-75	106-115	26-35	1	99	2.70	C-E-D
5010102312001299	1180 x 1300	13	50	1145	66-75	106-115	26-35	1	99	2.92	C-E-D
5010102312001399	1180 x 1400	14	50	1145	66-75	106-115	26-35	1	99	3.15	C-E-D
5010102312001499	1180 x 1500	15	50	1145	66-75	106-115	26-35	1	99	3.37	C
5010102314000199	1380 x 200	2	50	1345	66-75	106-115	26-35	1	99	0.51	C
5010102314000299	1380 x 300	3	50	1345	66-75	106-115	26-35	1	99	0.76	C
5010102314000399	1380 x 400	4	50	1345	66-75	106-115	26-35	1	99	1.02	C
5010102314000499	1380 x 500	5	50	1345	66-75	106-115	26-35	1	99	1.27	C-E-D
5010102314000599	1380 x 600	6	50	1345	66-75	106-115	26-35	1	99	1.52	C-E-D
5010102314000699	1380 x 700	7	50	1345	66-75	106-115	26-35	1	99	1.78	C-E-D
5010102314000799	1380 x 800	8	50	1345	66-75	106-115	26-35	1	99	2.03	C-E-D
5010102314000899	1380 x 900	9	50	1345	66-75	106-115	26-35	1	99	2.28	C-E-D
5010102314000999	1380 x 1000	10	50	1345	66-75	106-115	26-35	1	99	2.54	C-E-D
5010102314001099	1380 x 1100	11	50	1345	66-75	106-115	26-35	1	99	2.79	C-E-D
5010102314001199	1380 x 1200	12	50	1345	66-75	106-115	26-35	1	99	3.04	C-E-D
5010102314001299	1380 x 1300	13	50	1345	66-75	106-115	26-35	1	99	3.30	C-E-D
5010102314001399	1380 x 1400	14	50	1345	66-75	106-115	26-35	1	99	3.55	C-E-D
5010102314001499	1380 x 1500	15	50	1345	66-75	106-115	26-35	1	99	3.80	C
5010102316000199	1580 x 200	2	50	1545	66-75	106-115	26-35	1	99	0.57	C
5010102316000299	1580 x 300	3	50	1545	66-75	106-115	26-35	1	99	0.85	C
5010102316000399	1580 x 400	4	50	1545	66-75	106-115	26-35	1	99	1.13	C
5010102316000499	1580 x 500	5	50	1545	66-75	106-115	26-35	1	99	1.41	C-E-D
5010102316000599	1580 x 600	6	50	1545	66-75	106-115	26-35	1	99	1.70	C-E-D
5010102316000699	1580 x 700	7	50	1545	66-75	106-115	26-35	1	99	1.98	C-E-D
5010102316000799	1580 x 800	8	50	1545	66-75	106-115	26-35	1	99	2.26	C-E-D
5010102316000899	1580 x 900	9	50	1545	66-75	106-115	26-35	1	99	2.54	C-E-D
5010102316000999	1580 x 1000	10	50	1545	66-75	106-115	26-35	1	99	2.82	C-E-D
5010102318000199	1780 x 200	2	50	1745	66-75	106-115	26-35	1	99	0.63	C
5010102318000299	1780 x 300	3	50	1745	66-75	106-115	26-35	1	99	0.94	C
5010102318000399	1780 x 400	4	50	1745	66-75	106-115	26-35	1	99	1.25	C
5010102318000499	1780 x 500	5	50	1745	66-75	106-115	26-35	1	99	1.56	C-E-D
5010102318000599	1780 x 600	6	50	1745	66-75	106-115	26-35	1	99	1.87	C-E-D
5010102318000699	1780 x 700	7	50	1745	66-75	106-115	26-35	1	99	2.18	C-E-D
5010102318000799	1780 x 800	8	50	1745	66-75	106-115	26-35	1	99	2.49	C-E-D
5010102318000899	1780 x 900	9	50	1745	66-75	106-115	26-35	1	99	2.80	C-E-D
5010102318000999	1780 x 1000	10	50	1745	66-75	106-115	26-35	1	99	3.11	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102312001199	2281	7778	2965	10111
5010102312001299	2471	8426	3212	10953
5010102312001399	2661	9074	3459	11796
5010102312001499	2851	9722	3706	12639
5010102314000199	436	1488	567	1935
5010102314000299	655	2233	851	2902
5010102314000399	873	2977	1135	3870
5010102314000499	1091	3721	1418	4837
5010102314000599	1309	4465	1702	5804
5010102314000699	1528	5209	1986	6772
5010102314000799	1746	5953	2270	7739
5010102314000899	1964	6697	2553	8707
5010102314000999	2182	7442	2837	9674
5010102314001099	2401	8186	3121	10641
5010102314001199	2619	8930	3404	11609
5010102314001299	2837	9674	3688	12576
5010102314001399	3055	10418	3972	13544
5010102314001499	3273	11162	4255	14511
5010102316000199	501	1709	651	2221
5010102316000299	752	2563	977	3332
5010102316000399	1002	3418	1303	4443
5010102316000499	1253	4272	1629	5554
5010102316000599	1503	5127	1954	6664
5010102316000699	1754	5981	2280	7775
5010102316000799	2004	6835	2606	8886
5010102316000899	2255	7690	2932	9997
5010102316000999	2506	8544	3257	11107
5010102318000199	575	1962	748	2551
5010102318000299	863	2943	1122	3826
5010102318000399	1151	3924	1496	5101
5010102318000499	1438	4905	1870	6377
5010102318000599	1726	5886	2244	7652
5010102318000699	2014	6867	2618	8927
5010102318000799	2301	7848	2992	10202
5010102318000899	2589	8829	3366	11478
5010102318000999	2877	9810	3740	12753

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
35.37	39.61	0.14	1290X1234X85
38.32	42.82	0.15	1290X1334X85
41.27	46.01	0.16	1290X1434X85
44.22	49.21	0.17	1290X1534X85
6.79	8.52	0.03	1490X234X85
10.19	12.21	0.05	1490X334X85
13.58	15.89	0.06	1490X434X85
16.98	19.57	0.07	1490X534X85
20.36	23.24	0.09	1490X634X85
23.76	27.09	0.10	1490X734X85
27.15	30.76	0.11	1490X834X85
30.54	34.45	0.12	1490X934X85
33.94	38.13	0.14	1490X1034X85
37.33	41.81	0.15	1490X1134X85
40.72	45.48	0.16	1490X1234X85
44.11	49.16	0.17	1490X1334X85
47.51	52.85	0.19	1490X1434X85
50.90	56.52	0.20	1490X1534X85
7.67	9.57	0.04	1690X234X85
11.50	13.73	0.05	1690X334X85
15.33	17.88	0.07	1690X434X85
19.16	22.02	0.08	1690X534X85
23.00	26.19	0.10	1690X634X85
26.83	30.51	0.11	1690X734X85
30.66	34.66	0.12	1690X834X85
34.50	38.82	0.14	1690X934X85
38.33	42.97	0.15	1690X1034X85
8.56	10.64	0.04	1890X234X85
12.84	15.26	0.06	1890X334X85
17.12	19.89	0.07	1890X434X85
21.39	24.52	0.09	1890X534X85
25.68	29.17	0.11	1890X634X85
29.95	33.97	0.12	1890X734X85
34.23	38.60	0.14	1890X834X85
38.51	43.25	0.16	1890X934X85
42.78	47.86	0.17	1890X1034X85

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel