

FLAT LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102603000294	280 x 290	3	37	245	43-52	61-70	26-35	6	94	0.26	C
5010102603000394	280 x 390	4	37	245	43-52	61-70	26-35	6	94	0.35	C
5010102603000494	280 x 490	5	37	245	43-52	61-70	26-35	6	94	0.44	C-E-D
5010102603000594	280 x 590	6	37	245	43-52	61-70	26-35	6	94	0.53	C-E-D
5010102603000694	280 x 690	7	37	245	43-52	61-70	26-35	6	94	0.61	C-E-D
5010102603000794	280 x 790	8	37	245	43-52	61-70	26-35	6	94	0.70	C-E-D
5010102603000894	280 x 890	9	37	245	43-52	61-70	26-35	6	94	0.79	C-E-D
5010102603000994	280 x 990	10	37	245	43-52	61-70	26-35	6	94	0.88	C-E-D
5010102603001094	280 x 1090	11	37	245	43-52	61-70	26-35	6	94	0.96	C-E-D
5010102603001194	280 x 1190	12	37	245	43-52	61-70	26-35	6	94	1.05	C-E-D
5010102603001294	280 x 1290	13	37	245	43-52	61-70	26-35	6	94	1.14	C-E-D
5010102603001394	280 x 1390	14	37	245	43-52	61-70	26-35	6	94	1.22	C-E-D
5010102603001494	280 x 1490	15	37	245	43-52	61-70	26-35	6	94	1.31	C
5010102603001594	280 x 1590	16	37	245	43-52	61-70	26-35	6	94	1.40	C
5010102603001694	280 x 1690	17	37	245	43-52	61-70	26-35	6	94	1.49	C
5010102603001794	280 x 1790	18	37	245	43-52	61-70	26-35	6	94	1.57	C
5010102603001894	280 x 1890	19	37	245	43-52	61-70	26-35	6	94	1.66	C
5010102603001994	280 x 1990	20	37	245	43-52	61-70	26-35	6	94	1.75	C
5010102604000294	380 x 290	3	37	345	43-52	61-70	26-35	6	94	0.31	C
5010102604000394	380 x 390	4	37	345	43-52	61-70	26-35	6	94	0.41	C
5010102604000494	380 x 490	5	37	345	43-52	61-70	26-35	6	94	0.51	C-E-D
5010102604000594	380 x 590	6	37	345	43-52	61-70	26-35	6	94	0.61	C-E-D
5010102604000694	380 x 690	7	37	345	43-52	61-70	26-35	6	94	0.71	C-E-D
5010102604000794	380 x 790	8	37	345	43-52	61-70	26-35	6	94	0.81	C-E-D
5010102604000894	380 x 890	9	37	345	43-52	61-70	26-35	6	94	0.92	C-E-D
5010102604000994	380 x 990	10	37	345	43-52	61-70	26-35	6	94	1.02	C-E-D
5010102604001094	380 x 1090	11	37	345	43-52	61-70	26-35	6	94	1.12	C-E-D
5010102604001194	380 x 1190	12	37	345	43-52	61-70	26-35	6	94	1.22	C-E-D
5010102604001294	380 x 1290	13	37	345	43-52	61-70	26-35	6	94	1.32	C-E-D
5010102604001394	380 x 1390	14	37	345	43-52	61-70	26-35	6	94	1.42	C-E-D
5010102604001494	380 x 1490	15	37	345	43-52	61-70	26-35	6	94	1.53	C
5010102604001594	380 x 1590	16	37	345	43-52	61-70	26-35	6	94	1.63	C
5010102604001694	380 x 1690	17	37	345	43-52	61-70	26-35	6	94	1.73	C
5010102604001794	380 x 1790	18	37	345	43-52	61-70	26-35	6	94	1.83	C
5010102604001894	380 x 1890	19	37	345	43-52	61-70	26-35	6	94	1.93	C
5010102604001994	380 x 1990	20	37	345	43-52	61-70	26-35	6	94	2.03	C
5010102605000294	480 x 290	3	37	445	43-52	61-70	26-35	6	94	0.35	C
5010102605000394	480 x 390	4	37	445	43-52	61-70	26-35	6	94	0.47	C
5010102605000494	480 x 490	5	37	445	43-52	61-70	26-35	6	94	0.58	C-E-D
5010102605000594	480 x 590	6	37	445	43-52	61-70	26-35	6	94	0.70	C-E-D
5010102605000694	480 x 690	7	37	445	43-52	61-70	26-35	6	94	0.81	C-E-D
5010102605000794	480 x 790	8	37	445	43-52	61-70	26-35	6	94	0.93	C-E-D
5010102605000894	480 x 890	9	37	445	43-52	61-70	26-35	6	94	1.05	C-E-D
5010102605000994	480 x 990	10	37	445	43-52	61-70	26-35	6	94	1.16	C-E-D
5010102605001094	480 x 1090	11	37	445	43-52	61-70	26-35	6	94	1.28	C-E-D
5010102605001194	480 x 1190	12	37	445	43-52	61-70	26-35	6	94	1.39	C-E-D
5010102605001294	480 x 1290	13	37	445	43-52	61-70	26-35	6	94	1.51	C-E-D
5010102605001394	480 x 1390	14	37	445	43-52	61-70	26-35	6	94	1.62	C-E-D
5010102605001494	480 x 1490	15	37	445	43-52	61-70	26-35	6	94	1.74	C
5010102605001594	480 x 1590	16	37	445	43-52	61-70	26-35	6	94	1.86	C
5010102605001694	480 x 1690	17	37	445	43-52	61-70	26-35	6	94	1.97	C
5010102605001794	480 x 1790	18	37	445	43-52	61-70	26-35	6	94	2.09	C
5010102605001894	480 x 1890	19	37	445	43-52	61-70	26-35	6	94	2.20	C
5010102605001994	480 x 1990	20	37	445	43-52	61-70	26-35	6	94	2.32	C
5010102606000294	580 x 290	3	37	545	43-52	61-70	26-35	6	94	0.39	C
5010102606000394	580 x 390	4	37	545	43-52	61-70	26-35	6	94	0.52	C
5010102606000494	580 x 490	5	37	545	43-52	61-70	26-35	6	94	0.65	C-E-D
5010102606000594	580 x 590	6	37	545	43-52	61-70	26-35	6	94	0.78	C-E-D
5010102606000694	580 x 690	7	37	545	43-52	61-70	26-35	6	94	0.91	C-E-D
5010102606000794	580 x 790	8	37	545	43-52	61-70	26-35	6	94	1.04	C-E-D
5010102606000894	580 x 890	9	37	545	43-52	61-70	26-35	6	94	1.17	C-E-D
5010102606000994	580 x 990	10	37	545	43-52	61-70	26-35	6	94	1.30	C-E-D
5010102606001094	580 x 1090	11	37	545	43-52	61-70	26-35	6	94	1.43	C-E-D
5010102606001194	580 x 1190	12	37	545	43-52	61-70	26-35	6	94	1.56	C-E-D
5010102606001294	580 x 1290	13	37	545	43-52	61-70	26-35	6	94	1.69	C-E-D
5010102606001394	580 x 1390	14	37	545	43-52	61-70	26-35	6	94	1.83	C-E-D
5010102606001494	580 x 1490	15	37	545	43-52	61-70	26-35	6	94	1.96	C
5010102606001594	580 x 1590	16	37	545	43-52	61-70	26-35	6	94	2.09	C
5010102606001694	580 x 1690	17	37	545	43-52	61-70	26-35	6	94	2.22	C
5010102606001794	580 x 1790	18	37	545	43-52	61-70	26-35	6	94	2.35	C
5010102606001894	580 x 1890	19	37	545	43-52	61-70	26-35	6	94	2.48	C
5010102606001994	580 x 1990	20	37	545	43-52	61-70	26-35	6	94	2.61	C
5010102607000294	680 x 290	3	37	645	43-52	61-70	26-35	6	94	0.44	C
5010102607000394	680 x 390	4	37	645	43-52	61-70	26-35	6	94	0.58	C
5010102607000494	680 x 490	5	37	645	43-52	61-70	26-35	6	94	0.72	C-E-D
5010102607000594	680 x 590	6	37	645	43-52	61-70	26-35	6	94	0.87	C-E-D
5010102607000694	680 x 690	7	37	645	43-52	61-70	26-35	6	94	1.01	C-E-D
5010102607000794	680 x 790	8	37	645	43-52	61-70	26-35	6	94	1.16	C-E-D
5010102607000894	680 x 890	9	37	645	43-52	61-70	26-35	6	94	1.30	C-E-D
5010102607000994	680 x 990	10	37	645	43-52	61-70	26-35	6	94	1.45	C-E-D
5010102607001094	680 x 1090	11	37	645	43-52	61-70	26-35	6	94	1.59	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Btu
5010102603000294	95	324	123	421
5010102603000394	125	428	163	556
5010102603000494	156	532	203	692
5010102603000594	187	636	243	827
5010102603000694	217	740	282	962
5010102603000794	248	845	322	1098
5010102603000894	278	949	362	1233
5010102603000994	309	1053	401	1369
5010102603001094	339	1157	441	1504
5010102603001194	370	1261	481	1640
5010102603001294	400	1366	521	1775
5010102603001394	431	1470	560	1911
5010102603001494	462	1574	600	2046
5010102603001594	492	1678	640	2181
5010102603001694	523	1782	679	2317
5010102603001794	553	1886	719	2452
5010102603001894	584	1991	759	2588
5010102603001994	614	2095	799	2723
5010102604000294	129	441	168	573
5010102604000394	171	583	222	758
5010102604000494	213	725	276	942
5010102604000594	254	867	330	1127
5010102604000694	296	1009	385	1312
5010102604000794	338	1151	439	1496
5010102604000894	379	1293	493	1681
5010102604000994	421	1435	547	1865
5010102604001094	462	1577	601	2050
5010102604001194	504	1719	655	2235
5010102604001294	546	1861	709	2419
5010102604001394	587	2003	764	2604
5010102604001494	629	2145	818	2788
5010102604001594	671	2287	872	2973
5010102604001694	712	2429	926	3157
5010102604001794	754	2571	980	3342
5010102604001894	796	2713	1034	3527
5010102604001994	837	2855	1088	3711
5010102605000294	165	563	215	732
5010102605000394	218	745	284	968
5010102605000494	272	926	353	1204
5010102605000594	325	1108	422	1440</

FLAT LINE

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102607001194	680 x 1 190	12	37	645	43-52	61-70	26-35	6	94	1.74	C-E-D
5010102607001294	680 x 1 290	13	37	645	43-52	61-70	26-35	6	94	1.88	C-E-D
5010102607001394	680 x 1 390	14	37	645	43-52	61-70	26-35	6	94	2.03	C-E-D
5010102607001494	680 x 1 490	15	37	645	43-52	61-70	26-35	6	94	2.17	C
5010102607001594	680 x 1 590	16	37	645	43-52	61-70	26-35	6	94	2.31	C
5010102607001694	680 x 1 690	17	37	645	43-52	61-70	26-35	6	94	2.46	C
5010102607001794	680 x 1 790	18	37	645	43-52	61-70	26-35	6	94	2.60	C
5010102607001894	680 x 1 890	19	37	645	43-52	61-70	26-35	6	94	2.75	C
5010102607001994	680 x 1 990	20	37	645	43-52	61-70	26-35	6	94	2.89	C
5010102608000294	780 x 290	3	37	745	43-52	61-70	26-35	6	94	0.48	C
5010102608000394	780 x 390	4	37	745	43-52	61-70	26-35	6	94	0.64	C
5010102608000494	780 x 490	5	37	745	43-52	61-70	26-35	6	94	0.80	C-E-D
5010102608000594	780 x 590	6	37	745	43-52	61-70	26-35	6	94	0.95	C-E-D
5010102608000694	780 x 690	7	37	745	43-52	61-70	26-35	6	94	1.11	C-E-D
5010102608000794	780 x 790	8	37	745	43-52	61-70	26-35	6	94	1.27	C-E-D
5010102608000894	780 x 890	9	37	745	43-52	61-70	26-35	6	94	1.43	C-E-D
5010102608000994	780 x 990	10	37	745	43-52	61-70	26-35	6	94	1.59	C-E-D
5010102608001094	780 x 1 090	11	37	745	43-52	61-70	26-35	6	94	1.75	C-E-D
5010102608001194	780 x 1 190	12	37	745	43-52	61-70	26-35	6	94	1.91	C-E-D
5010102608001294	780 x 1 290	13	37	745	43-52	61-70	26-35	6	94	2.07	C-E-D
5010102608001394	780 x 1 390	14	37	745	43-52	61-70	26-35	6	94	2.23	C-E-D
5010102608001494	780 x 1 490	15	37	745	43-52	61-70	26-35	6	94	2.38	C
5010102608001594	780 x 1 590	16	37	745	43-52	61-70	26-35	6	94	2.54	C
5010102608001694	780 x 1 690	17	37	745	43-52	61-70	26-35	6	94	2.70	C
5010102608001794	780 x 1 790	18	37	745	43-52	61-70	26-35	6	94	2.86	C
5010102608001894	780 x 1 890	19	37	745	43-52	61-70	26-35	6	94	3.02	C
5010102608001994	780 x 1 990	20	37	745	43-52	61-70	26-35	6	94	3.18	C
5010102609000294	880 x 290	3	37	845	43-52	61-70	26-35	6	94	0.52	C
5010102609000394	880 x 390	4	37	845	43-52	61-70	26-35	6	94	0.69	C
5010102609000494	880 x 490	5	37	845	43-52	61-70	26-35	6	94	0.87	C-E-D
5010102609000594	880 x 590	6	37	845	43-52	61-70	26-35	6	94	1.04	C-E-D
5010102609000694	880 x 690	7	37	845	43-52	61-70	26-35	6	94	1.21	C-E-D
5010102609000794	880 x 790	8	37	845	43-52	61-70	26-35	6	94	1.39	C-E-D
5010102609000894	880 x 890	9	37	845	43-52	61-70	26-35	6	94	1.56	C-E-D
5010102609000994	880 x 990	10	37	845	43-52	61-70	26-35	6	94	1.73	C-E-D
5010102609001094	880 x 1 090	11	37	845	43-52	61-70	26-35	6	94	1.91	C-E-D
5010102609001194	880 x 1 190	12	37	845	43-52	61-70	26-35	6	94	2.08	C-E-D
5010102609001294	880 x 1 290	13	37	845	43-52	61-70	26-35	6	94	2.25	C-E-D
5010102609001394	880 x 1 390	14	37	845	43-52	61-70	26-35	6	94	2.43	C-E-D
5010102609001494	880 x 1 490	15	37	845	43-52	61-70	26-35	6	94	2.60	C
5010102609001594	880 x 1 590	16	37	845	43-52	61-70	26-35	6	94	2.77	C
5010102609001694	880 x 1 690	17	37	845	43-52	61-70	26-35	6	94	2.95	C
5010102609001794	880 x 1 790	18	37	845	43-52	61-70	26-35	6	94	3.12	C
5010102609001894	880 x 1 890	19	37	845	43-52	61-70	26-35	6	94	3.29	C
5010102609001994	880 x 1 990	20	37	845	43-52	61-70	26-35	6	94	3.46	C
5010102610000294	980 x 290	3	37	945	43-52	61-70	26-35	6	94	0.56	C
5010102610000394	980 x 390	4	37	945	43-52	61-70	26-35	6	94	0.75	C
5010102610000494	980 x 490	5	37	945	43-52	61-70	26-35	6	94	0.94	C-E-D
5010102610000594	980 x 590	6	37	945	43-52	61-70	26-35	6	94	1.13	C-E-D
5010102610000694	980 x 690	7	37	945	43-52	61-70	26-35	6	94	1.31	C-E-D
5010102610000794	980 x 790	8	37	945	43-52	61-70	26-35	6	94	1.50	C-E-D
5010102610000894	980 x 890	9	37	945	43-52	61-70	26-35	6	94	1.69	C-E-D
5010102610000994	980 x 990	10	37	945	43-52	61-70	26-35	6	94	1.88	C-E-D
5010102610001094	980 x 1 090	11	37	945	43-52	61-70	26-35	6	94	2.06	C-E-D
5010102610001194	980 x 1 190	12	37	945	43-52	61-70	26-35	6	94	2.25	C-E-D
5010102610001294	980 x 1 290	13	37	945	43-52	61-70	26-35	6	94	2.44	C-E-D
5010102610001394	980 x 1 390	14	37	945	43-52	61-70	26-35	6	94	2.63	C-E-D
5010102610001494	980 x 1 490	15	37	945	43-52	61-70	26-35	6	94	2.81	C
5010102610001594	980 x 1 590	16	37	945	43-52	61-70	26-35	6	94	3.00	C
5010102610001694	980 x 1 690	17	37	945	43-52	61-70	26-35	6	94	3.19	C
5010102610001794	980 x 1 790	18	37	945	43-52	61-70	26-35	6	94	3.38	C
5010102610001894	980 x 1 890	19	37	945	43-52	61-70	26-35	6	94	3.56	C
5010102610001994	980 x 1 990	20	37	945	43-52	61-70	26-35	6	94	3.75	C
5010102612000294	1180 x 290	3	37	1145	43-52	61-70	26-35	6	94	0.65	C
5010102612000394	1180 x 390	4	37	1145	43-52	61-70	26-35	6	94	0.87	C
5010102612000494	1180 x 490	5	37	1145	43-52	61-70	26-35	6	94	1.08	C-E-D
5010102612000594	1180 x 590	6	37	1145	43-52	61-70	26-35	6	94	1.30	C-E-D
5010102612000694	1180 x 690	7	37	1145	43-52	61-70	26-35	6	94	1.51	C-E-D
5010102612000794	1180 x 790	8	37	1145	43-52	61-70	26-35	6	94	1.73	C-E-D
5010102612000894	1180 x 890	9	37	1145	43-52	61-70	26-35	6	94	1.95	C-E-D
5010102612000994	1180 x 990	10	37	1145	43-52	61-70	26-35	6	94	2.16	C-E-D
5010102612001094	1180 x 1 090	11	37	1145	43-52	61-70	26-35	6	94	2.38	C-E-D
5010102612001194	1180 x 1 190	12	37	1145	43-52	61-70	26-35	6	94	2.59	C-E-D
5010102612001294	1180 x 1 290	13	37	1145	43-52	61-70	26-35	6	94	2.81	C-E-D
5010102612001394	1180 x 1 390	14	37	1145	43-52	61-70	26-35	6	94	3.03	C-E-D
5010102614000294	1380 x 290	3	37	1345	43-52	61-70	26-35	6	94	0.74	C
5010102614000394	1380 x 390	4	37	1345	43-52	61-70	26-35	6	94	0.98	C
5010102614000494	1380 x 490	5	37	1345	43-52	61-70	26-35	6	94	1.22	C-E-D
5010102614000594	1380 x 590	6	37	1345	43-52	61-70	26-35	6	94	1.47	C-E-D
5010102614000694	1380 x 690	7	37	1345	43-52	61-70	26-35	6	94	1.71	C-E-D
5010102614000794	1380 x 790	8	37	1345	43-52	61-70	26-35	6	94	1.96	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010102607001194		902	3074	1172	3997
5010102607001294		976	3328	1269	4327
5010102607001394		1051	3582	1366	4657
5010102607001494		1125	3836	1463	4987
5010102607001594		1199	4090	1559	5317
5010102607001694		1274	4344	1656	5648
5010102607001794		1348	4598	1753	5978
5010102607001894		1423	4852	1850	6308
5010102607001994		1497	5106	1947	6638
5010102608000294		259	882	336	1146
5010102608000394		342	1166	444	1516
5010102608000494		425	1450	553	1885
5010102608000594		508	1734	661	2254
5010102608000694		592	2018	769	2623
5010102608000794		675	2302	878	2992
5010102608000894		758	2586	986	3361
5010102608000994		842	2870	1094	3731
5010102608001094		925	3154	1202	4100
5010102608001194		1008	3438	1311	4469
5010102608001294		1091	3722	1419	4838
5010102608001394		1175	4006	1527	5207
5010102608001494		1258	4290	1635	5577
5010102608001594		1341	4574	1744	5946
5010102608001694		1425	4858	1852	6315
5010102608001794		1508	5142	1960	6684
5010102608001894		1591	5426	2068	7053
5010102608001994		1674	5710	2177	7422
5010102609000294		285	971	370	1262
5010102609000394		376	1283	489	1668
5010102609000494		468	1596	608	2075
5010102609000594		560	1908	728	2481
5010102609000694		651	2221	847	2887
5010102609000794		743	2534	966	3294
5010102609000894		835	2846	1085	3700
5010102609000994		926	3159	1204	4106
5010102609001094		1018	3471	1323	4513
5010102609001194		1110	3784	1443	4919
5010102609001294		1201	4096	1562	5325
5010102609001394		1293	4409	1681	5732
5010102609001494		1385	4722	1800	6138
5010102609001594		1476	5034	1919	6544
5010102609001694		1568	5347	2038	6951
5010102609001794		1660	5659	2158	7357
5010102609001894		1751	5972	2277	7764
5010102609001994		1843	6285	2396	8170
5010102610000294		309	1055	402	1372
5010102610000394		409	1395	532	1814
5010102610000494		509	1735	661	2255
5010102610000594		608	2075	791	2697
5010102610000694		708	2414	920	3139
5010102610000794		808	2754	1050	3581
5010102610000894		907	3094	1180	4022
5010102610000994		1007	3434	1309	4464
5010102610001094		1107	3774	1439	4906
5010102610001194		1206	4113	1568	5348
5010102610001294		1306	4453	1698	5789
5010102610001394		1406	4793	1827	6231
5010102610001494		1505	5133	1957	6673
5010102610001594		1605	5473	2086	7115
5010102610001694		1705	5813	2216	7556
5010102610001794		1804	6152	2345	7998
5010102610001894		1904	6492	2475	8440
5010102610001994		2004	6832	2605	8882
5010102612000294		355	1212	462	1575
5010102612000394		470	1602	611	2082
5010102612000494		584	1992	759	2589
5010102612000594		699	2382	908	3097
5010102612000694		813	2772	1057	3604
5010102612000794		927	3162	1206	4111
5010102612000894		1042	3552	1354	4618
5010102612000994		1156	3943	1503	5125
5010102612001094		1271	4333	1652	5633
5010102612001194		1385	4723	1801	6140
5010102612001294		1499	5113	1949	6647
5010102612001394		1614	5503	2098	7154
5010102614000294		408	1391	530	1808
5010102614000394		539	1839	701	2391
5010102614000494		671	2287	872	2973
5010102614000594		802	2735	1043	3555
5010102614000694		933	3183	1213	4138
5010102614000794		1065	3631	1384	4720

FLAT LINE

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102614000894	1380 x 890	9	37	1345	43-52	61-70	26-35	6	94	2,20	C-E-D
5010102614000994	1380 x 990	10	37	1345	43-52	61-70	26-35	6	94	2,45	C-E-D
5010102614001094	1380 x 1090	11	37	1345	43-52	61-70	26-35	6	94	2,69	C-E-D
5010102614001194	1380 x 1190	12	37	1345	43-52	61-70	26-35	6	94	2,94	C-E-D
5010102614001294	1380 x 1290	13	37	1345	43-52	61-70	26-35	6	94	3,18	C-E-D
5010102614001394	1380 x 1390	14	37	1345	43-52	61-70	26-35	6	94	3,43	C-E-D
5010102616000294	1580 x 290	3	37	1545	43-52	61-70	26-35	6	94	0,82	C
5010102616000394	1580 x 390	4	37	1545	43-52	61-70	26-35	6	94	1,09	C
5010102616000494	1580 x 490	5	37	1545	43-52	61-70	26-35	6	94	1,37	C-E-D
5010102616000594	1580 x 590	6	37	1545	43-52	61-70	26-35	6	94	1,64	C-E-D
5010102616000694	1580 x 690	7	37	1545	43-52	61-70	26-35	6	94	1,91	C-E-D
5010102616000794	1580 x 790	8	37	1545	43-52	61-70	26-35	6	94	2,19	C-E-D
5010102616000894	1580 x 890	9	37	1545	43-52	61-70	26-35	6	94	2,46	C-E-D
5010102616000994	1580 x 990	10	37	1545	43-52	61-70	26-35	6	94	2,73	C-E-D
5010102618000294	1780 x 290	3	37	1745	43-52	61-70	26-35	6	94	0,91	C
5010102618000394	1780 x 390	4	37	1745	43-52	61-70	26-35	6	94	1,21	C
5010102618000494	1780 x 490	5	37	1745	43-52	61-70	26-35	6	94	1,51	C-E-D
5010102618000594	1780 x 590	6	37	1745	43-52	61-70	26-35	6	94	1,81	C-E-D
5010102618000694	1780 x 690	7	37	1745	43-52	61-70	26-35	6	94	2,11	C-E-D
5010102618000794	1780 x 790	8	37	1745	43-52	61-70	26-35	6	94	2,42	C-E-D
5010102618000894	1780 x 890	9	37	1745	43-52	61-70	26-35	6	94	2,72	C-E-D
5010102618000994	1780 x 990	10	37	1745	43-52	61-70	26-35	6	94	3,02	C-E-D
5010102620000294	1980 x 290	3	37	1945	43-52	61-70	26-35	6	94	0,99	C
5010102620000394	1980 x 390	4	37	1945	43-52	61-70	26-35	6	94	1,32	C
5010102620000494	1980 x 490	5	37	1945	43-52	61-70	26-35	6	94	1,65	C-E-D
5010102620000594	1980 x 590	6	37	1945	43-52	61-70	26-35	6	94	1,98	C-E-D
5010102620000694	1980 x 690	7	37	1945	43-52	61-70	26-35	6	94	2,31	C-E-D
5010102620000794	1980 x 790	8	37	1945	43-52	61-70	26-35	6	94	2,65	C-E-D
5010102620000894	1980 x 890	9	37	1945	43-52	61-70	26-35	6	94	2,98	C-E-D
5010102620000994	1980 x 990	10	37	1945	43-52	61-70	26-35	6	94	3,31	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102614000894	1196	4079	1555	5302
5010102614000994	1328	4527	1726	5885
5010102614001094	1459	4975	1897	6467
5010102614001194	1590	5423	2067	7050
5010102614001294	1722	5871	2238	7632
5010102614001394	1853	6319	2409	8214
5010102616000294	468	1597	609	2076
5010102616000394	619	2111	805	2745
5010102616000494	770	2626	1001	3414
5010102616000594	921	3140	1197	4082
5010102616000694	1072	3654	1393	4751
5010102616000794	1223	4169	1589	5419
5010102616000894	1373	4683	1785	6088
5010102616000994	1524	5197	1981	6757
5010102618000294	538	1834	699	2384
5010102618000394	711	2424	924	3152
5010102618000494	884	3015	1149	3919
5010102618000594	1057	3605	1374	4687
5010102618000694	1230	4196	1600	5455
5010102618000794	1404	4786	1825	6222
5010102618000894	1577	5377	2050	6990
5010102618000994	1750	5968	2275	7758
5010102620000294	617	2105	803	2737
5010102620000394	816	2783	1061	3619
5010102620000494	1015	3462	1320	4500
5010102620000594	1214	4140	1578	5381
5010102620000694	1413	4818	1837	6263
5010102620000794	1612	5496	2095	7144
5010102620000894	1810	6174	2354	8026
5010102620000994	2009	6852	2612	8907

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
12,89	16,73	0,10	1490X929X72
14,33	18,46	0,12	1490X1029X72
15,76	20,17	0,13	1490X1129X72
17,19	21,88	0,14	1490X1229X72
18,62	23,60	0,15	1490X1329X72
20,06	25,33	0,16	1490X1429X72
4,81	6,98	0,05	1690X329X72
6,42	8,91	0,06	1690X429X72
8,03	10,83	0,07	1690X529X72
9,63	12,76	0,08	1690X629X72
11,24	14,85	0,09	1690X729X72
12,85	16,79	0,11	1690X829X72
14,46	18,71	0,12	1690X929X72
16,07	20,63	0,13	1690X1029X72
5,34	7,69	0,05	1890X329X72
7,12	9,83	0,06	1890X429X72
8,90	11,96	0,08	1890X529X72
10,68	14,10	0,09	1890X629X72
12,46	16,40	0,10	1890X729X72
14,24	18,54	0,12	1890X829X72
16,03	20,69	0,13	1890X929X72
17,81	22,82	0,15	1890X1029X72
5,86	8,41	0,05	2090X329X72
7,82	10,77	0,07	2090X429X72
9,77	13,11	0,08	2090X529X72
11,72	15,45	0,10	2090X629X72
13,68	17,96	0,11	2090X729X72
15,64	20,32	0,13	2090X829X72
17,59	22,66	0,14	2090X929X72
19,55	25,02	0,16	2090X1029X72

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel