

GENOA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102803000280	300 x 280	3	62	245	35-44	65-74	5-14	5	90	0,26	C
5010102803000375	300 x 380	4	62	245	35-44	65-74	5-14	5	90	0,34	C
5010102803000470	300 x 470	5	62	245	35-44	65-74	5-14	5	90	0,43	C-E-D
5010102803000565	300 x 570	6	62	245	35-44	65-74	5-14	5	90	0,51	C-E-D
5010102803000660	300 x 660	7	62	245	35-44	65-74	5-14	5	90	0,59	C-E-D
5010102803000755	300 x 760	8	62	245	35-44	65-74	5-14	5	90	0,68	C-E-D
5010102803000850	300 x 850	9	62	245	35-44	65-74	5-14	5	90	0,76	C-E-D
5010102803000945	300 x 950	10	62	245	35-44	65-74	5-14	5	90	0,85	C-E-D
5010102803001040	300 x 1040	11	62	245	35-44	65-74	5-14	5	90	0,93	C-E-D
5010102803001135	300 x 1140	12	62	245	35-44	65-74	5-14	5	90	1,02	C-E-D
5010102803001230	300 x 1230	13	62	245	35-44	65-74	5-14	5	90	1,10	C-E-D
5010102803001325	300 x 1330	14	62	245	35-44	65-74	5-14	5	90	1,19	C-E-D
5010102803001420	300 x 1420	15	62	245	35-44	65-74	5-14	5	90	1,27	C
5010102803001515	300 x 1520	16	62	245	35-44	65-74	5-14	5	90	1,36	C
5010102803001610	300 x 1610	17	62	245	35-44	65-74	5-14	5	90	1,44	C
5010102803001705	300 x 1710	18	62	245	35-44	65-74	5-14	5	90	1,53	C
5010102803001800	300 x 1800	19	62	245	35-44	65-74	5-14	5	90	1,61	C
5010102803001895	300 x 1900	20	62	245	35-44	65-74	5-14	5	90	1,70	C
5010102803001990	300 x 1990	21	62	245	35-44	65-74	5-14	5	90	1,78	C
5010102804000280	400 x 280	3	62	345	35-44	65-74	5-14	5	90	0,30	C
5010102804000375	400 x 380	4	62	345	35-44	65-74	5-14	5	90	0,40	C
5010102804000470	400 x 470	5	62	345	35-44	65-74	5-14	5	90	0,50	C-E-D
5010102804000565	400 x 570	6	62	345	35-44	65-74	5-14	5	90	0,60	C-E-D
5010102804000660	400 x 660	7	62	345	35-44	65-74	5-14	5	90	0,69	C-E-D
5010102804000755	400 x 760	8	62	345	35-44	65-74	5-14	5	90	0,79	C-E-D
5010102804000850	400 x 850	9	62	345	35-44	65-74	5-14	5	90	0,89	C-E-D
5010102804000945	400 x 950	10	62	345	35-44	65-74	5-14	5	90	0,99	C-E-D
5010102804001040	400 x 1040	11	62	345	35-44	65-74	5-14	5	90	1,09	C-E-D
5010102804001135	400 x 1140	12	62	345	35-44	65-74	5-14	5	90	1,19	C-E-D
5010102804001230	400 x 1230	13	62	345	35-44	65-74	5-14	5	90	1,29	C-E-D
5010102804001325	400 x 1330	14	62	345	35-44	65-74	5-14	5	90	1,39	C-E-D
5010102804001420	400 x 1420	15	62	345	35-44	65-74	5-14	5	90	1,49	C
5010102804001515	400 x 1520	16	62	345	35-44	65-74	5-14	5	90	1,59	C
5010102804001610	400 x 1610	17	62	345	35-44	65-74	5-14	5	90	1,68	C
5010102804001705	400 x 1710	18	62	345	35-44	65-74	5-14	5	90	1,78	C
5010102804001800	400 x 1800	19	62	345	35-44	65-74	5-14	5	90	1,88	C
5010102804001895	400 x 1900	20	62	345	35-44	65-74	5-14	5	90	1,98	C
5010102804001990	400 x 1990	21	62	345	35-44	65-74	5-14	5	90	2,08	C
5010102805000280	500 x 280	3	62	445	35-44	65-74	5-14	5	90	0,34	C
5010102805000375	500 x 380	4	62	445	35-44	65-74	5-14	5	90	0,46	C
5010102805000470	500 x 470	5	62	445	35-44	65-74	5-14	5	90	0,57	C-E-D
5010102805000565	500 x 570	6	62	445	35-44	65-74	5-14	5	90	0,68	C-E-D
5010102805000660	500 x 660	7	62	445	35-44	65-74	5-14	5	90	0,79	C-E-D
5010102805000755	500 x 760	8	62	445	35-44	65-74	5-14	5	90	0,91	C-E-D
5010102805000850	500 x 850	9	62	445	35-44	65-74	5-14	5	90	1,02	C-E-D
5010102805000945	500 x 950	10	62	445	35-44	65-74	5-14	5	90	1,13	C-E-D
5010102805001040	500 x 1040	11	62	445	35-44	65-74	5-14	5	90	1,25	C-E-D
5010102805001135	500 x 1140	12	62	445	35-44	65-74	5-14	5	90	1,36	C-E-D
5010102805001230	500 x 1230	13	62	445	35-44	65-74	5-14	5	90	1,47	C-E-D
5010102805001325	500 x 1330	14	62	445	35-44	65-74	5-14	5	90	1,59	C-E-D
5010102805001420	500 x 1420	15	62	445	35-44	65-74	5-14	5	90	1,70	C
5010102805001515	500 x 1520	16	62	445	35-44	65-74	5-14	5	90	1,81	C
5010102805001610	500 x 1610	17	62	445	35-44	65-74	5-14	5	90	1,93	C
5010102805001705	500 x 1710	18	62	445	35-44	65-74	5-14	5	90	2,04	C
5010102805001800	500 x 1800	19	62	445	35-44	65-74	5-14	5	90	2,15	C
5010102805001895	500 x 1900	20	62	445	35-44	65-74	5-14	5	90	2,27	C
5010102805001990	500 x 1990	21	62	445	35-44	65-74	5-14	5	90	2,38	C
5010102806000280	600 x 280	3	62	545	35-44	65-74	5-14	5	90	0,38	C
5010102806000375	600 x 380	4	62	545	35-44	65-74	5-14	5	90	0,51	C
5010102806000470	600 x 470	5	62	545	35-44	65-74	5-14	5	90	0,64	C-E-D
5010102806000565	600 x 570	6	62	545	35-44	65-74	5-14	5	90	0,77	C-E-D
5010102806000660	600 x 660	7	62	545	35-44	65-74	5-14	5	90	0,90	C-E-D
5010102806000755	600 x 760	8	62	545	35-44	65-74	5-14	5	90	1,02	C-E-D
5010102806000850	600 x 850	9	62	545	35-44	65-74	5-14	5	90	1,15	C-E-D
5010102806000945	600 x 950	10	62	545	35-44	65-74	5-14	5	90	1,28	C-E-D
5010102806001040	600 x 1040	11	62	545	35-44	65-74	5-14	5	90	1,41	C-E-D
5010102806001135	600 x 1140	12	62	545	35-44	65-74	5-14	5	90	1,53	C-E-D
5010102806001230	600 x 1230	13	62	545	35-44	65-74	5-14	5	90	1,66	C-E-D
5010102806001325	600 x 1330	14	62	545	35-44	65-74	5-14	5	90	1,79	C-E-D
5010102806001420	600 x 1420	15	62	545	35-44	65-74	5-14	5	90	1,92	C
5010102806001515	600 x 1520	16	62	545	35-44	65-74	5-14	5	90	2,04	C
5010102806001610	600 x 1610	17	62	545	35-44	65-74	5-14	5	90	2,17	C
5010102806001705	600 x 1710	18	62	545	35-44	65-74	5-14	5	90	2,30	C
5010102806001800	600 x 1800	19	62	545	35-44	65-74	5-14	5	90	2,43	C
5010102806001895	600 x 1900	20	62	545	35-44	65-74	5-14	5	90	2,55	C
5010102806001990	600 x 1990	21	62	545	35-44	65-74	5-14	5	90	2,68	C
5010102807000280	700 x 280	3	62	645	35-44	65-74	5-14	5	90	0,43	C
5010102807000375	700 x 380	4	62	645	35-44	65-74	5-14	5	90	0,57	C
5010102807000470	700 x 470	5	62	645	35-44	65-74	5-14	5	90	0,71	C-E-D
5010102807000565	700 x 570	6	62	645	35-44	65-74	5-14	5	90	0,85	C-E-D
5010102807000660	700 x 660	7	62	645	35-44	65-74	5-14	5	90	1,00	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010102803000280	111	378	144	491	
5010102803000375	148	504	192	655	
5010102803000470	185	630	240	819	
5010102803000565	222	756	288	983	
5010102803000660	259	882	336	1146	
5010102803000755	296	1008	384	1310	
5010102803000850	332	1134	432	1474	
5010102803000945	369	1260	480	1638	
5010102803001040	406	1386	528	1801	
5010102803001135	443	1512	576	1965	
5010102803001230	480	1638	624	2129	
5010102803001325	517	1764	672	2293	
5010102803001420	554	1890	720	2457	
5010102803001515	591	2016	768	2620	
5010102803001610	628	2142	816	2784	
5010102803001705	665	2268	864	2948	
5010102803001800	702	2394	912	3112	
5010102803001895	739	2520	961	3275	
5010102803001990	776	2645	1009	3439	
5010102804000280	151	515	196	670	
5010102804000375	201	687	262	893	
5010102804000470	252	858	327	1116	
5010102804000565	302	1030	393	1339	
5010102804000660	352	1202	458	1562	
5010102804000755	403	1373	524	1785	
5010102804000850	453	1545	589	2009	
5010102804000945	503	1717	654	2232	
5010102804001040	554	1888	720	2455	
5010102804001135	604	2060	785	2678	
5010102804001230	654	2232	851	2901	
5010102804001325	705	2403	916	3125	
5010102804001420	755	2575	982	3348	
5010102804001515	806	2747	1047	3571	
5010102804001610	856	2918	1113	3794	
5010102804001705	906	3090	1178	4017	
5010102804001800	957	3262	1244	4240	
5010102804001895	1007	3434	1309	4464	
5010102804001990	1057	3605	1374	4687	
5010102805000280	193	658	251	855	
5010102805000375	257	877	334	1141	
5010102805000470	322	1097	418	1426	
5010102805000565	386	1316	502	1711	
5010102805000660	450	1535	585	1996	
5010102805000755	515	1755	669	2281	
5010102805000850	579	1974	753	2566	
5010102805000945	643	2193	836	2851	
5010102805001040	708	2413	920	3136	
5010102805001135	772	2632	1003	3422	
5010102805001230	836	2851	1087	3707	
5010102805001325	900	3071	1171	3992	
5010102805001420	965	3290	1254	4277	
5010102805001515	1029	3509	1338	4562	
5010102805001610	1093	3729	1421	4847	
5010102805001705	1158	3948	1505	5132	
5010102805001800	1222	4167	1589	5418	
5010102805001895	1286	4387	1672	5703	
5010102805001990	1351	4606	1756	5988	
5010102806000280	237	807	308	1049	
5010102806000375	316	1076	410	1399	
5010102806000470	394	1345	513	1749	
5010102806000565	473	1614	615	2098	
5010102806000660	552	1883	718	2448	
5010102806000755	631	2152	820	2798	
5010102806000850	710	2421	923	3147	
5010102806000945	789	2690	1026	3497	
5010102806001040	868	2959	1128	3847	
5010102806001135	947	3228	1231	4197	
5010102806001230	1026	3497	1333	4546	
5010102806001325	1104	3766	1436	4896	
5010102806001420	1183	4035	1538	5246	
5010102806001515	1262	4304	1641	5595	
5010102806001610	1341	4573	1743	5945	
5010102806001705	1420	4842	1846	6295	
5010102806001800	1499	5111	1949	6645	
5010102806001895	1578	5380	2051	6994	
5010102806001990	1657	5649	2154	7344	
5010102807000280	270	921	351	1198	
5010102807000375	360	1228	468	1597	
5010102807000470	450	1535	585	1996	
5010102807000565	540	1842	702	2395	
5010102807000660	630	2149	819	2794	

GENOA

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102807000755	700 x 760	8	62	645	35-44	65-74	5-14	5	90	1,14	C-E-D
5010102807000850	700 x 850	9	62	645	35-44	65-74	5-14	5	90	1,28	C-E-D
5010102807000945	700 x 950	10	62	645	35-44	65-74	5-14	5	90	1,42	C-E-D
5010102807001040	700 x 1040	11	62	645	35-44	65-74	5-14	5	90	1,56	C-E-D
5010102807001135	700 x 1140	12	62	645	35-44	65-74	5-14	5	90	1,70	C-E-D
5010102807001230	700 x 1230	13	62	645	35-44	65-74	5-14	5	90	1,85	C-E-D
5010102807001325	700 x 1330	14	62	645	35-44	65-74	5-14	5	90	1,99	C-E-D
5010102807001420	700 x 1420	15	62	645	35-44	65-74	5-14	5	90	2,13	C
5010102807001515	700 x 1520	16	62	645	35-44	65-74	5-14	5	90	2,27	C
5010102807001610	700 x 1610	17	62	645	35-44	65-74	5-14	5	90	2,41	C
5010102807001705	700 x 1710	18	62	645	35-44	65-74	5-14	5	90	2,56	C
5010102807001800	700 x 1800	19	62	645	35-44	65-74	5-14	5	90	2,70	C
5010102807001895	700 x 1900	20	62	645	35-44	65-74	5-14	5	90	2,84	C
5010102807001990	700 x 1990	21	62	645	35-44	65-74	5-14	5	90	2,98	C
5010102808000280	800 x 280	3	62	745	35-44	65-74	5-14	5	90	0,47	C
5010102808000375	800 x 380	4	62	745	35-44	65-74	5-14	5	90	0,63	C
5010102808000470	800 x 470	5	62	745	35-44	65-74	5-14	5	90	0,78	C-E-D
5010102808000565	800 x 570	6	62	745	35-44	65-74	5-14	5	90	0,94	C-E-D
5010102808000660	800 x 660	7	62	745	35-44	65-74	5-14	5	90	1,10	C-E-D
5010102808000755	800 x 760	8	62	745	35-44	65-74	5-14	5	90	1,25	C-E-D
5010102808000850	800 x 850	9	62	745	35-44	65-74	5-14	5	90	1,41	C-E-D
5010102808000945	800 x 950	10	62	745	35-44	65-74	5-14	5	90	1,56	C-E-D
5010102808001040	800 x 1040	11	62	745	35-44	65-74	5-14	5	90	1,72	C-E-D
5010102808001135	800 x 1140	12	62	745	35-44	65-74	5-14	5	90	1,88	C-E-D
5010102808001230	800 x 1230	13	62	745	35-44	65-74	5-14	5	90	2,03	C-E-D
5010102808001325	800 x 1330	14	62	745	35-44	65-74	5-14	5	90	2,19	C-E-D
5010102808001420	800 x 1420	15	62	745	35-44	65-74	5-14	5	90	2,34	C
5010102808001515	800 x 1520	16	62	745	35-44	65-74	5-14	5	90	2,50	C
5010102808001610	800 x 1610	17	62	745	35-44	65-74	5-14	5	90	2,66	C
5010102808001705	800 x 1710	18	62	745	35-44	65-74	5-14	5	90	2,81	C
5010102808001800	800 x 1800	19	62	745	35-44	65-74	5-14	5	90	2,97	C
5010102808001895	800 x 1900	20	62	745	35-44	65-74	5-14	5	90	3,13	C
5010102808001990	800 x 1990	21	62	745	35-44	65-74	5-14	5	90	3,28	C
5010102809000280	900 x 280	3	62	845	35-44	65-74	5-14	5	90	0,51	C
5010102809000375	900 x 380	4	62	845	35-44	65-74	5-14	5	90	0,68	C
5010102809000470	900 x 470	5	62	845	35-44	65-74	5-14	5	90	0,85	C-E-D
5010102809000565	900 x 570	6	62	845	35-44	65-74	5-14	5	90	1,02	C-E-D
5010102809000660	900 x 660	7	62	845	35-44	65-74	5-14	5	90	1,20	C-E-D
5010102809000755	900 x 760	8	62	845	35-44	65-74	5-14	5	90	1,37	C-E-D
5010102809000850	900 x 850	9	62	845	35-44	65-74	5-14	5	90	1,54	C-E-D
5010102809000945	900 x 950	10	62	845	35-44	65-74	5-14	5	90	1,71	C-E-D
5010102809001040	900 x 1040	11	62	845	35-44	65-74	5-14	5	90	1,88	C-E-D
5010102809001135	900 x 1140	12	62	845	35-44	65-74	5-14	5	90	2,05	C-E-D
5010102809001230	900 x 1230	13	62	845	35-44	65-74	5-14	5	90	2,22	C-E-D
5010102809001325	900 x 1330	14	62	845	35-44	65-74	5-14	5	90	2,39	C-E-D
5010102809001420	900 x 1420	15	62	845	35-44	65-74	5-14	5	90	2,56	C
5010102809001515	900 x 1520	16	62	845	35-44	65-74	5-14	5	90	2,73	C
5010102809001610	900 x 1610	17	62	845	35-44	65-74	5-14	5	90	2,90	C
5010102809001705	900 x 1710	18	62	845	35-44	65-74	5-14	5	90	3,07	C
5010102809001800	900 x 1800	19	62	845	35-44	65-74	5-14	5	90	3,24	C
5010102809001895	900 x 1900	20	62	845	35-44	65-74	5-14	5	90	3,41	C
5010102809001990	900 x 1990	21	62	845	35-44	65-74	5-14	5	90	3,58	C
5010102810000280	1000 x 280	3	62	945	35-44	65-74	5-14	5	90	0,56	C
5010102810000375	1000 x 380	4	62	945	35-44	65-74	5-14	5	90	0,74	C
5010102810000470	1000 x 470	5	62	945	35-44	65-74	5-14	5	90	0,93	C-E-D
5010102810000565	1000 x 570	6	62	945	35-44	65-74	5-14	5	90	1,11	C-E-D
5010102810000660	1000 x 660	7	62	945	35-44	65-74	5-14	5	90	1,30	C-E-D
5010102810000755	1000 x 760	8	62	945	35-44	65-74	5-14	5	90	1,48	C-E-D
5010102810000850	1000 x 850	9	62	945	35-44	65-74	5-14	5	90	1,66	C-E-D
5010102810000945	1000 x 950	10	62	945	35-44	65-74	5-14	5	90	1,85	C-E-D
5010102810001040	1000 x 1040	11	62	945	35-44	65-74	5-14	5	90	2,03	C-E-D
5010102810001135	1000 x 1140	12	62	945	35-44	65-74	5-14	5	90	2,22	C-E-D
5010102810001230	1000 x 1230	13	62	945	35-44	65-74	5-14	5	90	2,40	C-E-D
5010102810001325	1000 x 1330	14	62	945	35-44	65-74	5-14	5	90	2,59	C-E-D
5010102810001420	1000 x 1420	15	62	945	35-44	65-74	5-14	5	90	2,77	C
5010102810001515	1000 x 1520	16	62	945	35-44	65-74	5-14	5	90	2,96	C
5010102810001610	1000 x 1610	17	62	945	35-44	65-74	5-14	5	90	3,14	C
5010102810001705	1000 x 1710	18	62	945	35-44	65-74	5-14	5	90	3,33	C
5010102810001800	1000 x 1800	19	62	945	35-44	65-74	5-14	5	90	3,51	C
5010102810001895	1000 x 1900	20	62	945	35-44	65-74	5-14	5	90	3,70	C
5010102810001990	1000 x 1990	21	62	945	35-44	65-74	5-14	5	90	3,88	C
5010102812000280	1200 x 280	3	62	1145	35-44	65-74	5-14	5	90	0,64	C
5010102812000375	1200 x 380	4	62	1145	35-44	65-74	5-14	5	90	0,86	C
5010102812000470	1200 x 470	5	62	1145	35-44	65-74	5-14	5	90	1,07	C-E-D
5010102812000565	1200 x 570	6	62	1145	35-44	65-74	5-14	5	90	1,28	C-E-D
5010102812000660	1200 x 660	7	62	1145	35-44	65-74	5-14	5	90	1,50	C-E-D
5010102812000755	1200 x 760	8	62	1145	35-44	65-74	5-14	5	90	1,71	C-E-D
5010102812000850	1200 x 850	9	62	1145	35-44	65-74	5-14	5	90	1,92	C-E-D
5010102812000945	1200 x 950	10	62	1145	35-44	65-74	5-14	5	90	2,14	C-E-D
5010102812001040	1200 x 1040	11	62	1145	35-44	65-74	5-14	5	90	2,35	C-E-D
5010102812001135	1200 x 1140	12	62	1145	35-44	65-74	5-14	5	90	2,56	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010102807000755	720	2457	937	3193
5010102807000850	810	2764	1054	3593
5010102807000945	900	3071	1171	3992
5010102807001040	991	3378	1288	4391
5010102807001135	1081	3685	1405	4790
5010102807001230	1171	3992	1522	5189
5010102807001325	1261	4299	1639	5589
5010102807001420	1351	4606	1756	5988
5010102807001515	1441	4913	1873	6387
5010102807001610	1531	5220	1990	6786
5010102807001705	1621	5527	2107	7185
5010102807001800	1711	5834	2224	7584
5010102807001895	1801	6141	2341	7984
5010102807001990	1891	6448	2458	8383
5010102808000280	302	1030	393	1339
5010102808000375	403	1373	524	1785
5010102808000470	503	1717	654	2232
5010102808000565	604	2060	785	2678
5010102808000660	705	2403	916	3125
5010102808000755	806	2747	1047	3571
5010102808000850	906	3090	1178	4017
5010102808000945	1007	3434	1309	4464
5010102808001040	1108	3777	1440	4910
5010102808001135	1208	4120	1571	5356
5010102808001230	1309	4464	1702	5803
5010102808001325	1410	4807	1833	6249
5010102808001420	1510	5150	1963	6695
5010102808001515	1611	5494	2094	7142
5010102808001610	1712	5837	2225	7588
5010102808001705	1812	6180	2356	8034
5010102808001800	1913	6524	2487	8481
5010102808001895	2014	6867	2618	8927
5010102808001990	2114	7210	2749	9373
5010102809000280	332	1134	432	1474
5010102809000375	443	1512	576	1965
5010102809000470	554	1890	720	2457
5010102809000565	665	2268	864	2948
5010102809000660	776	2645	1009	3439
5010102809000755	887	3023	1153	3930
5010102809000850	997	3401	1297	4422
5010102809000945	1108	3779	1441	4913
5010102809001040	1219	4157	1585	5404
5010102809001135	1330	4535	1729	5896
5010102809001230	1441	4913	1873	6387
5010102809001325	1552	5291	2017	6878
5010102809001420	1662	5669	2161	7370
5010102809001515	1773	6047	2305	7861
5010102809001610	1884	6425	2449	8352
5010102809001705	1995	6803	2593	8843
5010102809001800	2106	7181	2737	9335
5010102809001895	2217	7559	2882	9826
5010102809001990	2327	7936	3026	10317
5010102810000280	361	1233	470	1602
5010102810000375	482	1643	627	2136
5010102810000470	602	2054	783	2671
5010102810000565	723	2465	940	3205
5010102810000660	843	2876	1096	3739
5010102810000755	964	3287	1253	4273
5010102810000850	1084	3698	1410	4807
5010102810000945	1205	4108	1566	5341
5010102810001040	1325	4519	1723	5875
5010102810001135	1446	4930	1880	6409
5010102810001230	1566	5341	2036	6943
5010102810001325	1687	5752	2193	7477
5010102810001420	1807	6163	2349	8012
5010102810001515	1928	6574	2506	8546
5010102810001610	2048	6984	2663	9080
5010102810001705	2169	7395	2819	9614
5010102810001800	2289	7806	2976	10148
5010102810001895	2410	8217	3133	10682
5010102810001990	2530	8628	3289	11216
5010102812000280	415	1415	540	1840
5010102812000375	553	1887	719	2453
5010102812000470	692	2359	899	3066
5010102812000565	830	2830	1079	3679
5010102812000660	968	3302	1259	4293
5010102812000755	1107	3774	1439	4906
5010102812000850	1245	4245	1619	5519
5010102812000945	1383	4717	1798	6132
5010102812001040	1522	5189	1978	6746
5010102812001135	1660	5661	2158	7359

GENOA

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010102812001230	1200 x 1230	13	62	1145	35-44	65-74	5-14	5	90	2,78	C-E-D
5010102812001325	1200 x 1330	14	62	1145	35-44	65-74	5-14	5	90	2,99	C-E-D
5010102812001420	1200 x 1420	15	62	1145	35-44	65-74	5-14	5	90	3,20	C
5010102814000280	1400 x 280	3	62	1345	35-44	65-74	5-14	5	90	0,73	C
5010102814000375	1400 x 380	4	62	1345	35-44	65-74	5-14	5	90	0,97	C
5010102814000470	1400 x 470	5	62	1345	35-44	65-74	5-14	5	90	1,21	C-E-D
5010102814000565	1400 x 570	6	62	1345	35-44	65-74	5-14	5	90	1,45	C-E-D
5010102814000660	1400 x 660	7	62	1345	35-44	65-74	5-14	5	90	1,70	C-E-D
5010102814000755	1400 x 760	8	62	1345	35-44	65-74	5-14	5	90	1,94	C-E-D
5010102814000850	1400 x 850	9	62	1345	35-44	65-74	5-14	5	90	2,18	C-E-D
5010102814000945	1400 x 950	10	62	1345	35-44	65-74	5-14	5	90	2,42	C-E-D
5010102814001040	1400 x 1040	11	62	1345	35-44	65-74	5-14	5	90	2,66	C-E-D
5010102814001135	1400 x 1140	12	62	1345	35-44	65-74	5-14	5	90	2,91	C-E-D
5010102814001230	1400 x 1230	13	62	1345	35-44	65-74	5-14	5	90	3,15	C-E-D
5010102814001325	1400 x 1330	14	62	1345	35-44	65-74	5-14	5	90	3,39	C-E-D
5010102814001420	1400 x 1420	15	62	1345	35-44	65-74	5-14	5	90	3,63	C
5010102816000280	1600 x 280	3	62	1545	35-44	65-74	5-14	5	90	0,81	C
5010102816000375	1600 x 380	4	62	1545	35-44	65-74	5-14	5	90	1,08	C
5010102816000470	1600 x 470	5	62	1545	35-44	65-74	5-14	5	90	1,35	C-E-D
5010102816000565	1600 x 570	6	62	1545	35-44	65-74	5-14	5	90	1,63	C-E-D
5010102816000660	1600 x 660	7	62	1545	35-44	65-74	5-14	5	90	1,90	C-E-D
5010102816000755	1600 x 760	8	62	1545	35-44	65-74	5-14	5	90	2,17	C-E-D
5010102816000850	1600 x 850	9	62	1545	35-44	65-74	5-14	5	90	2,44	C-E-D
5010102816000945	1600 x 950	10	62	1545	35-44	65-74	5-14	5	90	2,71	C-E-D
5010102816001040	1600 x 1040	11	62	1545	35-44	65-74	5-14	5	90	2,98	C-E-D
5010102818000280	1800 x 280	3	62	1745	35-44	65-74	5-14	5	90	0,90	C
5010102818000375	1800 x 380	4	62	1745	35-44	65-74	5-14	5	90	1,20	C
5010102818000470	1800 x 470	5	62	1745	35-44	65-74	5-14	5	90	1,50	C-E-D
5010102818000565	1800 x 570	6	62	1745	35-44	65-74	5-14	5	90	1,80	C-E-D
5010102818000660	1800 x 660	7	62	1745	35-44	65-74	5-14	5	90	2,10	C-E-D
5010102818000755	1800 x 760	8	62	1745	35-44	65-74	5-14	5	90	2,40	C-E-D
5010102818000850	1800 x 850	9	62	1745	35-44	65-74	5-14	5	90	2,69	C-E-D
5010102818000945	1800 x 950	10	62	1745	35-44	65-74	5-14	5	90	2,99	C-E-D
5010102818001040	1800 x 1040	11	62	1745	35-44	65-74	5-14	5	90	3,29	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010102812001230	1798	6132	2338	7972
5010102812001325	1937	6604	2518	8585
5010102812001420	2075	7076	2698	9199
5010102814000280	476	1625	619	2112
5010102814000375	635	2166	826	2816
5010102814000470	794	2708	1032	3520
5010102814000565	953	3250	1239	4225
5010102814000660	1112	3791	1445	4929
5010102814000755	1271	4333	1652	5633
5010102814000850	1429	4875	1858	6337
5010102814000945	1588	5416	2065	7041
5010102814001040	1747	5958	2271	7745
5010102814001135	1906	6499	2478	8449
5010102814001230	2065	7041	2684	9153
5010102814001325	2224	7583	2891	9857
5010102814001420	2382	8124	3097	10561
5010102816000280	547	1866	711	2425
5010102816000375	729	2487	948	3234
5010102816000470	912	3109	1185	4042
5010102816000565	1094	3731	1422	4850
5010102816000660	1277	4353	1659	5659
5010102816000755	1459	4975	1897	6467
5010102816000850	1641	5597	2134	7276
5010102816000945	1824	6219	2371	8084
5010102816001040	2006	6840	2608	8893
5010102818000280	628	2142	817	2785
5010102818000375	838	2856	1089	3713
5010102818000470	1047	3570	1361	4641
5010102818000565	1256	4284	1633	5569
5010102818000660	1466	4998	1905	6497
5010102818000755	1675	5712	2178	7425
5010102818000850	1884	6426	2450	8354
5010102818000945	2094	7140	2722	9282
5010102818001040	2303	7854	2994	10210

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
21,16	25,82	0,18	1320X1270X102
22,79	27,71	0,19	1320X1365X102
24,42	29,61	0,20	1320X1460X102
5,56	7,78	0,05	1520X320X102
7,42	9,88	0,07	1520X415X102
9,28	12,09	0,08	1520X510X102
11,13	14,17	0,10	1520X605X102
12,99	16,36	0,11	1520X700X102
14,85	18,63	0,13	1520X795X102
16,71	20,78	0,14	1520X890X102
18,57	22,93	0,16	1520X985X102
20,43	25,09	0,17	1520X1080X102
22,28	27,23	0,19	1520X1175X102
24,14	29,38	0,20	1520X1270X102
26,00	31,54	0,22	1520X1365X102
27,86	33,69	0,23	1520X1460X102
6,25	8,69	0,06	1720X320X102
8,34	11,05	0,08	1720X415X102
10,43	13,52	0,09	1720X510X102
12,51	15,88	0,11	1720X605X102
14,60	18,33	0,13	1720X700X102
16,69	20,87	0,14	1720X795X102
18,78	23,29	0,16	1720X890X102
20,86	25,69	0,18	1720X985X102
22,95	28,11	0,19	1720X1080X102
6,94	9,75	0,07	1920X320X102
9,26	12,36	0,09	1920X415X102
11,58	15,07	0,10	1920X510X102
13,89	17,71	0,12	1920X605X102
16,20	20,42	0,14	1920X700X102
18,52	23,21	0,16	1920X795X102
20,84	25,89	0,18	1920X890X102
23,16	28,58	0,20	1920X985X102
25,48	31,25	0,22	1920X1080X102

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	x	x	x	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel