

KALSEDON

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103103000280	280 x 280	3	43	245	35-44	65-74	22-31	5	90	0,28	C
5010103103000375	280 x 380	4	43	245	35-44	65-74	22-31	5	90	0,37	C
5010103103000470	280 x 470	5	43	245	35-44	65-74	22-31	5	90	0,47	C-E-D
5010103103000565	280 x 570	6	43	245	35-44	65-74	22-31	5	90	0,56	C-E-D
5010103103000660	280 x 660	7	43	245	35-44	65-74	22-31	5	90	0,65	C-E-D
5010103103000755	280 x 760	8	43	245	35-44	65-74	22-31	5	90	0,75	C-E-D
5010103103000850	280 x 850	9	43	245	35-44	65-74	22-31	5	90	0,84	C-E-D
5010103103000945	280 x 950	10	43	245	35-44	65-74	22-31	5	90	0,93	C-E-D
5010103103001040	280 x 1040	11	43	245	35-44	65-74	22-31	5	90	1,03	C-E-D
5010103103001135	280 x 1140	12	43	245	35-44	65-74	22-31	5	90	1,12	C-E-D
5010103103001230	280 x 1230	13	43	245	35-44	65-74	22-31	5	90	1,21	C-E-D
5010103103001325	280 x 1330	14	43	245	35-44	65-74	22-31	5	90	1,31	C-E-D
5010103103001420	280 x 1420	15	43	245	35-44	65-74	22-31	5	90	1,40	C
5010103103001515	280 x 1520	16	43	245	35-44	65-74	22-31	5	90	1,49	C
5010103103001610	280 x 1610	17	43	245	35-44	65-74	22-31	5	90	1,58	C
5010103103001705	280 x 1710	18	43	245	35-44	65-74	22-31	5	90	1,68	C
5010103103001800	280 x 1800	19	43	245	35-44	65-74	22-31	5	90	1,77	C
5010103103001895	280 x 1900	20	43	245	35-44	65-74	22-31	5	90	1,86	C
5010103103001990	280 x 1990	21	43	245	35-44	65-74	22-31	5	90	1,96	C
5010103104000280	380 x 280	3	43	345	35-44	65-74	22-31	5	90	0,32	C
5010103104000375	380 x 380	4	43	345	35-44	65-74	22-31	5	90	0,43	C
5010103104000470	380 x 470	5	43	345	35-44	65-74	22-31	5	90	0,54	C-E-D
5010103104000565	380 x 570	6	43	345	35-44	65-74	22-31	5	90	0,65	C-E-D
5010103104000660	380 x 660	7	43	345	35-44	65-74	22-31	5	90	0,75	C-E-D
5010103104000755	380 x 760	8	43	345	35-44	65-74	22-31	5	90	0,86	C-E-D
5010103104000850	380 x 850	9	43	345	35-44	65-74	22-31	5	90	0,97	C-E-D
5010103104000945	380 x 950	10	43	345	35-44	65-74	22-31	5	90	1,08	C-E-D
5010103104001040	380 x 1040	11	43	345	35-44	65-74	22-31	5	90	1,18	C-E-D
5010103104001135	380 x 1140	12	43	345	35-44	65-74	22-31	5	90	1,29	C-E-D
5010103104001230	380 x 1230	13	43	345	35-44	65-74	22-31	5	90	1,40	C-E-D
5010103104001325	380 x 1330	14	43	345	35-44	65-74	22-31	5	90	1,51	C-E-D
5010103104001420	380 x 1420	15	43	345	35-44	65-74	22-31	5	90	1,61	C
5010103104001515	380 x 1520	16	43	345	35-44	65-74	22-31	5	90	1,72	C
5010103104001610	380 x 1610	17	43	345	35-44	65-74	22-31	5	90	1,83	C
5010103104001705	380 x 1710	18	43	345	35-44	65-74	22-31	5	90	1,94	C
5010103104001800	380 x 1800	19	43	345	35-44	65-74	22-31	5	90	2,04	C
5010103104001895	380 x 1900	20	43	345	35-44	65-74	22-31	5	90	2,15	C
5010103104001990	380 x 1990	21	43	345	35-44	65-74	22-31	5	90	2,26	C
5010103105000280	480 x 280	3	43	445	35-44	65-74	22-31	5	90	0,37	C
5010103105000375	480 x 380	4	43	445	35-44	65-74	22-31	5	90	0,49	C
5010103105000470	480 x 470	5	43	445	35-44	65-74	22-31	5	90	0,61	C-E-D
5010103105000565	480 x 570	6	43	445	35-44	65-74	22-31	5	90	0,73	C-E-D
5010103105000660	480 x 660	7	43	445	35-44	65-74	22-31	5	90	0,85	C-E-D
5010103105000755	480 x 760	8	43	445	35-44	65-74	22-31	5	90	0,98	C-E-D
5010103105000850	480 x 850	9	43	445	35-44	65-74	22-31	5	90	1,10	C-E-D
5010103105000945	480 x 950	10	43	445	35-44	65-74	22-31	5	90	1,22	C-E-D
5010103105001040	480 x 1040	11	43	445	35-44	65-74	22-31	5	90	1,34	C-E-D
5010103105001135	480 x 1140	12	43	445	35-44	65-74	22-31	5	90	1,46	C-E-D
5010103105001230	480 x 1230	13	43	445	35-44	65-74	22-31	5	90	1,58	C-E-D
5010103105001325	480 x 1330	14	43	445	35-44	65-74	22-31	5	90	1,71	C-E-D
5010103105001420	480 x 1420	15	43	445	35-44	65-74	22-31	5	90	1,83	C
5010103105001515	480 x 1520	16	43	445	35-44	65-74	22-31	5	90	1,95	C
5010103105001610	480 x 1610	17	43	445	35-44	65-74	22-31	5	90	2,07	C
5010103105001705	480 x 1710	18	43	445	35-44	65-74	22-31	5	90	2,19	C
5010103105001800	480 x 1800	19	43	445	35-44	65-74	22-31	5	90	2,31	C
5010103105001895	480 x 1900	20	43	445	35-44	65-74	22-31	5	90	2,44	C
5010103105001990	480 x 1990	21	43	445	35-44	65-74	22-31	5	90	2,56	C
5010103106000280	580 x 280	3	43	545	35-44	65-74	22-31	5	90	0,41	C
5010103106000375	580 x 380	4	43	545	35-44	65-74	22-31	5	90	0,55	C
5010103106000470	580 x 470	5	43	545	35-44	65-74	22-31	5	90	0,68	C-E-D
5010103106000565	580 x 570	6	43	545	35-44	65-74	22-31	5	90	0,82	C-E-D
5010103106000660	580 x 660	7	43	545	35-44	65-74	22-31	5	90	0,95	C-E-D
5010103106000755	580 x 760	8	43	545	35-44	65-74	22-31	5	90	1,09	C-E-D
5010103106000850	580 x 850	9	43	545	35-44	65-74	22-31	5	90	1,23	C-E-D
5010103106000945	580 x 950	10	43	545	35-44	65-74	22-31	5	90	1,36	C-E-D
5010103106001040	580 x 1040	11	43	545	35-44	65-74	22-31	5	90	1,50	C-E-D
5010103106001135	580 x 1140	12	43	545	35-44	65-74	22-31	5	90	1,63	C-E-D
5010103106001230	580 x 1230	13	43	545	35-44	65-74	22-31	5	90	1,77	C-E-D
5010103106001325	580 x 1330	14	43	545	35-44	65-74	22-31	5	90	1,91	C-E-D
5010103106001420	580 x 1420	15	43	545	35-44	65-74	22-31	5	90	2,04	C
5010103106001515	580 x 1520	16	43	545	35-44	65-74	22-31	5	90	2,18	C
5010103106001610	580 x 1610	17	43	545	35-44	65-74	22-31	5	90	2,31	C
5010103106001705	580 x 1710	18	43	545	35-44	65-74	22-31	5	90	2,45	C
5010103106001800	580 x 1800	19	43	545	35-44	65-74	22-31	5	90	2,59	C
5010103106001895	580 x 1900	20	43	545	35-44	65-74	22-31	5	90	2,72	C
5010103106001990	580 x 1990	21	43	545	35-44	65-74	22-31	5	90	2,86	C
5010103107000280	680 x 280	3	43	645	35-44	65-74	22-31	5	90	0,45	C
5010103107000375	680 x 380	4	43	645	35-44	65-74	22-31	5	90	0,60	C
5010103107000470	680 x 470	5	43	645	35-44	65-74	22-31	5	90	0,75	C-E-D
5010103107000565	680 x 570	6	43	645	35-44	65-74	22-31	5	90	0,90	C-E-D
5010103107000660	680 x 660	7	43	645	35-44	65-74	22-31	5	90	1,05	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010103103000280	111	378	144	491	
5010103103000375	148	504	192	655	
5010103103000470	185	630	240	819	
5010103103000565	222	756	288	983	
5010103103000660	259	882	336	1146	
5010103103000755	296	1008	384	1310	
5010103103000850	332	1134	432	1474	
5010103103000945	369	1260	480	1638	
5010103103001040	406	1386	528	1801	
5010103103001135	443	1512	576	1965	
5010103103001230	480	1638	624	2129	
5010103103001325	517	1764	672	2293	
5010103103001420	554	1890	720	2457	
5010103103001515	591	2016	768	2620	
5010103103001610	628	2142	816	2784	
5010103103001705	665	2268	864	2948	
5010103103001800	702	2394	912	3112	
5010103103001895	739	2520	961	3275	
5010103103001990	776	2645	1009	3439	
5010103104000280	151	515	196	670	
5010103104000375	201	687	262	893	
5010103104000470	252	858	327	1116	
5010103104000565	302	1030	393	1339	
5010103104000660	352	1202	458	1562	
5010103104000755	403	1373	524	1785	
5010103104000850	453	1545	589	2009	
5010103104000945	503	1717	654	2232	
5010103104001040	554	1888	720	2455	
5010103104001135	604	2060	785	2678	
5010103104001230	654	2232	851	2901	
5010103104001325	705	2403	916	3125	
5010103104001420	755	2575	982	3348	
5010103104001515	806	2747	1047	3571	
5010103104001610	856	2918	1113	3794	
5010103104001705	906	3090	1178	4017	
5010103104001800	957	3262	1244	4240	
5010103104001895	1007	3434	1309	4464	
5010103104001990	1057	3605	1374	4687	
5010103105000280	139	658	251	855	
5010103105000375	197	877	334	1141	
5010103105000470	322	1097	418	1426	
5010103105000565	386	1316	502	1711	
5010103105000660	450	1535	585	1996	
5010103105000755	515	1755	669	2281	
5010103105000850	579	1974	753	2566	
5010103105000945	643	2193	836	2851	
5010103105001040	708	2413	920	3136	
5010103105001135	772	2632	1003	3422	
5010103105001230	836	2851	1087	3707	
5010103105001325	900	3071	1171	3992	
5010103105001420	965	3290	1254	4277	
5010103105001515	1029	3509	1338	4562	
5010103105001610	1093	3729	1421	4847	
5010103105001705	1158	3948	1505	5132	
5010103105001800	1222	4167	1589	5418	
5010103105001895	1286	4387	1672	5703	
5010103105001990	1351	4606	1756	5988	
5010103106000280	237	807	308	1049	
5010103106000375	316	1076	410	1399	
5010103106000470	394	1345	513	1749	
5010103106000565	473	1614	615	2098	
5010103106000660	552	1883	718	2448	
5010103106000755	631	2152	820	2798	
5010103106000850	710	2421	923	3147	
5010103106000945	789	2690	1026	3497	
5010103106001040	868	2959	1128	3847	
5010103106001135	947	3228	1231	4197	
5010103106001230	1026	3497	1333	4546	
5010103106001325	1104	3766	1436	4896	
5010103106001420	1183	4035	1538	5246	
5010103106001515	1262	4304	1641	5595	
5010103106001610	1341	4573	1743	5945	
5010103106001705	1420	4842	1846	6295	
5010103106001800	1499	5111	1949	6645	
5010103106001895	1578	5380	2051	6994	
5010103106001990	1657	5649	2154	7344	
5010103107000280	270	921	351	1198	
5010103107000375	360	1228	468	1597	
5010103107000470	450	1535	585	1996	
5010103107000565	540	1842	702	2395	
5010103107000660	630	2149	819	2794	

KALSEDON

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103107000755	680 x 760	8	43	645	35-44	65-74	22-31	5	90	1,20	C-E-D
5010103107000850	680 x 850	9	43	645	35-44	65-74	22-31	5	90	1,35	C-E-D
5010103107000945	680 x 950	10	43	645	35-44	65-74	22-31	5	90	1,51	C-E-D
5010103107001040	680 x 1040	11	43	645	35-44	65-74	22-31	5	90	1,66	C-E-D
5010103107001135	680 x 1140	12	43	645	35-44	65-74	22-31	5	90	1,81	C-E-D
5010103107001230	680 x 1230	13	43	645	35-44	65-74	22-31	5	90	1,96	C-E-D
5010103107001325	680 x 1330	14	43	645	35-44	65-74	22-31	5	90	2,11	C-E-D
5010103107001420	680 x 1420	15	43	645	35-44	65-74	22-31	5	90	2,26	C
5010103107001515	680 x 1520	16	43	645	35-44	65-74	22-31	5	90	2,41	C
5010103107001610	680 x 1610	17	43	645	35-44	65-74	22-31	5	90	2,56	C
5010103107001705	680 x 1710	18	43	645	35-44	65-74	22-31	5	90	2,71	C
5010103107001800	680 x 1800	19	43	645	35-44	65-74	22-31	5	90	2,86	C
5010103107001895	680 x 1900	20	43	645	35-44	65-74	22-31	5	90	3,01	C
5010103107001990	680 x 1990	21	43	645	35-44	65-74	22-31	5	90	3,16	C
5010103108000280	780 x 280	3	43	745	35-44	65-74	22-31	5	90	0,50	C
5010103108000375	780 x 380	4	43	745	35-44	65-74	22-31	5	90	0,66	C
5010103108000470	780 x 470	5	43	745	35-44	65-74	22-31	5	90	0,83	C-E-D
5010103108000565	780 x 570	6	43	745	35-44	65-74	22-31	5	90	0,99	C-E-D
5010103108000660	780 x 660	7	43	745	35-44	65-74	22-31	5	90	1,15	C-E-D
5010103108000755	780 x 760	8	43	745	35-44	65-74	22-31	5	90	1,32	C-E-D
5010103108000850	780 x 850	9	43	745	35-44	65-74	22-31	5	90	1,48	C-E-D
5010103108000945	780 x 950	10	43	745	35-44	65-74	22-31	5	90	1,65	C-E-D
5010103108001040	780 x 1040	11	43	745	35-44	65-74	22-31	5	90	1,81	C-E-D
5010103108001135	780 x 1140	12	43	745	35-44	65-74	22-31	5	90	1,98	C-E-D
5010103108001230	780 x 1230	13	43	745	35-44	65-74	22-31	5	90	2,14	C-E-D
5010103108001325	780 x 1330	14	43	745	35-44	65-74	22-31	5	90	2,31	C-E-D
5010103108001420	780 x 1420	15	43	745	35-44	65-74	22-31	5	90	2,47	C
5010103108001515	780 x 1520	16	43	745	35-44	65-74	22-31	5	90	2,64	C
5010103108001610	780 x 1610	17	43	745	35-44	65-74	22-31	5	90	2,80	C
5010103108001705	780 x 1710	18	43	745	35-44	65-74	22-31	5	90	2,96	C
5010103108001800	780 x 1800	19	43	745	35-44	65-74	22-31	5	90	3,13	C
5010103108001895	780 x 1900	20	43	745	35-44	65-74	22-31	5	90	3,29	C
5010103108001990	780 x 1990	21	43	745	35-44	65-74	22-31	5	90	3,46	C
5010103109000280	880 x 280	3	43	845	35-44	65-74	22-31	5	90	0,54	C
5010103109000375	880 x 380	4	43	845	35-44	65-74	22-31	5	90	0,72	C
5010103109000470	880 x 470	5	43	845	35-44	65-74	22-31	5	90	0,90	C-E-D
5010103109000565	880 x 570	6	43	845	35-44	65-74	22-31	5	90	1,08	C-E-D
5010103109000660	880 x 660	7	43	845	35-44	65-74	22-31	5	90	1,25	C-E-D
5010103109000755	880 x 760	8	43	845	35-44	65-74	22-31	5	90	1,43	C-E-D
5010103109000850	880 x 850	9	43	845	35-44	65-74	22-31	5	90	1,61	C-E-D
5010103109000945	880 x 950	10	43	845	35-44	65-74	22-31	5	90	1,79	C-E-D
5010103109001040	880 x 1040	11	43	845	35-44	65-74	22-31	5	90	1,97	C-E-D
5010103109001135	880 x 1140	12	43	845	35-44	65-74	22-31	5	90	2,15	C-E-D
5010103109001230	880 x 1230	13	43	845	35-44	65-74	22-31	5	90	2,33	C-E-D
5010103109001325	880 x 1330	14	43	845	35-44	65-74	22-31	5	90	2,51	C-E-D
5010103109001420	880 x 1420	15	43	845	35-44	65-74	22-31	5	90	2,69	C
5010103109001515	880 x 1520	16	43	845	35-44	65-74	22-31	5	90	2,86	C
5010103109001610	880 x 1610	17	43	845	35-44	65-74	22-31	5	90	3,04	C
5010103109001705	880 x 1710	18	43	845	35-44	65-74	22-31	5	90	3,22	C
5010103109001800	880 x 1800	19	43	845	35-44	65-74	22-31	5	90	3,40	C
5010103109001895	880 x 1900	20	43	845	35-44	65-74	22-31	5	90	3,58	C
5010103109001990	880 x 1990	21	43	845	35-44	65-74	22-31	5	90	3,76	C
5010103110000280	980 x 280	3	43	945	35-44	65-74	22-31	5	90	0,58	C
5010103110000375	980 x 380	4	43	945	35-44	65-74	22-31	5	90	0,77	C
5010103110000470	980 x 470	5	43	945	35-44	65-74	22-31	5	90	0,97	C-E-D
5010103110000565	980 x 570	6	43	945	35-44	65-74	22-31	5	90	1,16	C-E-D
5010103110000660	980 x 660	7	43	945	35-44	65-74	22-31	5	90	1,35	C-E-D
5010103110000755	980 x 760	8	43	945	35-44	65-74	22-31	5	90	1,55	C-E-D
5010103110000850	980 x 850	9	43	945	35-44	65-74	22-31	5	90	1,74	C-E-D
5010103110000945	980 x 950	10	43	945	35-44	65-74	22-31	5	90	1,93	C-E-D
5010103110001040	980 x 1040	11	43	945	35-44	65-74	22-31	5	90	2,13	C-E-D
5010103110001135	980 x 1140	12	43	945	35-44	65-74	22-31	5	90	2,32	C-E-D
5010103110001230	980 x 1230	13	43	945	35-44	65-74	22-31	5	90	2,51	C-E-D
5010103110001325	980 x 1330	14	43	945	35-44	65-74	22-31	5	90	2,71	C-E-D
5010103110001420	980 x 1420	15	43	945	35-44	65-74	22-31	5	90	2,90	C
5010103110001515	980 x 1520	16	43	945	35-44	65-74	22-31	5	90	3,09	C
5010103110001610	980 x 1610	17	43	945	35-44	65-74	22-31	5	90	3,29	C
5010103110001705	980 x 1710	18	43	945	35-44	65-74	22-31	5	90	3,48	C
5010103110001800	980 x 1800	19	43	945	35-44	65-74	22-31	5	90	3,67	C
5010103110001895	980 x 1900	20	43	945	35-44	65-74	22-31	5	90	3,87	C
5010103110001990	980 x 1990	21	43	945	35-44	65-74	22-31	5	90	4,06	C
5010103112000280	1180 x 280	3	43	1145	35-44	65-74	22-31	5	90	0,67	C
5010103112000375	1180 x 380	4	43	1145	35-44	65-74	22-31	5	90	0,89	C
5010103112000470	1180 x 470	5	43	1145	35-44	65-74	22-31	5	90	1,11	C-E-D
5010103112000565	1180 x 570	6	43	1145	35-44	65-74	22-31	5	90	1,33	C-E-D
5010103112000660	1180 x 660	7	43	1145	35-44	65-74	22-31	5	90	1,55	C-E-D
5010103112000755	1180 x 760	8	43	1145	35-44	65-74	22-31	5	90	1,78	C-E-D
5010103112000850	1180 x 850	9	43	1145	35-44	65-74	22-31	5	90	2,00	C-E-D
5010103112000945	1180 x 950	10	43	1145	35-44	65-74	22-31	5	90	2,22	C-E-D
5010103112001040	1180 x 1040	11	43	1145	35-44	65-74	22-31	5	90	2,44	C-E-D
5010103112001135	1180 x 1140	12	43	1145	35-44	65-74	22-31	5	90	2,66	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103107000755	720	2457	937	3193
5010103107000850	810	2764	1054	3593
5010103107000945	900	3071	1171	3992
5010103107001040	991	3378	1288	4391
5010103107001135	1081	3685	1405	4790
5010103107001230	1171	3992	1522	5189
5010103107001325	1261	4299	1639	5589
5010103107001420	1351	4606	1756	5988
5010103107001515	1441	4913	1873	6387
5010103107001610	1531	5220	1990	6786
5010103107001705	1621	5527	2107	7185
5010103107001800	1711	5834	2224	7584
5010103107001895	1801	6141	2341	7984
5010103107001990	1891	6448	2458	8383
5010103108000280	302	1030	393	1339
5010103108000375	403	1373	524	1785
5010103108000470	503	1717	654	2232
5010103108000565	604	2060	785	2678
5010103108000660	705	2403	916	3125
5010103108000755	806	2747	1047	3571
5010103108000850	906	3090	1178	4017
5010103108000945	1007	3434	1309	4464
5010103108001040	1108	3777	1440	4910
5010103108001135	1208	4120	1571	5356
5010103108001230	1309	4464	1702	5803
5010103108001325	1410	4807	1833	6249
5010103108001420	1510	5150	1963	6695
5010103108001515	1611	5494	2094	7142
5010103108001610	1712	5837	2225	7588
5010103108001705	1812	6180	2356	8034
5010103108001800	1913	6524	2487	8481
5010103108001895	2014	6867	2618	8927
5010103108001990	2114	7210	2749	9373
5010103109000280	332	1134	432	1474
5010103109000375	443	1512	576	1965
5010103109000470	554	1890	720	2457
5010103109000565	665	2268	864	2948
5010103109000660	776	2645	1009	3439
5010103109000755	887	3023	1153	3930
5010103109000850	997	3401	1297	4422
5010103109000945	1108	3779	1441	4913
5010103109001040	1219	4157	1585	5404
5010103109001135	1330	4535	1729	5896
5010103109001230	1441	4913	1873	6387
5010103109001325	1552	5291	2017	6878
5010103109001420	1662	5669	2161	7370
5010103109001515	1773	6047	2305	7861
5010103109001610	1884	6425	2449	8352
5010103109001705	1995	6803	2593	8843
5010103109001800	2106	7181	2737	9335
5010103109001895	2217	7559	2882	9826
5010103109001990	2327	7936	3026	10317
5010103110000280	361	1233	470	1602
5010103110000375	482	1643	627	2136
5010103110000470	602	2054	783	2671
5010103110000565	723	2465	940	3205
5010103110000660	843	2876	1096	3739
5010103110000755	964	3287	1253	4273
5010103110000850	1084	3698	1410	4807
5010103110000945	1205	4108	1566	5341
5010103110001040	1325	4519	1723	5875
5010103110001135	1446	4930	1880	6409
5010103110001230	1566	5341	2036	6943
5010103110001325	1687	5752	2193	7477
5010103110001420	1807	6163	2349	8012
5010103110001515	1928	6574	2506	8546
5010103110001610	2048	6984	2663	9080
5010103110001705	2169	7395	2819	9614
5010103110001800	2289	7806	2976	10148
5010103110001895	2410	8217	3133	10682
5010103110001990	2530	8628	3289	11216
5010103112000280	415	1415	540	1840
5010103112000375	553	1887	719	2453
5010103112000470	692	2359	899	3066
5010103112000565	830	2830	1079	3679
5010103112000660	968	3302	1259	4293
5010103112000755	1107	3774	1439	4906
5010103112000850	1245	4245	1619	5519
5010103112000945	1383	4717	1798	6132
5010103112001040	1522	5189	1978	6746
5010103112001135	1660	5661	2158	7359

KALSEDON

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103112001230	1180 x 1230	13	43	1145	35-44	65-74	22-31	5	90	2,89	C-E-D
5010103112001325	1180 x 1330	14	43	1145	35-44	65-74	22-31	5	90	3,11	C-E-D
5010103112001420	1180 x 1420	15	43	1145	35-44	65-74	22-31	5	90	3,33	C
5010103114000280	1380 x 280	3	43	1345	35-44	65-74	22-31	5	90	0,75	C
5010103114000375	1380 x 380	4	43	1345	35-44	65-74	22-31	5	90	1,00	C
5010103114000470	1380 x 470	5	43	1345	35-44	65-74	22-31	5	90	1,25	C-E-D
5010103114000565	1380 x 570	6	43	1345	35-44	65-74	22-31	5	90	1,50	C-E-D
5010103114000660	1380 x 660	7	43	1345	35-44	65-74	22-31	5	90	1,75	C-E-D
5010103114000755	1380 x 760	8	43	1345	35-44	65-74	22-31	5	90	2,01	C-E-D
5010103114000850	1380 x 850	9	43	1345	35-44	65-74	22-31	5	90	2,26	C-E-D
5010103114000945	1380 x 950	10	43	1345	35-44	65-74	22-31	5	90	2,51	C-E-D
5010103114001040	1380 x 1040	11	43	1345	35-44	65-74	22-31	5	90	2,76	C-E-D
5010103114001135	1380 x 1140	12	43	1345	35-44	65-74	22-31	5	90	3,01	C-E-D
5010103114001230	1380 x 1230	13	43	1345	35-44	65-74	22-31	5	90	3,26	C-E-D
5010103114001325	1380 x 1330	14	43	1345	35-44	65-74	22-31	5	90	3,51	C-E-D
5010103114001420	1380 x 1420	15	43	1345	35-44	65-74	22-31	5	90	3,76	C
5010103116000280	1580 x 280	3	43	1545	35-44	65-74	22-31	5	90	0,84	C
5010103116000375	1580 x 380	4	43	1545	35-44	65-74	22-31	5	90	1,12	C
5010103116000470	1580 x 470	5	43	1545	35-44	65-74	22-31	5	90	1,40	C-E-D
5010103116000565	1580 x 570	6	43	1545	35-44	65-74	22-31	5	90	1,68	C-E-D
5010103116000660	1580 x 660	7	43	1545	35-44	65-74	22-31	5	90	1,96	C-E-D
5010103116000755	1580 x 760	8	43	1545	35-44	65-74	22-31	5	90	2,23	C-E-D
5010103116000850	1580 x 850	9	43	1545	35-44	65-74	22-31	5	90	2,51	C-E-D
5010103116000945	1580 x 950	10	43	1545	35-44	65-74	22-31	5	90	2,79	C-E-D
5010103116001040	1580 x 1040	11	43	1545	35-44	65-74	22-31	5	90	3,07	C-E-D
5010103118000280	1780 x 280	3	43	1745	35-44	65-74	22-31	5	90	0,92	C
5010103118000375	1780 x 380	4	43	1745	35-44	65-74	22-31	5	90	1,23	C
5010103118000470	1780 x 470	5	43	1745	35-44	65-74	22-31	5	90	1,54	C-E-D
5010103118000565	1780 x 570	6	43	1745	35-44	65-74	22-31	5	90	1,85	C-E-D
5010103118000660	1780 x 660	7	43	1745	35-44	65-74	22-31	5	90	2,16	C-E-D
5010103118000755	1780 x 760	8	43	1745	35-44	65-74	22-31	5	90	2,46	C-E-D
5010103118000850	1780 x 850	9	43	1745	35-44	65-74	22-31	5	90	2,77	C-E-D
5010103118000945	1780 x 950	10	43	1745	35-44	65-74	22-31	5	90	3,08	C-E-D
5010103118001040	1780 x 1040	11	43	1745	35-44	65-74	22-31	5	90	3,39	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103112001230	1798	6132	2338	7972
5010103112001325	1937	6604	2518	8585
5010103112001420	2075	7076	2698	9199
5010103114000280	476	1625	619	2112
5010103114000375	635	2166	826	2816
5010103114000470	794	2708	1032	3520
5010103114000565	953	3250	1239	4225
5010103114000660	1112	3791	1445	4929
5010103114000755	1271	4333	1652	5633
5010103114000850	1429	4875	1858	6337
5010103114000945	1588	5416	2065	7041
5010103114001040	1747	5958	2271	7745
5010103114001135	1906	6499	2478	8449
5010103114001230	2065	7041	2684	9153
5010103114001325	2224	7583	2891	9857
5010103114001420	2382	8124	3097	10561
5010103116000280	547	1866	711	2425
5010103116000375	729	2487	948	3234
5010103116000470	912	3109	1185	4042
5010103116000565	1094	3731	1422	4850
5010103116000660	1277	4353	1659	5659
5010103116000755	1459	4975	1897	6467
5010103116000850	1641	5597	2134	7276
5010103116000945	1824	6219	2371	8084
5010103116001040	2006	6840	2608	8893
5010103118000280	628	2142	817	2785
5010103118000375	838	2856	1089	3713
5010103118000470	1047	3570	1361	4641
5010103118000565	1256	4284	1633	5569
5010103118000660	1466	4998	1905	6497
5010103118000755	1675	5712	2178	7425
5010103118000850	1884	6426	2450	8354
5010103118000945	2094	7140	2722	9282
5010103118001040	2303	7854	2994	10210

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
21,29	25,58	0,13	1290X1265X78
22,93	27,46	0,14	1290X1360X78
24,57	29,35	0,15	1290X1455X78
5,60	7,58	0,04	1490X315X78
7,47	9,69	0,05	1490X410X78
9,34	11,87	0,06	1490X505X78
11,20	13,95	0,07	1490X600X78
13,07	16,14	0,09	1490X695X78
14,93	18,40	0,10	1490X790X78
16,80	20,53	0,11	1490X885X78
18,67	22,67	0,12	1490X980X78
20,54	24,82	0,13	1490X1075X78
22,40	26,95	0,14	1490X1170X78
24,27	29,09	0,15	1490X1265X78
26,14	31,23	0,16	1490X1360X78
28,01	33,37	0,17	1490X1455X78
6,27	8,45	0,05	1690X315X78
8,36	10,80	0,06	1690X410X78
10,44	13,24	0,07	1690X505X78
12,54	15,60	0,08	1690X600X78
14,63	18,05	0,10	1690X695X78
16,72	20,55	0,11	1690X790X78
18,81	22,95	0,12	1690X885X78
20,90	25,34	0,13	1690X980X78
22,99	27,74	0,15	1690X1075X78
6,96	9,33	0,05	1890X315X78
9,27	11,93	0,07	1890X410X78
11,59	14,64	0,08	1890X505X78
13,92	17,27	0,09	1890X600X78
16,24	19,97	0,11	1890X695X78
18,55	22,73	0,12	1890X790X78
20,87	25,39	0,14	1890X885X78
23,19	28,06	0,15	1890X980X78
25,52	30,73	0,16	1890X1075X78

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel