

KALSEDON DOUBLE		TECHNICAL INFORMATION										(For connection types, please refer to the last page)										HEAT OUTPUTS INFORMATION				LOGISTICS INFORMATION			
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)									
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	mm		Watt	Btu	Watt	Btu					kg	kg	m³	mm					
5010103203000280	280 x 280	3	61	245	56-65	86-95	26-35	5	90	0.28	C	5010103203000280	146	497	190	646	2.54	3.43	0.02	400X320X101									
5010103203000375	280 x 380	4	61	245	56-65	86-95	26-35	5	90	0.37	C	5010103203000375	194	663	253	862	3.39	4.38	0.02	400X415X101									
5010103203000470	280 x 470	5	61	245	56-65	86-95	26-35	5	90	0.47	C-E-D	5010103203000470	243	829	316	1077	4.24	5.33	0.03	400X510X101									
5010103203000565	280 x 570	6	61	245	56-65	86-95	26-35	5	90	0.56	C-E-D	5010103203000565	292	995	379	1293	5.08	6.28	0.03	400X605X101									
5010103203000660	280 x 660	7	61	245	56-65	86-95	26-35	5	90	0.65	C-E-D	5010103203000660	340	1160	442	1508	5.93	7.39	0.03	400X700X101									
5010103203000755	280 x 760	8	61	245	56-65	86-95	26-35	5	90	0.75	C-E-D	5010103203000755	389	1326	506	1724	6.78	8.33	0.04	400X795X101									
5010103203000850	280 x 850	9	61	245	56-65	86-95	26-35	5	90	0.84	C-E-D	5010103203000850	437	1492	569	1939	7.63	9.28	0.04	400X890X101									
5010103203000945	280 x 950	10	61	245	56-65	86-95	26-35	5	90	0.93	C-E-D	5010103203000945	486	1658	632	2155	8.48	10.23	0.04	400X985X101									
5010103203001040	280 x 1040	11	61	245	56-65	86-95	26-35	5	90	1.03	C-E-D	5010103203001040	535	1823	695	2370	9.33	11.18	0.05	400X1080X101									
5010103203001135	280 x 1140	12	61	245	56-65	86-95	26-35	5	90	1.12	C-E-D	5010103203001135	583	1989	758	2586	10.17	12.12	0.05	400X1175X101									
5010103203001230	280 x 1230	13	61	245	56-65	86-95	26-35	5	90	1.21	C-E-D	5010103203001230	632	2155	822	2801	11.02	13.08	0.06	400X1270X101									
5010103203001325	280 x 1330	14	61	245	56-65	86-95	26-35	5	90	1.31	C-E-D	5010103203001325	681	2321	885	3017	11.87	14.02	0.06	400X1365X101									
5010103203001420	280 x 1420	15	61	245	56-65	86-95	26-35	5	90	1.40	C	5010103203001420	729	2486	948	3232	12.72	14.98	0.06	400X1460X101									
5010103203001515	280 x 1520	16	61	245	56-65	86-95	26-35	5	90	1.49	C	5010103203001515	778	2652	1011	3448	13.57	15.94	0.07	400X1555X101									
5010103203001610	280 x 1610	17	61	245	56-65	86-95	26-35	5	90	1.58	C	5010103203001610	826	2818	1074	3663	14.42	16.87	0.07	400X1650X101									
5010103203001705	280 x 1710	18	61	245	56-65	86-95	26-35	5	90	1.68	C	5010103203001705	875	2984	1137	3879	15.26	17.82	0.08	400X1745X101									
5010103203001800	280 x 1800	19	61	245	56-65	86-95	26-35	5	90	1.77	C	5010103203001800	924	3149	1201	4094	16.11	18.76	0.08	400X1840X101									
5010103203001895	280 x 1900	20	61	245	56-65	86-95	26-35	5	90	1.86	C	5010103203001895	972	3315	1264	4310	16.96	19.72	0.08	400X1935X101									
5010103203001990	280 x 1990	21	61	245	56-65	86-95	26-35	5	90	1.96	C	5010103203001990	1021	3481	1327	4525	17.81	20.66	0.09	400X2030X101									
5010103204000280	380 x 280	3	61	345	56-65	86-95	26-35	5	90	0.32	C	5010103204000280	199	678	258	881	3.14	4.15	0.02	500X320X101									
5010103204000375	380 x 380	4	61	345	56-65	86-95	26-35	5	90	0.43	C	5010103204000375	265	904	344	1175	4.19	5.30	0.03	500X415X101									
5010103204000470	380 x 470	5	61	345	56-65	86-95	26-35	5	90	0.54	C-E-D	5010103204000470	331	1129	431	1468	5.24	6.48	0.03	500X510X101									
5010103204000565	380 x 570	6	61	345	56-65	86-95	26-35	5	90	0.65	C-E-D	5010103204000565	397	1355	517	1762	6.28	7.64	0.04	500X605X101									
5010103204000660	380 x 660	7	61	345	56-65	86-95	26-35	5	90	0.75	C-E-D	5010103204000660	464	1581	603	2056	7.32	8.95	0.04	500X700X101									
5010103204000755	380 x 760	8	61	345	56-65	86-95	26-35	5	90	0.86	C-E-D	5010103204000755	530	1807	689	2349	8.37	10.12	0.05	500X795X101									
5010103204000850	380 x 850	9	61	345	56-65	86-95	26-35	5	90	0.97	C-E-D	5010103204000850	596	2033	775	2643	9.42	11.28	0.05	500X890X101									
5010103204000945	380 x 950	10	61	345	56-65	86-95	26-35	5	90	1.08	C-E-D	5010103204000945	662	2259	861	2937	10.47	12.45	0.05	500X985X101									
5010103204001040	380 x 1040	11	61	345	56-65	86-95	26-35	5	90	1.18	C-E-D	5010103204001040	729	2485	947	3230	11.52	13.62	0.06	500X1080X101									
5010103204001135	380 x 1140	12	61	345	56-65	86-95	26-35	5	90	1.29	C-E-D	5010103204001135	795	2711	1033	3524	12.56	14.79	0.06	500X1175X101									
5010103204001230	380 x 1230	13	61	345	56-65	86-95	26-35	5	90	1.40	C-E-D	5010103204001230	861	2937	1120	3818	13.61	15.95	0.07	500X1270X101									
5010103204001325	380 x 1330	14	61	345	56-65	86-95	26-35	5	90	1.51	C-E-D	5010103204001325	927	3162	1206	4111	14.66	17.12	0.07	500X1365X101									
5010103204001420	380 x 1420	15	61	345	56-65	86-95	26-35	5	90	1.61	C	5010103204001420	994	3388	1292	4405	15.71	18.29	0.08	500X1460X101									
5010103204001515	380 x 1520	16	61	345	56-65	86-95	26-35	5	90	1.72	C	5010103204001515	1060	3614	1378	4699	16.75	19.45	0.08	500X1555X101									
5010103204001610	380 x 1610	17	61	345	56-65	86-95	26-35	5	90	1.83	C	5010103204001610	1126	3840	1464	4992	17.80	20.60	0.09	500X1650X101									
5010103204001705	380 x 1710	18	61	345	56-65	86-95	26-35	5	90	1.94	C	5010103204001705	1192	4066	1550	5286	18.84	21.76	0.09	500X1745X101									
5010103204001800	380 x 1800	19	61	345	56-65	86-95	26-35	5	90	2.04	C	5010103204001800	1259	4292	1636	5579	19.89	22.93	0.10	500X1840X101									
5010103204001895	380 x 1900	20	61	345	56-65	86-95	26-35	5	90	2.15	C	5010103204001895	1325	4518	1722	5873	20.94	24.10	0.10	500X1935X101									
5010103204001990	380 x 1990	21	61	345	56-65	86-95	26-35	5	90	2.26	C	5010103204001990	1391	4744	1808	6167	21.99	25.26	0.11	500X2030X101									
5010103205000280	480 x 280	3	61	445	56-65	86-95	26-35	5	90	0.37	C	5010103205000280	254	866	330	1126	3.74	4.85	0.02	600X320X101									
5010103205000375	480 x 380	4	61	445	56-65	86-95	26-35	5	90	0.49	C	5010103205000375	339	1154	440	1501	4.98	6.23	0.03	600X415X101									
5010103205000470	480 x 470	5	61	445	56-65	86-95	26-35	5	90	0.61	C-E-D	5010103205000470	423	1443	550	1876	6.23	7.61	0.04	600X510X101									
5010103205000565	480 x 570	6	61	445	56-65	86-95	26-35	5	90	0.73	C-E-D	5010103205000565	508	1732	660	2251	7.47	8.99	0.04	60									

KALSEDON DOUBLE		TECHNICAL INFORMATION										(For connection types, please refer to the last page)										HEAT OUTPUTS INFORMATION					LOGISTICS INFORMATION				
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)											
	mm	pieces	mm	mm	mm	mm	mm	mm	L	Watt	Btu		Watt	Btu	kg	kg					m³	mm									
5010103207000755	680 x 760	8	61	645	56-65	86-95	26-35	5	90	1,20	C-E-D	5010103207000755	948	3232	1232	4202	13,15	15,49	0,07	800X795X101											
5010103207000850	680 x 850	9	61	645	56-65	86-95	26-35	5	90	1,35	C-E-D	5010103207000850	1066	3636	1386	4727	14,80	17,31	0,08	800X890X101											
5010103207000945	680 x 950	10	61	645	56-65	86-95	26-35	5	90	1,51	C-E-D	5010103207000945	1185	4040	1540	5252	16,45	19,14	0,08	800X985X101											
5010103207001040	680 x 1040	11	61	645	56-65	86-95	26-35	5	90	1,66	C-E-D	5010103207001040	1303	4444	1694	5778	18,09	20,94	0,09	800X1080X101											
5010103207001135	680 x 1140	12	61	645	56-65	86-95	26-35	5	90	1,81	C-E-D	5010103207001135	1422	4848	1848	6303	19,73	22,74	0,10	800X1175X101											
5010103207001230	680 x 1230	13	61	645	56-65	86-95	26-35	5	90	1,96	C-E-D	5010103207001230	1540	5252	2002	6828	21,38	24,57	0,11	800X1270X101											
5010103207001325	680 x 1330	14	61	645	56-65	86-95	26-35	5	90	2,11	C-E-D	5010103207001325	1659	5656	2156	7353	23,02	26,38	0,12	800X1365X101											
5010103207001420	680 x 1420	15	61	645	56-65	86-95	26-35	5	90	2,26	C	5010103207001420	1777	6061	2310	7879	24,67	28,20	0,12	800X1460X101											
5010103207001515	680 x 1520	16	61	645	56-65	86-95	26-35	5	90	2,41	C	5010103207001515	1896	6465	2464	8404	26,32	30,02	0,13	800X1555X101											
5010103207001610	680 x 1610	17	61	645	56-65	86-95	26-35	5	90	2,56	C	5010103207001610	2014	6869	2619	8929	27,96	31,82	0,14	800X1650X101											
5010103207001705	680 x 1710	18	61	645	56-65	86-95	26-35	5	90	2,71	C	5010103207001705	2133	7273	2773	9454	29,60	33,62	0,15	800X1745X101											
5010103207001800	680 x 1800	19	61	645	56-65	86-95	26-35	5	90	2,86	C	5010103207001800	2251	7677	2927	9980	31,25	35,45	0,15	800X1840X101											
5010103207001895	680 x 1900	20	61	645	56-65	86-95	26-35	5	90	3,01	C	5010103207001895	2370	8081	3081	10505	32,89	37,26	0,16	800X1935X101											
5010103207001990	680 x 1990	21	61	645	56-65	86-95	26-35	5	90	3,16	C	5010103207001990	2488	8485	3235	11030	34,54	39,08	0,17	800X2030X101											
5010103208000280	780 x 280	3	61	745	56-65	86-95	26-35	5	90	0,50	C	5010103208000280	397	1355	517	1762	5,53	6,98	0,03	900X320X101											
5010103208000375	780 x 380	4	61	745	56-65	86-95	26-35	5	90	0,66	C	5010103208000375	530	1807	689	2349	7,37	9,01	0,04	900X415X101											
5010103208000470	780 x 470	5	61	745	56-65	86-95	26-35	5	90	0,83	C-E-D	5010103208000470	662	2259	861	2937	9,22	11,05	0,05	900X510X101											
5010103208000565	780 x 570	6	61	745	56-65	86-95	26-35	5	90	0,99	C-E-D	5010103208000565	795	2711	1033	3524	11,06	13,08	0,06	900X605X101											
5010103208000660	780 x 660	7	61	745	56-65	86-95	26-35	5	90	1,15	C-E-D	5010103208000660	927	3162	1206	4111	12,90	15,25	0,07	900X700X101											
5010103208000755	780 x 760	8	61	745	56-65	86-95	26-35	5	90	1,32	C-E-D	5010103208000755	1060	3614	1378	4699	14,75	17,30	0,08	900X795X101											
5010103208000850	780 x 850	9	61	745	56-65	86-95	26-35	5	90	1,48	C-E-D	5010103208000850	1192	4066	1550	5286	16,59	19,31	0,09	900X890X101											
5010103208000945	780 x 950	10	61	745	56-65	86-95	26-35	5	90	1,65	C-E-D	5010103208000945	1325	4518	1722	5873	18,44	21,35	0,09	900X985X101											
5010103208001040	780 x 1040	11	61	745	56-65	86-95	26-35	5	90	1,81	C-E-D	5010103208001040	1457	4970	1895	6460	20,28	23,38	0,10	900X1080X101											
5010103208001135	780 x 1140	12	61	745	56-65	86-95	26-35	5	90	1,98	C-E-D	5010103208001135	1590	5421	2067	7048	22,12	25,41	0,11	900X1175X101											
5010103208001230	780 x 1230	13	61	745	56-65	86-95	26-35	5	90	2,14	C-E-D	5010103208001230	1722	5873	2239	7635	23,97	27,44	0,12	900X1270X101											
5010103208001325	780 x 1330	14	61	745	56-65	86-95	26-35	5	90	2,31	C-E-D	5010103208001325	1855	6325	2411	8222	25,81	29,47	0,13	900X1365X101											
5010103208001420	780 x 1420	15	61	745	56-65	86-95	26-35	5	90	2,47	C	5010103208001420	1987	6777	2583	8810	27,66	31,50	0,14	900X1460X101											
5010103208001515	780 x 1520	16	61	745	56-65	86-95	26-35	5	90	2,64	C	5010103208001515	2120	7228	2756	9397	29,50	33,53	0,15	900X1555X101											
5010103208001610	780 x 1610	17	61	745	56-65	86-95	26-35	5	90	2,80	C	5010103208001610	2252	7680	2928	9984	31,35	35,56	0,15	900X1650X101											
5010103208001705	780 x 1710	18	61	745	56-65	86-95	26-35	5	90	2,96	C	5010103208001705	2385	8132	3100	10572	33,19	37,59	0,16	900X1745X101											
5010103208001800	780 x 1800	19	61	745	56-65	86-95	26-35	5	90	3,13	C	5010103208001800	2517	8584	3272	11159	35,03	39,61	0,17	900X1840X101											
5010103208001895	780 x 1900	20	61	745	56-65	86-95	26-35	5	90	3,29	C	5010103208001895	2650	9036	3445	11746	36,88	41,66	0,18	900X1935X101											
5010103208001990	780 x 1990	21	61	745	56-65	86-95	26-35	5	90	3,46	C	5010103208001990	2782	9487	3617	12334	38,72	43,68	0,19	900X2030X101											
5010103209000280	880 x 280	3	61	845	56-65	86-95	26-35	5	90	0,54	C	5010103209000280	437	1492	569	1939	6,13	7,71	0,04	1000X320X101											
5010103209000375	880 x 380	4	61	845	56-65	86-95	26-35	5	90	0,72	C	5010103209000375	583	1989	758	2586	8,17	9,95	0,05	1000X415X101											
5010103209000470	880 x 470	5	61	845	56-65	86-95	26-35	5	90	0,90	C-E-D	5010103209000470	729	2486	948	3232	10,22	12,20	0,06	1000X510X101											
5010103209000565	880 x 570	6	61	845	56-65	86-95	26-35	5	90	1,08	C-E-D	5010103209000565	875	2984	1137	3879	12,25	14,44	0,07	1000X605X101											
5010103209000660	880 x 660	7	61	845	56-65	86-95	26-35	5	90	1,25	C-E-D	5010103209000660	1021	3481	1327	4525	14,30	16,84	0,08	1000X700X101											
5010103209000755	880 x 760	8	61	845	56-65	86-95	26-35	5	90	1,43	C-E-D	5010103209000755	1167	3978	1517	5172	16,34	19,08	0,09	1000X795X101											
5010103209000850	880 x 850	9	61	845	56-65	86-95	26-35	5	90	1,61	C-E-D	5010103209000850	1312	4475	1706	5818	18,39	21,34	0,09	1000X890X101											
5010103209000945	880 x 950	10	61	845	56-65	86-95	26-35	5	90	1,79	C-E-D	5010103209000945	1458	4973	1896	6465	20,43	23,59	0,10	1000X985X101											
5010103209001040	880 x 1040	11	61	845	56-65	86-95	26-35	5	90	1,97	C-E-D	5010103209																			

KALSEDON DOUBLE		TECHNICAL INFORMATION										(For connection types, please refer to the last page)				HEAT OUTPUTS INFORMATION				LOGISTICS INFORMATION			
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)	kg	kg	m³	mm
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L		Watt	Btu	Watt	Btu								
5010103212001230	1180 x 1230	13	61	1145	56-65	86-95	26-35	5	90	2,89	C-E-D	2366	8069	3076	10490	34,32	38,94	0,17	1300X1270X101				
5010103212001325	1180 x 1330	14	61	1145	56-65	86-95	26-35	5	90	3,11	C-E-D	2548	8690	3313	11296	36,97	41,84	0,18	1300X1365X101				
5010103212001420	1180 x 1420	15	61	1145	56-65	86-95	26-35	5	90	3,33	C	2730	9310	3549	12103	39,61	44,74	0,20	1300X1460X101				
5010103214000280	1380 x 280	3	61	1345	56-65	86-95	26-35	5	90	0,75	C	627	2138	815	2779	9,11	11,25	0,05	1500X320X101				
5010103214000375	1380 x 380	4	61	1345	56-65	86-95	26-35	5	90	1,00	C	836	2851	1087	3706	12,16	14,59	0,07	1500X415X101				
5010103214000470	1380 x 470	5	61	1345	56-65	86-95	26-35	5	90	1,25	C-E-D	1045	3563	1358	4632	15,20	17,92	0,08	1500X510X101				
5010103214000565	1380 x 570	6	61	1345	56-65	86-95	26-35	5	90	1,50	C-E-D	1254	4276	1630	5559	18,23	21,24	0,10	1500X605X101				
5010103214000660	1380 x 660	7	61	1345	56-65	86-95	26-35	5	90	1,75	C-E-D	1463	4989	1902	6485	21,27	24,71	0,11	1500X700X101				
5010103214000755	1380 x 760	8	61	1345	56-65	86-95	26-35	5	90	2,01	C-E-D	1672	5701	2173	7412	24,31	28,05	0,13	1500X795X101				
5010103214000850	1380 x 850	9	61	1345	56-65	86-95	26-35	5	90	2,26	C-E-D	1881	6414	2445	8338	27,35	31,37	0,14	1500X890X101				
5010103214000945	1380 x 950	10	61	1345	56-65	86-95	26-35	5	90	2,51	C-E-D	2090	7126	2717	9264	30,39	34,71	0,15	1500X985X101				
5010103214001040	1380 x 1040	11	61	1345	56-65	86-95	26-35	5	90	2,76	C-E-D	2299	7839	2989	10191	33,43	38,04	0,17	1500X1080X101				
5010103214001135	1380 x 1140	12	61	1345	56-65	86-95	26-35	5	90	3,01	C-E-D	2508	8552	3260	11117	36,46	41,35	0,18	1500X1175X101				
5010103214001230	1380 x 1230	13	61	1345	56-65	86-95	26-35	5	90	3,26	C-E-D	2717	9264	3532	12044	39,50	44,68	0,20	1500X1270X101				
5010103214001325	1380 x 1330	14	61	1345	56-65	86-95	26-35	5	90	3,51	C-E-D	2926	9977	3804	12970	42,54	48,02	0,21	1500X1365X101				
5010103214001420	1380 x 1420	15	61	1345	56-65	86-95	26-35	5	90	3,76	C	3135	10690	4075	13897	45,59	51,35	0,23	1500X1460X101				
5010103216000280	1580 x 280	3	61	1545	56-65	86-95	26-35	5	90	0,84	C	720	2455	936	3191	10,29	12,65	0,06	1700X320X101				
5010103216000375	1580 x 380	4	61	1545	56-65	86-95	26-35	5	90	1,12	C	960	3273	1248	4255	13,72	16,41	0,08	1700X415X101				
5010103216000470	1580 x 470	5	61	1545	56-65	86-95	26-35	5	90	1,40	C-E-D	1200	4091	1560	5318	17,15	20,16	0,09	1700X510X101				
5010103216000565	1580 x 570	6	61	1545	56-65	86-95	26-35	5	90	1,68	C-E-D	1440	4909	1872	6382	20,59	23,92	0,11	1700X605X101				
5010103216000660	1580 x 660	7	61	1545	56-65	86-95	26-35	5	90	1,96	C-E-D	1680	5728	2184	7446	24,02	27,84	0,13	1700X700X101				
5010103216000755	1580 x 760	8	61	1545	56-65	86-95	26-35	5	90	2,23	C-E-D	1920	6546	2495	8510	27,45	31,58	0,14	1700X795X101				
5010103216000850	1580 x 850	9	61	1545	56-65	86-95	26-35	5	90	2,51	C-E-D	2160	7364	2807	9573	30,88	35,34	0,16	1700X890X101				
5010103216000945	1580 x 950	10	61	1545	56-65	86-95	26-35	5	90	2,79	C-E-D	2400	8182	3119	10637	34,31	39,10	0,17	1700X985X101				
5010103216001040	1580 x 1040	11	61	1545	56-65	86-95	26-35	5	90	3,07	C-E-D	2639	9001	3431	11701	37,74	42,84	0,19	1700X1080X101				
5010103218000280	1780 x 280	3	61	1745	56-65	86-95	26-35	5	90	0,92	C	827	2818	1074	3664	11,48	14,22	0,07	1900X320X101				
5010103218000375	1780 x 380	4	61	1745	56-65	86-95	26-35	5	90	1,23	C	1102	3758	1433	4885	15,31	18,38	0,08	1900X415X101				
5010103218000470	1780 x 470	5	61	1745	56-65	86-95	26-35	5	90	1,54	C-E-D	1378	4697	1791	6106	19,14	22,56	0,10	1900X510X101				
5010103218000565	1780 x 570	6	61	1745	56-65	86-95	26-35	5	90	1,85	C-E-D	1653	5637	2149	7328	22,98	26,77	0,12	1900X605X101				
5010103218000660	1780 x 660	7	61	1745	56-65	86-95	26-35	5	90	2,16	C-E-D	1929	6576	2507	8549	26,81	31,10	0,14	1900X700X101				
5010103218000755	1780 x 760	8	61	1745	56-65	86-95	26-35	5	90	2,46	C-E-D	2204	7516	2865	9770	30,63	35,28	0,16	1900X795X101				
5010103218000850	1780 x 850	9	61	1745	56-65	86-95	26-35	5	90	2,77	C-E-D	2480	8455	3223	10992	34,46	39,47	0,18	1900X890X101				
5010103218000945	1780 x 950	10	61	1745	56-65	86-95	26-35	5	90	3,08	C-E-D	2755	9395	3582	12213	38,29	43,66	0,19	1900X985X101				
5010103218001040	1780 x 1040	11	61	1745	56-65	86-95	26-35	5	90	3,39	C-E-D	3031	10334	3940	13434	42,13	47,85	0,21	1900X1080X101				
5010103220000280	1980 x 280	3	61	1945	56-65	86-95	26-35	5	90	1,01	C	949	3236	1234	4207	12,68	15,51	0,07	2100X320X101				
5010103220000375	1980 x 380	4	61	1945	56-65	86-95	26-35	5	90	1,35	C	1265	4315	1645	5609	16,91	20,12	0,09	2100X415X101				
5010103220000470	1980 x 470	5	61	1945	56-65	86-95	26-35	5	90	1,68	C-E-D	1582	5393	2056	7011	21,13	24,74	0,11	2100X510X101				
5010103220000565	1980 x 570	6	61	1945	56-65	86-95	26-35	5	90	2,02	C-E-D	1898	6472	2467	8413	25,37	29,36	0,13	2100X605X101				
5010103220000660	1980 x 660	7	61	1945	56-65	86-95	26-35	5	90	2,36	C-E-D	2214	7551	2879	9816	29,59	34,13	0,15	2100X700X101				
5010103220000755	1980 x 760	8	61	1945	56-65	86-95	26-35	5	90	2,69	C-E-D	2531	8629	3290	11218	33,82	38,76	0,17	2100X795X101				
5010103220000850	1980 x 850	9	61	1945	56-65	86-95	26-35	5	90	3,03	C-E-D	2847	9708	3701	12620	38,05	43,37	0,19	2100X890X101				
5010103220000945	1980 x 950	10	61	1945	56-65	86-95	26-35	5	90	3,36	C-E-D	3163	10786	4112	14022	42,27	47,98	0,21	2100X985X101				
5010103220001040	1980 x 1040	11	61	1945	56-65	86-95	26-35	5	90	3,70	C-E-D	3480	11865	4523	15425	46,51	52,62	0,23	2100X1080X101				

CONNECTIONS TYPE					
SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel