

LAPIS PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103603000290	280 x 290	6	94	245	69	116,5	22	16	35	0,41	C
5010103603000341	280 x 340	7	94	245	69	116,5	22	16	35	0,48	C
5010103603000392	280 x 390	8	94	245	69	116,5	22	16	35	0,55	C
5010103603000443	280 x 440	9	94	245	69	116,5	22	16	35	0,61	C-E-D
5010103603000494	280 x 490	10	94	245	69	116,5	22	16	35	0,68	C-E-D
5010103603000545	280 x 550	11	94	245	69	116,5	22	16	35	0,75	C-E-D
5010103603000596	280 x 600	12	94	245	69	116,5	22	16	35	0,82	C-E-D
5010103603000647	280 x 650	13	94	245	69	116,5	22	16	35	0,89	C-E-D
5010103603000698	280 x 700	14	94	245	69	116,5	22	16	35	0,96	C-E-D
5010103603000749	280 x 750	15	94	245	69	116,5	22	16	35	1,03	C-E-D
5010103603000800	280 x 800	16	94	245	69	116,5	22	16	35	1,10	C-E-D
5010103603000851	280 x 850	17	94	245	69	116,5	22	16	35	1,16	C-E-D
5010103603000902	280 x 900	18	94	245	69	116,5	22	16	35	1,23	C-E-D
5010103603000953	280 x 950	19	94	245	69	116,5	22	16	35	1,30	C-E-D
5010103603001004	280 x 1000	20	94	245	69	116,5	22	16	35	1,37	C-E-D
5010103603001055	280 x 1060	21	94	245	69	116,5	22	16	35	1,44	C-E-D
5010103603001106	280 x 1110	22	94	245	69	116,5	22	16	35	1,51	C-E-D
5010103603001157	280 x 1160	23	94	245	69	116,5	22	16	35	1,58	C-E-D
5010103603001208	280 x 1210	24	94	245	69	116,5	22	16	35	1,65	C-E-D
5010103603001259	280 x 1260	25	94	245	69	116,5	22	16	35	1,72	C-E-D
5010103603001310	280 x 1310	26	94	245	69	116,5	22	16	35	1,78	C-E-D
5010103603001361	280 x 1360	27	94	245	69	116,5	22	16	35	1,85	C-E-D
5010103603001412	280 x 1410	28	94	245	69	116,5	22	16	35	1,92	C
5010103603001463	280 x 1460	29	94	245	69	116,5	22	16	35	1,99	C
5010103603001514	280 x 1510	30	94	245	69	116,5	22	16	35	2,06	C
5010103603001565	280 x 1570	31	94	245	69	116,5	22	16	35	2,13	C
5010103603001616	280 x 1620	32	94	245	69	116,5	22	16	35	2,20	C
5010103603001667	280 x 1670	33	94	245	69	116,5	22	16	35	2,27	C
5010103603001718	280 x 1720	34	94	245	69	116,5	22	16	35	2,33	C
5010103603001769	280 x 1770	35	94	245	69	116,5	22	16	35	2,40	C
5010103603001820	280 x 1820	36	94	245	69	116,5	22	16	35	2,47	C
5010103603001871	280 x 1870	37	94	245	69	116,5	22	16	35	2,54	C
5010103603001922	280 x 1920	38	94	245	69	116,5	22	16	35	2,61	C
5010103603001973	280 x 1970	39	94	245	69	116,5	22	16	35	2,68	C
5010103604000290	380 x 290	6	94	345	69	116,5	22	16	35	0,49	C
5010103604000341	380 x 340	7	94	345	69	116,5	22	16	35	0,58	C
5010103604000392	380 x 390	8	94	345	69	116,5	22	16	35	0,66	C
5010103604000443	380 x 440	9	94	345	69	116,5	22	16	35	0,74	C-E-D
5010103604000494	380 x 490	10	94	345	69	116,5	22	16	35	0,83	C-E-D
5010103604000545	380 x 550	11	94	345	69	116,5	22	16	35	0,91	C-E-D
5010103604000596	380 x 600	12	94	345	69	116,5	22	16	35	0,99	C-E-D
5010103604000647	380 x 650	13	94	345	69	116,5	22	16	35	1,08	C-E-D
5010103604000698	380 x 700	14	94	345	69	116,5	22	16	35	1,16	C-E-D
5010103604000749	380 x 750	15	94	345	69	116,5	22	16	35	1,24	C-E-D
5010103604000800	380 x 800	16	94	345	69	116,5	22	16	35	1,32	C-E-D
5010103604000851	380 x 850	17	94	345	69	116,5	22	16	35	1,41	C-E-D
5010103604000902	380 x 900	18	94	345	69	116,5	22	16	35	1,49	C-E-D
5010103604000953	380 x 950	19	94	345	69	116,5	22	16	35	1,57	C-E-D
5010103604001004	380 x 1000	20	94	345	69	116,5	22	16	35	1,66	C-E-D
5010103604001055	380 x 1060	21	94	345	69	116,5	22	16	35	1,74	C-E-D
5010103604001106	380 x 1110	22	94	345	69	116,5	22	16	35	1,82	C-E-D
5010103604001157	380 x 1160	23	94	345	69	116,5	22	16	35	1,91	C-E-D
5010103604001208	380 x 1210	24	94	345	69	116,5	22	16	35	1,99	C-E-D
5010103604001259	380 x 1260	25	94	345	69	116,5	22	16	35	2,07	C-E-D
5010103604001310	380 x 1310	26	94	345	69	116,5	22	16	35	2,16	C-E-D
5010103604001361	380 x 1360	27	94	345	69	116,5	22	16	35	2,24	C-E-D
5010103604001412	380 x 1410	28	94	345	69	116,5	22	16	35	2,32	C
5010103604001463	380 x 1460	29	94	345	69	116,5	22	16	35	2,40	C
5010103604001514	380 x 1510	30	94	345	69	116,5	22	16	35	2,49	C
5010103604001565	380 x 1570	31	94	345	69	116,5	22	16	35	2,57	C
5010103604001616	380 x 1620	32	94	345	69	116,5	22	16	35	2,65	C
5010103604001667	380 x 1670	33	94	345	69	116,5	22	16	35	2,74	C
5010103604001718	380 x 1720	34	94	345	69	116,5	22	16	35	2,82	C
5010103604001769	380 x 1770	35	94	345	69	116,5	22	16	35	2,90	C
5010103604001820	380 x 1820	36	94	345	69	116,5	22	16	35	2,99	C
5010103604001871	380 x 1870	37	94	345	69	116,5	22	16	35	3,07	C
5010103604001922	380 x 1920	38	94	345	69	116,5	22	16	35	3,15	C
5010103604001973	380 x 1970	39	94	345	69	116,5	22	16	35	3,24	C
5010103605000290	480 x 290	6	94	445	69	116,5	22	16	35	0,58	C
5010103605000341	480 x 340	7	94	445	69	116,5	22	16	35	0,68	C
5010103605000392	480 x 390	8	94	445	69	116,5	22	16	35	0,77	C
5010103605000443	480 x 440	9	94	445	69	116,5	22	16	35	0,87	C-E-D
5010103605000494	480 x 490	10	94	445	69	116,5	22	16	35	0,97	C-E-D
5010103605000545	480 x 550	11	94	445	69	116,5	22	16	35	1,07	C-E-D
5010103605000596	480 x 600	12	94	445	69	116,5	22	16	35	1,16	C-E-D
5010103605000647	480 x 650	13	94	445	69	116,5	22	16	35	1,26	C-E-D
5010103605000698	480 x 700	14	94	445	69	116,5	22	16	35	1,36	C-E-D
5010103605000749	480 x 750	15	94	445	69	116,5	22	16	35	1,46	C-E-D
5010103605000800	480 x 800	16	94	445	69	116,5	22	16	35	1,55	C-E-D
5010103605000851	480 x 850	17	94	445	69	116,5	22	16	35	1,65	C-E-D
5010103605000902	480 x 900	18	94	445	69	116,5	22	16	35	1,75	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103603000290	193	658	251	856
5010103603000341	225	768	293	998
5010103603000392	257	877	335	1141
5010103603000443	289	987	376	1283
5010103603000494	322	1097	418	1426
5010103603000545	354	1206	460	1568
5010103603000596	386	1316	502	1711
5010103603000647	418	1426	544	1854
5010103603000698	450	1535	585	1996
5010103603000749	482	1645	627	2139
5010103603000800	515	1755	669	2281
5010103603000851	547	1865	711	2424
5010103603000902	579	1974	753	2566
5010103603000953	611	2084	794	2709
5010103603001004	643	2194	836	2852
5010103603001055	675	2303	878	2994
5010103603001106	708	2413	920	3137
5010103603001157	740	2523	962	3279
5010103603001208	772	2632	1004	3422
5010103603001259	804	2742	1045	3565
5010103603001310	836	2852	1087	3707
5010103603001361	868	2961	1129	3850
5010103603001412	901	3071	1171	3992
5010103603001463	933	3181	1213	4135
5010103603001514	965	3290	1254	4277
5010103603001565	997	3400	1296	4420
5010103603001616	1029	3510	1338	4563
5010103603001667	1061	3619	1380	4705
5010103603001718	1094	3729	1422	4848
5010103603001769	1126	3839	1463	4990
5010103603001820	1158	3948	1505	5133
5010103603001871	1190	4058	1547	5275
5010103603001922	1222	4168	1589	5418
5010103603001973	1254	4277	1631	5561
5010103604000290	263	897	342	1166
5010103604000341	307	1046	399	1360
5010103604000392	351	1196	456	1554
5010103604000443	394	1345	513	1749
5010103604000494	438	1495	570	1943
5010103604000545	482	1644	627	2137
5010103604000596	526	1794	684	2332
5010103604000647	570	1943	741	2526
5010103604000698	614	2093	798	2720
5010103604000749	657	2242	855	2915
5010103604000800	701	2391	912	3109
5010103604000851	745	2541	969	3303
5010103604000902	789	2690	1026	3498
5010103604000953	833	2840	1083	3692
5010103604001004	877	2989	1140	3886
5010103604001055	920	3139	1197	4080
5010103604001106	964	3288	1254	4275
5010103604001157	1008	3438	1311	4469
5010103604001208	1052	3587	1368	4663
5010103604001259	1096	3737	1425	4858
5010103604001310	1140	3886	1482	5052
5010103604001361	1183	4036	1538	5246
5010103604001412	1227	4185	1595	5441
5010103604001463	1271	4334	1652	5635
5010103604001514	1315	4484	1709	5829
5010103604001565	1359	4633	1766	6023
5010103604001616	1403	4783	1823	6218
5010103604001667	1446	4932	1880	6412
5010103604001718	1490	5082	1937	6606
5010103604001769	1534	5231	1994	6801
5010103604001820	1578	5381	2051	6995
5010103604001871	1622	5530	2108	7189
5010103604001922	1666	5680	2165	7384
5010103604001973	1709	5829	2222	7578
5010103605000290	336	1146	437	1489
5010103605000341	392	1337	510	1738
5010103605000392	448	1528	582	1986
5010103605000443	504	1719	655	2234
5010103605000494	560	1910	728	2482
5010103605000545	616	2101	801	2731
5010103605000596	672	2291	874	2979
5010103605000647	728	2482	946	3227
5010103605000698	784	2673	1019	3475
5010103605000749	840	2864	1092	3724
5010103605000800	896	3055	1165	3972
5010103605000851	952	3246	1238	4220
5010103605000902	1008	3437	1310	4468

LAPIS PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103605000953	480 x 950	19	94	445	69	116,5	22	16	35	1,85	C-E-D
5010103605001004	480 x 1000	20	94	445	69	116,5	22	16	35	1,94	C-E-D
5010103605001055	480 x 1060	21	94	445	69	116,5	22	16	35	2,04	C-E-D
5010103605001106	480 x 1110	22	94	445	69	116,5	22	16	35	2,14	C-E-D
5010103605001157	480 x 1160	23	94	445	69	116,5	22	16	35	2,24	C-E-D
5010103605001208	480 x 1210	24	94	445	69	116,5	22	16	35	2,33	C-E-D
5010103605001259	480 x 1260	25	94	445	69	116,5	22	16	35	2,43	C-E-D
5010103605001310	480 x 1310	26	94	445	69	116,5	22	16	35	2,53	C-E-D
5010103605001361	480 x 1360	27	94	445	69	116,5	22	16	35	2,62	C-E-D
5010103605001412	480 x 1410	28	94	445	69	116,5	22	16	35	2,72	C
5010103605001463	480 x 1460	29	94	445	69	116,5	22	16	35	2,82	C
5010103605001514	480 x 1510	30	94	445	69	116,5	22	16	35	2,92	C
5010103605001565	480 x 1570	31	94	445	69	116,5	22	16	35	3,01	C
5010103605001616	480 x 1620	32	94	445	69	116,5	22	16	35	3,11	C
5010103605001667	480 x 1670	33	94	445	69	116,5	22	16	35	3,21	C
5010103605001718	480 x 1720	34	94	445	69	116,5	22	16	35	3,31	C
5010103605001769	480 x 1770	35	94	445	69	116,5	22	16	35	3,40	C
5010103605001820	480 x 1820	36	94	445	69	116,5	22	16	35	3,50	C
5010103605001871	480 x 1870	37	94	445	69	116,5	22	16	35	3,60	C
5010103605001922	480 x 1920	38	94	445	69	116,5	22	16	35	3,70	C
5010103605001973	480 x 1970	39	94	445	69	116,5	22	16	35	3,79	C
5010103606000290	580 x 290	6	94	545	69	116,5	22	16	35	0,67	C
5010103606000341	580 x 340	7	94	545	69	116,5	22	16	35	0,78	C
5010103606000392	580 x 390	8	94	545	69	116,5	22	16	35	0,89	C
5010103606000443	580 x 440	9	94	545	69	116,5	22	16	35	1,00	C-E-D
5010103606000494	580 x 490	10	94	545	69	116,5	22	16	35	1,11	C-E-D
5010103606000545	580 x 550	11	94	545	69	116,5	22	16	35	1,22	C-E-D
5010103606000596	580 x 600	12	94	545	69	116,5	22	16	35	1,34	C-E-D
5010103606000647	580 x 650	13	94	545	69	116,5	22	16	35	1,45	C-E-D
5010103606000698	580 x 700	14	94	545	69	116,5	22	16	35	1,56	C-E-D
5010103606000749	580 x 750	15	94	545	69	116,5	22	16	35	1,67	C-E-D
5010103606000800	580 x 800	16	94	545	69	116,5	22	16	35	1,78	C-E-D
5010103606000851	580 x 850	17	94	545	69	116,5	22	16	35	1,89	C-E-D
5010103606000902	580 x 900	18	94	545	69	116,5	22	16	35	2,01	C-E-D
5010103606000953	580 x 950	19	94	545	69	116,5	22	16	35	2,12	C-E-D
5010103606001004	580 x 1000	20	94	545	69	116,5	22	16	35	2,23	C-E-D
5010103606001055	580 x 1060	21	94	545	69	116,5	22	16	35	2,34	C-E-D
5010103606001106	580 x 1110	22	94	545	69	116,5	22	16	35	2,45	C-E-D
5010103606001157	580 x 1160	23	94	545	69	116,5	22	16	35	2,56	C-E-D
5010103606001208	580 x 1210	24	94	545	69	116,5	22	16	35	2,68	C-E-D
5010103606001259	580 x 1260	25	94	545	69	116,5	22	16	35	2,79	C-E-D
5010103606001310	580 x 1310	26	94	545	69	116,5	22	16	35	2,90	C-E-D
5010103606001361	580 x 1360	27	94	545	69	116,5	22	16	35	3,01	C-E-D
5010103606001412	580 x 1410	28	94	545	69	116,5	22	16	35	3,12	C
5010103606001463	580 x 1460	29	94	545	69	116,5	22	16	35	3,23	C
5010103606001514	580 x 1510	30	94	545	69	116,5	22	16	35	3,35	C
5010103606001565	580 x 1570	31	94	545	69	116,5	22	16	35	3,46	C
5010103606001616	580 x 1620	32	94	545	69	116,5	22	16	35	3,57	C
5010103606001667	580 x 1670	33	94	545	69	116,5	22	16	35	3,68	C
5010103606001718	580 x 1720	34	94	545	69	116,5	22	16	35	3,79	C
5010103606001769	580 x 1770	35	94	545	69	116,5	22	16	35	3,90	C
5010103606001820	580 x 1820	36	94	545	69	116,5	22	16	35	4,02	C
5010103606001871	580 x 1870	37	94	545	69	116,5	22	16	35	4,13	C
5010103606001922	580 x 1920	38	94	545	69	116,5	22	16	35	4,24	C
5010103606001973	580 x 1970	39	94	545	69	116,5	22	16	35	4,35	C
5010103607000290	680 x 290	6	94	645	69	116,5	22	16	35	0,75	C
5010103607000341	680 x 340	7	94	645	69	116,5	22	16	35	0,88	C
5010103607000392	680 x 390	8	94	645	69	116,5	22	16	35	1,00	C
5010103607000443	680 x 440	9	94	645	69	116,5	22	16	35	1,13	C-E-D
5010103607000494	680 x 490	10	94	645	69	116,5	22	16	35	1,26	C-E-D
5010103607000545	680 x 550	11	94	645	69	116,5	22	16	35	1,38	C-E-D
5010103607000596	680 x 600	12	94	645	69	116,5	22	16	35	1,51	C-E-D
5010103607000647	680 x 650	13	94	645	69	116,5	22	16	35	1,63	C-E-D
5010103607000698	680 x 700	14	94	645	69	116,5	22	16	35	1,76	C-E-D
5010103607000749	680 x 750	15	94	645	69	116,5	22	16	35	1,89	C-E-D
5010103607000800	680 x 800	16	94	645	69	116,5	22	16	35	2,01	C-E-D
5010103607000851	680 x 850	17	94	645	69	116,5	22	16	35	2,14	C-E-D
5010103607000902	680 x 900	18	94	645	69	116,5	22	16	35	2,26	C-E-D
5010103607000953	680 x 950	19	94	645	69	116,5	22	16	35	2,39	C-E-D
5010103607001004	680 x 1000	20	94	645	69	116,5	22	16	35	2,52	C-E-D
5010103607001055	680 x 1060	21	94	645	69	116,5	22	16	35	2,64	C-E-D
5010103607001106	680 x 1110	22	94	645	69	116,5	22	16	35	2,77	C-E-D
5010103607001157	680 x 1160	23	94	645	69	116,5	22	16	35	2,89	C-E-D
5010103607001208	680 x 1210	24	94	645	69	116,5	22	16	35	3,02	C-E-D
5010103607001259	680 x 1260	25	94	645	69	116,5	22	16	35	3,15	C-E-D
5010103607001310	680 x 1310	26	94	645	69	116,5	22	16	35	3,27	C-E-D
5010103607001361	680 x 1360	27	94	645	69	116,5	22	16	35	3,40	C-E-D
5010103607001412	680 x 1410	28	94	645	69	116,5	22	16	35	3,52	C
5010103607001463	680 x 1460	29	94	645	69	116,5	22	16	35	3,65	C
5010103607001514	680 x 1510	30	94	645	69	116,5	22	16	35	3,77	C
5010103607001565	680 x 1570	31	94	645	69	116,5	22	16	35	3,90	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010103605000953	1064	3628	1383	4717
5010103605001004	1120	3819	1456	4965
5010103605001055	1176	4010	1529	5213
5010103605001106	1232	4201	1602	5461
5010103605001157	1288	4392	1674	5710
5010103605001208	1344	4583	1747	5958
5010103605001259	1400	4774	1820	6206
5010103605001310	1456	4965	1893	6454
5010103605001361	1512	5156	1966	6703
5010103605001412	1568	5347	2038	6951
5010103605001463	1624	5538	2111	7199
5010103605001514	1680	5729	2184	7447
5010103605001565	1736	5920	2257	7696
5010103605001616	1792	6111	2330	7944
5010103605001667	1848	6302	2402	8192
5010103605001718	1904	6493	2475	8440
5010103605001769	1960	6683	2548	8688
5010103605001820	2016	6874	2621	8937
5010103605001871	2072	7065	2694	9185
5010103605001922	2128	7256	2766	9433
5010103605001973	2184	7447	2839	9681
5010103606000290	412	1405	536	1827
5010103606000341	481	1639	625	2131
5010103606000392	549	1874	714	2436
5010103606000443	618	2108	804	2740
5010103606000494	687	2342	893	3045
5010103606000545	756	2576	982	3349
5010103606000596	824	2810	1071	3654
5010103606000647	893	3045	1161	3958
5010103606000698	962	3279	1250	4263
5010103606000749	1030	3513	1339	4567
5010103606000800	1099	3747	1429	4872
5010103606000851	1168	3982	1518	5176
5010103606000902	1236	4216	1607	5480
5010103606000953	1305	4450	1696	5785
5010103606001004	1374	4684	1786	6089
5010103606001055	1442	4918	1875	6394
5010103606001106	1511	5153	1964	6698
5010103606001157	1580	5387	2054	7003
5010103606001208	1648	5621	2143	7307
5010103606001259	1717	5855	2232	7612
5010103606001310	1786	6089	2321	7916
5010103606001361	1854	6324	2411	8221
5010103606001412	1923	6558	2500	8525
5010103606001463	1992	6792	2589	8830
5010103606001514	2060	7026	2679	9134
5010103606001565	2129	7260	2768	9438
5010103606001616	2198	7495	2857	9743
5010103606001667	2267	7729	2946	10047
5010103606001718	2335	7963	3036	10352
5010103606001769	2404	8197	3125	10656
5010103606001820	2473	8431	3214	10961
5010103606001871	2541	8666	3304	11265
5010103606001922	2610	8900	3393	11570
5010103606001973	2679	9134	3482	11874
5010103607000290	470	1604	612	2085
5010103607000341	549	1871	713	2433
5010103607000392	627	2139	815	2780
5010103607000443	706	2406	917	3128
5010103607000494	784	2673	1019	3475
5010103607000545	862	2941	1121	3823
5010103607000596	941	3208	1223	4170
5010103607000647	1019	3475	1325	4518
5010103607000698	1098	3743	1427	4866
5010103607000749	1176	4010	1529	5213
5010103607000800	1254	4277	1631	5561
5010103607000851	1333	4545	1733	5908
5010103607000902	1411	4812	1835	6256
5010103607000953	1490	5079	1936	6603
5010103607001004	1568	5347	2038	6951
5010103607001055	1646	5614	2140	7298
5010103607001106	1725	5881	2242	7646
5010103607001157	1803	6149	2344	7993
5010103607001208	1882	6416	2446	8341
5010103607001259	1960	6683	2548	8688
5010103607001310	2038	6951	2650	9036
5010103607001361	2117	7218	2752	9384
5010103607001412	2195	7485	2854	9731
5010103607001463	2274	7753	2956	10079
5010103607001514	2352	8020	3058	10426
5010103607001565	2430	8287	3159	10774

LAPIS PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103607001616	680 x 1620	32	94	645	69	116,5	22	16	35	4,03	C
5010103607001667	680 x 1670	33	94	645	69	116,5	22	16	35	4,15	C
5010103607001718	680 x 1720	34	94	645	69	116,5	22	16	35	4,28	C
5010103607001769	680 x 1770	35	94	645	69	116,5	22	16	35	4,40	C
5010103607001820	680 x 1820	36	94	645	69	116,5	22	16	35	4,53	C
5010103607001871	680 x 1870	37	94	645	69	116,5	22	16	35	4,66	C
5010103607001922	680 x 1920	38	94	645	69	116,5	22	16	35	4,78	C
5010103607001973	680 x 1970	39	94	645	69	116,5	22	16	35	4,91	C
5010103608000290	780 x 290	6	94	745	69	116,5	22	16	35	0,84	C
5010103608000341	780 x 340	7	94	745	69	116,5	22	16	35	0,98	C
5010103608000392	780 x 390	8	94	745	69	116,5	22	16	35	1,12	C
5010103608000443	780 x 440	9	94	745	69	116,5	22	16	35	1,26	C-E-D
5010103608000494	780 x 490	10	94	745	69	116,5	22	16	35	1,40	C-E-D
5010103608000545	780 x 550	11	94	745	69	116,5	22	16	35	1,54	C-E-D
5010103608000596	780 x 600	12	94	745	69	116,5	22	16	35	1,68	C-E-D
5010103608000647	780 x 650	13	94	745	69	116,5	22	16	35	1,82	C-E-D
5010103608000698	780 x 700	14	94	745	69	116,5	22	16	35	1,96	C-E-D
5010103608000749	780 x 750	15	94	745	69	116,5	22	16	35	2,10	C-E-D
5010103608000800	780 x 800	16	94	745	69	116,5	22	16	35	2,24	C-E-D
5010103608000851	780 x 850	17	94	745	69	116,5	22	16	35	2,38	C-E-D
5010103608000902	780 x 900	18	94	745	69	116,5	22	16	35	2,52	C-E-D
5010103608000953	780 x 950	19	94	745	69	116,5	22	16	35	2,66	C-E-D
5010103608001004	780 x 1000	20	94	745	69	116,5	22	16	35	2,80	C-E-D
5010103608001055	780 x 1060	21	94	745	69	116,5	22	16	35	2,94	C-E-D
5010103608001106	780 x 1110	22	94	745	69	116,5	22	16	35	3,08	C-E-D
5010103608001157	780 x 1160	23	94	745	69	116,5	22	16	35	3,22	C-E-D
5010103608001208	780 x 1210	24	94	745	69	116,5	22	16	35	3,36	C-E-D
5010103608001259	780 x 1260	25	94	745	69	116,5	22	16	35	3,50	C-E-D
5010103608001310	780 x 1310	26	94	745	69	116,5	22	16	35	3,64	C-E-D
5010103608001361	780 x 1360	27	94	745	69	116,5	22	16	35	3,78	C-E-D
5010103608001412	780 x 1410	28	94	745	69	116,5	22	16	35	3,92	C
5010103608001463	780 x 1460	29	94	745	69	116,5	22	16	35	4,06	C
5010103608001514	780 x 1510	30	94	745	69	116,5	22	16	35	4,20	C
5010103608001565	780 x 1570	31	94	745	69	116,5	22	16	35	4,34	C
5010103608001616	780 x 1620	32	94	745	69	116,5	22	16	35	4,48	C
5010103608001667	780 x 1670	33	94	745	69	116,5	22	16	35	4,62	C
5010103608001718	780 x 1720	34	94	745	69	116,5	22	16	35	4,76	C
5010103608001769	780 x 1770	35	94	745	69	116,5	22	16	35	4,91	C
5010103608001820	780 x 1820	36	94	745	69	116,5	22	16	35	5,05	C
5010103608001871	780 x 1870	37	94	745	69	116,5	22	16	35	5,19	C
5010103608001922	780 x 1920	38	94	745	69	116,5	22	16	35	5,33	C
5010103608001973	780 x 1970	39	94	745	69	116,5	22	16	35	5,47	C
5010103609000290	880 x 290	6	94	845	69	116,5	22	16	35	0,92	C
5010103609000341	880 x 340	7	94	845	69	116,5	22	16	35	1,08	C
5010103609000392	880 x 390	8	94	845	69	116,5	22	16	35	1,23	C
5010103609000443	880 x 440	9	94	845	69	116,5	22	16	35	1,39	C-E-D
5010103609000494	880 x 490	10	94	845	69	116,5	22	16	35	1,54	C-E-D
5010103609000545	880 x 550	11	94	845	69	116,5	22	16	35	1,70	C-E-D
5010103609000596	880 x 600	12	94	845	69	116,5	22	16	35	1,85	C-E-D
5010103609000647	880 x 650	13	94	845	69	116,5	22	16	35	2,01	C-E-D
5010103609000698	880 x 700	14	94	845	69	116,5	22	16	35	2,16	C-E-D
5010103609000749	880 x 750	15	94	845	69	116,5	22	16	35	2,31	C-E-D
5010103609000800	880 x 800	16	94	845	69	116,5	22	16	35	2,47	C-E-D
5010103609000851	880 x 850	17	94	845	69	116,5	22	16	35	2,62	C-E-D
5010103609000902	880 x 900	18	94	845	69	116,5	22	16	35	2,78	C-E-D
5010103609000953	880 x 950	19	94	845	69	116,5	22	16	35	2,93	C-E-D
5010103609001004	880 x 1000	20	94	845	69	116,5	22	16	35	3,09	C-E-D
5010103609001055	880 x 1060	21	94	845	69	116,5	22	16	35	3,24	C-E-D
5010103609001106	880 x 1110	22	94	845	69	116,5	22	16	35	3,40	C-E-D
5010103609001157	880 x 1160	23	94	845	69	116,5	22	16	35	3,55	C-E-D
5010103609001208	880 x 1210	24	94	845	69	116,5	22	16	35	3,71	C-E-D
5010103609001259	880 x 1260	25	94	845	69	116,5	22	16	35	3,86	C-E-D
5010103609001310	880 x 1310	26	94	845	69	116,5	22	16	35	4,01	C-E-D
5010103609001361	880 x 1360	27	94	845	69	116,5	22	16	35	4,17	C-E-D
5010103609001412	880 x 1410	28	94	845	69	116,5	22	16	35	4,32	C
5010103609001463	880 x 1460	29	94	845	69	116,5	22	16	35	4,48	C
5010103609001514	880 x 1510	30	94	845	69	116,5	22	16	35	4,63	C
5010103609001565	880 x 1570	31	94	845	69	116,5	22	16	35	4,79	C
5010103609001616	880 x 1620	32	94	845	69	116,5	22	16	35	4,94	C
5010103609001667	880 x 1670	33	94	845	69	116,5	22	16	35	5,10	C
5010103609001718	880 x 1720	34	94	845	69	116,5	22	16	35	5,25	C
5010103609001769	880 x 1770	35	94	845	69	116,5	22	16	35	5,41	C
5010103609001820	880 x 1820	36	94	845	69	116,5	22	16	35	5,56	C
5010103609001871	880 x 1870	37	94	845	69	116,5	22	16	35	5,71	C
5010103609001922	880 x 1920	38	94	845	69	116,5	22	16	35	5,87	C
5010103609001973	880 x 1970	39	94	845	69	116,5	22	16	35	6,02	C
5010103610000290	980 x 290	6	94	945	69	116,5	22	16	35	1,01	C
5010103610000341	980 x 340	7	94	945	69	116,5	22	16	35	1,18	C
5010103610000392	980 x 390	8	94	945	69	116,5	22	16	35	1,35	C
5010103610000443	980 x 440	9	94	945	69	116,5	22	16	35	1,52	C-E-D
5010103610000494	980 x 490	10	94	945	69	116,5	22	16	35	1,68	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103607001616	2509	8555	3261	11121
5010103607001667	2587	8822	3363	11469
5010103607001718	2666	9090	3465	11816
5010103607001769	2744	9357	3567	12164
5010103607001820	2822	9624	3669	12511
5010103607001871	2901	9891	3771	12859
5010103607001922	2979	10159	3873	13206
5010103607001973	3058	10426	3975	13554
5010103608000290	526	1794	684	2332
5010103608000341	614	2093	798	2720
5010103608000392	701	2391	912	3109
5010103608000443	789	2690	1026	3498
5010103608000494	877	2989	1140	3886
5010103608000545	964	3288	1254	4275
5010103608000596	1052	3587	1368	4663
5010103608000647	1140	3886	1482	5052
5010103608000698	1227	4185	1595	5441
5010103608000749	1315	4484	1709	5829
5010103608000800	1403	4783	1823	6218
5010103608000851	1490	5082	1937	6606
5010103608000902	1578	5381	2051	6995
5010103608000953	1666	5680	2165	7384
5010103608001004	1753	5979	2279	7772
5010103608001055	1841	6278	2393	8161
5010103608001106	1929	6576	2507	8549
5010103608001157	2016	6875	2621	8938
5010103608001208	2104	7174	2735	9327
5010103608001259	2192	7473	2849	9715
5010103608001310	2279	7772	2963	10104
5010103608001361	2367	8071	3077	10492
5010103608001412	2455	8370	3191	10881
5010103608001463	2542	8669	3305	11270
5010103608001514	2630	8968	3419	11658
5010103608001565	2718	9267	3533	12047
5010103608001616	2805	9566	3647	12435
5010103608001667	2893	9865	3761	12824
5010103608001718	2981	10164	3875	13213
5010103608001769	3068	10463	3989	13601
5010103608001820	3156	10761	4103	13990
5010103608001871	3244	11060	4217	14379
5010103608001922	3331	11359	4331	14767
5010103608001973	3419	11658	4444	15156
5010103609000290	579	1974	753	2566
5010103609000341	675	2303	878	2994
5010103609000392	772	2632	1004	3422
5010103609000443	868	2961	1129	3850
5010103609000494	965	3290	1254	4277
5010103609000545	1061	3619	1380	4705
5010103609000596	1158	3948	1505	5133
5010103609000647	1254	4277	1631	5561
5010103609000698	1351	4606	1756	5988
5010103609000749	1447	4936	1882	6416
5010103609000800	1544	5265	2007	6844
5010103609000851	1640	5594	2132	7272
5010103609000902	1737	5923	2258	7699
5010103609000953	1833	6252	2383	8127
5010103609001004	1930	6581	2509	8555
5010103609001055	2026	6910	2634	8983
5010103609001106	2123	7239	2760	9410
5010103609001157	2219	7568	2885	9838
5010103609001208	2316	7897	3010	10266
5010103609001259	2412	8226	3136	10694
5010103609001310	2509	8555	3261	11121
5010103609001361	2605	8884	3387	11549
5010103609001412	2702	9213	3512	11977
5010103609001463	2798	9542	3638	12404
5010103609001514	2895	9871	3763	12832
5010103609001565	2991	10200	3889	13260
5010103609001616	3088	10529	4014	13688
5010103609001667	3184	10858	4139	14115
5010103609001718	3281	11187	4265	14543
5010103609001769	3377	11516	4390	14971
5010103609001820	3474	11845	4516	15399
5010103609001871	3570	12174	4641	15826
5010103609001922	3667	12503	4767	16254
5010103609001973	3763	12832	4892	16682
5010103610000290	629	2146	818	2790
5010103610000341	734	2504	955	3255
5010103610000392	839	2862	1091	3720
5010103610000443	944	3219	1227	4185
5010103610000494	1049	3577	1364	4650

LAPIS PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103610000545	980 x 550	11	94	945	69	116.5	22	16	35	1.85	C-E-D
5010103610000596	980 x 600	12	94	945	69	116.5	22	16	35	2.02	C-E-D
5010103610000647	980 x 650	13	94	945	69	116.5	22	16	35	2.19	C-E-D
5010103610000698	980 x 700	14	94	945	69	116.5	22	16	35	2.36	C-E-D
5010103610000749	980 x 750	15	94	945	69	116.5	22	16	35	2.53	C-E-D
5010103610000800	980 x 800	16	94	945	69	116.5	22	16	35	2.70	C-E-D
5010103610000851	980 x 850	17	94	945	69	116.5	22	16	35	2.87	C-E-D
5010103610000902	980 x 900	18	94	945	69	116.5	22	16	35	3.04	C-E-D
5010103610000953	980 x 950	19	94	945	69	116.5	22	16	35	3.20	C-E-D
5010103610001004	980 x 1000	20	94	945	69	116.5	22	16	35	3.37	C-E-D
5010103610001055	980 x 1060	21	94	945	69	116.5	22	16	35	3.54	C-E-D
5010103610001106	980 x 1110	22	94	945	69	116.5	22	16	35	3.71	C-E-D
5010103610001157	980 x 1160	23	94	945	69	116.5	22	16	35	3.88	C-E-D
5010103610001208	980 x 1210	24	94	945	69	116.5	22	16	35	4.05	C-E-D
5010103610001259	980 x 1260	25	94	945	69	116.5	22	16	35	4.22	C-E-D
5010103610001310	980 x 1310	26	94	945	69	116.5	22	16	35	4.39	C-E-D
5010103610001361	980 x 1360	27	94	945	69	116.5	22	16	35	4.56	C-E-D
5010103610001412	980 x 1410	28	94	945	69	116.5	22	16	35	4.72	C
5010103610001463	980 x 1460	29	94	945	69	116.5	22	16	35	4.89	C
5010103610001514	980 x 1510	30	94	945	69	116.5	22	16	35	5.06	C
5010103610001565	980 x 1570	31	94	945	69	116.5	22	16	35	5.23	C
5010103610001616	980 x 1620	32	94	945	69	116.5	22	16	35	5.40	C
5010103610001667	980 x 1670	33	94	945	69	116.5	22	16	35	5.57	C
5010103610001718	980 x 1720	34	94	945	69	116.5	22	16	35	5.74	C
5010103610001769	980 x 1770	35	94	945	69	116.5	22	16	35	5.91	C
5010103610001820	980 x 1820	36	94	945	69	116.5	22	16	35	6.08	C
5010103610001871	980 x 1870	37	94	945	69	116.5	22	16	35	6.24	C
5010103610001922	980 x 1920	38	94	945	69	116.5	22	16	35	6.41	C
5010103610001973	980 x 1970	39	94	945	69	116.5	22	16	35	6.58	C
5010103612000290	1180 x 290	6	94	1145	69	116.5	22	16	35	1.18	C
5010103612000341	1180 x 340	7	94	1145	69	116.5	22	16	35	1.38	C
5010103612000392	1180 x 390	8	94	1145	69	116.5	22	16	35	1.58	C
5010103612000443	1180 x 440	9	94	1145	69	116.5	22	16	35	1.77	C-E-D
5010103612000494	1180 x 490	10	94	1145	69	116.5	22	16	35	1.97	C-E-D
5010103612000545	1180 x 550	11	94	1145	69	116.5	22	16	35	2.17	C-E-D
5010103612000596	1180 x 600	12	94	1145	69	116.5	22	16	35	2.37	C-E-D
5010103612000647	1180 x 650	13	94	1145	69	116.5	22	16	35	2.56	C-E-D
5010103612000698	1180 x 700	14	94	1145	69	116.5	22	16	35	2.76	C-E-D
5010103612000749	1180 x 750	15	94	1145	69	116.5	22	16	35	2.96	C-E-D
5010103612000800	1180 x 800	16	94	1145	69	116.5	22	16	35	3.16	C-E-D
5010103612000851	1180 x 850	17	94	1145	69	116.5	22	16	35	3.35	C-E-D
5010103612000902	1180 x 900	18	94	1145	69	116.5	22	16	35	3.55	C-E-D
5010103612000953	1180 x 950	19	94	1145	69	116.5	22	16	35	3.75	C-E-D
5010103612001004	1180 x 1000	20	94	1145	69	116.5	22	16	35	3.95	C-E-D
5010103612001055	1180 x 1060	21	94	1145	69	116.5	22	16	35	4.14	C-E-D
5010103612001106	1180 x 1110	22	94	1145	69	116.5	22	16	35	4.34	C-E-D
5010103612001157	1180 x 1160	23	94	1145	69	116.5	22	16	35	4.54	C-E-D
5010103612001208	1180 x 1210	24	94	1145	69	116.5	22	16	35	4.74	C-E-D
5010103612001259	1180 x 1260	25	94	1145	69	116.5	22	16	35	4.93	C-E-D
5010103612001310	1180 x 1310	26	94	1145	69	116.5	22	16	35	5.13	C-E-D
5010103612001361	1180 x 1360	27	94	1145	69	116.5	22	16	35	5.33	C-E-D
5010103612001412	1180 x 1410	28	94	1145	69	116.5	22	16	35	5.52	C
5010103614000290	1380 x 290	6	94	1345	69	116.5	22	16	35	1.35	C
5010103614000341	1380 x 340	7	94	1345	69	116.5	22	16	35	1.58	C
5010103614000392	1380 x 390	8	94	1345	69	116.5	22	16	35	1.80	C
5010103614000443	1380 x 440	9	94	1345	69	116.5	22	16	35	2.03	C-E-D
5010103614000494	1380 x 490	10	94	1345	69	116.5	22	16	35	2.26	C-E-D
5010103614000545	1380 x 550	11	94	1345	69	116.5	22	16	35	2.48	C-E-D
5010103614000596	1380 x 600	12	94	1345	69	116.5	22	16	35	2.71	C-E-D
5010103614000647	1380 x 650	13	94	1345	69	116.5	22	16	35	2.93	C-E-D
5010103614000698	1380 x 700	14	94	1345	69	116.5	22	16	35	3.16	C-E-D
5010103614000749	1380 x 750	15	94	1345	69	116.5	22	16	35	3.39	C-E-D
5010103614000800	1380 x 800	16	94	1345	69	116.5	22	16	35	3.61	C-E-D
5010103614000851	1380 x 850	17	94	1345	69	116.5	22	16	35	3.84	C-E-D
5010103614000902	1380 x 900	18	94	1345	69	116.5	22	16	35	4.07	C-E-D
5010103614000953	1380 x 950	19	94	1345	69	116.5	22	16	35	4.29	C-E-D
5010103614001004	1380 x 1000	20	94	1345	69	116.5	22	16	35	4.52	C-E-D
5010103614001055	1380 x 1060	21	94	1345	69	116.5	22	16	35	4.74	C-E-D
5010103614001106	1380 x 1110	22	94	1345	69	116.5	22	16	35	4.97	C-E-D
5010103614001157	1380 x 1160	23	94	1345	69	116.5	22	16	35	5.20	C-E-D
5010103614001208	1380 x 1210	24	94	1345	69	116.5	22	16	35	5.42	C-E-D
5010103614001259	1380 x 1260	25	94	1345	69	116.5	22	16	35	5.65	C-E-D
5010103614001310	1380 x 1310	26	94	1345	69	116.5	22	16	35	5.87	C-E-D
5010103614001361	1380 x 1360	27	94	1345	69	116.5	22	16	35	6.10	C-E-D
5010103616000290	1580 x 290	6	94	1545	69	116.5	22	16	35	1.52	C
5010103616000341	1580 x 340	7	94	1545	69	116.5	22	16	35	1.78	C
5010103616000392	1580 x 390	8	94	1545	69	116.5	22	16	35	2.03	C
5010103616000443	1580 x 440	9	94	1545	69	116.5	22	16	35	2.29	C-E-D
5010103616000494	1580 x 490	10	94	1545	69	116.5	22	16	35	2.54	C-E-D
5010103616000545	1580 x 550	11	94	1545	69	116.5	22	16	35	2.80	C-E-D
5010103616000596	1580 x 600	12	94	1545	69	116.5	22	16	35	3.05	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103610000545	1154	3935	1500	5115
5010103610000596	1259	4292	1636	5580
5010103610000647	1364	4650	1773	6045
5010103610000698	1469	5008	1909	6510
5010103610000749	1573	5365	2045	6975
5010103610000800	1678	5723	2182	7440
5010103610000851	1783	6081	2318	7905
5010103610000902	1888	6438	2455	8370
5010103610000953	1993	6796	2591	8835
5010103610001004	2098	7154	2727	9300
5010103610001055	2203	7512	2864	9765
5010103610001106	2308	7869	3000	10230
5010103610001157	2413	8227	3136	10695
5010103610001208	2517	8585	3273	11160
5010103610001259	2622	8942	3409	11625
5010103610001310	2727	9300	3545	12090
5010103610001361	2832	9658	3682	12555
5010103610001412	2937	10015	3818	13020
5010103610001463	3042	10373	3955	13485
5010103610001514	3147	10731	4091	13950
5010103610001565	3252	11089	4227	14415
5010103610001616	3357	11446	4364	14880
5010103610001667	3462	11804	4500	15345
5010103610001718	3566	12162	4636	15810
5010103610001769	3671	12519	4773	16275
5010103610001820	3776	12877	4909	16740
5010103610001871	3881	13235	5045	17205
5010103610001922	3986	13592	5182	17670
5010103610001973	4091	13950	5318	18135
5010103612000290	723	2464	939	3203
5010103612000341	843	2875	1096	3737
5010103612000392	964	3286	1253	4271
5010103612000443	1084	3696	1409	4805
5010103612000494	1204	4107	1566	5339
5010103612000545	1325	4518	1722	5873
5010103612000596	1445	4928	1879	6407
5010103612000647	1566	5339	2035	6941
5010103612000698	1686	5750	2192	7475
5010103612000749	1807	6160	2349	8008
5010103612000800	1927	6571	2505	8542
5010103612000851	2047	6982	2662	9076
5010103612000902	2168	7392	2818	9610
5010103612000953	2288	7803	2975	10144
5010103612001004	2409	8214	3131	10678
5010103612001055	2529	8625	3288	11212
5010103612001106	2650	9035	3444	11746
5010103612001157	2770	9446	3601	12280
5010103612001208	2890	9857	3758	12814
5010103612001259	3011	10267	3915	13347
5010103612001310	3131	10678	4071	13881
5010103612001361	3252	11089	4227	14415
5010103612001412	3372	11499	4384	14949
5010103614000290	830	2829	1079	3678
5010103614000341	968	3301	1258	4291
5010103614000392	1106	3772	1438	4904
5010103614000443	1245	4244	1618	5517
5010103614000494	1383	4715	1798	6130
5010103614000545	1521	5187	1977	6743
5010103614000596	1659	5658	2157	7356
5010103614000647	1798	6130	2337	7969
5010103614000698	1936	6602	2517	8582
5010103614000749	2074	7073	2696	9195
5010103614000800	2212	7545	2876	9808
5010103614000851	2351	8016	3056	10421
5010103614000902	2489	8488	3236	11034
5010103614000953	2627	8959	3416	11647
5010103614001004	2766	9431	3595	12260
5010103614001055	2904	9902	3775	12873
5010103614001106	3042	10374	3955	13486
5010103614001157	3180	10845	4135	14099
5010103614001208	3319	11317	4314	14712
5010103614001259	3457	11788	4494	15325
5010103614001310	3595	12260	4674	15938
5010103614001361	3734	12732	4854	16551
5010103614000290	953	3248	1238	4223
5010103614000341	1111	3790	1445	4927
5010103614000392	1270	4331	1651	5631
5010103614000443	1429	4873	1858	6334
5010103614000494	1588	5414	2064	7038
5010103614000545	1746	5955	2270	7742
5010103614000596	1905	6497	2477	8446

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103616000647	1580 x 650	13	94	1545	69	116,5	22	16	35	3,31	C-E-D
5010103616000698	1580 x 700	14	94	1545	69	116,5	22	16	35	3,56	C-E-D
5010103616000749	1580 x 750	15	94	1545	69	116,5	22	16	35	3,82	C-E-D
5010103616000800	1580 x 800	16	94	1545	69	116,5	22	16	35	4,07	C-E-D
5010103616000851	1580 x 850	17	94	1545	69	116,5	22	16	35	4,33	C-E-D
5010103616000902	1580 x 900	18	94	1545	69	116,5	22	16	35	4,58	C-E-D
5010103616000953	1580 x 950	19	94	1545	69	116,5	22	16	35	4,83	C-E-D
5010103616001004	1580 x 1000	20	94	1545	69	116,5	22	16	35	5,09	C-E-D
5010103618000290	1780 x 290	6	94	1745	69	116,5	22	16	35	1,70	C
5010103618000341	1780 x 340	7	94	1745	69	116,5	22	16	35	1,98	C
5010103618000392	1780 x 390	8	94	1745	69	116,5	22	16	35	2,26	C
5010103618000443	1780 x 440	9	94	1745	69	116,5	22	16	35	2,55	C-E-D
5010103618000494	1780 x 490	10	94	1745	69	116,5	22	16	35	2,83	C-E-D
5010103618000545	1780 x 550	11	94	1745	69	116,5	22	16	35	3,11	C-E-D
5010103618000596	1780 x 600	12	94	1745	69	116,5	22	16	35	3,40	C-E-D
5010103618000647	1780 x 650	13	94	1745	69	116,5	22	16	35	3,68	C-E-D
5010103618000698	1780 x 700	14	94	1745	69	116,5	22	16	35	3,96	C-E-D
5010103618000749	1780 x 750	15	94	1745	69	116,5	22	16	35	4,24	C-E-D
5010103618000800	1780 x 800	16	94	1745	69	116,5	22	16	35	4,53	C-E-D
5010103618000851	1780 x 850	17	94	1745	69	116,5	22	16	35	4,81	C-E-D
5010103618000902	1780 x 900	18	94	1745	69	116,5	22	16	35	5,09	C-E-D
5010103618000953	1780 x 950	19	94	1745	69	116,5	22	16	35	5,38	C-E-D
5010103618001004	1780 x 1000	20	94	1745	69	116,5	22	16	35	5,66	C-E-D
5010103620000290	1980 x 290	6	94	1945	69	116,5	22	16	35	1,87	C
5010103620000341	1980 x 340	7	94	1945	69	116,5	22	16	35	2,18	C
5010103620000392	1980 x 390	8	94	1945	69	116,5	22	16	35	2,49	C
5010103620000443	1980 x 440	9	94	1945	69	116,5	22	16	35	2,80	C-E-D
5010103620000494	1980 x 490	10	94	1945	69	116,5	22	16	35	3,11	C-E-D
5010103620000545	1980 x 550	11	94	1945	69	116,5	22	16	35	3,43	C-E-D
5010103620000596	1980 x 600	12	94	1945	69	116,5	22	16	35	3,74	C-E-D
5010103620000647	1980 x 650	13	94	1945	69	116,5	22	16	35	4,05	C-E-D
5010103620000698	1980 x 700	14	94	1945	69	116,5	22	16	35	4,36	C-E-D
5010103620000749	1980 x 750	15	94	1945	69	116,5	22	16	35	4,67	C-E-D
5010103620000800	1980 x 800	16	94	1945	69	116,5	22	16	35	4,99	C-E-D
5010103620000851	1980 x 850	17	94	1945	69	116,5	22	16	35	5,30	C-E-D
5010103620000902	1980 x 900	18	94	1945	69	116,5	22	16	35	5,61	C-E-D
5010103620000953	1980 x 950	19	94	1945	69	116,5	22	16	35	5,92	C-E-D
5010103620001004	1980 x 1000	20	94	1945	69	116,5	22	16	35	6,23	C-E-D

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010103616000647	2064	7038	2683	9150
5010103616000698	2223	7580	2890	9854
5010103616000749	2382	8121	3096	10557
5010103616000800	2540	8662	3302	11261
5010103616000851	2699	9204	3509	11965
5010103616000902	2858	9745	3715	12669
5010103616000953	3017	10287	3922	13373
5010103616001004	3175	10828	4128	14076
5010103618000290	1094	3730	1422	4849
5010103618000341	1276	4351	1659	5657
5010103618000392	1458	4973	1896	6465
5010103618000443	1641	5595	2133	7273
5010103618000494	1823	6216	2370	8081
5010103618000545	2005	6838	2607	8889
5010103618000596	2188	7459	2844	9697
5010103618000647	2370	8081	3081	10505
5010103618000698	2552	8703	3318	11313
5010103618000749	2734	9324	3555	12122
5010103618000800	2917	9946	3792	12930
5010103618000851	3099	10567	4029	13738
5010103618000902	3281	11189	4266	14546
5010103618000953	3464	11811	4503	15354
5010103618001004	3646	12432	4740	16162
5010103620000290	1256	4282	1633	5567
5010103620000341	1465	4996	1905	6495
5010103620000392	1674	5710	2177	7423
5010103620000443	1884	6423	2449	8350
5010103620000494	2093	7137	2721	9278
5010103620000545	2302	7851	2993	10206
5010103620000596	2512	8565	3265	11134
5010103620000647	2721	9278	3537	12062
5010103620000698	2930	9992	3809	12990
5010103620000749	3140	10706	4081	13917
5010103620000800	3349	11419	4353	14845
5010103620000851	3558	12133	4626	15773
5010103620000902	3767	12847	4898	16701
5010103620000953	3977	13561	5170	17629
5010103620001004	4186	14274	5442	18557

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
31,40	35,21	0,17	1710X694X136
33,82	37,79	0,18	1710X745X136
36,23	40,37	0,19	1710X796X136
38,65	42,98	0,20	1710X847X136
41,07	45,57	0,21	1710X898X136
43,49	48,16	0,23	1710X949X136
45,91	50,77	0,24	1710X1000X136
48,32	53,35	0,25	1710X1051X136
16,18	18,87	0,09	1910X337X136
18,88	21,76	0,11	1910X388X136
21,58	24,64	0,12	1910X439X136
24,28	27,53	0,13	1910X490X136
26,98	30,43	0,15	1910X541X136
29,69	33,33	0,16	1910X592X136
32,40	36,24	0,17	1910X643X136
35,10	39,14	0,19	1910X694X136
37,80	42,03	0,20	1910X745X136
40,50	44,92	0,21	1910X796X136
43,20	47,82	0,23	1910X847X136
45,91	50,72	0,24	1910X898X136
48,61	53,62	0,25	1910X949X136
51,31	56,51	0,26	1910X1000X136
54,01	59,40	0,28	1910X1051X136
17,89	20,93	0,10	2110X337X136
20,87	24,12	0,12	2110X388X136
23,86	27,33	0,13	2110X439X136
26,84	30,52	0,15	2110X490X136
29,83	33,72	0,16	2110X541X136
32,82	36,93	0,17	2110X592X136
35,81	40,13	0,19	2110X643X136
38,79	43,33	0,20	2110X694X136
41,77	46,52	0,22	2110X745X136
44,76	49,72	0,23	2110X796X136
47,74	52,90	0,25	2110X847X136
50,74	56,12	0,26	2110X898X136
53,72	59,32	0,28	2110X949X136
56,71	62,52	0,29	2110X1000X136
59,69	65,71	0,31	2110X1051X136

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel