

LOVA	TECHNICAL INFORMATION								(For connection types, please refer to the last page)				
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type		
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L			
5010103703000236	300 x 240	3	60	245	56-65	86-95	26-35	4	60	0.26	C		
5010103703000316	300 x 320	4	60	245	56-65	86-95	26-35	4	60	0.34	C		
5010103703000396	300 x 400	5	60	245	56-65	86-95	26-35	4	60	0.43	C		
5010103703000476	300 x 480	6	60	245	56-65	86-95	26-35	4	60	0.51	C-E-D		
5010103703000556	300 x 560	7	60	245	56-65	86-95	26-35	4	60	0.60	C-E-D		
5010103703000636	300 x 640	8	60	245	56-65	86-95	26-35	4	60	0.68	C-E-D		
5010103703000716	300 x 720	9	60	245	56-65	86-95	26-35	4	60	0.77	C-E-D		
5010103703000796	300 x 800	10	60	245	56-65	86-95	26-35	4	60	0.85	C-E-D		
5010103703000876	300 x 880	11	60	245	56-65	86-95	26-35	4	60	0.94	C-E-D		
5010103703000956	300 x 960	12	60	245	56-65	86-95	26-35	4	60	1.02	C-E-D		
5010103703001036	300 x 1040	13	60	245	56-65	86-95	26-35	4	60	1.11	C-E-D		
5010103703001116	300 x 1120	14	60	245	56-65	86-95	26-35	4	60	1.19	C-E-D		
5010103703001196	300 x 1200	15	60	245	56-65	86-95	26-35	4	60	1.28	C-E-D		
5010103703001276	300 x 1280	16	60	245	56-65	86-95	26-35	4	60	1.36	C-E-D		
5010103703001356	300 x 1360	17	60	245	56-65	86-95	26-35	4	60	1.45	C-E-D		
5010103703001436	300 x 1440	18	60	245	56-65	86-95	26-35	4	60	1.53	C		
5010103703001516	300 x 1520	19	60	245	56-65	86-95	26-35	4	60	1.62	C		
5010103703001596	300 x 1600	20	60	245	56-65	86-95	26-35	4	60	1.70	C		
5010103703001676	300 x 1680	21	60	245	56-65	86-95	26-35	4	60	1.79	C		
5010103703001756	300 x 1760	22	60	245	56-65	86-95	26-35	4	60	1.87	C		
5010103703001836	300 x 1840	23	60	245	56-65	86-95	26-35	4	60	1.96	C		
5010103703001916	300 x 1920	24	60	245	56-65	86-95	26-35	4	60	2.04	C		
5010103703001996	300 x 2000	25	60	245	56-65	86-95	26-35	4	60	2.13	C		
5010103704000236	400 x 240	3	60	345	56-65	86-95	26-35	4	60	0.30	C		
5010103704000316	400 x 320	4	60	345	56-65	86-95	26-35	4	60	0.40	C		
5010103704000396	400 x 400	5	60	345	56-65	86-95	26-35	4	60	0.50	C		
5010103704000476	400 x 480	6	60	345	56-65	86-95	26-35	4	60	0.60	C-E-D		
5010103704000556	400 x 560	7	60	345	56-65	86-95	26-35	4	60	0.70	C-E-D		
5010103704000636	400 x 640	8	60	345	56-65	86-95	26-35	4	60	0.80	C-E-D		
5010103704000716	400 x 720	9	60	345	56-65	86-95	26-35	4	60	0.90	C-E-D		
5010103704000796	400 x 800	10	60	345	56-65	86-95	26-35	4	60	0.99	C-E-D		
5010103704000876	400 x 880	11	60	345	56-65	86-95	26-35	4	60	1.09	C-E-D		
5010103704000956	400 x 960	12	60	345	56-65	86-95	26-35	4	60	1.19	C-E-D		
5010103704001036	400 x 1040	13	60	345	56-65	86-95	26-35	4	60	1.29	C-E-D		
5010103704001116	400 x 1120	14	60	345	56-65	86-95	26-35	4	60	1.39	C-E-D		
5010103704001196	400 x 1200	15	60	345	56-65	86-95	26-35	4	60	1.49	C-E-D		
5010103704001276	400 x 1280	16	60	345	56-65	86-95	26-35	4	60	1.59	C-E-D		
5010103704001356	400 x 1360	17	60	345	56-65	86-95	26-35	4	60	1.69	C-E-D		
5010103704001436	400 x 1440	18	60	345	56-65	86-95	26-35	4	60	1.79	C		
5010103704001516	400 x 1520	19	60	345	56-65	86-95	26-35	4	60	1.89	C		
5010103704001596	400 x 1600	20	60	345	56-65	86-95	26-35	4	60	1.99	C		
5010103704001676	400 x 1680	21	60	345	56-65	86-95	26-35	4	60	2.09	C		
5010103704001756	400 x 1760	22	60	345	56-65	86-95	26-35	4	60	2.18	C		
5010103704001836	400 x 1840	23	60	345	56-65	86-95	26-35	4	60	2.28	C		
5010103704001916	400 x 1920	24	60	345	56-65	86-95	26-35	4	60	2.38	C		
5010103704001996	400 x 2000	25	60	345	56-65	86-95	26-35	4	60	2.48	C		
5010103705000236	500 x 240	3	60	445	56-65	86-95	26-35	4	60	0.34	C		
5010103705000316	500 x 320	4	60	445	56-65	86-95	26-35	4	60	0.46	C		
5010103705000396	500 x 400	5	60	445	56-65	86-95	26-35	4	60	0.57	C		
5010103705000476	500 x 480	6	60	445	56-65	86-95	26-35	4	60	0.68	C-E-D		
5010103705000556	500 x 560	7	60	445	56-65	86-95	26-35	4	60	0.80	C-E-D		
5010103705000636	500 x 640	8	60	445	56-65	86-95	26-35	4	60	0.91	C-E-D		
5010103705000716	500 x 720	9	60	445	56-65	86-95	26-35	4	60	1.02	C-E-D		
5010103705000796	500 x 800	10	60	445	56-65	86-95	26-35	4	60	1.14	C-E-D		
5010103705000876	500 x 880	11	60	445	56-65	86-95	26-35	4	60	1.25	C-E-D		
5010103705000956	500 x 960	12	60	445	56-65	86-95	26-35	4	60	1.36	C-E-D		
5010103705001036	500 x 1040	13	60	445	56-65	86-95	26-35	4	60	1.48	C-E-D		
5010103705001116	500 x 1120	14	60	445	56-65	86-95	26-35	4	60	1.59	C-E-D		
5010103705001196	500 x 1200	15	60	445	56-65	86-95	26-35	4	60	1.71	C-E-D		
5010103705001276	500 x 1280	16	60	445	56-65	86-95	26-35	4	60	1.82	C-E-D		
5010103705001356	500 x 1360	17	60	445	56-65	86-95	26-35	4	60	1.93	C-E-D		
5010103705001436	500 x 1440	18	60	445	56-65	86-95	26-35	4	60	2.05	C		
5010103705001516	500 x 1520	19	60	445	56-65	86-95	26-35	4	60	2.16	C		
5010103705001596	500 x 1600	20	60	445	56-65	86-95	26-35	4	60	2.27	C		
5010103705001676	500 x 1680	21	60	445	56-65	86-95	26-35	4	60	2.39	C		
5010103705001756	500 x 1760	22	60	445	56-65	86-95	26-35	4	60	2.50	C		
5010103705001836	500 x 1840	23	60	445	56-65	86-95	26-35	4	60	2.61	C		
5010103705001916	500 x 1920	24	60	445	56-65	86-95	26-35	4	60	2.73	C		
5010103705001996	500 x 2000	25	60	445	56-65	86-95	26-35	4	60	2.84	C		
5010103706000316	600 x 320	4	60	545	56-65	86-95	26-35	4	60	0.51	C		
5010103706000396	600 x 400	5	60	545	56-65	86-95	26-35	4	60	0.64	C		
5010103706000476	600 x 480	6	60	545	56-65	86-95	26-35	4	60	0.77	C-E-D		
5010103706000556	600 x 560	7	60	545	56-65	86-95	26-35	4	60	0.90	C-E-D		
5010103706000636	600 x 640	8	60	545	56-65	86-95	26-35	4	60	1.03	C-E-D		
5010103706000716	600 x 720	9	60	545	56-65	86-95	26-35	4	60	1.15	C-E-D		
5010103706000796	600 x 800	10	60	545	56-65	86-95	26-35	4	60	1.28	C-E-D		
5010103706000876	600 x 880	11	60	545	56-65	86-95	26-35	4	60	1.41	C-E-D		
5010103706000956	600 x 960	12	60	545	56-65	86-95	26-35	4	60	1.54	C-E-D		
5010103706001036	600 x 1040	13	60	545	56-65	86-95	26-35	4	60	1.66	C-E-D		
5010103706001116	600 x 1120	14	60	545	56-65	86-95	26-35	4	60	1.79	C-E-D		
5010103706001196	600 x 1200	15	60	545	56-65	86-95	26-35	4	60	1.92	C-E-D		

LOVA	TECHNICAL INFORMATION								(For connection types, please refer to the last page)				
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth from Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type		
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L			
5010103706001276	600 x 1280	16	60	545	56-65	86-95	26-35	4	60	2.05	C-E-D		
5010103706001356	600 x 1360	17	60	545	56-65	86-95	26-35	4	60	2.18	C-E-D		
5010103706001436	600 x 1440	18	60	545	56-65	86-95	26-35	4	60	2.30	C		
5010103706001516	600 x 1520	19	60	545	56-65	86-95	26-35	4	60	2.43	C		
5010103706001596	600 x 1600	20	60	545	56-65	86-95	26-35	4	60	2.56	C		
5010103706001676	600 x 1680	21	60	545	56-65	86-95	26-35	4	60	2.69	C		
5010103706001756	600 x 1760	22	60	545	56-65	86-95	26-35	4	60	2.81	C		
5010103706001836	600 x 1840	23	60	545	56-65	86-95	26-35	4	60	2.94	C		
5010103706001916	600 x 1920	24	60	545	56-65	86-95	26-35	4	60	3.07	C		
5010103706001996	600 x 2000	25	60	545	56-65	86-95	26-35	4	60	3.20	C		
50101037070000316	700 x 320	4	60	645	56-65	86-95	26-35	4	60	0.57	C		
50101037070000396	700 x 400	5	60	645	56-65	86-95	26-35	4	60	0.71	C		
50101037070000476	700 x 480	6	60	645	56-65	86-95	26-35	4	60	0.86	C-E-D		
50101037070000556	700 x 560	7	60	645	56-65	86-95	26-35	4	60	1.00	C-E-D		
50101037070000636	700 x 640	8	60	645	56-65	86-95	26-35	4	60	1.14	C-E-D		
50101037070000716	700 x 720	9	60	645	56-65	86-95	26-35	4	60	1.28	C-E-D		
50101037070000796	700 x 800	10	60	645	56-65	86-95	26-35	4	60	1.42	C-E-D		
50101037070000876	700 x 880	11	60	645	56-65	86-95	26-35	4	60	1.57	C-E-D		
50101037070000956	700 x 960	12	60	645	56-65	86-95	26-35	4	60	1.71	C-E-D		
5010103707001036	700 x 1040	13	60	645	56-65	86-95	26-35	4	60	1.85	C-E-D		
5010103707001116	700 x 1120	14	60	645	56-65	86-95	26-35	4	60	1.99	C-E-D		
5010103707001196	700 x 1200	15	60	645	56-65	86-95	26-35	4	60	2.13	C-E-D		
5010103707001276	700 x 1280	16	60	645	56-65	86-95	26-35	4	60	2.28	C-E-D		
5010103707001356	700 x 1360	17	60	645	56-65	86-95	26-35	4	60	2.42	C-E-D		
5010103707001436	700 x 1440	18	60	645	56-65	86-95	26-35	4	60	2.56	C		
5010103707001516	700 x 1520	19	60	645	56-65	86-95	26-35	4	60	2.70	C		
5010103707001596	700 x 1600	20	60	645	56-65	86-95	26-35	4	60	2.84	C		
5010103707001676	700 x 1680	21	60	645	56-65	86-95	26-35	4	60	2.99	C		
5010103707001756	700 x 1760	22	60	645	56-65	86-95	26-35	4	60	3.13	C		
5010103707001836	700 x 1840	23	60	645	56-65	86-95	26-35	4	60	3.27	C		
5010103707001916	700 x 1920	24	60	645	56-65	86-95	26-35	4	60	3.41	C		
5010103707001996	700 x 2000	25	60	645	56-65	86-95	26-35	4	60	3.56	C		
50101037080000316	800 x 320	4	60	745	56-65	86-95	26-35	4	60	0.63	C		
50101037080000396	800 x 400	5	60	745	56-65	86-95	26-35	4	60	0.78	C		
50101037080000476	800 x 480	6	60	745	56-65	86-95	26-35	4	60	0.94	C-E-D		
50101037080000556	800 x 560	7	60	745	56-65	86-95	26-35	4	60	1.10	C-E-D		
50101037080000636	800 x 640	8	60	745	56-65	86-95	26-35	4	60	1.25	C-E-D		
50101037080000716	800 x 720	9	60	745	56-65	86-95	26-35	4	60	1.41	C-E-D		
50101037080000796	800 x 800	10	60	745	56-65	86-95	26-35	4	60	1.57	C-E-D		
50101037080000876	800 x 880	11	60	745	56-65	86-95	26-35	4	60	1.72	C-E-D		
50101037080000956	800 x 960	12	60	745	56-65	86-95	26-35	4	60	1.88	C-E-D		
5010103708001036	800 x 1040	13	60	745	56-65	86-95	26-35	4	60	2.04	C-E-D		
5010103708001116	800 x 1120	14	60	745	56-65	86-95	26-35	4	60	2.19	C-E-D		
5010103708001196	800 x 1200	15	60	745	56-65	86-95	26-35	4	60	2.35	C-E-D		
5010103708001276	800 x 1280	16	60	745	56-65	86-95	26-35	4	60	2.50	C-E-D		
5010103708001356	800 x 1360	17	60	745	56-65	86-95	26-35	4	60	2.66	C-E-D		
5010103708001436	800 x 1440	18	60	745	56-65	86-95	26-35	4	60	2.82	C		
5010103708001516	800 x 1520	19	60	745	56-65	86-95	26-35	4	60	2.97	C		
5010103708001596	800 x 1600	20	60	745	56-65	86-95	26-35	4	60	3.13	C		
5010103708001676	800 x 1680	21	60	745	56-65	86-95	26-35	4	60	3.29	C		
5010103708001756	800 x 1760	22	60	745	56-65	86-95	26-35	4	60	3.44	C		
5010103708001836	800 x 1840	23	60	745	56-65	86-95	26-35	4	60	3.60	C		
5010103708001916	800 x 1920	24	60	745	56-65	86-95	26-35	4	60	3.76	C		
5010103708001996	800 x 2000	25	60	745	56-65	86-95	26-35	4	60	3.91	C		
50101037090000316	900 x 320	4	60	845	56-65	86-95	26-35	4	60	0.69	C		
50101037090000396	900 x 400	5	60	845	56-65	86-95	26-35	4	60	0.86	C		
50101037090000476	900 x 480	6	60	845	56-65	86-95	26-35	4	60	1.03	C-E-D		
50101037090000556	900 x 560	7	60	845	56-65	86-95	26-35	4	60	1.20	C-E-D		
50101037090000636	900 x 640	8	60	845	56-65	86-95	26-35	4	60	1.37	C-E-D		
50101037090000716	900 x 720	9	60	845	56-65	86-95	26-35	4	60	1.54	C-E-D		
50101037090000796	900 x 800	10	60	845	56-65	86-95	26-35	4	60	1.71	C-E-D		
50101037090000876	900 x 880	11	60	845	56-65	86-95	26-35	4	60	1.88	C-E-D		
50101037090000956	900 x 960	12	60	845	56-65	86-95	26-35	4	60	2.05	C-E-D		
5010103709001036	900 x 1040	13	60	845	56-65	86-95	26-35	4	60	2.22	C-E-D		
5010103709001116	900 x 1120	14	60	845	56-65	86-95	26-35	4	60	2.39	C-E-D		
5010103709001196	900 x 1200	15	60	845	56-65	86-95	26-35	4	60	2.56	C-E-D		
5010103709001276	900 x 1280	16	60	845	56-65	86-95	26-35	4	60	2.73	C-E-D		
5010103709001356	900 x 1360	17	60	845	56-65	86-95	26-35	4	60	2.90	C-E-D		
5010103709001436	900 x 1440	18	60	845	56-65	86-95	26-35	4	60	3.08	C		
5010103709001516	900 x 1520	19	60	845	56-65	86-95	26-35	4	60	3.25	C		
5010103709001596	900 x 1600	20	60	845	56-65	86-95	26-35	4	60	3.42	C		
5010103709001676	900 x 1680	21	60	845	56-65	86-95	26-35	4	60	3.59	C		
5010103709001756	900 x 1760	22	60	845	56-65	86-95	26-35	4	60	3.76	C		
5010103709001836	900 x 1840	23	60	845	56-65	86-95	26-35	4	60	3.93	C		
5010103709001916	900 x 1920	24	60	845	56-65	86-95	26-35	4	60	4.10	C		
5010103709001996	900 x 2000	25	60	845	56-65	86-95	26-35	4	60	4.27	C		
50101037100000316	1000 x 320	4	60	945	56-65	86-95	26-35	4	60	0.74	C		
50101037100000396	1000 x 400	5	60	945	56-65	86-95	26-35	4	60	0.93	C		
50101037100000476	1000 x 480	6	60	945	56-65	86-95	26-35	4	60	1.11	C-E-D		
50101037100000556	1000 x 560	7	60	945	56-65	86-95	26-35	4	60	1.30	C-E-D		
50101037100000636	1000 x 640	8	60	945	56-65	86-95	26-35	4	60	1.48	C-E-D		

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010103710000716	1000 x 720	9	60	945	56-65	86-95	26-35	4	60	1,67	C-E-D
5010103710000796	1000 x 800	10	60	945	56-65	86-95	26-35	4	60	1,85	C-E-D
5010103710000876	1000 x 880	11	60	945	56-65	86-95	26-35	4	60	2,04	C-E-D
5010103710000956	1000 x 960	12	60	945	56-65	86-95	26-35	4	60	2,22	C-E-D
5010103710001036	1000 x 1040	13	60	945	56-65	86-95	26-35	4	60	2,41	C-E-D
5010103710001116	1000 x 1120	14	60	945	56-65	86-95	26-35	4	60	2,59	C-E-D
5010103710001196	1000 x 1200	15	60	945	56-65	86-95	26-35	4	60	2,78	C-E-D
5010103710001276	1000 x 1280	16	60	945	56-65	86-95	26-35	4	60	2,96	C-E-D
5010103710001356	1000 x 1360	17	60	945	56-65	86-95	26-35	4	60	3,15	C-E-D
5010103710001436	1000 x 1440	18	60	945	56-65	86-95	26-35	4	60	3,33	C
5010103710001516	1000 x 1520	19	60	945	56-65	86-95	26-35	4	60	3,52	C
5010103710001596	1000 x 1600	20	60	945	56-65	86-95	26-35	4	60	3,70	C
5010103710001676	1000 x 1680	21	60	945	56-65	86-95	26-35	4	60	3,89	C
5010103710001756	1000 x 1760	22	60	945	56-65	86-95	26-35	4	60	4,07	C
5010103710001836	1000 x 1840	23	60	945	56-65	86-95	26-35	4	60	4,26	C
5010103710001916	1000 x 1920	24	60	945	56-65	86-95	26-35	4	60	4,44	C
5010103710001996	1000 x 2000	25	60	945	56-65	86-95	26-35	4	60	4,63	C
5010103712000316	1200 x 320	4	60	1145	56-65	86-95	26-35	4	60	0,86	C
5010103712000396	1200 x 400	5	60	1145	56-65	86-95	26-35	4	60	1,07	C
5010103712000476	1200 x 480	6	60	1145	56-65	86-95	26-35	4	60	1,28	C-E-D
5010103712000556	1200 x 560	7	60	1145	56-65	86-95	26-35	4	60	1,50	C-E-D
5010103712000636	1200 x 640	8	60	1145	56-65	86-95	26-35	4	60	1,71	C-E-D
5010103712000716	1200 x 720	9	60	1145	56-65	86-95	26-35	4	60	1,93	C-E-D
5010103712000796	1200 x 800	10	60	1145	56-65	86-95	26-35	4	60	2,14	C-E-D
5010103712000876	1200 x 880	11	60	1145	56-65	86-95	26-35	4	60	2,35	C-E-D
5010103712000956	1200 x 960	12	60	1145	56-65	86-95	26-35	4	60	2,57	C-E-D
5010103712001036	1200 x 1040	13	60	1145	56-65	86-95	26-35	4	60	2,78	C-E-D
5010103712001116	1200 x 1120	14	60	1145	56-65	86-95	26-35	4	60	2,99	C-E-D
5010103712001196	1200 x 1200	15	60	1145	56-65	86-95	26-35	4	60	3,21	C-E-D
5010103712001276	1200 x 1280	16	60	1145	56-65	86-95	26-35	4	60	3,42	C-E-D
5010103712001356	1200 x 1360	17	60	1145	56-65	86-95	26-35	4	60	3,63	C-E-D
5010103712001436	1200 x 1440	18	60	1145	56-65	86-95	26-35	4	60	3,85	C
5010103714000316	1400 x 320	4	60	1345	56-65	86-95	26-35	4	60	0,97	C
5010103714000396	1400 x 400	5	60	1345	56-65	86-95	26-35	4	60	1,21	C
5010103714000476	1400 x 480	6	60	1345	56-65	86-95	26-35	4	60	1,46	C-E-D
5010103714000556	1400 x 560	7	60	1345	56-65	86-95	26-35	4	60	1,70	C-E-D
5010103714000636	1400 x 640	8	60	1345	56-65	86-95	26-35	4	60	1,94	C-E-D
5010103714000716	1400 x 720	9	60	1345	56-65	86-95	26-35	4	60	2,18	C-E-D
5010103714000796	1400 x 800	10	60	1345	56-65	86-95	26-35	4	60	2,42	C-E-D
5010103714000876	1400 x 880	11	60	1345	56-65	86-95	26-35	4	60	2,67	C-E-D
5010103714000956	1400 x 960	12	60	1345	56-65	86-95	26-35	4	60	2,91	C-E-D
5010103714001036	1400 x 1040	13	60	1345	56-65	86-95	26-35	4	60	3,15	C-E-D
5010103714001116	1400 x 1120	14	60	1345	56-65	86-95	26-35	4	60	3,39	C-E-D
5010103714001196	1400 x 1200	15	60	1345	56-65	86-95	26-35	4	60	3,64	C-E-D
5010103714001276	1400 x 1280	16	60	1345	56-65	86-95	26-35	4	60	3,88	C-E-D
5010103714001356	1400 x 1360	17	60	1345	56-65	86-95	26-35	4	60	4,12	C-E-D
5010103714001436	1400 x 1440	18	60	1345	56-65	86-95	26-35	4	60	4,36	C
5010103716000316	1600 x 320	4	60	1545	56-65	86-95	26-35	4	60	1,09	C
5010103716000396	1600 x 400	5	60	1545	56-65	86-95	26-35	4	60	1,36	C
5010103716000476	1600 x 480	6	60	1545	56-65	86-95	26-35	4	60	1,63	C-E-D
5010103716000556	1600 x 560	7	60	1545	56-65	86-95	26-35	4	60	1,90	C-E-D
5010103716000636	1600 x 640	8	60	1545	56-65	86-95	26-35	4	60	2,17	C-E-D
5010103716000716	1600 x 720	9	60	1545	56-65	86-95	26-35	4	60	2,44	C-E-D
5010103716000796	1600 x 800	10	60	1545	56-65	86-95	26-35	4	60	2,71	C-E-D
5010103716000876	1600 x 880	11	60	1545	56-65	86-95	26-35	4	60	2,98	C-E-D
5010103716000956	1600 x 960	12	60	1545	56-65	86-95	26-35	4	60	3,25	C-E-D
5010103716001036	1600 x 1040	13	60	1545	56-65	86-95	26-35	4	60	3,52	C-E-D
5010103718000316	1800 x 320	4	60	1745	56-65	86-95	26-35	4	60	1,20	C
5010103718000396	1800 x 400	5	60	1745	56-65	86-95	26-35	4	60	1,50	C
5010103718000476	1800 x 480	6	60	1745	56-65	86-95	26-35	4	60	1,80	C-E-D
5010103718000556	1800 x 560	7	60	1745	56-65	86-95	26-35	4	60	2,10	C-E-D
5010103718000636	1800 x 640	8	60	1745	56-65	86-95	26-35	4	60	2,40	C-E-D
5010103718000716	1800 x 720	9	60	1745	56-65	86-95	26-35	4	60	2,70	C-E-D
5010103718000796	1800 x 800	10	60	1745	56-65	86-95	26-35	4	60	3,00	C-E-D
5010103718000876	1800 x 880	11	60	1745	56-65	86-95	26-35	4	60	3,30	C-E-D
5010103718000956	1800 x 960	12	60	1745	56-65	86-95	26-35	4	60	3,60	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010103710000716	1321	4505	1717	5856	
5010103710000796	1466	5000	1906	6500	
5010103710000876	1611	5494	2095	7143	
5010103710000956	1756	5989	2283	7786	
5010103710001036	1901	6484	2472	8429	
5010103710001116	2047	6979	2661	9072	
5010103710001196	2192	7473	2849	9716	
5010103710001276	2337	7968	3038	10359	
5010103710001356	2482	8463	3226	11002	
5010103710001436	2627	8958	3415	11645	
5010103710001516	2772	9452	3604	12288	
5010103710001596	2917	9947	3792	12931	
5010103710001676	3062	10442	3981	13575	
5010103710001756	3207	10937	4169	14218	
5010103710001836	3352	11432	4358	14861	
5010103710001916	3497	11926	4547	15504	
5010103710001996	3643	12421	4735	16147	
5010103712000316	684	2332	889	3032	
5010103712000396	850	2900	1106	3770	
5010103712000476	1017	3468	1322	4509	
5010103712000556	1184	4036	1539	5247	
5010103712000636	1350	4604	1755	5986	
5010103712000716	1517	5172	1972	6724	
5010103712000796	1683	5740	2188	7463	
5010103712000876	1850	6309	2405	8201	
5010103712000956	2017	6877	2622	8939	
5010103712001036	2183	7445	2838	9678	
5010103712001116	2350	8013	3055	10416	
5010103712001196	2516	8581	3271	11155	
5010103712001276	2683	9149	3488	11893	
5010103712001356	2850	9717	3704	12632	
5010103712001436	3016	10285	3921	13370	
5010103714000316	785	2678	1021	3481	
5010103714000396	976	3330	1269	4329	
5010103714000476	1168	3982	1518	5177	
5010103714000556	1359	4634	1767	6025	
5010103714000636	1550	5286	2015	6872	
5010103714000716	1742	5939	2264	7720	
5010103714000796	1933	6591	2513	8568	
5010103714000876	2124	7243	2761	9416	
5010103714000956	2315	7895	3010	10264	
5010103714001036	2507	8548	3259	11112	
5010103714001116	2698	9200	3507	11960	
5010103714001196	2889	9852	3756	12808	
5010103714001276	3080	10504	4005	13656	
5010103714001356	3272	11157	4253	14503	
5010103714001436	3463	11809	4502	15351	
5010103716000316	902	3074	1172	3997	
5010103716000396	1121	3823	1458	4970	
5010103716000476	1341	4572	1743	5944	
5010103716000556	1560	5321	2028	6917	
5010103716000636	1780	6070	2314	7891	
5010103716000716	2000	6819	2599	8864	
5010103716000796	2219	7567	2885	9838	
5010103716000876	2439	8316	3170	10811	
5010103716000956	2658	9065	3456	11785	
5010103716001036	2878	9814	3741	12758	
5010103718000316	1035	3530	1346	4589	
5010103718000396	1287	4390	1673	5706	
5010103718000476	1539	5249	2001	6824	
5010103718000556	1792	6109	2329	7942	
5010103718000636	2044	6969	2657	9060	
5010103718000716	2296	7829	2985	10177	
5010103718000796	2548	8689	3312	11295	
5010103718000876	2800	9548	3640	12413	
5010103718000956	3052	10408	3968	13531	