

OTIS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105003000308	280 x 310	3	43	245	35-44	69-78	22-31	4	100	0.30	C
5010105003000412	280 x 410	4	43	245	35-44	69-78	22-31	4	100	0.40	C-E-D
5010105003000516	280 x 520	5	43	245	35-44	69-78	22-31	4	100	0.49	C-E-D
5010105003000620	280 x 620	6	43	245	35-44	69-78	22-31	4	100	0.59	C-E-D
5010105003000724	280 x 720	7	43	245	35-44	69-78	22-31	4	100	0.69	C-E-D
5010105003000828	280 x 830	8	43	245	35-44	69-78	22-31	4	100	0.79	C-E-D
5010105003000932	280 x 930	9	43	245	35-44	69-78	22-31	4	100	0.89	C-E-D
5010105003001036	280 x 1040	10	43	245	35-44	69-78	22-31	4	100	0.98	C-E-D
5010105003001140	280 x 1140	11	43	245	35-44	69-78	22-31	4	100	1.08	C-E-D
5010105003001244	280 x 1240	12	43	245	35-44	69-78	22-31	4	100	1.18	C-E-D
5010105003001348	280 x 1350	13	43	245	35-44	69-78	22-31	4	100	1.28	C-E-D
5010105003001452	280 x 1450	14	43	245	35-44	69-78	22-31	4	100	1.38	C
5010105003001556	280 x 1560	15	43	245	35-44	69-78	22-31	4	100	1.48	C
5010105003001660	280 x 1660	16	43	245	35-44	69-78	22-31	4	100	1.57	C
5010105003001764	280 x 1760	17	43	245	35-44	69-78	22-31	4	100	1.67	C
5010105003001868	280 x 1870	18	43	245	35-44	69-78	22-31	4	100	1.77	C
5010105003001972	280 x 1970	19	43	245	35-44	69-78	22-31	4	100	1.87	C
5010105004000308	380 x 310	3	43	345	35-44	69-78	22-31	4	100	0.34	C
5010105004000412	380 x 410	4	43	345	35-44	69-78	22-31	4	100	0.45	C-E-D
5010105004000516	380 x 520	5	43	345	35-44	69-78	22-31	4	100	0.57	C-E-D
5010105004000620	380 x 620	6	43	345	35-44	69-78	22-31	4	100	0.68	C-E-D
5010105004000724	380 x 720	7	43	345	35-44	69-78	22-31	4	100	0.79	C-E-D
5010105004000828	380 x 830	8	43	345	35-44	69-78	22-31	4	100	0.90	C-E-D
5010105004000932	380 x 930	9	43	345	35-44	69-78	22-31	4	100	1.02	C-E-D
5010105004001036	380 x 1040	10	43	345	35-44	69-78	22-31	4	100	1.13	C-E-D
5010105004001140	380 x 1140	11	43	345	35-44	69-78	22-31	4	100	1.24	C-E-D
5010105004001244	380 x 1240	12	43	345	35-44	69-78	22-31	4	100	1.35	C-E-D
5010105004001348	380 x 1350	13	43	345	35-44	69-78	22-31	4	100	1.47	C-E-D
5010105004001452	380 x 1450	14	43	345	35-44	69-78	22-31	4	100	1.58	C
5010105004001556	380 x 1560	15	43	345	35-44	69-78	22-31	4	100	1.69	C
5010105004001660	380 x 1660	16	43	345	35-44	69-78	22-31	4	100	1.80	C
5010105004001764	380 x 1760	17	43	345	35-44	69-78	22-31	4	100	1.92	C
5010105004001868	380 x 1870	18	43	345	35-44	69-78	22-31	4	100	2.03	C
5010105004001972	380 x 1970	19	43	345	35-44	69-78	22-31	4	100	2.14	C
5010105005000308	480 x 310	3	43	445	35-44	69-78	22-31	4	100	0.38	C
5010105005000412	480 x 410	4	43	445	35-44	69-78	22-31	4	100	0.51	C-E-D
5010105005000516	480 x 520	5	43	445	35-44	69-78	22-31	4	100	0.64	C-E-D
5010105005000620	480 x 620	6	43	445	35-44	69-78	22-31	4	100	0.76	C-E-D
5010105005000724	480 x 720	7	43	445	35-44	69-78	22-31	4	100	0.89	C-E-D
5010105005000828	480 x 830	8	43	445	35-44	69-78	22-31	4	100	1.02	C-E-D
5010105005000932	480 x 930	9	43	445	35-44	69-78	22-31	4	100	1.14	C-E-D
5010105005001036	480 x 1040	10	43	445	35-44	69-78	22-31	4	100	1.27	C-E-D
5010105005001140	480 x 1140	11	43	445	35-44	69-78	22-31	4	100	1.40	C-E-D
5010105005001244	480 x 1240	12	43	445	35-44	69-78	22-31	4	100	1.52	C-E-D
5010105005001348	480 x 1350	13	43	445	35-44	69-78	22-31	4	100	1.65	C-E-D
5010105005001452	480 x 1450	14	43	445	35-44	69-78	22-31	4	100	1.78	C
5010105005001556	480 x 1560	15	43	445	35-44	69-78	22-31	4	100	1.90	C
5010105005001660	480 x 1660	16	43	445	35-44	69-78	22-31	4	100	2.03	C
5010105005001764	480 x 1760	17	43	445	35-44	69-78	22-31	4	100	2.16	C
5010105005001868	480 x 1870	18	43	445	35-44	69-78	22-31	4	100	2.28	C
5010105005001972	480 x 1970	19	43	445	35-44	69-78	22-31	4	100	2.41	C
5010105006000308	580 x 310	3	43	545	35-44	69-78	22-31	4	100	0.43	C
5010105006000412	580 x 410	4	43	545	35-44	69-78	22-31	4	100	0.57	C-E-D
5010105006000516	580 x 520	5	43	545	35-44	69-78	22-31	4	100	0.71	C-E-D
5010105006000620	580 x 620	6	43	545	35-44	69-78	22-31	4	100	0.85	C-E-D
5010105006000724	580 x 720	7	43	545	35-44	69-78	22-31	4	100	0.99	C-E-D
5010105006000828	580 x 830	8	43	545	35-44	69-78	22-31	4	100	1.13	C-E-D
5010105006000932	580 x 930	9	43	545	35-44	69-78	22-31	4	100	1.27	C-E-D
5010105006001036	580 x 1040	10	43	545	35-44	69-78	22-31	4	100	1.41	C-E-D
5010105006001140	580 x 1140	11	43	545	35-44	69-78	22-31	4	100	1.55	C-E-D
5010105006001244	580 x 1240	12	43	545	35-44	69-78	22-31	4	100	1.70	C-E-D
5010105006001348	580 x 1350	13	43	545	35-44	69-78	22-31	4	100	1.84	C-E-D
5010105006001452	580 x 1450	14	43	545	35-44	69-78	22-31	4	100	1.98	C
5010105006001556	580 x 1560	15	43	545	35-44	69-78	22-31	4	100	2.12	C
5010105006001660	580 x 1660	16	43	545	35-44	69-78	22-31	4	100	2.26	C
5010105006001764	580 x 1760	17	43	545	35-44	69-78	22-31	4	100	2.40	C
5010105006001868	580 x 1870	18	43	545	35-44	69-78	22-31	4	100	2.54	C
5010105006001972	580 x 1970	19	43	545	35-44	69-78	22-31	4	100	2.68	C
5010105007000308	680 x 310	3	43	645	35-44	69-78	22-31	4	100	0.47	C
5010105007000412	680 x 410	4	43	645	35-44	69-78	22-31	4	100	0.62	C-E-D
5010105007000516	680 x 520	5	43	645	35-44	69-78	22-31	4	100	0.78	C-E-D
5010105007000620	680 x 620	6	43	645	35-44	69-78	22-31	4	100	0.94	C-E-D
5010105007000724	680 x 720	7	43	645	35-44	69-78	22-31	4	100	1.09	C-E-D
5010105007000828	680 x 830	8	43	645	35-44	69-78	22-31	4	100	1.25	C-E-D
5010105007000932	680 x 930	9	43	645	35-44	69-78	22-31	4	100	1.40	C-E-D
5010105007001036	680 x 1040	10	43	645	35-44	69-78	22-31	4	100	1.56	C-E-D
5010105007001140	680 x 1140	11	43	645	35-44	69-78	22-31	4	100	1.71	C-E-D
5010105007001244	680 x 1240	12	43	645	35-44	69-78	22-31	4	100	1.87	C-E-D
5010105007001348	680 x 1350	13	43	645	35-44	69-78	22-31	4	100	2.02	C-E-D
5010105007001452	680 x 1450	14	43	645	35-44	69-78	22-31	4	100	2.18	C
5010105007001556	680 x 1560	15	43	645	35-44	69-78	22-31	4	100	2.33	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010105003000308		115	390	149	508
5010105003000412		153	521	198	677
5010105003000516		191	651	248	846
5010105003000620		229	781	298	1015
5010105003000724		267	911	347	1184
5010105003000828		305	1041	397	1354
5010105003000932		344	1171	447	1523
5010105003001036		382	1302	496	1692
5010105003001140		420	1432	546	1861
5010105003001244		458	1562	595	2030
5010105003001348		496	1692	645	2199
5010105003001452		534	1822	695	2369
5010105003001556		573	1952	744	2538
5010105003001660		611	2082	794	2707
5010105003001764		649	2213	843	2876
5010105003001868		687	2343	893	3045
5010105003001972		725	2473	943	3215
5010105004000308		156	532	203	692
5010105004000412		208	709	270	922
5010105004000516		260	887	338	1153
5010105004000620		312	1064	406	1383
5010105004000724		364	1242	473	1614
5010105004000828		416	1419	541	1845
5010105004000932		468	1596	609	2075
5010105004001036		520	1774	676	2306
5010105004001140		572	1951	744	2536
5010105004001244		624	2128	811	2767
5010105004001348		676	2306	879	2997
5010105004001452		728	2483	947	3228
5010105004001556		780	2660	1014	3459
5010105004001660		832	2838	1082	3689
5010105004001764		884	3015	1149	3920
5010105004001868		936	3192	1217	4150
5010105004001972		988	3370	1285	4381
5010105005000308		199	680	259	884
5010105005000412		266	906	346	1178
5010105005000516		332	1133	432	1473
5010105005000620		399	1360	518	1767
5010105005000724		465	1586	605	2062
5010105005000828		532	1813	691	2357
5010105005000932		598	2039	777	2651
5010105005001036		665	2266	864	2946
5010105005001140		731	2493	950	3240
5010105005001244		797	2719	1037	3535
5010105005001348		864	2946	1123	3829
5010105005001452		930	3172	1209	4124
5010105005001556		997	3399	1296	4419
5010105005001660		1063	3626	1382	4713
5010105005001764		1130	3852	1469	5008
5010105005001868		1196	4079	1555	5302
5010105005001972		1263	4305	1641	5597
5010105006000308		245	834	318	1084
5010105006000412		326	1112	424	1445
5010105006000516		408	1390	530	1806
5010105006000620		489	1667	636	2168
5010105006000724		571	1945	742	2529
5010105006000828		652	2223	848	2890
5010105006000932		734	2501	954	3252
5010105006001036		815	2779	1060	3613
5010105006001140		897	3057	1165	3974
5010105006001244		978	3335	1271	4335
5010105006001348		1060	3613	1377	4697
5010105006001452		1141	3891	1483	5058
5010105006001556		1223	4169	1589	5419
5010105006001660		1304	4447	1695	5781
5010105006001764		1386	4725	1801	6142
5010105006001868		1467	5002	1907	6503
5010105006001972		1549	5280	2013	6865
5010105007000308		279	952	363	1237
5010105007000412		372	1269	484	1650
5010105007000516		465	1586	605	2062
5010105007000620		558	1903	726	2474
5010105007000724		651	2221	847	2887
5010105007000828		744	2538	968	3299
5010105007000932		837	2855	1088	3712
5010105007001036		930	3172	1209	4124
5010105007001140		1023	3490	1330	4536
5010105007001244		1116	3807	1451	4949
5010105007001348		1209	4124	1572	5361
5010105007001452		1302	4441	1693	5774
5010105007001556		1395	4758	1814	6186

OTIS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105007001660	680 x 1660	16	43	645	35-44	69-78	22-31	4	100	2.49	C
5010105007001764	680 x 1760	17	43	645	35-44	69-78	22-31	4	100	2.44	C
5010105007001868	680 x 1870	18	43	645	35-44	69-78	22-31	4	100	2.80	C
5010105007001972	680 x 1970	19	43	645	35-44	69-78	22-31	4	100	2.96	C
5010105008000308	780 x 310	3	43	745	35-44	69-78	22-31	4	100	0.51	C
5010105008000412	780 x 410	4	43	745	35-44	69-78	22-31	4	100	0.68	C-E-D
5010105008000516	780 x 520	5	43	745	35-44	69-78	22-31	4	100	0.85	C-E-D
5010105008000620	780 x 620	6	43	745	35-44	69-78	22-31	4	100	1.02	C-E-D
5010105008000724	780 x 720	7	43	745	35-44	69-78	22-31	4	100	1.19	C-E-D
5010105008000828	780 x 830	8	43	745	35-44	69-78	22-31	4	100	1.36	C-E-D
5010105008000932	780 x 930	9	43	745	35-44	69-78	22-31	4	100	1.53	C-E-D
5010105008001036	780 x 1040	10	43	745	35-44	69-78	22-31	4	100	1.70	C-E-D
5010105008001140	780 x 1140	11	43	745	35-44	69-78	22-31	4	100	1.87	C-E-D
5010105008001244	780 x 1240	12	43	745	35-44	69-78	22-31	4	100	2.04	C-E-D
5010105008001348	780 x 1350	13	43	745	35-44	69-78	22-31	4	100	2.21	C-E-D
5010105008001452	780 x 1450	14	43	745	35-44	69-78	22-31	4	100	2.38	C
5010105008001556	780 x 1560	15	43	745	35-44	69-78	22-31	4	100	2.55	C
5010105008001660	780 x 1660	16	43	745	35-44	69-78	22-31	4	100	2.72	C
5010105008001764	780 x 1760	17	43	745	35-44	69-78	22-31	4	100	2.89	C
5010105008001868	780 x 1870	18	43	745	35-44	69-78	22-31	4	100	3.06	C
5010105008001972	780 x 1970	19	43	745	35-44	69-78	22-31	4	100	3.23	C
5010105009000308	880 x 310	3	43	845	35-44	69-78	22-31	4	100	0.55	C
5010105009000412	880 x 410	4	43	845	35-44	69-78	22-31	4	100	0.74	C-E-D
5010105009000516	880 x 520	5	43	845	35-44	69-78	22-31	4	100	0.92	C-E-D
5010105009000620	880 x 620	6	43	845	35-44	69-78	22-31	4	100	1.11	C-E-D
5010105009000724	880 x 720	7	43	845	35-44	69-78	22-31	4	100	1.29	C-E-D
5010105009000828	880 x 830	8	43	845	35-44	69-78	22-31	4	100	1.47	C-E-D
5010105009000932	880 x 930	9	43	845	35-44	69-78	22-31	4	100	1.66	C-E-D
5010105009001036	880 x 1040	10	43	845	35-44	69-78	22-31	4	100	1.84	C-E-D
5010105009001140	880 x 1140	11	43	845	35-44	69-78	22-31	4	100	2.03	C-E-D
5010105009001244	880 x 1240	12	43	845	35-44	69-78	22-31	4	100	2.21	C-E-D
5010105009001348	880 x 1350	13	43	845	35-44	69-78	22-31	4	100	2.39	C-E-D
5010105009001452	880 x 1450	14	43	845	35-44	69-78	22-31	4	100	2.58	C
5010105009001556	880 x 1560	15	43	845	35-44	69-78	22-31	4	100	2.76	C
5010105009001660	880 x 1660	16	43	845	35-44	69-78	22-31	4	100	2.95	C
5010105009001764	880 x 1760	17	43	845	35-44	69-78	22-31	4	100	3.13	C
5010105009001868	880 x 1870	18	43	845	35-44	69-78	22-31	4	100	3.31	C
5010105009001972	880 x 1970	19	43	845	35-44	69-78	22-31	4	100	3.50	C
5010105010000308	980 x 310	3	43	945	35-44	69-78	22-31	4	100	0.60	C
5010105010000412	980 x 410	4	43	945	35-44	69-78	22-31	4	100	0.80	C-E-D
5010105010000516	980 x 520	5	43	945	35-44	69-78	22-31	4	100	0.99	C-E-D
5010105010000620	980 x 620	6	43	945	35-44	69-78	22-31	4	100	1.19	C-E-D
5010105010000724	980 x 720	7	43	945	35-44	69-78	22-31	4	100	1.39	C-E-D
5010105010000828	980 x 830	8	43	945	35-44	69-78	22-31	4	100	1.59	C-E-D
5010105010000932	980 x 930	9	43	945	35-44	69-78	22-31	4	100	1.79	C-E-D
5010105010001036	980 x 1040	10	43	945	35-44	69-78	22-31	4	100	1.99	C-E-D
5010105010001140	980 x 1140	11	43	945	35-44	69-78	22-31	4	100	2.18	C-E-D
5010105010001244	980 x 1240	12	43	945	35-44	69-78	22-31	4	100	2.38	C-E-D
5010105010001348	980 x 1350	13	43	945	35-44	69-78	22-31	4	100	2.58	C-E-D
5010105010001452	980 x 1450	14	43	945	35-44	69-78	22-31	4	100	2.78	C
5010105010001556	980 x 1560	15	43	945	35-44	69-78	22-31	4	100	2.98	C
5010105010001660	980 x 1660	16	43	945	35-44	69-78	22-31	4	100	3.18	C
5010105010001764	980 x 1760	17	43	945	35-44	69-78	22-31	4	100	3.37	C
5010105010001868	980 x 1870	18	43	945	35-44	69-78	22-31	4	100	3.57	C
5010105010001972	980 x 1970	19	43	945	35-44	69-78	22-31	4	100	3.77	C
5010105012000308	1180 x 310	3	43	1145	35-44	69-78	22-31	4	100	0.68	C
5010105012000412	1180 x 410	4	43	1145	35-44	69-78	22-31	4	100	0.91	C-E-D
5010105012000516	1180 x 520	5	43	1145	35-44	69-78	22-31	4	100	1.14	C-E-D
5010105012000620	1180 x 620	6	43	1145	35-44	69-78	22-31	4	100	1.36	C-E-D
5010105012000724	1180 x 720	7	43	1145	35-44	69-78	22-31	4	100	1.59	C-E-D
5010105012000828	1180 x 830	8	43	1145	35-44	69-78	22-31	4	100	1.82	C-E-D
5010105012000932	1180 x 930	9	43	1145	35-44	69-78	22-31	4	100	2.04	C-E-D
5010105012001036	1180 x 1040	10	43	1145	35-44	69-78	22-31	4	100	2.27	C-E-D
5010105012001140	1180 x 1140	11	43	1145	35-44	69-78	22-31	4	100	2.50	C-E-D
5010105012001244	1180 x 1240	12	43	1145	35-44	69-78	22-31	4	100	2.73	C-E-D
5010105012001348	1180 x 1350	13	43	1145	35-44	69-78	22-31	4	100	2.95	C-E-D
5010105014000308	1380 x 310	3	43	1345	35-44	69-78	22-31	4	100	0.77	C
5010105014000412	1380 x 410	4	43	1345	35-44	69-78	22-31	4	100	1.02	C-E-D
5010105014000516	1380 x 520	5	43	1345	35-44	69-78	22-31	4	100	1.28	C-E-D
5010105014000620	1380 x 620	6	43	1345	35-44	69-78	22-31	4	100	1.54	C-E-D
5010105014000724	1380 x 720	7	43	1345	35-44	69-78	22-31	4	100	1.79	C-E-D
5010105014000828	1380 x 830	8	43	1345	35-44	69-78	22-31	4	100	2.05	C-E-D
5010105014000932	1380 x 930	9	43	1345	35-44	69-78	22-31	4	100	2.30	C-E-D
5010105014001036	1380 x 1040	10	43	1345	35-44	69-78	22-31	4	100	2.56	C-E-D
5010105014001140	1380 x 1140	11	43	1345	35-44	69-78	22-31	4	100	2.81	C-E-D
5010105014001244	1380 x 1240	12	43	1345	35-44	69-78	22-31	4	100	3.07	C-E-D
5010105014001348	1380 x 1350	13	43	1345	35-44	69-78	22-31	4	100	3.32	C-E-D
5010105016000308	1580 x 310	3	43	1545	35-44	69-78	22-31	4	100	0.86	C
5010105016000412	1580 x 410	4	43	1545	35-44	69-78	22-31	4	100	1.14	C-E-D
5010105016000516	1580 x 520	5	43	1545	35-44	69-78	22-31	4	100	1.42	C-E-D
5010105016000620	1580 x 620	6	43	1545	35-44	69-78	22-31	4	100	1.71	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Btu
5010105007001660	680	1488	5076	1935
5010105007001764	680	1582	5393	2056
5010105007001868	680	1675	5710	2177
5010105007001972	680	1768	6027	2298
5010105008000308	780	312	1064	406
5010105008000412	780	416	1419	541
5010105008000516	780	520	1774	676
5010105008000620	780	624	2128	811
5010105008000724	780	728	2483	947
5010105008000828	780	832	2838	1082
5010105008000932	780	936	3192	1217
5010105008001036	780	1040	3547	1352
5010105008001140	780	1144	3902	1488
5010105008001244	780	1248	4257	1623
5010105008001348	780	1352	4611	1758
5010105008001452	780	1456	4966	1893
5010105008001556	780	1560	5321	2028
5010105008001660	780	1664	5676	2164
5010105008001764	780	1768	6030	2299
5010105008001868	780	1872	6385	2434
5010105008001972	780	1976	6740	2569
5010105009000308	880	344	1171	447
5010105009000412	880	458	1562	595
5010105009000516	880	573	1952	744
5010105009000620	880	687	2343	893
5010105009000724	880	801	2733	1042
5010105009000828	880	916	3124	1191
5010105009000932	880	1030	3514	1340
5010105009001036	880	1145	3904	1488
5010105009001140	880	1259	4295	1637
5010105009001244	880	1374	4685	1786
5010105009001348	880	1488	5076	1935
5010105009001452	880	1603	5466	2084
5010105009001556	880	1717	5857	2233
5010105009001660	880	1832	6247	2382
5010105009001764	880	1946	6637	2530

OTIS

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105016000724	1580 x 720	7	43	1545	35-44	69-78	22-31	4	100	1,99	C-E-D
5010105016000828	1580 x 830	8	43	1545	35-44	69-78	22-31	4	100	2,28	C-E-D
5010105016000932	1580 x 930	9	43	1545	35-44	69-78	22-31	4	100	2,56	C-E-D
5010105016001036	1580 x 1040	10	43	1545	35-44	69-78	22-31	4	100	2,84	C-E-D
5010105018000308	1780 x 310	3	43	1745	35-44	69-78	22-31	4	100	0,94	C
5010105018000412	1780 x 410	4	43	1745	35-44	69-78	22-31	4	100	1,25	C-E-D
5010105018000516	1780 x 520	5	43	1745	35-44	69-78	22-31	4	100	1,57	C-E-D
5010105018000620	1780 x 620	6	43	1745	35-44	69-78	22-31	4	100	1,88	C-E-D
5010105018000724	1780 x 720	7	43	1745	35-44	69-78	22-31	4	100	2,19	C-E-D
5010105018000828	1780 x 830	8	43	1745	35-44	69-78	22-31	4	100	2,50	C-E-D
5010105018000932	1780 x 930	9	43	1745	35-44	69-78	22-31	4	100	2,82	C-E-D
5010105018001036	1780 x 1040	10	43	1745	35-44	69-78	22-31	4	100	3,13	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010105016000724	1319	4497	1714	5846	
5010105016000828	1507	5140	1959	6681	
5010105016000932	1696	5782	2204	7517	
5010105016001036	1884	6424	2449	8352	
5010105018000308	649	2213	844	2877	
5010105018000412	865	2951	1125	3836	
5010105018000516	1082	3688	1406	4795	
5010105018000620	1298	4426	1687	5753	
5010105018000724	1514	5163	1968	6712	
5010105018000828	1731	5901	2250	7671	
5010105018000932	1947	6639	2531	8630	
5010105018001036	2163	7376	2812	9589	

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13,98	17,72	0,11	1690X759X78
15,97	20,03	0,12	1690X863X78
17,97	22,38	0,13	1690X967X78
19,96	24,70	0,15	1690X1071X78
6,63	9,11	0,06	1890X343X78
8,84	11,63	0,07	1890X447X78
11,05	14,25	0,09	1890X551X78
13,27	16,81	0,10	1890X655X78
15,48	19,57	0,12	1890X759X78
17,69	22,14	0,13	1890X863X78
19,89	24,73	0,15	1890X967X78
22,10	27,30	0,16	1890X1071X78

CONNECTIONS TYPE

SX	ZX	YP	YL	AX	P3
✓	✓	✓	✓	✓	✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel