

RETRO PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105703000224	300 x 220	5	96	245	70	118	22	6	40	0,33	C
5010105703000270	300 x 270	6	96	245	70	118	22	6	40	0,39	C
5010105703000316	300 x 320	7	96	245	70	118	22	6	40	0,46	C
5010105703000362	300 x 360	8	96	245	70	118	22	6	40	0,52	C
5010105703000408	300 x 410	9	96	245	70	118	22	6	40	0,59	C-E-D
5010105703000454	300 x 450	10	96	245	70	118	22	6	40	0,66	C-E-D
5010105703000500	300 x 500	11	96	245	70	118	22	6	40	0,72	C-E-D
5010105703000546	300 x 550	12	96	245	70	118	22	6	40	0,79	C-E-D
5010105703000592	300 x 590	13	96	245	70	118	22	6	40	0,85	C-E-D
5010105703000638	300 x 640	14	96	245	70	118	22	6	40	0,92	C-E-D
5010105703000684	300 x 680	15	96	245	70	118	22	6	40	0,98	C-E-D
5010105703000730	300 x 730	16	96	245	70	118	22	6	40	1,05	C-E-D
5010105703000776	300 x 780	17	96	245	70	118	22	6	40	1,11	C-E-D
5010105703000822	300 x 820	18	96	245	70	118	22	6	40	1,18	C-E-D
5010105703000868	300 x 870	19	96	245	70	118	22	6	40	1,24	C-E-D
5010105703000914	300 x 910	20	96	245	70	118	22	6	40	1,31	C-E-D
5010105703000960	300 x 960	21	96	245	70	118	22	6	40	1,37	C-E-D
5010105703001006	300 x 1010	22	96	245	70	118	22	6	40	1,44	C-E-D
5010105703001052	300 x 1050	23	96	245	70	118	22	6	40	1,50	C-E-D
5010105703001098	300 x 1100	24	96	245	70	118	22	6	40	1,57	C-E-D
5010105703001144	300 x 1140	25	96	245	70	118	22	6	40	1,64	C-E-D
5010105703001190	300 x 1190	26	96	245	70	118	22	6	40	1,70	C-E-D
5010105703001236	300 x 1240	27	96	245	70	118	22	6	40	1,77	C-E-D
5010105703001282	300 x 1280	28	96	245	70	118	22	6	40	1,83	C-E-D
5010105703001328	300 x 1330	29	96	245	70	118	22	6	40	1,90	C-E-D
5010105703001374	300 x 1370	30	96	245	70	118	22	6	40	1,96	C-E-D
5010105703001420	300 x 1420	31	96	245	70	118	22	6	40	2,03	C
5010105703001466	300 x 1470	32	96	245	70	118	22	6	40	2,09	C
5010105703001512	300 x 1510	33	96	245	70	118	22	6	40	2,16	C
5010105703001558	300 x 1560	34	96	245	70	118	22	6	40	2,22	C
5010105703001604	300 x 1600	35	96	245	70	118	22	6	40	2,29	C
5010105703001650	300 x 1650	36	96	245	70	118	22	6	40	2,35	C
5010105703001696	300 x 1700	37	96	245	70	118	22	6	40	2,42	C
5010105703001742	300 x 1740	38	96	245	70	118	22	6	40	2,49	C
5010105703001788	300 x 1790	39	96	245	70	118	22	6	40	2,55	C
5010105703001834	300 x 1830	40	96	245	70	118	22	6	40	2,62	C
5010105704000224	400 x 220	5	96	345	70	118	22	6	40	0,40	C
5010105704000270	400 x 270	6	96	345	70	118	22	6	40	0,48	C
5010105704000316	400 x 320	7	96	345	70	118	22	6	40	0,56	C
5010105704000362	400 x 360	8	96	345	70	118	22	6	40	0,64	C
5010105704000408	400 x 410	9	96	345	70	118	22	6	40	0,72	C-E-D
5010105704000454	400 x 450	10	96	345	70	118	22	6	40	0,80	C-E-D
5010105704000500	400 x 500	11	96	345	70	118	22	6	40	0,88	C-E-D
5010105704000546	400 x 550	12	96	345	70	118	22	6	40	0,96	C-E-D
5010105704000592	400 x 590	13	96	345	70	118	22	6	40	1,04	C-E-D
5010105704000638	400 x 640	14	96	345	70	118	22	6	40	1,12	C-E-D
5010105704000684	400 x 680	15	96	345	70	118	22	6	40	1,20	C-E-D
5010105704000730	400 x 730	16	96	345	70	118	22	6	40	1,28	C-E-D
5010105704000776	400 x 780	17	96	345	70	118	22	6	40	1,36	C-E-D
5010105704000822	400 x 820	18	96	345	70	118	22	6	40	1,44	C-E-D
5010105704000868	400 x 870	19	96	345	70	118	22	6	40	1,52	C-E-D
5010105704000914	400 x 910	20	96	345	70	118	22	6	40	1,59	C-E-D
5010105704000960	400 x 960	21	96	345	70	118	22	6	40	1,67	C-E-D
5010105704001006	400 x 1010	22	96	345	70	118	22	6	40	1,75	C-E-D
5010105704001052	400 x 1050	23	96	345	70	118	22	6	40	1,83	C-E-D
5010105704001098	400 x 1100	24	96	345	70	118	22	6	40	1,91	C-E-D
5010105704001144	400 x 1140	25	96	345	70	118	22	6	40	1,99	C-E-D
5010105704001190	400 x 1190	26	96	345	70	118	22	6	40	2,07	C-E-D
5010105704001236	400 x 1240	27	96	345	70	118	22	6	40	2,15	C-E-D
5010105704001282	400 x 1280	28	96	345	70	118	22	6	40	2,23	C-E-D
5010105704001328	400 x 1330	29	96	345	70	118	22	6	40	2,31	C-E-D
5010105704001374	400 x 1370	30	96	345	70	118	22	6	40	2,39	C-E-D
5010105704001420	400 x 1420	31	96	345	70	118	22	6	40	2,47	C
5010105704001466	400 x 1470	32	96	345	70	118	22	6	40	2,55	C
5010105704001512	400 x 1510	33	96	345	70	118	22	6	40	2,63	C
5010105704001558	400 x 1560	34	96	345	70	118	22	6	40	2,71	C
5010105704001604	400 x 1600	35	96	345	70	118	22	6	40	2,79	C
5010105704001650	400 x 1650	36	96	345	70	118	22	6	40	2,87	C
5010105704001696	400 x 1700	37	96	345	70	118	22	6	40	2,95	C
5010105704001742	400 x 1740	38	96	345	70	118	22	6	40	3,03	C
5010105704001788	400 x 1790	39	96	345	70	118	22	6	40	3,11	C
5010105704001834	400 x 1830	40	96	345	70	118	22	6	40	3,19	C
5010105705000224	500 x 220	5	96	445	70	118	22	6	40	0,47	C
5010105705000270	500 x 270	6	96	445	70	118	22	6	40	0,57	C
5010105705000316	500 x 320	7	96	445	70	118	22	6	40	0,66	C
5010105705000362	500 x 360	8	96	445	70	118	22	6	40	0,75	C
5010105705000408	500 x 410	9	96	445	70	118	22	6	40	0,85	C-E-D
5010105705000454	500 x 450	10	96	445	70	118	22	6	40	0,94	C-E-D
5010105705000500	500 x 500	11	96	445	70	118	22	6	40	1,04	C-E-D
5010105705000546	500 x 550	12	96	445	70	118	22	6	40	1,13	C-E-D
5010105705000592	500 x 590	13	96	445	70	118	22	6	40	1,22	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010105703000224	170	578	220	751
5010105703000270	203	694	264	902
5010105703000316	237	809	308	1052
5010105703000362	271	925	353	1202
5010105703000408	305	1040	397	1353
5010105703000454	339	1156	441	1503
5010105703000500	373	1272	485	1653
5010105703000546	407	1387	529	1803
5010105703000592	441	1503	573	1954
5010105703000638	475	1618	617	2104
5010105703000684	509	1734	661	2254
5010105703000730	542	1850	705	2404
5010105703000776	576	1965	749	2555
5010105703000822	610	2081	793	2705
5010105703000868	644	2196	837	2855
5010105703000914	678	2312	881	3006
5010105703000960	712	2428	925	3156
5010105703001006	746	2543	970	3306
5010105703001052	780	2659	1014	3456
5010105703001098	814	2774	1058	3607
5010105703001144	848	2890	1102	3757
5010105703001190	881	3006	1146	3907
5010105703001236	915	3121	1190	4058
5010105703001282	949	3237	1234	4208
5010105703001328	983	3352	1278	4358
5010105703001374	1017	3468	1322	4508
5010105703001420	1051	3584	1366	4659
5010105703001466	1085	3699	1410	4809
5010105703001512	1119	3815	1454	4959
5010105703001558	1153	3930	1498	5109
5010105703001604	1186	4046	1542	5260
5010105703001650	1220	4162	1587	5410
5010105703001696	1254	4277	1631	5560
5010105703001742	1288	4393	1675	5711
5010105703001788	1322	4508	1719	5861
5010105703001834	1356	4624	1763	6011
5010105704000224	231	788	300	1024
5010105704000270	277	945	360	1229
5010105704000316	323	1103	420	1434
5010105704000362	370	1260	480	1638
5010105704000408	416	1418	541	1843
5010105704000454	462	1575	601	2048
5010105704000500	508	1733	661	2253
5010105704000546	554	1890	721	2458
5010105704000592	601	2048	781	2662
5010105704000638	647	2205	841	2867
5010105704000684	693	2363	901	3072
5010105704000730	739	2521	961	3277
5010105704000776	785	2678	1021	34

RETRO PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105705000638	500 x 640	14	96	445	70	118	22	6	40	1,32	C-E-D
5010105705000684	500 x 680	15	96	445	70	118	22	6	40	1,41	C-E-D
5010105705000730	500 x 730	16	96	445	70	118	22	6	40	1,50	C-E-D
5010105705000776	500 x 780	17	96	445	70	118	22	6	40	1,60	C-E-D
5010105705000822	500 x 820	18	96	445	70	118	22	6	40	1,69	C-E-D
5010105705000868	500 x 870	19	96	445	70	118	22	6	40	1,79	C-E-D
5010105705000914	500 x 910	20	96	445	70	118	22	6	40	1,88	C-E-D
5010105705000960	500 x 960	21	96	445	70	118	22	6	40	1,97	C-E-D
5010105705001006	500 x 1010	22	96	445	70	118	22	6	40	2,07	C-E-D
5010105705001052	500 x 1050	23	96	445	70	118	22	6	40	2,16	C-E-D
5010105705001098	500 x 1100	24	96	445	70	118	22	6	40	2,26	C-E-D
5010105705001144	500 x 1140	25	96	445	70	118	22	6	40	2,35	C-E-D
5010105705001190	500 x 1190	26	96	445	70	118	22	6	40	2,44	C-E-D
5010105705001236	500 x 1240	27	96	445	70	118	22	6	40	2,54	C-E-D
5010105705001282	500 x 1280	28	96	445	70	118	22	6	40	2,63	C-E-D
5010105705001328	500 x 1320	29	96	445	70	118	22	6	40	2,73	C-E-D
5010105705001374	500 x 1370	30	96	445	70	118	22	6	40	2,82	C-E-D
5010105705001420	500 x 1420	31	96	445	70	118	22	6	40	2,91	C
5010105705001466	500 x 1470	32	96	445	70	118	22	6	40	3,01	C
5010105705001512	500 x 1510	33	96	445	70	118	22	6	40	3,10	C
5010105705001558	500 x 1560	34	96	445	70	118	22	6	40	3,20	C
5010105705001604	500 x 1600	35	96	445	70	118	22	6	40	3,29	C
5010105705001650	500 x 1650	36	96	445	70	118	22	6	40	3,38	C
5010105705001696	500 x 1700	37	96	445	70	118	22	6	40	3,48	C
5010105705001742	500 x 1740	38	96	445	70	118	22	6	40	3,57	C
5010105705001788	500 x 1790	39	96	445	70	118	22	6	40	3,67	C
5010105705001834	500 x 1830	40	96	445	70	118	22	6	40	3,76	C
5010105706000224	600 x 220	5	96	545	70	118	22	6	40	0,54	C
5010105706000270	600 x 270	6	96	545	70	118	22	6	40	0,65	C
5010105706000316	600 x 320	7	96	545	70	118	22	6	40	0,76	C
5010105706000362	600 x 360	8	96	545	70	118	22	6	40	0,87	C
5010105706000408	600 x 410	9	96	545	70	118	22	6	40	0,98	C-E-D
5010105706000454	600 x 450	10	96	545	70	118	22	6	40	1,08	C-E-D
5010105706000500	600 x 500	11	96	545	70	118	22	6	40	1,19	C-E-D
5010105706000546	600 x 550	12	96	545	70	118	22	6	40	1,30	C-E-D
5010105706000592	600 x 590	13	96	545	70	118	22	6	40	1,41	C-E-D
5010105706000638	600 x 640	14	96	545	70	118	22	6	40	1,52	C-E-D
5010105706000684	600 x 680	15	96	545	70	118	22	6	40	1,63	C-E-D
5010105706000730	600 x 730	16	96	545	70	118	22	6	40	1,73	C-E-D
5010105706000776	600 x 780	17	96	545	70	118	22	6	40	1,84	C-E-D
5010105706000822	600 x 820	18	96	545	70	118	22	6	40	1,95	C-E-D
5010105706000868	600 x 870	19	96	545	70	118	22	6	40	2,06	C-E-D
5010105706000914	600 x 910	20	96	545	70	118	22	6	40	2,17	C-E-D
5010105706000960	600 x 960	21	96	545	70	118	22	6	40	2,28	C-E-D
5010105706001006	600 x 1010	22	96	545	70	118	22	6	40	2,38	C-E-D
5010105706001052	600 x 1050	23	96	545	70	118	22	6	40	2,49	C-E-D
5010105706001098	600 x 1100	24	96	545	70	118	22	6	40	2,60	C-E-D
5010105706001144	600 x 1140	25	96	545	70	118	22	6	40	2,71	C-E-D
5010105706001190	600 x 1190	26	96	545	70	118	22	6	40	2,82	C-E-D
5010105706001236	600 x 1240	27	96	545	70	118	22	6	40	2,92	C-E-D
5010105706001282	600 x 1280	28	96	545	70	118	22	6	40	3,03	C-E-D
5010105706001328	600 x 1320	29	96	545	70	118	22	6	40	3,14	C-E-D
5010105706001374	600 x 1370	30	96	545	70	118	22	6	40	3,25	C-E-D
5010105706001420	600 x 1420	31	96	545	70	118	22	6	40	3,36	C
5010105706001466	600 x 1470	32	96	545	70	118	22	6	40	3,47	C
5010105706001512	600 x 1510	33	96	545	70	118	22	6	40	3,57	C
5010105706001558	600 x 1560	34	96	545	70	118	22	6	40	3,68	C
5010105706001604	600 x 1600	35	96	545	70	118	22	6	40	3,79	C
5010105706001650	600 x 1650	36	96	545	70	118	22	6	40	3,90	C
5010105706001696	600 x 1700	37	96	545	70	118	22	6	40	4,01	C
5010105706001742	600 x 1740	38	96	545	70	118	22	6	40	4,12	C
5010105706001788	600 x 1790	39	96	545	70	118	22	6	40	4,22	C
5010105706001834	600 x 1830	40	96	545	70	118	22	6	40	4,33	C
5010105707000224	700 x 220	5	96	645	70	118	22	6	40	0,61	C
5010105707000270	700 x 270	6	96	645	70	118	22	6	40	0,74	C
5010105707000316	700 x 320	7	96	645	70	118	22	6	40	0,86	C
5010105707000362	700 x 360	8	96	645	70	118	22	6	40	0,98	C
5010105707000408	700 x 410	9	96	645	70	118	22	6	40	1,10	C-E-D
5010105707000454	700 x 450	10	96	645	70	118	22	6	40	1,23	C-E-D
5010105707000500	700 x 500	11	96	645	70	118	22	6	40	1,35	C-E-D
5010105707000546	700 x 550	12	96	645	70	118	22	6	40	1,47	C-E-D
5010105707000592	700 x 590	13	96	645	70	118	22	6	40	1,59	C-E-D
5010105707000638	700 x 640	14	96	645	70	118	22	6	40	1,72	C-E-D
5010105707000684	700 x 680	15	96	645	70	118	22	6	40	1,84	C-E-D
5010105707000730	700 x 730	16	96	645	70	118	22	6	40	1,96	C-E-D
5010105707000776	700 x 780	17	96	645	70	118	22	6	40	2,09	C-E-D
5010105707000822	700 x 820	18	96	645	70	118	22	6	40	2,21	C-E-D
5010105707000868	700 x 870	19	96	645	70	118	22	6	40	2,33	C-E-D
5010105707000914	700 x 910	20	96	645	70	118	22	6	40	2,45	C-E-D
5010105707000960	700 x 960	21	96	645	70	118	22	6	40	2,58	C-E-D
5010105707001006	700 x 1010	22	96	645	70	118	22	6	40	2,70	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010105705000638	826	2818	1074	3663
5010105705000684	885	3019	1151	3925
5010105705000730	944	3220	1228	4186
5010105705000776	1003	3422	1304	4448
5010105705000822	1062	3623	1381	4710
5010105705000868	1121	3824	1458	4971
5010105705000914	1180	4025	1535	5233
5010105705000960	1239	4227	1611	5495
5010105705001006	1298	4428	1688	5756
5010105705001052	1358	4629	1765	6018
5010105705001098	1417	4830	1841	6279
5010105705001144	1476	5032	1918	6541
5010105705001190	1535	5233	1995	6803
5010105705001236	1594	5434	2072	7064
5010105705001282	1653	5635	2148	7326
5010105705001328	1712	5837	2225	7588
5010105705001374	1771	6038	2302	7849
5010105705001420	1830	6239	2379	8111
5010105705001466	1889	6440	2455	8373
5010105705001512	1948	6642	2532	8634
5010105705001558	2007	6843	2609	8896
5010105705001604	2066	7044	2685	9158
5010105705001650	2125	7246	2762	9419
5010105705001696	2184	7447	2839	9681
5010105705001742	2243	7648	2916	9942
5010105705001788	2302	7849	2992	10204
5010105705001834	2361	8051	3069	10466
5010105706000224	362	1234	471	1605
5010105706000270	434	1481	565	1925
5010105706000316	507	1728	659	2246
5010105706000362	579	1975	753	2567
5010105706000408	652	2222	847	2888
5010105706000454	724	2469	941	3209
5010105706000500	796	2715	1035	3530
5010105706000546	869	2962	1129	3851
5010105706000592	941	3209	1223	4172
5010105706000638	1013	3456	1318	4493
5010105706000684	1086	3703	1412	4814
5010105706000730	1158	3950	1506	5134
5010105706000776	1231	4196	1600	5455
5010105706000822	1303	4443	1694	5776
5010105706000868	1375	4690	1788	6097
5010105706000914	1448	4937	1882	6418
5010105706000960	1520	5184	1976	6739
5010105706001006	1593	5431	2070	7060
5010105706001052	1665	5678	2164	7381
5010105706001098	1737	5924	2259	7702
5010105706001144	1810	6171	2353	8023
5010105706001190	1882	6418	2447	8343
5010105706001236	1955	6665	2541	8664
5010105706001282	2027	6912	2635	8985
5010105706001328	2099	7159	2729	9306
5010105706001374	2172	7405	2823	9627
5010105706001420	2244	7652	2917	9948
5010105706001466	2316	7899	3011	10269
5010105706001512	2389	8146	3106	10590
5010105706001558	2461	8393	3200	10911
5010105706001604	2534	8640	3294	11232
5010105706001650	2606	8887	3388	11553
5010105706001696	2678	9133	3482	11873
5010105706001742	2751	9380	3576	12194
5010105706001788	2823	9627	3670	12515
5010105706001834	2896	9874	3764	12836
5010105707000224	413	1409	537	1832
5010105707000270	496	1691	645	2198
5010105707000316	578	1972	752	2564
5010105707000362	661	2254	859	2930
5010105707000408	744	2536	967	3297
5010105707000454	826	2818	1074	3663
5010105707000500	909	3099	1182	4029
5010105707000546	992	3381	1289	4396
5010105707000592	1074	3663	1396	4762
5010105707000638	1157	3945	1504	5128
5010105707000684	1239	4227	1611	5495
5010105707000730	1322	4508	1719	5861
5010105707000776	1405	4790	1826	6227
5010105707000822	1487	5072	1934	6593
5010105707000868	1570	5354	2041	6960
5010105707000914	1653	5635	2148	7326
5010105707000960	1735	5917	2256	7692
5010105707001006	1818	6199	2363	8059

RETRO PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105707001052	700 x 1050	23	96	645	70	118	22	6	40	2,82	C-E-D
5010105707001098	700 x 1100	24	96	645	70	118	22	6	40	2,94	C-E-D
5010105707001144	700 x 1140	25	96	645	70	118	22	6	40	3,07	C-E-D
5010105707001190	700 x 1190	26	96	645	70	118	22	6	40	3,19	C-E-D
5010105707001236	700 x 1240	27	96	645	70	118	22	6	40	3,31	C-E-D
5010105707001282	700 x 1280	28	96	645	70	118	22	6	40	3,43	C-E-D
5010105707001328	700 x 1330	29	96	645	70	118	22	6	40	3,56	C-E-D
5010105707001374	700 x 1370	30	96	645	70	118	22	6	40	3,68	C-E-D
5010105707001420	700 x 1420	31	96	645	70	118	22	6	40	3,80	C
5010105707001466	700 x 1470	32	96	645	70	118	22	6	40	3,92	C
5010105707001512	700 x 1510	33	96	645	70	118	22	6	40	4,05	C
5010105707001558	700 x 1560	34	96	645	70	118	22	6	40	4,17	C
5010105707001604	700 x 1600	35	96	645	70	118	22	6	40	4,29	C
5010105707001650	700 x 1650	36	96	645	70	118	22	6	40	4,41	C
5010105707001696	700 x 1700	37	96	645	70	118	22	6	40	4,54	C
5010105707001742	700 x 1740	38	96	645	70	118	22	6	40	4,66	C
5010105707001788	700 x 1790	39	96	645	70	118	22	6	40	4,78	C
5010105707001834	700 x 1830	40	96	645	70	118	22	6	40	4,90	C
5010105708000224	800 x 220	5	96	745	70	118	22	6	40	0,69	C
5010105708000270	800 x 270	6	96	745	70	118	22	6	40	0,82	C
5010105708000316	800 x 320	7	96	745	70	118	22	6	40	0,96	C
5010105708000362	800 x 360	8	96	745	70	118	22	6	40	1,10	C
5010105708000408	800 x 410	9	96	745	70	118	22	6	40	1,23	C-E-D
5010105708000454	800 x 450	10	96	745	70	118	22	6	40	1,37	C-E-D
5010105708000500	800 x 500	11	96	745	70	118	22	6	40	1,51	C-E-D
5010105708000546	800 x 550	12	96	745	70	118	22	6	40	1,64	C-E-D
5010105708000592	800 x 590	13	96	745	70	118	22	6	40	1,78	C-E-D
5010105708000638	800 x 640	14	96	745	70	118	22	6	40	1,92	C-E-D
5010105708000684	800 x 680	15	96	745	70	118	22	6	40	2,05	C-E-D
5010105708000730	800 x 730	16	96	745	70	118	22	6	40	2,19	C-E-D
5010105708000776	800 x 780	17	96	745	70	118	22	6	40	2,33	C-E-D
5010105708000822	800 x 820	18	96	745	70	118	22	6	40	2,47	C-E-D
5010105708000868	800 x 870	19	96	745	70	118	22	6	40	2,60	C-E-D
5010105708000914	800 x 910	20	96	745	70	118	22	6	40	2,74	C-E-D
5010105708000960	800 x 960	21	96	745	70	118	22	6	40	2,88	C-E-D
5010105708001006	800 x 1010	22	96	745	70	118	22	6	40	3,01	C-E-D
5010105708001052	800 x 1050	23	96	745	70	118	22	6	40	3,15	C-E-D
5010105708001098	800 x 1100	24	96	745	70	118	22	6	40	3,29	C-E-D
5010105708001144	800 x 1140	25	96	745	70	118	22	6	40	3,42	C-E-D
5010105708001190	800 x 1190	26	96	745	70	118	22	6	40	3,56	C-E-D
5010105708001236	800 x 1240	27	96	745	70	118	22	6	40	3,70	C-E-D
5010105708001282	800 x 1280	28	96	745	70	118	22	6	40	3,83	C-E-D
5010105708001328	800 x 1330	29	96	745	70	118	22	6	40	3,97	C-E-D
5010105708001374	800 x 1370	30	96	745	70	118	22	6	40	4,11	C-E-D
5010105708001420	800 x 1420	31	96	745	70	118	22	6	40	4,24	C
5010105708001466	800 x 1470	32	96	745	70	118	22	6	40	4,38	C
5010105708001512	800 x 1510	33	96	745	70	118	22	6	40	4,52	C
5010105708001558	800 x 1560	34	96	745	70	118	22	6	40	4,65	C
5010105708001604	800 x 1600	35	96	745	70	118	22	6	40	4,79	C
5010105708001650	800 x 1650	36	96	745	70	118	22	6	40	4,93	C
5010105708001696	800 x 1700	37	96	745	70	118	22	6	40	5,07	C
5010105708001742	800 x 1740	38	96	745	70	118	22	6	40	5,20	C
5010105708001788	800 x 1790	39	96	745	70	118	22	6	40	5,34	C
5010105708001834	800 x 1830	40	96	745	70	118	22	6	40	5,48	C
5010105709000224	900 x 220	5	96	845	70	118	22	6	40	0,76	C
5010105709000270	900 x 270	6	96	845	70	118	22	6	40	0,91	C
5010105709000316	900 x 320	7	96	845	70	118	22	6	40	1,06	C
5010105709000362	900 x 360	8	96	845	70	118	22	6	40	1,21	C
5010105709000408	900 x 410	9	96	845	70	118	22	6	40	1,36	C-E-D
5010105709000454	900 x 450	10	96	845	70	118	22	6	40	1,51	C-E-D
5010105709000500	900 x 500	11	96	845	70	118	22	6	40	1,66	C-E-D
5010105709000546	900 x 550	12	96	845	70	118	22	6	40	1,82	C-E-D
5010105709000592	900 x 590	13	96	845	70	118	22	6	40	1,97	C-E-D
5010105709000638	900 x 640	14	96	845	70	118	22	6	40	2,12	C-E-D
5010105709000684	900 x 680	15	96	845	70	118	22	6	40	2,27	C-E-D
5010105709000730	900 x 730	16	96	845	70	118	22	6	40	2,42	C-E-D
5010105709000776	900 x 780	17	96	845	70	118	22	6	40	2,57	C-E-D
5010105709000822	900 x 820	18	96	845	70	118	22	6	40	2,72	C-E-D
5010105709000868	900 x 870	19	96	845	70	118	22	6	40	2,87	C-E-D
5010105709000914	900 x 910	20	96	845	70	118	22	6	40	3,02	C-E-D
5010105709000960	900 x 960	21	96	845	70	118	22	6	40	3,18	C-E-D
5010105709001006	900 x 1010	22	96	845	70	118	22	6	40	3,33	C-E-D
5010105709001052	900 x 1050	23	96	845	70	118	22	6	40	3,48	C-E-D
5010105709001098	900 x 1100	24	96	845	70	118	22	6	40	3,63	C-E-D
5010105709001144	900 x 1140	25	96	845	70	118	22	6	40	3,78	C-E-D
5010105709001190	900 x 1190	26	96	845	70	118	22	6	40	3,93	C-E-D
5010105709001236	900 x 1240	27	96	845	70	118	22	6	40	4,08	C-E-D
5010105709001282	900 x 1280	28	96	845	70	118	22	6	40	4,23	C-E-D
5010105709001328	900 x 1330	29	96	845	70	118	22	6	40	4,39	C-E-D
5010105709001374	900 x 1370	30	96	845	70	118	22	6	40	4,54	C-E-D
5010105709001420	900 x 1420	31	96	845	70	118	22	6	40	4,69	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5010105707001052	1901	6481	2471	8425
5010105707001098	1983	6762	2578	8791
5010105707001144	2066	7044	2685	9158
5010105707001190	2148	7326	2793	9524
5010105707001236	2231	7608	2900	9890
5010105707001282	2314	7890	3008	10256
5010105707001328	2396	8171	3115	10623
5010105707001374	2479	8453	3223	10989
5010105707001420	2562	8735	3330	11355
5010105707001466	2644	9017	3437	11722
5010105707001512	2727	9298	3545	12088
5010105707001558	2809	9580	3652	12454
5010105707001604	2892	9862	3760	12821
5010105707001650	2975	10144	3867	13187
5010105707001696	3057	10426	3975	13553
5010105707001742	3140	10707	4082	13919
5010105707001788	3223	10989	4189	14286
5010105707001834	3305	11271	4297	14652
5010105708000224	462	1575	601	2048
5010105708000270	554	1890	721	2458
5010105708000316	647	2205	841	2867
5010105708000362	739	2521	961	3277
5010105708000408	832	2836	1081	3686
5010105708000454	924	3151	1201	4096
5010105708000500	1016	3466	1321	4505
5010105708000546	1109	3781	1441	4915
5010105708000592	1201	4096	1561	5325
5010105708000638	1294	4411	1682	5734
5010105708000684	1386	4726	1802	6144
5010105708000730	1478	5041	1922	6553
5010105708000776	1571	5356	2042	6963
5010105708000822	1663	5671	2162	7373
5010105708000868	1756	5986	2282	7782
5010105708000914	1848	6301	2402	8192
5010105708000960	1940	6616	2522	8601
5010105708001006	2033	6931	2643	9011
5010105708001052	2125	7247	2763	9421
5010105708001098	2217	7562	2883	9830
5010105708001144	2310	7877	3003	10240
5010105708001190	2402	8192	3123	10649
5010105708001236	2495	8507	3243	11059
5010105708001282	2587	8822	3363	11468
5010105708001328	2679	9137	3483	11878
5010105708001374	2772	9452	3603	12288
5010105708001420	2864	9767	3724	12697
5010105708001466	2957	10082	3844	13107
5010105708001512	3049	10397	3964	13516

RETRO PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105709001466	900 x 1470	32	96	845	70	118	22	6	40	4,84	C
5010105709001512	900 x 1510	33	96	845	70	118	22	6	40	4,99	C
5010105709001558	900 x 1560	34	96	845	70	118	22	6	40	5,14	C
5010105709001604	900 x 1600	35	96	845	70	118	22	6	40	5,29	C
5010105709001650	900 x 1650	36	96	845	70	118	22	6	40	5,44	C
5010105709001696	900 x 1700	37	96	845	70	118	22	6	40	5,59	C
5010105709001742	900 x 1740	38	96	845	70	118	22	6	40	5,75	C
5010105709001788	900 x 1790	39	96	845	70	118	22	6	40	5,90	C
5010105709001834	900 x 1830	40	96	845	70	118	22	6	40	6,05	C
5010105710000224	1000 x 220	5	96	945	70	118	22	6	40	0,83	C
5010105710000270	1000 x 270	6	96	945	70	118	22	6	40	0,99	C
5010105710000316	1000 x 320	7	96	945	70	118	22	6	40	1,16	C
5010105710000362	1000 x 360	8	96	945	70	118	22	6	40	1,33	C
5010105710000408	1000 x 410	9	96	945	70	118	22	6	40	1,49	C-E-D
5010105710000454	1000 x 450	10	96	945	70	118	22	6	40	1,66	C-E-D
5010105710000500	1000 x 500	11	96	945	70	118	22	6	40	1,82	C-E-D
5010105710000546	1000 x 550	12	96	945	70	118	22	6	40	1,99	C-E-D
5010105710000592	1000 x 590	13	96	945	70	118	22	6	40	2,15	C-E-D
5010105710000638	1000 x 640	14	96	945	70	118	22	6	40	2,32	C-E-D
5010105710000684	1000 x 680	15	96	945	70	118	22	6	40	2,48	C-E-D
5010105710000730	1000 x 730	16	96	945	70	118	22	6	40	2,65	C-E-D
5010105710000776	1000 x 780	17	96	945	70	118	22	6	40	2,81	C-E-D
5010105710000822	1000 x 820	18	96	945	70	118	22	6	40	2,98	C-E-D
5010105710000868	1000 x 870	19	96	945	70	118	22	6	40	3,15	C-E-D
5010105710000914	1000 x 910	20	96	945	70	118	22	6	40	3,31	C-E-D
5010105710000960	1000 x 960	21	96	945	70	118	22	6	40	3,48	C-E-D
5010105710001006	1000 x 1010	22	96	945	70	118	22	6	40	3,64	C-E-D
5010105710001052	1000 x 1050	23	96	945	70	118	22	6	40	3,81	C-E-D
5010105710001098	1000 x 1100	24	96	945	70	118	22	6	40	3,97	C-E-D
5010105710001144	1000 x 1140	25	96	945	70	118	22	6	40	4,14	C-E-D
5010105710001190	1000 x 1190	26	96	945	70	118	22	6	40	4,30	C-E-D
5010105710001236	1000 x 1240	27	96	945	70	118	22	6	40	4,47	C-E-D
5010105710001282	1000 x 1280	28	96	945	70	118	22	6	40	4,63	C-E-D
5010105710001328	1000 x 1330	29	96	945	70	118	22	6	40	4,80	C-E-D
5010105710001374	1000 x 1370	30	96	945	70	118	22	6	40	4,97	C-E-D
5010105710001420	1000 x 1420	31	96	945	70	118	22	6	40	5,13	C
5010105710001466	1000 x 1470	32	96	945	70	118	22	6	40	5,30	C
5010105710001512	1000 x 1510	33	96	945	70	118	22	6	40	5,46	C
5010105710001558	1000 x 1560	34	96	945	70	118	22	6	40	5,63	C
5010105710001604	1000 x 1600	35	96	945	70	118	22	6	40	5,79	C
5010105710001650	1000 x 1650	36	96	945	70	118	22	6	40	5,96	C
5010105710001696	1000 x 1700	37	96	945	70	118	22	6	40	6,12	C
5010105710001742	1000 x 1740	38	96	945	70	118	22	6	40	6,29	C
5010105710001788	1000 x 1790	39	96	945	70	118	22	6	40	6,45	C
5010105710001834	1000 x 1830	40	96	945	70	118	22	6	40	6,62	C
5010105712000224	1200 x 220	5	96	1145	70	118	22	6	40	0,97	C
5010105712000270	1200 x 270	6	96	1145	70	118	22	6	40	1,17	C
5010105712000316	1200 x 320	7	96	1145	70	118	22	6	40	1,36	C
5010105712000362	1200 x 360	8	96	1145	70	118	22	6	40	1,55	C
5010105712000408	1200 x 410	9	96	1145	70	118	22	6	40	1,75	C-E-D
5010105712000454	1200 x 450	10	96	1145	70	118	22	6	40	1,94	C-E-D
5010105712000500	1200 x 500	11	96	1145	70	118	22	6	40	2,14	C-E-D
5010105712000546	1200 x 550	12	96	1145	70	118	22	6	40	2,33	C-E-D
5010105712000592	1200 x 590	13	96	1145	70	118	22	6	40	2,52	C-E-D
5010105712000638	1200 x 640	14	96	1145	70	118	22	6	40	2,72	C-E-D
5010105712000684	1200 x 680	15	96	1145	70	118	22	6	40	2,91	C-E-D
5010105712000730	1200 x 730	16	96	1145	70	118	22	6	40	3,11	C-E-D
5010105712000776	1200 x 780	17	96	1145	70	118	22	6	40	3,30	C-E-D
5010105712000822	1200 x 820	18	96	1145	70	118	22	6	40	3,49	C-E-D
5010105712000868	1200 x 870	19	96	1145	70	118	22	6	40	3,69	C-E-D
5010105712000914	1200 x 910	20	96	1145	70	118	22	6	40	3,88	C-E-D
5010105712000960	1200 x 960	21	96	1145	70	118	22	6	40	4,08	C-E-D
5010105712001006	1200 x 1010	22	96	1145	70	118	22	6	40	4,27	C-E-D
5010105712001052	1200 x 1050	23	96	1145	70	118	22	6	40	4,47	C-E-D
5010105712001098	1200 x 1100	24	96	1145	70	118	22	6	40	4,66	C-E-D
5010105712001144	1200 x 1140	25	96	1145	70	118	22	6	40	4,85	C-E-D
5010105712001190	1200 x 1190	26	96	1145	70	118	22	6	40	5,05	C-E-D
5010105712001236	1200 x 1240	27	96	1145	70	118	22	6	40	5,24	C-E-D
5010105712001282	1200 x 1280	28	96	1145	70	118	22	6	40	5,44	C-E-D
5010105712001328	1200 x 1330	29	96	1145	70	118	22	6	40	5,63	C-E-D
5010105712001374	1200 x 1370	30	96	1145	70	118	22	6	40	5,82	C-E-D
5010105714000224	1400 x 220	5	96	1345	70	118	22	6	40	1,11	C
5010105714000270	1400 x 270	6	96	1345	70	118	22	6	40	1,34	C
5010105714000316	1400 x 320	7	96	1345	70	118	22	6	40	1,56	C
5010105714000362	1400 x 360	8	96	1345	70	118	22	6	40	1,78	C
5010105714000408	1400 x 410	9	96	1345	70	118	22	6	40	2,01	C-E-D
5010105714000454	1400 x 450	10	96	1345	70	118	22	6	40	2,23	C-E-D
5010105714000500	1400 x 500	11	96	1345	70	118	22	6	40	2,45	C-E-D
5010105714000546	1400 x 550	12	96	1345	70	118	22	6	40	2,67	C-E-D
5010105714000592	1400 x 590	13	96	1345	70	118	22	6	40	2,90	C-E-D
5010105714000638	1400 x 640	14	96	1345	70	118	22	6	40	3,12	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010105709001466		3254	11097	4231	14427
5010105709001512		3356	11444	4363	14877
5010105709001558		3458	11791	4495	15328
5010105709001604		3559	12138	4627	15779
5010105709001650		3661	12485	4760	16230
5010105709001696		3763	12831	4892	16681
5010105709001742		3865	13178	5024	17132
5010105709001788		3966	13525	5156	17582
5010105709001834		4068	13872	5288	18033
5010105710000224		553	1885	719	2451
5010105710000270		663	2262	862	2941
5010105710000316		774	2639	1006	3431
5010105710000362		884	3016	1150	3921
5010105710000408		995	3393	1294	4411
5010105710000454		1106	3770	1437	4901
5010105710000500		1216	4147	1581	5391
5010105710000546		1327	4524	1725	5881
5010105710000592		1437	4901	1868	6371
5010105710000638		1548	5278	2012	6861
5010105710000684		1658	5655	2156	7352
5010105710000730		1769	6032	2300	7842
5010105710000776		1879	6409	2443	8332
5010105710000822		1990	6786	2587	8822
5010105710000868		2101	7163	2731	9312
5010105710000914		2211	7540	2875	9802
5010105710000960		2322	7917	3018	10292
5010105710001006		2432	8294	3162	10782
5010105710001052		2543	8671	3306	11272
5010105710001098		2653	9048	3449	11763
5010105710001144		2764	9425	3593	12253
5010105710001190		2875	9802	3737	12743
5010105710001236		2985	10179	3881	13233
5010105710001282		3096	10556	4024	13723
5010105710001328		3206	10933	4168	14213
5010105710001374		3317	11310	4312	14703
5010105710001420		3427	11687	4456	15193
5010105710001466		3538	12064	4599	15683
5010105710001512		3648	12441	4743	16173
5010105710001558		3759	12818	4887	16664
5010105710001604		3870	13195	5030	17154
5010105710001650		3980	13572	5174	17644
5010105710001696		4091	13949	5318	18134
5010105710001742		4201	14326	5462	18624
5010105710001788		4312	14703	5605	19114
5010105710001834		4422	15080	5749	19604
5010105712000224		635	2164	825	2814
5010105712000270		762	2597	990	3376
5010105712000316		889	3030	1155	3939
5010105712000362		1016	3463	1320	4502
5010105712000408		1142	3896	1485	5064
5010105712000454		1269	4329	1650	5627
5010105712000500		1396	4761	1815	6190
5010105712000546		1523	5194	1980	6753
5010105712000592		1650	5627	2145	7315
5010105712000638		1777	6060	2310	7878
5010105712000684		1904	6493	2475	8441
5010105712000730		2031	6926	2640	9004
5010105712000776		2158	7359	2805	9566
5010105712000822		2285	7792	2970	10129
5010105712000868		2412	8224	3135	10692
5010105712000914		2539	8657	3300	11254
5010105712000960		2666	9090	3465	11817
5010105712001006		2793	9523	3630	12380
5010105712001052		2920	9956	3795	12943
5010105712001098		3047	10389	3960	13505
5010105712001144		3173	10822	4126	14068
5010105712001190		3300	11254	4291	14631
5010105712001236		3427	11687	4456	15193
5010105712001282		3554	12120	4621	15756
5010105712001328		3681	12553	4786	16319
5010105712001374		3808	12986	4951	16882
5010105714000224		729	2485	947	3230
5010105714000270		874	2982	1137	3877
5010105714000316		1020	3479	1326	4523
5010105714000362		1166	3976	1516	5169
5010105714000408		1312	4473	1705	5815
5010105714000454		1457	4970	1895	6461
5010105714000500		1603	5467	2084	7107
5010105714000546		1749	5964	2274	7753
5010105714000592		1895	6461	2463	8399
5010105714000638		2040	6958	2653	9045

RETRO PLUS

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010105714000684	1400 x 680	15	96	1345	70	118	22	6	40	3,34	C-E-D
5010105714000730	1400 x 730	16	96	1345	70	118	22	6	40	3,56	C-E-D
5010105714000776	1400 x 780	17	96	1345	70	118	22	6	40	3,79	C-E-D
5010105714000822	1400 x 820	18	96	1345	70	118	22	6	40	4,01	C-E-D
5010105714000868	1400 x 870	19	96	1345	70	118	22	6	40	4,23	C-E-D
5010105714000914	1400 x 910	20	96	1345	70	118	22	6	40	4,45	C-E-D
5010105714000960	1400 x 960	21	96	1345	70	118	22	6	40	4,68	C-E-D
5010105714001006	1400 x 1010	22	96	1345	70	118	22	6	40	4,90	C-E-D
5010105714001052	1400 x 1050	23	96	1345	70	118	22	6	40	5,12	C-E-D
5010105714001098	1400 x 1100	24	96	1345	70	118	22	6	40	5,35	C-E-D
5010105714001144	1400 x 1140	25	96	1345	70	118	22	6	40	5,57	C-E-D
5010105714001190	1400 x 1190	26	96	1345	70	118	22	6	40	5,79	C-E-D
5010105714001236	1400 x 1240	27	96	1345	70	118	22	6	40	6,01	C-E-D
5010105714001282	1400 x 1280	28	96	1345	70	118	22	6	40	6,24	C-E-D
5010105714001328	1400 x 1330	29	96	1345	70	118	22	6	40	6,46	C-E-D
5010105714001374	1400 x 1370	30	96	1345	70	118	22	6	40	6,68	C-E-D
5010105716000224	1600 x 220	5	96	1545	70	118	22	6	40	1,26	C
5010105716000270	1600 x 270	6	96	1545	70	118	22	6	40	1,51	C
5010105716000316	1600 x 320	7	96	1545	70	118	22	6	40	1,76	C
5010105716000362	1600 x 360	8	96	1545	70	118	22	6	40	2,01	C
5010105716000408	1600 x 410	9	96	1545	70	118	22	6	40	2,26	C-E-D
5010105716000454	1600 x 450	10	96	1545	70	118	22	6	40	2,51	C-E-D
5010105716000500	1600 x 500	11	96	1545	70	118	22	6	40	2,77	C-E-D
5010105716000546	1600 x 550	12	96	1545	70	118	22	6	40	3,02	C-E-D
5010105716000592	1600 x 590	13	96	1545	70	118	22	6	40	3,27	C-E-D
5010105716000638	1600 x 640	14	96	1545	70	118	22	6	40	3,52	C-E-D
5010105716000684	1600 x 680	15	96	1545	70	118	22	6	40	3,77	C-E-D
5010105716000730	1600 x 730	16	96	1545	70	118	22	6	40	4,02	C-E-D
5010105716000776	1600 x 780	17	96	1545	70	118	22	6	40	4,27	C-E-D
5010105716000822	1600 x 820	18	96	1545	70	118	22	6	40	4,52	C-E-D
5010105716000868	1600 x 870	19	96	1545	70	118	22	6	40	4,78	C-E-D
5010105716000914	1600 x 910	20	96	1545	70	118	22	6	40	5,03	C-E-D
5010105716000960	1600 x 960	21	96	1545	70	118	22	6	40	5,28	C-E-D
5010105716001006	1600 x 1010	22	96	1545	70	118	22	6	40	5,53	C-E-D
5010105716001052	1600 x 1050	23	96	1545	70	118	22	6	40	5,78	C-E-D
5010105716001098	1600 x 1100	24	96	1545	70	118	22	6	40	6,03	C-E-D
5010105716001144	1600 x 1140	25	96	1545	70	118	22	6	40	6,28	C-E-D
5010105716001190	1600 x 1190	26	96	1545	70	118	22	6	40	6,53	C-E-D
5010105716001236	1600 x 1240	27	96	1545	70	118	22	6	40	6,79	C-E-D
5010105716001282	1600 x 1280	28	96	1545	70	118	22	6	40	7,04	C-E-D
5010105716001328	1600 x 1330	29	96	1545	70	118	22	6	40	7,29	C-E-D
5010105716001374	1600 x 1370	30	96	1545	70	118	22	6	40	7,54	C-E-D
5010105718000224	1800 x 220	5	96	1745	70	118	22	6	40	1,40	C
5010105718000270	1800 x 270	6	96	1745	70	118	22	6	40	1,68	C
5010105718000316	1800 x 320	7	96	1745	70	118	22	6	40	1,96	C
5010105718000362	1800 x 360	8	96	1745	70	118	22	6	40	2,24	C
5010105718000408	1800 x 410	9	96	1745	70	118	22	6	40	2,52	C-E-D
5010105718000454	1800 x 450	10	96	1745	70	118	22	6	40	2,80	C-E-D
5010105718000500	1800 x 500	11	96	1745	70	118	22	6	40	3,08	C-E-D
5010105718000546	1800 x 550	12	96	1745	70	118	22	6	40	3,36	C-E-D
5010105718000592	1800 x 590	13	96	1745	70	118	22	6	40	3,64	C-E-D
5010105718000638	1800 x 640	14	96	1745	70	118	22	6	40	3,92	C-E-D
5010105718000684	1800 x 680	15	96	1745	70	118	22	6	40	4,20	C-E-D
5010105718000730	1800 x 730	16	96	1745	70	118	22	6	40	4,48	C-E-D
5010105718000776	1800 x 780	17	96	1745	70	118	22	6	40	4,76	C-E-D
5010105718000822	1800 x 820	18	96	1745	70	118	22	6	40	5,04	C-E-D
5010105718000868	1800 x 870	19	96	1745	70	118	22	6	40	5,32	C-E-D
5010105718000914	1800 x 910	20	96	1745	70	118	22	6	40	5,60	C-E-D
5010105718000960	1800 x 960	21	96	1745	70	118	22	6	40	5,88	C-E-D
5010105718001006	1800 x 1010	22	96	1745	70	118	22	6	40	6,16	C-E-D
5010105720000224	2000 x 220	5	96	1945	70	118	22	6	40	1,54	C
5010105720000270	2000 x 270	6	96	1945	70	118	22	6	40	1,85	C
5010105720000316	2000 x 320	7	96	1945	70	118	22	6	40	2,16	C
5010105720000362	2000 x 360	8	96	1945	70	118	22	6	40	2,47	C
5010105720000408	2000 x 410	9	96	1945	70	118	22	6	40	2,78	C-E-D
5010105720000454	2000 x 450	10	96	1945	70	118	22	6	40	3,09	C-E-D
5010105720000500	2000 x 500	11	96	1945	70	118	22	6	40	3,39	C-E-D
5010105720000546	2000 x 550	12	96	1945	70	118	22	6	40	3,70	C-E-D
5010105720000592	2000 x 590	13	96	1945	70	118	22	6	40	4,01	C-E-D
5010105720000638	2000 x 640	14	96	1945	70	118	22	6	40	4,32	C-E-D
5010105720000684	2000 x 680	15	96	1945	70	118	22	6	40	4,63	C-E-D
5010105720000730	2000 x 730	16	96	1945	70	118	22	6	40	4,94	C-E-D
5010105720000776	2000 x 780	17	96	1945	70	118	22	6	40	5,25	C-E-D
5010105720000822	2000 x 820	18	96	1945	70	118	22	6	40	5,55	C-E-D
5010105720000868	2000 x 870	19	96	1945	70	118	22	6	40	5,86	C-E-D
5010105720000914	2000 x 910	20	96	1945	70	118	22	6	40	6,17	C-E-D
5010105720000960	2000 x 960	21	96	1945	70	118	22	6	40	6,48	C-E-D
5010105720001006	2000 x 1010	22	96	1945	70	118	22	6	40	6,79	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010105714000684		2186	7455	2842	9691
5010105714000730		2332	7952	3032	10337
5010105714000776		2478	8449	3221	10984
5010105714000822		2623	8946	3410	11630
5010105714000868		2769	9443	3600	12276
5010105714000914		2915	9940	3789	12922
5010105714000960		3061	10437	3979	13568
5010105714001006		3206	10934	4168	14214
5010105714001052		3352	11431	4358	14860
5010105714001098		3498	11928	4547	15506
5010105714001144		3644	12425	4737	16152
5010105714001190		3789	12922	4926	16798
5010105714001236		3935	13419	5116	17444
5010105714001282		4081	13916	5305	18091
5010105714001328		4227	14413	5495	18737
5010105714001374		4372	14910	5684	19383
5010105716000224		837	2853	1088	3709
5010105716000270		1004	3424	1305	4451
5010105716000316		1171	3994	1523	5193
5010105716000362		1339	4565	1740	5935
5010105716000408		1506	5136	1958	6676
5010105716000454		1673	5706	2175	7418
5010105716000500		1841	6277	2393	8160
5010105716000546		2008	6848	2611	8902
5010105716000592		2175	7418	2828	9644
5010105716000638		2343	7989	3046	10385
5010105716000684		2510	8559	3263	11127
5010105716000730		2677	9130	3481	11869
5010105716000776		2845	9701	3698	12611
5010105716000822		3012	10271	3916	13353
5010105716000868		3179	10842	4133	14095
5010105716000914		3347	11413	4351	14836
5010105716000960		3514	11983	4568	15578
5010105716001006		3681	12554	4786	16320
5010105716001052		3849	13124	5003	17062
5010105716001098		4016	13695	5221	17804
5010105716001144		4183	14266	5439	18545
5010105716001190		4351	14836	5656	19287
5010105716001236		4518	15407	5874	20029
5010105716001282		4686	15978	6091	20771
5010105716001328		4853	16548	6309	21513
5010105716001374		5020	17119	6526	22254
5010105718000224		961	3276	1249	4259
5010105718000270		1153	3931	1499	5110
5010105718000316		1345	4586	1748	5962
5010105718000362		1537	5241	1998	6814
5010105718000408		1729	5897	2248	7666
5010105718000454		1921	6552	2498	8517
5010105718000500		2113	7207	2748	9369
5010105718000546		2306	7862	2997	10221
5010105718000592		2498	8517	3247	11072
5010105718000638		2690	9172	3497	11924
5010105718000684		2882	9828	3747	12776
5010105718000730		3074	10483	3996	13628
5010105718000776		3266	11138	4246	14479
5010105718000822		3458	11793	4496	15331
5010105718000868		3651	12448	4746	16183
5010105718000914		3843	13103	4995	17034
5010105718000960		4035	13759	5245	17886
5010105718001006		4227	14414	5495	18738
5010105720000224		1103	3761	1434	4890
5010105720000270		1324	4513	1721	5867
5010105720000316		1544	5266	2007	6845
5010105720000362		1765	6018	2294	7823
5010105720000408		1985	6770	2581	8801
5010105720000454		2206	7522	2868	9779
5010105720000500		2427	8275	3155	10757
5010105720000546		2647	9027	3441	11735
5010105720000592		2868	9779	3728	12713
5010105720000638		3088	10531	4015	13691
5010105720000684		3309	11284	4302	14669
5010105720000730		3530	12036	4588	15647
5010105720000776		3751	12788	4875	16625
5010105720000822		3971	13540	5162	17602
5010105720000868		4191	14293	5449	18580
5010105720000914		4412	15045	5736	19558
5010105720000960		4633	15797	6022	20536
5010105720001006		4853	16549	6309	21514

RETRO PLUS

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	

SX
✓

ZX
x

YP
x

YL
x

AX
✓

P3
✓

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Wat1	Btu	Wat1	Btu

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm

C: Central Heating / E: Electric / D: Dual Fuel