

SOSA L

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010106603000294	280 x 290	3	37	245	43-52	62-71	26-35	6	94	0.29	C
5010106603000394	280 x 390	4	37	245	43-52	62-71	26-35	6	94	0.39	C
5010106603000494	280 x 490	5	37	245	43-52	62-71	26-35	6	94	0.48	C-E-D
5010106603000594	280 x 590	6	37	245	43-52	62-71	26-35	6	94	0.58	C-E-D
5010106603000694	280 x 690	7	37	245	43-52	62-71	26-35	6	94	0.67	C-E-D
5010106603000794	280 x 790	8	37	245	43-52	62-71	26-35	6	94	0.77	C-E-D
5010106603000894	280 x 890	9	37	245	43-52	62-71	26-35	6	94	0.86	C-E-D
5010106603000994	280 x 990	10	37	245	43-52	62-71	26-35	6	94	0.96	C-E-D
5010106603001094	280 x 1090	11	37	245	43-52	62-71	26-35	6	94	1.06	C-E-D
5010106603001194	280 x 1190	12	37	245	43-52	62-71	26-35	6	94	1.15	C-E-D
5010106603001294	280 x 1290	13	37	245	43-52	62-71	26-35	6	94	1.25	C-E-D
5010106603001394	280 x 1390	14	37	245	43-52	62-71	26-35	6	94	1.34	C-E-D
5010106603001494	280 x 1490	15	37	245	43-52	62-71	26-35	6	94	1.44	C
5010106603001594	280 x 1590	16	37	245	43-52	62-71	26-35	6	94	1.54	C
5010106603001694	280 x 1690	17	37	245	43-52	62-71	26-35	6	94	1.63	C
5010106603001794	280 x 1790	18	37	245	43-52	62-71	26-35	6	94	1.73	C
5010106603001894	280 x 1890	19	37	245	43-52	62-71	26-35	6	94	1.82	C
5010106603001994	280 x 1990	20	37	245	43-52	62-71	26-35	6	94	1.92	C
5010106604000294	380 x 290	3	37	345	43-52	62-71	26-35	6	94	0.33	C
5010106604000394	380 x 390	4	37	345	43-52	62-71	26-35	6	94	0.44	C
5010106604000494	380 x 490	5	37	345	43-52	62-71	26-35	6	94	0.55	C-E-D
5010106604000594	380 x 590	6	37	345	43-52	62-71	26-35	6	94	0.66	C-E-D
5010106604000694	380 x 690	7	37	345	43-52	62-71	26-35	6	94	0.77	C-E-D
5010106604000794	380 x 790	8	37	345	43-52	62-71	26-35	6	94	0.88	C-E-D
5010106604000894	380 x 890	9	37	345	43-52	62-71	26-35	6	94	0.99	C-E-D
5010106604000994	380 x 990	10	37	345	43-52	62-71	26-35	6	94	1.10	C-E-D
5010106604001094	380 x 1090	11	37	345	43-52	62-71	26-35	6	94	1.21	C-E-D
5010106604001194	380 x 1190	12	37	345	43-52	62-71	26-35	6	94	1.32	C-E-D
5010106604001294	380 x 1290	13	37	345	43-52	62-71	26-35	6	94	1.43	C-E-D
5010106604001394	380 x 1390	14	37	345	43-52	62-71	26-35	6	94	1.54	C-E-D
5010106604001494	380 x 1490	15	37	345	43-52	62-71	26-35	6	94	1.65	C
5010106604001594	380 x 1590	16	37	345	43-52	62-71	26-35	6	94	1.77	C
5010106604001694	380 x 1690	17	37	345	43-52	62-71	26-35	6	94	1.88	C
5010106604001794	380 x 1790	18	37	345	43-52	62-71	26-35	6	94	1.99	C
5010106604001894	380 x 1890	19	37	345	43-52	62-71	26-35	6	94	2.10	C
5010106604001994	380 x 1990	20	37	345	43-52	62-71	26-35	6	94	2.21	C
5010106605000294	480 x 290	3	37	445	43-52	62-71	26-35	6	94	0.38	C
5010106605000394	480 x 390	4	37	445	43-52	62-71	26-35	6	94	0.50	C
5010106605000494	480 x 490	5	37	445	43-52	62-71	26-35	6	94	0.62	C-E-D
5010106605000594	480 x 590	6	37	445	43-52	62-71	26-35	6	94	0.75	C-E-D
5010106605000694	480 x 690	7	37	445	43-52	62-71	26-35	6	94	0.87	C-E-D
5010106605000794	480 x 790	8	37	445	43-52	62-71	26-35	6	94	1.00	C-E-D
5010106605000894	480 x 890	9	37	445	43-52	62-71	26-35	6	94	1.12	C-E-D
5010106605000994	480 x 990	10	37	445	43-52	62-71	26-35	6	94	1.25	C-E-D
5010106605001094	480 x 1090	11	37	445	43-52	62-71	26-35	6	94	1.37	C-E-D
5010106605001194	480 x 1190	12	37	445	43-52	62-71	26-35	6	94	1.50	C-E-D
5010106605001294	480 x 1290	13	37	445	43-52	62-71	26-35	6	94	1.62	C-E-D
5010106605001394	480 x 1390	14	37	445	43-52	62-71	26-35	6	94	1.74	C-E-D
5010106605001494	480 x 1490	15	37	445	43-52	62-71	26-35	6	94	1.87	C
5010106605001594	480 x 1590	16	37	445	43-52	62-71	26-35	6	94	1.99	C
5010106605001694	480 x 1690	17	37	445	43-52	62-71	26-35	6	94	2.12	C
5010106605001794	480 x 1790	18	37	445	43-52	62-71	26-35	6	94	2.24	C
5010106605001894	480 x 1890	19	37	445	43-52	62-71	26-35	6	94	2.37	C
5010106605001994	480 x 1990	20	37	445	43-52	62-71	26-35	6	94	2.49	C
5010106606000294	580 x 290	3	37	545	43-52	62-71	26-35	6	94	0.42	C
5010106606000394	580 x 390	4	37	545	43-52	62-71	26-35	6	94	0.56	C
5010106606000494	580 x 490	5	37	545	43-52	62-71	26-35	6	94	0.70	C-E-D
5010106606000594	580 x 590	6	37	545	43-52	62-71	26-35	6	94	0.83	C-E-D
5010106606000694	580 x 690	7	37	545	43-52	62-71	26-35	6	94	0.97	C-E-D
5010106606000794	580 x 790	8	37	545	43-52	62-71	26-35	6	94	1.11	C-E-D
5010106606000894	580 x 890	9	37	545	43-52	62-71	26-35	6	94	1.25	C-E-D
5010106606000994	580 x 990	10	37	545	43-52	62-71	26-35	6	94	1.39	C-E-D
5010106606001094	580 x 1090	11	37	545	43-52	62-71	26-35	6	94	1.53	C-E-D
5010106606001194	580 x 1190	12	37	545	43-52	62-71	26-35	6	94	1.67	C-E-D
5010106606001294	580 x 1290	13	37	545	43-52	62-71	26-35	6	94	1.81	C-E-D
5010106606001394	580 x 1390	14	37	545	43-52	62-71	26-35	6	94	1.95	C-E-D
5010106606001494	580 x 1490	15	37	545	43-52	62-71	26-35	6	94	2.08	C
5010106606001594	580 x 1590	16	37	545	43-52	62-71	26-35	6	94	2.22	C
5010106606001694	580 x 1690	17	37	545	43-52	62-71	26-35	6	94	2.36	C
5010106606001794	580 x 1790	18	37	545	43-52	62-71	26-35	6	94	2.50	C
5010106606001894	580 x 1890	19	37	545	43-52	62-71	26-35	6	94	2.64	C
5010106606001994	580 x 1990	20	37	545	43-52	62-71	26-35	6	94	2.78	C
5010106607000294	680 x 290	3	37	645	43-52	62-71	26-35	6	94	0.46	C
5010106607000394	680 x 390	4	37	645	43-52	62-71	26-35	6	94	0.61	C
5010106607000494	680 x 490	5	37	645	43-52	62-71	26-35	6	94	0.77	C-E-D
5010106607000594	680 x 590	6	37	645	43-52	62-71	26-35	6	94	0.92	C-E-D
5010106607000694	680 x 690	7	37	645	43-52	62-71	26-35	6	94	1.07	C-E-D
5010106607000794	680 x 790	8	37	645	43-52	62-71	26-35	6	94	1.23	C-E-D
5010106607000894	680 x 890	9	37	645	43-52	62-71	26-35	6	94	1.38	C-E-D
5010106607000994	680 x 990	10	37	645	43-52	62-71	26-35	6	94	1.53	C-E-D
5010106607001094	680 x 1090	11	37	645	43-52	62-71	26-35	6	94	1.69	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010106603000294	92	313	119	406	
5010106603000394	122	417	159	542	
5010106603000494	153	521	199	677	
5010106603000594	183	625	238	813	
5010106603000694	214	729	278	948	
5010106603000794	244	834	318	1084	
5010106603000894	275	938	358	1219	
5010106603000994	306	1042	397	1355	
5010106603001094	336	1146	437	1490	
5010106603001194	367	1250	477	1625	
5010106603001294	397	1355	516	1761	
5010106603001394	428	1459	556	1896	
5010106603001494	458	1563	596	2032	
5010106603001594	489	1667	636	2167	
5010106603001694	519	1771	675	2303	
5010106603001794	550	1876	715	2438	
5010106603001894	581	1980	755	2574	
5010106603001994	611	2084	794	2709	
5010106604000294	125	426	162	554	
5010106604000394	167	568	217	738	
5010106604000494	208	710	271	923	
5010106604000594	250	852	325	1108	
5010106604000694	291	994	379	1292	
5010106604000794	333	1136	433	1477	
5010106604000894	375	1278	487	1661	
5010106604000994	416	1420	541	1846	
5010106604001094	458	1562	595	2030	
5010106604001194	500	1704	650	2215	
5010106604001294	541	1846	704	2400	
5010106604001394	583	1988	758	2584	
5010106604001494	625	2130	812	2769	
5010106604001594	666	2272	866	2953	
5010106604001694	708	2414	920	3138	
5010106604001794	750	2556	974	3323	
5010106604001894	791	2698	1029	3507	
5010106604001994	833	2840	1083	3692	
5010106605000294	160	544	207	708	
5010106605000394	213	726	277	943	
5010106605000494	266	907	346	1179	
5010106605000594	319	1088	415	1415	
5010106605000694	372	1270	484	1651	
5010106605000794	426	1451	553	1887	
5010106605000894	479	1633	622	2122	
5010106605000994	532	1814	692	2358	
5010106605001094	585	1996	761	2594	
5010106605001194	638	2177	830	2830	
5010106605001294	692	2358	899	3066	
5010106605001394	745	2540	968	3302	
5010106605001494	798	2721	1037	3537	
5010106605001594	851	2903	1107	3773	
5010106605001694	904	3084	1176	4009	
5010106605001794	958	3265	1245	4245	
5010106605001894	1011	3447	1314	4481	
5010106605001994	1064	3628	1383	4717	
5010106606000294	196	668	254	868	
5010106606000394	261	890	339	1157	
5010106606000494	326	1112	424	1446	
5010106606000594	391	1335	509	1735	
5010106606000694	457	1557	594	2025	
5010106606000794	522	1780	679	2314	
5010106606000894	587	2002	763	2603	
5010106606000994	652	2225	848	2892	
5010106606001094	718	2447	933	3182	
5010106606001194	783	2670	1018	3471	
5010106606001294	848	2892	1103	3760	
5010106606001394	913	3115	1188	4049	
5010106606001494	979	3337	1272	4339	
5010106606001594	1044	3560	1357	4628	
5010106606001694	1109	3782	1442	4917	
5010106606001794	1174	4005	1527	5206	
5010106606001894	1240	4227	1612	5496	
5010106606001994	1305	4450	1696	5785	
5010106607000294	223	762	290	991	
5010106607000394	298	1016	387	1321	
5010106607000494	372	1270	484	1651	
5010106607000594	447	1524	581	1981	
5010106607000694	521	1778	678	2311	
5010106607000794	596	2032	775	2641	
5010106607000894	670	2286	871	2971	
5010106607000994	745	2540	968	3302	
5010106607001094	819	2794	1065	3632	

SOSA L

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010106607001194	680 x 1190	12	37	645	43-52	62-71	26-35	6	94	1,84	C-E-D
5010106607001294	680 x 1290	13	37	645	43-52	62-71	26-35	6	94	1,99	C-E-D
5010106607001394	680 x 1390	14	37	645	43-52	62-71	26-35	6	94	2,15	C-E-D
5010106607001494	680 x 1490	15	37	645	43-52	62-71	26-35	6	94	2,30	C
5010106607001594	680 x 1590	16	37	645	43-52	62-71	26-35	6	94	2,45	C
5010106607001694	680 x 1690	17	37	645	43-52	62-71	26-35	6	94	2,60	C
5010106607001794	680 x 1790	18	37	645	43-52	62-71	26-35	6	94	2,76	C
5010106607001894	680 x 1890	19	37	645	43-52	62-71	26-35	6	94	2,91	C
5010106607001994	680 x 1990	20	37	645	43-52	62-71	26-35	6	94	3,06	C
5010106608000294	780 x 290	3	37	745	43-52	62-71	26-35	6	94	0,50	C
5010106608000394	780 x 390	4	37	745	43-52	62-71	26-35	6	94	0,67	C
5010106608000494	780 x 490	5	37	745	43-52	62-71	26-35	6	94	0,84	C-E-D
5010106608000594	780 x 590	6	37	745	43-52	62-71	26-35	6	94	1,01	C-E-D
5010106608000694	780 x 690	7	37	745	43-52	62-71	26-35	6	94	1,17	C-E-D
5010106608000794	780 x 790	8	37	745	43-52	62-71	26-35	6	94	1,34	C-E-D
5010106608000894	780 x 890	9	37	745	43-52	62-71	26-35	6	94	1,51	C-E-D
5010106608000994	780 x 990	10	37	745	43-52	62-71	26-35	6	94	1,68	C-E-D
5010106608001094	780 x 1090	11	37	745	43-52	62-71	26-35	6	94	1,84	C-E-D
5010106608001194	780 x 1190	12	37	745	43-52	62-71	26-35	6	94	2,01	C-E-D
5010106608001294	780 x 1290	13	37	745	43-52	62-71	26-35	6	94	2,18	C-E-D
5010106608001394	780 x 1390	14	37	745	43-52	62-71	26-35	6	94	2,35	C-E-D
5010106608001494	780 x 1490	15	37	745	43-52	62-71	26-35	6	94	2,51	C
5010106608001594	780 x 1590	16	37	745	43-52	62-71	26-35	6	94	2,68	C
5010106608001694	780 x 1690	17	37	745	43-52	62-71	26-35	6	94	2,85	C
5010106608001794	780 x 1790	18	37	745	43-52	62-71	26-35	6	94	3,02	C
5010106608001894	780 x 1890	19	37	745	43-52	62-71	26-35	6	94	3,18	C
5010106608001994	780 x 1990	20	37	745	43-52	62-71	26-35	6	94	3,35	C
5010106609000294	880 x 290	3	37	845	43-52	62-71	26-35	6	94	0,55	C
5010106609000394	880 x 390	4	37	845	43-52	62-71	26-35	6	94	0,73	C
5010106609000494	880 x 490	5	37	845	43-52	62-71	26-35	6	94	0,91	C-E-D
5010106609000594	880 x 590	6	37	845	43-52	62-71	26-35	6	94	1,09	C-E-D
5010106609000694	880 x 690	7	37	845	43-52	62-71	26-35	6	94	1,27	C-E-D
5010106609000794	880 x 790	8	37	845	43-52	62-71	26-35	6	94	1,46	C-E-D
5010106609000894	880 x 890	9	37	845	43-52	62-71	26-35	6	94	1,64	C-E-D
5010106609000994	880 x 990	10	37	845	43-52	62-71	26-35	6	94	1,82	C-E-D
5010106609001094	880 x 1090	11	37	845	43-52	62-71	26-35	6	94	2,00	C-E-D
5010106609001194	880 x 1190	12	37	845	43-52	62-71	26-35	6	94	2,18	C-E-D
5010106609001294	880 x 1290	13	37	845	43-52	62-71	26-35	6	94	2,36	C-E-D
5010106609001394	880 x 1390	14	37	845	43-52	62-71	26-35	6	94	2,55	C-E-D
5010106609001494	880 x 1490	15	37	845	43-52	62-71	26-35	6	94	2,73	C
5010106609001594	880 x 1590	16	37	845	43-52	62-71	26-35	6	94	2,91	C
5010106609001694	880 x 1690	17	37	845	43-52	62-71	26-35	6	94	3,09	C
5010106609001794	880 x 1790	18	37	845	43-52	62-71	26-35	6	94	3,27	C
5010106609001894	880 x 1890	19	37	845	43-52	62-71	26-35	6	94	3,45	C
5010106609001994	880 x 1990	20	37	845	43-52	62-71	26-35	6	94	3,64	C
5010106610000294	980 x 290	3	37	945	43-52	62-71	26-35	6	94	0,59	C
5010106610000394	980 x 390	4	37	945	43-52	62-71	26-35	6	94	0,79	C
5010106610000494	980 x 490	5	37	945	43-52	62-71	26-35	6	94	0,98	C-E-D
5010106610000594	980 x 590	6	37	945	43-52	62-71	26-35	6	94	1,18	C-E-D
5010106610000694	980 x 690	7	37	945	43-52	62-71	26-35	6	94	1,37	C-E-D
5010106610000794	980 x 790	8	37	945	43-52	62-71	26-35	6	94	1,57	C-E-D
5010106610000894	980 x 890	9	37	945	43-52	62-71	26-35	6	94	1,77	C-E-D
5010106610000994	980 x 990	10	37	945	43-52	62-71	26-35	6	94	1,96	C-E-D
5010106610001094	980 x 1090	11	37	945	43-52	62-71	26-35	6	94	2,16	C-E-D
5010106610001194	980 x 1190	12	37	945	43-52	62-71	26-35	6	94	2,35	C-E-D
5010106610001294	980 x 1290	13	37	945	43-52	62-71	26-35	6	94	2,55	C-E-D
5010106610001394	980 x 1390	14	37	945	43-52	62-71	26-35	6	94	2,75	C-E-D
5010106610001494	980 x 1490	15	37	945	43-52	62-71	26-35	6	94	2,94	C
5010106610001594	980 x 1590	16	37	945	43-52	62-71	26-35	6	94	3,14	C
5010106610001694	980 x 1690	17	37	945	43-52	62-71	26-35	6	94	3,33	C
5010106610001794	980 x 1790	18	37	945	43-52	62-71	26-35	6	94	3,53	C
5010106610001894	980 x 1890	19	37	945	43-52	62-71	26-35	6	94	3,73	C
5010106610001994	980 x 1990	20	37	945	43-52	62-71	26-35	6	94	3,92	C
5010106612000294	1180 x 290	3	37	1145	43-52	62-71	26-35	6	94	0,68	C
5010106612000394	1180 x 390	4	37	1145	43-52	62-71	26-35	6	94	0,90	C
5010106612000494	1180 x 490	5	37	1145	43-52	62-71	26-35	6	94	1,12	C-E-D
5010106612000594	1180 x 590	6	37	1145	43-52	62-71	26-35	6	94	1,35	C-E-D
5010106612000694	1180 x 690	7	37	1145	43-52	62-71	26-35	6	94	1,57	C-E-D
5010106612000794	1180 x 790	8	37	1145	43-52	62-71	26-35	6	94	1,80	C-E-D
5010106612000894	1180 x 890	9	37	1145	43-52	62-71	26-35	6	94	2,02	C-E-D
5010106612000994	1180 x 990	10	37	1145	43-52	62-71	26-35	6	94	2,25	C-E-D
5010106612001094	1180 x 1090	11	37	1145	43-52	62-71	26-35	6	94	2,47	C-E-D
5010106612001194	1180 x 1190	12	37	1145	43-52	62-71	26-35	6	94	2,70	C-E-D
5010106612001294	1180 x 1290	13	37	1145	43-52	62-71	26-35	6	94	2,92	C-E-D
5010106614000294	1380 x 290	3	37	1345	43-52	62-71	26-35	6	94	0,76	C
5010106614000394	1380 x 390	4	37	1345	43-52	62-71	26-35	6	94	1,01	C
5010106614000494	1380 x 490	5	37	1345	43-52	62-71	26-35	6	94	1,27	C-E-D
5010106614000594	1380 x 590	6	37	1345	43-52	62-71	26-35	6	94	1,52	C-E-D
5010106614000694	1380 x 690	7	37	1345	43-52	62-71	26-35	6	94	1,77	C-E-D
5010106614000794	1380 x 790	8	37	1345	43-52	62-71	26-35	6	94	2,03	C-E-D
5010106614000894	1380 x 890	9	37	1345	43-52	62-71	26-35	6	94	2,28	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5010106607001194	894	3048	1162	3962
5010106607001294	968	3302	1259	4292
5010106607001394	1043	3556	1356	4622
5010106607001494	1117	3810	1452	4952
5010106607001594	1192	4064	1549	5283
5010106607001694	1266	4318	1646	5613
5010106607001794	1341	4571	1743	5943
5010106607001894	1415	4825	1840	6273
5010106607001994	1490	5079	1936	6603
5010106608000294	250	852	325	1108
5010106608000394	333	1136	433	1477
5010106608000494	416	1420	541	1846
5010106608000594	500	1704	650	2215
5010106608000694	583	1988	758	2584
5010106608000794	666	2272	866	2953
5010106608000894	750	2556	974	3323
5010106608000994	833	2840	1083	3692
5010106608001094	916	3124	1191	4061
5010106608001194	999	3408	1299	4430
5010106608001294	1083	3692	1407	4799
5010106608001394	1166	3976	1516	5169
5010106608001494	1249	4260	1624	5538
5010106608001594	1332	4544	1732	5907
5010106608001694	1416	4828	1840	6276
5010106608001794	1499	5112	1949	6645
5010106608001894	1582	5396	2057	7014
5010106608001994	1666	5680	2165	7384
5010106609000294	275	938	358	1219
5010106609000394	367	1250	477	1625
5010106609000494	458	1563	596	2032
5010106609000594	550	1876	715	2438
5010106609000694	642	2188	834	2844
5010106609000794	733	2501	953	3251
5010106609000894	825	2813	1072	3657
5010106609000994	917	3126	1192	4064
5010106609001094	1008	3438	1311	4470
5010106609001194	1100	3751	1430	4876
5010106609001294	1192	4064	1549	5283
5010106609001394	1283	4376	1668	5689
5010106609001494	1375	4689	1787	6095
5010106609001594	1467	5001	1907	6502
5010106609001694	1558	5314	2026	6908
5010106609001794	1650	5626	2145	7314
5010106609001894	1742	5939	2264	7721
5010106609001994	1833	6252	2383	8127
5010106610000294	299	1019	389	1325
5010106610000394	399	1359	518	1767
5010106610000494	498	1699	648	2209
5010106610000594	598	2039	777	2651
5010106610000694	698	2379	907	3092
5010106610000794	797	2718	1036	3534
5010106610000894	897	3058	1166	3976
5010106610000994	997	3398	1295	4418
5010106610001094	1096	3738	1425	4859
5010106610001194	1196	4078	1555	5301
5010106610001294	1295	4418	1684	5743
5010106610001394	1395	4757	1814	6185
5010106610001494	1495	5097	1943	6626
5010106610001594	1594	5437	2073	7068
5010106610001694	1694	5777	2202	7510
5010106610001794	1794	6117	2332	7952
5010106610001894	1893	6456	2461	8393
5010106610001994	1993	6796	2591	8835
5010106612000294	343	1170	446	1522
5010106612000394	458	1561	595	2029
5010106612000494	572	1951	744	2536
5010106612000594	686	2341	892	3043
5010106612000694	801	2731	1041	3550
5010106612000794	915	3121	1190	4058
5010106612000894	1030	3511	1339	4565
5010106612000994	1144	3902	1487	5072
5010106612001094	1259	4292	1636	5579
5010106612001194	1373	4682	1785	6086
5010106612001294	1487	5072	1934	6594
5010106614000294	394	1344	512	1747
5010106614000394	525	1792	683	2329
5010106614000494	657	2240	854	2912
5010106614000594	788	2688	1025	3494
5010106614000694	920	3136	1195	4076
5010106614000794	1051	3584	1366	4659
5010106614000894	1182	4032	1537	5241

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5010106614000994	1380 x 990	10	37	1345	43-52	62-71	26-35	6	94	2,53	C-E-D
5010106614001094	1380 x 1090	11	37	1345	43-52	62-71	26-35	6	94	2,79	C-E-D
5010106614001194	1380 x 1190	12	37	1345	43-52	62-71	26-35	6	94	3,04	C-E-D
5010106614001294	1380 x 1290	13	37	1345	43-52	62-71	26-35	6	94	3,29	C-E-D
5010106616000294	1580 x 290	3	37	1545	43-52	62-71	26-35	6	94	0,85	C
5010106616000394	1580 x 390	4	37	1545	43-52	62-71	26-35	6	94	1,13	C
5010106616000494	1580 x 490	5	37	1545	43-52	62-71	26-35	6	94	1,41	C-E-D
5010106616000594	1580 x 590	6	37	1545	43-52	62-71	26-35	6	94	1,69	C-E-D
5010106616000694	1580 x 690	7	37	1545	43-52	62-71	26-35	6	94	1,97	C-E-D
5010106616000794	1580 x 790	8	37	1545	43-52	62-71	26-35	6	94	2,26	C-E-D
5010106616000894	1580 x 890	9	37	1545	43-52	62-71	26-35	6	94	2,54	C-E-D
5010106616000994	1580 x 990	10	37	1545	43-52	62-71	26-35	6	94	2,82	C-E-D
5010106618000294	1780 x 290	3	37	1745	43-52	62-71	26-35	6	94	0,93	C
5010106618000394	1780 x 390	4	37	1745	43-52	62-71	26-35	6	94	1,24	C
5010106618000494	1780 x 490	5	37	1745	43-52	62-71	26-35	6	94	1,55	C-E-D
5010106618000594	1780 x 590	6	37	1745	43-52	62-71	26-35	6	94	1,86	C-E-D
5010106618000694	1780 x 690	7	37	1745	43-52	62-71	26-35	6	94	2,17	C-E-D
5010106618000794	1780 x 790	8	37	1745	43-52	62-71	26-35	6	94	2,49	C-E-D
5010106618000894	1780 x 890	9	37	1745	43-52	62-71	26-35	6	94	2,80	C-E-D
5010106618000994	1780 x 990	10	37	1745	43-52	62-71	26-35	6	94	3,11	C-E-D

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5010106614000994	1314	4480	1708	5824	
5010106614001094	1445	4928	1879	6406	
5010106614001194	1576	5376	2049	6988	
5010106614001294	1708	5824	2220	7571	
5010106616000294	452	1543	588	2006	
5010106616000394	603	2057	784	2675	
5010106616000494	754	2572	980	3343	
5010106616000594	905	3086	1176	4012	
5010106616000694	1056	3600	1373	4680	
5010106616000794	1207	4115	1569	5349	
5010106616000894	1357	4629	1765	6018	
5010106616000994	1508	5143	1961	6686	
5010106618000294	520	1772	675	2303	
5010106618000394	693	2362	901	3071	
5010106618000494	866	2953	1126	3838	
5010106618000594	1039	3543	1351	4606	
5010106618000694	1212	4134	1576	5374	
5010106618000794	1385	4724	1801	6142	
5010106618000894	1559	5315	2026	6909	
5010106618000994	1732	5905	2251	7677	

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
26,32	30,45	0,12	1490X1029X72
28,88	33,29	0,13	1490X1129X72
31,46	36,15	0,14	1490X1229X72
34,03	39,01	0,15	1490X1329X72
9,34	11,51	0,05	1690X329X72
12,23	14,72	0,06	1690X429X72
15,14	17,94	0,07	1690X529X72
18,02	21,15	0,08	1690X629X72
20,91	24,52	0,09	1690X729X72
23,79	27,73	0,11	1690X829X72
26,73	30,98	0,12	1690X929X72
29,61	34,17	0,13	1690X1029X72
10,40	12,75	0,05	1890X329X72
13,62	16,33	0,06	1890X429X72
16,86	19,92	0,08	1890X529X72
20,08	23,50	0,09	1890X629X72
23,29	27,23	0,10	1890X729X72
26,50	30,80	0,12	1890X829X72
29,77	34,43	0,13	1890X929X72
32,98	37,99	0,15	1890X1029X72

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel