

PRODE DOUBLE STYLE

TECHNICAL INFORMATION

MODEL CODE	Width x Height (W x H)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Space Between Groups (G)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	mm	L	
5020113403000600	300 x 600	3 (1+1)	51	255	69-95	94-120	44-70			0,34	0,34	C-E-D
5020113403000850	300 x 850	4 (1+1)	51	255	69-95	94-120	44-70			0,49	0,49	C-E-D
5020113403001100	300 x 1100	5 (1+1)	51	255	69-95	94-120	44-70			0,63	0,63	C-E-D
5020113403001350	300 x 1350	6 (1+1)	51	255	69-95	94-120	44-70			0,77	0,77	C-E-D
5020113403001600	300 x 1600	7 (1+1)	51	255	69-95	94-120	44-70			0,91	0,91	C-E-D
5020113404000600	400 x 600	3 (1+1)	51	355	69-95	94-120	44-70			0,34	0,34	C-E-D
5020113404000850	400 x 850	4 (1+1)	51	355	69-95	94-120	44-70			0,49	0,49	C-E-D
5020113404001100	400 x 1100	5 (1+1)	51	355	69-95	94-120	44-70			0,63	0,63	C-E-D
5020113404001350	400 x 1350	6 (1+1)	51	355	69-95	94-120	44-70			0,77	0,77	C-E-D
5020113404001600	400 x 1600	7 (1+1)	51	355	69-95	94-120	44-70			0,91	0,91	C-E-D
5020113405000600	500 x 600	3 (1+1)	51	455	69-95	94-120	44-70			0,34	0,34	C-E-D
5020113405000850	500 x 850	4 (1+1)	51	455	69-95	94-120	44-70			0,49	0,49	C-E-D
5020113405001100	500 x 1100	5 (1+1)	51	455	69-95	94-120	44-70			0,63	0,63	C-E-D
5020113405001350	500 x 1350	6 (1+1)	51	455	69-95	94-120	44-70			0,77	0,77	C-E-D
5020113405001600	500 x 1600	7 (1+1)	51	455	69-95	94-120	44-70			0,91	0,91	C-E-D
5020113406000600	600 x 600	3 (1+1)	51	555	69-95	94-120	44-70			0,34	0,34	C-E-D
5020113406000850	600 x 850	4 (1+1)	51	555	69-95	94-120	44-70			0,49	0,49	C-E-D
5020113406001100	600 x 1100	5 (1+1)	51	555	69-95	94-120	44-70			0,63	0,63	C-E-D
5020113406001350	600 x 1350	6 (1+1)	51	555	69-95	94-120	44-70			0,77	0,77	C-E-D
5020113406001600	600 x 1600	7 (1+1)	51	555	69-95	94-120	44-70			0,91	0,91	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5020113403000600	159	543	207	706
5020113403000850	220	751	286	976
5020113403001100	280	955	364	1242
5020113403001350	340	1160	442	1508
5020113403001600	401	1368	522	1781
5020113404000600	198	676	258	880
5020113404000850	271	925	353	1204
5020113404001100	344	1174	448	1528
5020113404001350	417	1422	543	1852
5020113404001600	490	1671	637	2173
5020113405000600	238	812	310	1058
5020113405000850	325	1109	423	1443
5020113405001100	411	1402	535	1825
5020113405001350	498	1699	648	2210
5020113405001600	584	1992	760	2592
5020113406000600	280	955	364	1242
5020113406000850	381	1300	496	1692
5020113406001100	481	1641	626	2135
5020113406001350	582	1985	757	2582
5020113406001600	682	2326	887	3025

LOGISTICS INFORMATION

MODEL CODE	Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
5020113403000600	2,9	3,3	0,03	700 x 340 x 85
5020113403000850	3,9	4,5	0,03	950 x 340 x 85
5020113403001100	4,9	5,6	0,04	1200 x 340 x 85
5020113403001350	5,9	6,8	0,05	1450 x 340 x 85
5020113403001600	6,9	8	0,05	1700 x 340 x 85
5020113404000600	3,2	3,8	0,03	700 x 440 x 85
5020113404000850	4,3	5,1	0,04	950 x 440 x 85
5020113404001100	5,4	6,4	0,05	1200 x 440 x 85
5020113404001350	6,5	7,7	0,06	1450 x 440 x 85
5020113404001600	7,6	9	0,07	1700 x 440 x 85
5020113405000600	3,5	4,2	0,04	700 x 540 x 85
5020113405000850	4,7	5,7	0,05	950 x 540 x 85
5020113405001100	5,9	7,1	0,06	1200 x 540 x 85
5020113405001350	7,2	8,5	0,07	1450 x 540 x 85
5020113405001600	8,4	10	0,08	1700 x 540 x 85
5020113406000600	3,8	4,7	0,04	700 x 640 x 85
5020113406000850	5,2	6,2	0,06	950 x 640 x 85
5020113406001100	6,5	7,8	0,07	1200 x 640 x 85
5020113406001350	7,8	9,4	0,08	1450 x 640 x 85
5020113406001600	9,1	11	0,1	1700 x 640 x 85