

**CAST PLUS SLIM**

**TECHNICAL INFORMATION**

MODEL CODE	Width x Height ( W x H )	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Space Between Groups (G)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	mm	L	
5020124801781600	178 x 1600	4 (1+1)	97	50	70	118	21			0,11	0,11	C-E-D
5020124801781800	178 x 1800	4 (1+1)	97	50	70	118	21			0,11	0,11	C-E-D
5020124802241600	224 x 1600	5 (1+1)	97	50	70	118	21			0,13	0,13	C-E-D
5020124802241800	224 x 1800	5 (1+1)	97	50	70	118	21			0,13	0,13	C-E-D
5020124802701600	270 x 1600	6 (1+1)	97	50	70	118	21			0,16	0,16	C-E-D
5020124802701800	270 x 1800	6 (1+1)	97	50	70	118	21			0,16	0,16	C-E-D

**HEAT OUTPUTS INFORMATION**

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5020124801781600	969	3305	1260	4297
5020124801781800	1111	3789	1445	4928
5020124802241600	1153	3932	1499	5112
5020124802241800	1323	4512	1720	5866
5020124802701600	1337	4560	1739	5930
5020124802701800	1534	5231	1995	6803

**LOGISTICS INFORMATION**

MODEL CODE	Net Weight	Gross Weight	Package Volume	Package Dimensions ( H x W x D )
mm	kg	kg	m³	mm
5020124801781600	9,2	10,3	0,07	1700 x 340 x 120
5020124801781800	10,2	11,4	0,06	1900 x 340 x 85
5020124802241600	11,4	12,6	0,07	1700 x 340 x 120
5020124802241800	12,8	14	0,06	1900 x 340 x 85
5020124802701600	13,7	14,9	0,07	1700 x 340 x 120
5020124802701800	15,3	16,6	0,08	1900 x 340 x 110