

CITRINE SLIM

TECHNICAL INFORMATION

MODEL CODE	Width x Height (W x H)	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Space Between Groups (G)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	mm	L	
5020125301601600	160 x 1600	3 (1+1)	52	50	34/43	74/83	23/32			0,10	0,1	C-E-D
5020125301601800	160 x 1800	3 (1+1)	52	50	34/43	74/83	23/32			0,10	0,1	C-E-D
5020125302141600	214 x 1600	4 (1+1)	52	50	34/43	74/83	23/32			0,13	0,13	C-E-D
5020125302141800	214 x 1800	4 (1+1)	52	50	34/43	74/83	23/32			0,13	0,13	C-E-D
5020125302681600	268 x 1600	5 (1+1)	52	50	34/43	74/83	23/32			0,16	0,16	C-E-D
5020125302681800	268 x 1800	5 (1+1)	52	50	34/43	74/83	23/32			0,16	0,16	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5020125301601600	573	1954	745	2541
5020125301601800	656	2237	853	2909
5020125302141600	686	2340	892	3042
5020125302141800	786	2681	1022	3486
5020125302681600	799	2725	1039	3543
5020125302681800	917	3127	1193	4069

LOGISTICS INFORMATION

MODEL CODE	Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
mm	kg	kg	m³	mm
5020125301601600	5,5	6,5	0,04	1700 x 340 x 55
5020125301601800	6,1	7,3	0,06	1900 x 340 x 85
5020125302141600	7,3	8,3	0,04	1700 x 340 x 55
5020125302141800	8,1	9,3	0,06	1900 x 340 x 85
5020125302681600	9	10	0,04	1700 x 340 x 55
5020125302681800	10	11,3	0,06	1900 x 340 x 85