

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100103000435	380 x 440	8	86	245	39-48	112-121	26-35	5	50	0,59	C-E-D
5060100103000490	380 x 490	9	86	245	39-48	112-121	26-35	5	50	0,66	C-E-D
5060100103000545	380 x 550	10	86	245	39-48	112-121	26-35	5	50	0,74	C-E-D
5060100103000600	380 x 600	11	86	245	39-48	112-121	26-35	5	50	0,81	C-E-D
5060100103000655	380 x 660	12	86	245	39-48	112-121	26-35	5	50	0,88	C-E-D
5060100103000710	380 x 710	13	86	245	39-48	112-121	26-35	5	50	0,95	C-E-D
5060100103000765	380 x 770	14	86	245	39-48	112-121	26-35	5	50	1,02	C-E-D
5060100103000820	380 x 820	15	86	245	39-48	112-121	26-35	5	50	1,09	C-E-D
5060100103000875	380 x 880	16	86	245	39-48	112-121	26-35	5	50	1,16	C-E-D
5060100103000930	380 x 930	17	86	245	39-48	112-121	26-35	5	50	1,23	C-E-D
5060100103000985	380 x 990	18	86	245	39-48	112-121	26-35	5	50	1,30	C-E-D
5060100103001040	380 x 1040	19	86	245	39-48	112-121	26-35	5	50	1,38	C-E-D
5060100103001095	380 x 1100	20	86	245	39-48	112-121	26-35	5	50	1,45	C-E-D
5060100103001150	380 x 1150	21	86	245	39-48	112-121	26-35	5	50	1,52	C-E-D
5060100103001205	380 x 1210	22	86	245	39-48	112-121	26-35	5	50	1,60	C-E-D
5060100103001260	380 x 1260	23	86	245	39-48	112-121	26-35	5	50	1,67	C-E-D
5060100103001315	380 x 1320	24	86	245	39-48	112-121	26-35	5	50	1,74	C-E-D
5060100103001370	380 x 1370	25	86	245	39-48	112-121	26-35	5	50	1,81	C-E-D
5060100103001425	380 x 1430	26	86	245	39-48	112-121	26-35	5	50	1,88	C
5060100103001480	380 x 1480	27	86	245	39-48	112-121	26-35	5	50	1,95	C
5060100103001535	380 x 1540	28	86	245	39-48	112-121	26-35	5	50	2,02	C
5060100103001590	380 x 1590	29	86	245	39-48	112-121	26-35	5	50	2,09	C
5060100103001645	380 x 1650	30	86	245	39-48	112-121	26-35	5	50	2,16	C
5060100103001700	380 x 1700	31	86	245	39-48	112-121	26-35	5	50	2,23	C
5060100103001755	380 x 1760	32	86	245	39-48	112-121	26-35	5	50	2,30	C
5060100103001810	380 x 1810	33	86	245	39-48	112-121	26-35	5	50	2,37	C
5060100103001865	380 x 1870	34	86	245	39-48	112-121	26-35	5	50	2,44	C
5060100103001920	380 x 1920	35	86	245	39-48	112-121	26-35	5	50	2,51	C
5060100103001975	380 x 1980	36	86	245	39-48	112-121	26-35	5	50	2,58	C
5060100104000325	480 x 330	6	86	345	39-48	112-121	26-35	5	50	0,54	C
5060100104000380	480 x 380	7	86	345	39-48	112-121	26-35	5	50	0,62	C
5060100104000435	480 x 440	8	86	345	39-48	112-121	26-35	5	50	0,71	C-E-D
5060100104000490	480 x 490	9	86	345	39-48	112-121	26-35	5	50	0,79	C-E-D
5060100104000545	480 x 550	10	86	345	39-48	112-121	26-35	5	50	0,88	C-E-D
5060100104000600	480 x 600	11	86	345	39-48	112-121	26-35	5	50	0,96	C-E-D
5060100104000655	480 x 660	12	86	345	39-48	112-121	26-35	5	50	1,05	C-E-D
5060100104000710	480 x 710	13	86	345	39-48	112-121	26-35	5	50	1,13	C-E-D
5060100104000765	480 x 770	14	86	345	39-48	112-121	26-35	5	50	1,22	C-E-D
5060100104000820	480 x 820	15	86	345	39-48	112-121	26-35	5	50	1,30	C-E-D
5060100104000875	480 x 880	16	86	345	39-48	112-121	26-35	5	50	1,39	C-E-D
5060100104000930	480 x 930	17	86	345	39-48	112-121	26-35	5	50	1,47	C-E-D
5060100104000985	480 x 990	18	86	345	39-48	112-121	26-35	5	50	1,56	C-E-D
5060100104001040	480 x 1040	19	86	345	39-48	112-121	26-35	5	50	1,66	C-E-D
5060100104001095	480 x 1100	20	86	345	39-48	112-121	26-35	5	50	1,74	C-E-D
5060100104001150	480 x 1150	21	86	345	39-48	112-121	26-35	5	50	1,82	C-E-D
5060100104001205	480 x 1210	22	86	345	39-48	112-121	26-35	5	50	1,91	C-E-D
5060100104001260	480 x 1260	23	86	345	39-48	112-121	26-35	5	50	1,99	C-E-D
5060100104001315	480 x 1320	24	86	345	39-48	112-121	26-35	5	50	2,08	C-E-D
5060100104001370	480 x 1370	25	86	345	39-48	112-121	26-35	5	50	2,16	C-E-D
5060100104001425	480 x 1430	26	86	345	39-48	112-121	26-35	5	50	2,25	C
5060100104001480	480 x 1480	27	86	345	39-48	112-121	26-35	5	50	2,33	C
5060100104001535	480 x 1540	28	86	345	39-48	112-121	26-35	5	50	2,42	C
5060100104001590	480 x 1590	29	86	345	39-48	112-121	26-35	5	50	2,50	C
5060100104001645	480 x 1650	30	86	345	39-48	112-121	26-35	5	50	2,59	C
5060100104001700	480 x 1700	31	86	345	39-48	112-121	26-35	5	50	2,67	C
5060100104001755	480 x 1760	32	86	345	39-48	112-121	26-35	5	50	2,76	C
5060100104001810	480 x 1810	33	86	345	39-48	112-121	26-35	5	50	2,84	C
5060100104001865	480 x 1870	34	86	345	39-48	112-121	26-35	5	50	2,93	C
5060100104001920	480 x 1920	35	86	345	39-48	112-121	26-35	5	50	3,01	C
5060100104001975	480 x 1980	36	86	345	39-48	112-121	26-35	5	50	3,10	C
5060100105000325	580 x 330	6	86	445	39-48	112-121	26-35	5	50	0,63	C
5060100105000380	580 x 380	7	86	445	39-48	112-121	26-35	5	50	0,72	C
5060100105000435	580 x 440	8	86	445	39-48	112-121	26-35	5	50	0,82	C-E-D
5060100105000490	580 x 490	9	86	445	39-48	112-121	26-35	5	50	0,92	C-E-D
5060100105000545	580 x 550	10	86	445	39-48	112-121	26-35	5	50	1,02	C-E-D
5060100105000600	580 x 600	11	86	445	39-48	112-121	26-35	5	50	1,12	C-E-D
5060100105000655	580 x 660	12	86	445	39-48	112-121	26-35	5	50	1,22	C-E-D
5060100105000710	580 x 710	13	86	445	39-48	112-121	26-35	5	50	1,32	C-E-D
5060100105000765	580 x 770	14	86	445	39-48	112-121	26-35	5	50	1,42	C-E-D
5060100105000820	580 x 820	15	86	445	39-48	112-121	26-35	5	50	1,52	C-E-D
5060100105000875	580 x 880	16	86	445	39-48	112-121	26-35	5	50	1,62	C-E-D
5060100105000930	580 x 930	17	86	445	39-48	112-121	26-35	5	50	1,71	C-E-D
5060100105000985	580 x 990	18	86	445	39-48	112-121	26-35	5	50	1,81	C-E-D
5060100105001040	580 x 1040	19	86	445	39-48	112-121	26-35	5	50	1,93	C-E-D
5060100105001095	580 x 1100	20	86	445	39-48	112-121	26-35	5	50	2,03	C-E-D
5060100105001150	580 x 1150	21	86	445	39-48	112-121	26-35	5	50	2,13	C-E-D
5060100105001205	580 x 1210	22	86	445	39-48	112-121	26-35	5	50	2,22	C-E-D
5060100105001260	580 x 1260	23	86	445	39-48	112-121	26-35	5	50	2,32	C-E-D
5060100105001315	580 x 1320	24	86	445	39-48	112-121	26-35	5	50	2,42	C-E-D
5060100105001370	580 x 1370	25	86	445	39-48	112-121	26-35	5	50	2,52	C-E-D
5060100105001425	580 x 1430	26	86	445	39-48	112-121	26-35	5	50	2,62	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5060100103000435	303	1035	395	1345
5060100103000490	341	1164	444	1513
5060100103000545	379	1293	493	1682
5060100103000600	417	1423	542	1850
5060100103000655	455	1552	592	2018
5060100103000710	493	1682	641	2186
5060100103000765	531	1811	690	2354
5060100103000820	569	1940	740	2522
5060100103000875	607	2070	789	2690
5060100103000930	645	2199	838	2859
5060100103000985	683	2328	888	3027
5060100103001040	721	2458	937	3195
5060100103001095	759	2587	986	3363
5060100103001150	797	2716	1036	3531
5060100103001205	835	2846	1085	3699
5060100103001260	872	2975	1134	3868
5060100103001315	910	3104	1183	4036
5060100103001370	948	3234	1233	4204
5060100103001425	986	3363	1282	4372
5060100103001480	1024	3492	1331	4540
5060100103001535	1062	3622	1381	4708
5060100103001590	1100	3751	1430	4876
5060100103001645	1138	3880	1479	5045
5060100103001700	1176	4010	1529	5213
5060100103001755	1214	4139	1578	5381
5060100103001810	1252	4269	1627	5549
5060100103001865	1290	4398	1677	5717
5060100103001920	1328	4527	1726	5885
5060100103001975	1366	4657	1775	6054
5060100104000325	310	1058	403	1375
5060100104000380	362	1234	470	1604
5060100104000435	414	1410	538	1833
5060100104000490	465	1586	605	2062
5060100104000545	517	1763	672	2292
5060100104000600	569	1939	739	2521
5060100104000655	620	2115	806	2750
5060100104000710	672	2292	874	2979
5060100104000765	724	2468	941	3208
5060100104000820	775	2644	1008	3437
5060100104000875	827	2820	1075	3666
5060100104000930	879	2997	1142	3896
5060100104000985	930	3173	1210	4125
5060100104001040	982	3349	1277	4354
5060100104001095	1034	3525	1344	4583
5060100104001150	1086	3702	1411	4812
5060100104001205	1137	3878	1478	5041
5060100104001260	1189	4054	1546	5271
5060100104001315	1241	4231	1613	5500
5060100104001370	1292	4407	1680	5729
5060100104001425	1344	4583	1747	5958
5060100104001480	1396	4759	1814	6187
5060100104001535	1447	4936	1882	6416
5060100104001590	1499	5112	1949	6645
5060100104001645	1551	5288	2016	6875
5060100104001700	1602	5464	2083	7104
5060100104001755	1654	5641	2150	7333
5060100104001810	1706	5817	2218	7562
5060100104001865	1758	5993	2285	7791
5060100104001920	1809	6170	2352	8020
5060100104001975	1861	6346	2419	8250
5060100105000325	396	1351	515	1757
5060100105000380	462	1576	601	2049
5060100105000435	528	1802	687	2342
5060100105000490	594	2027	773	2635
5060100105000545	660	2252	859	2928
5060100105000600	726	2477	944	3220
5060100105000655	793	2702	1030	3513
5060100105000710	859	2928	1116	3806
5060100105000765	925	3153	1202	4099
5060100105000820	991	3378	1288	4391
5060100105000875	1057	3603	1374	4684
5060100105000930	1123	3828	1460	4977
5060100105000985	1189	4054	1545	5270
5060100105001040	1255	4279	1631	5563
5060100105001095	1321	4504	1717	5855
5060100105001150	1387	4729	1803	6148
5060100105001205	1453	4955	1889	6441
5060100105001260	1519	5180	1975	6734
5060100105001315	1585	5405	2061	7026
5060100105001370	1651	5630	2146	7319
5060100105001425	1717	5855	2232	7612

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100105001480	580 x 1480	27	86	445	39-48	112-121	26-35	5	50	2,72	C
5060100105001535	580 x 1540	28	86	445	39-48	112-121	26-35	5	50	2,82	C
5060100105001590	580 x 1590	29	86	445	39-48	112-121	26-35	5	50	2,92	C
5060100105001645	580 x 1650	30	86	445	39-48	112-121	26-35	5	50	3,02	C
5060100105001700	580 x 1700	31	86	445	39-48	112-121	26-35	5	50	3,12	C
5060100105001755	580 x 1760	32	86	445	39-48	112-121	26-35	5	50	3,21	C
5060100105001810	580 x 1810	33	86	445	39-48	112-121	26-35	5	50	3,31	C
5060100105001865	580 x 1870	34	86	445	39-48	112-121	26-35	5	50	3,41	C
5060100105001920	580 x 1920	35	86	445	39-48	112-121	26-35	5	50	3,51	C
5060100105001975	580 x 1980	36	86	445	39-48	112-121	26-35	5	50	3,61	C
5060100106000325	680 x 330	6	86	545	39-48	112-121	26-35	5	50	0,71	C
5060100106000380	680 x 380	7	86	545	39-48	112-121	26-35	5	50	0,82	C
5060100106000435	680 x 440	8	86	545	39-48	112-121	26-35	5	50	0,94	C-E-D
5060100106000490	680 x 490	9	86	545	39-48	112-121	26-35	5	50	1,05	C-E-D
5060100106000545	680 x 550	10	86	545	39-48	112-121	26-35	5	50	1,16	C-E-D
5060100106000600	680 x 600	11	86	545	39-48	112-121	26-35	5	50	1,28	C-E-D
5060100106000655	680 x 660	12	86	545	39-48	112-121	26-35	5	50	1,39	C-E-D
5060100106000710	680 x 710	13	86	545	39-48	112-121	26-35	5	50	1,50	C-E-D
5060100106000765	680 x 770	14	86	545	39-48	112-121	26-35	5	50	1,62	C-E-D
5060100106000820	680 x 820	15	86	545	39-48	112-121	26-35	5	50	1,73	C-E-D
5060100106000875	680 x 880	16	86	545	39-48	112-121	26-35	5	50	1,84	C-E-D
5060100106000930	680 x 930	17	86	545	39-48	112-121	26-35	5	50	1,96	C-E-D
5060100106000985	680 x 990	18	86	545	39-48	112-121	26-35	5	50	2,07	C-E-D
5060100106001040	680 x 1040	19	86	545	39-48	112-121	26-35	5	50	2,20	C-E-D
5060100106001095	680 x 1100	20	86	545	39-48	112-121	26-35	5	50	2,31	C-E-D
5060100106001150	680 x 1150	21	86	545	39-48	112-121	26-35	5	50	2,43	C-E-D
5060100106001205	680 x 1210	22	86	545	39-48	112-121	26-35	5	50	2,54	C-E-D
5060100106001260	680 x 1260	23	86	545	39-48	112-121	26-35	5	50	2,65	C-E-D
5060100106001315	680 x 1320	24	86	545	39-48	112-121	26-35	5	50	2,77	C-E-D
5060100106001370	680 x 1370	25	86	545	39-48	112-121	26-35	5	50	2,88	C-E-D
5060100106001425	680 x 1430	26	86	545	39-48	112-121	26-35	5	50	2,99	C
5060100106001480	680 x 1480	27	86	545	39-48	112-121	26-35	5	50	3,11	C
5060100106001535	680 x 1540	28	86	545	39-48	112-121	26-35	5	50	3,22	C
5060100106001590	680 x 1590	29	86	545	39-48	112-121	26-35	5	50	3,33	C
5060100106001645	680 x 1650	30	86	545	39-48	112-121	26-35	5	50	3,45	C
5060100106001700	680 x 1700	31	86	545	39-48	112-121	26-35	5	50	3,56	C
5060100106001755	680 x 1760	32	86	545	39-48	112-121	26-35	5	50	3,67	C
5060100106001810	680 x 1810	33	86	545	39-48	112-121	26-35	5	50	3,79	C
5060100106001865	680 x 1870	34	86	545	39-48	112-121	26-35	5	50	3,90	C
5060100106001920	680 x 1920	35	86	545	39-48	112-121	26-35	5	50	4,01	C
5060100106001975	680 x 1980	36	86	545	39-48	112-121	26-35	5	50	4,13	C
5060100107000325	780 x 330	6	86	645	39-48	112-121	26-35	5	50	0,80	C
5060100107000380	780 x 380	7	86	645	39-48	112-121	26-35	5	50	0,92	C
5060100107000435	780 x 440	8	86	645	39-48	112-121	26-35	5	50	1,05	C-E-D
5060100107000490	780 x 490	9	86	645	39-48	112-121	26-35	5	50	1,18	C-E-D
5060100107000545	780 x 550	10	86	645	39-48	112-121	26-35	5	50	1,31	C-E-D
5060100107000600	780 x 600	11	86	645	39-48	112-121	26-35	5	50	1,43	C-E-D
5060100107000655	780 x 660	12	86	645	39-48	112-121	26-35	5	50	1,56	C-E-D
5060100107000710	780 x 710	13	86	645	39-48	112-121	26-35	5	50	1,69	C-E-D
5060100107000765	780 x 770	14	86	645	39-48	112-121	26-35	5	50	1,82	C-E-D
5060100107000820	780 x 820	15	86	645	39-48	112-121	26-35	5	50	1,95	C-E-D
5060100107000875	780 x 880	16	86	645	39-48	112-121	26-35	5	50	2,07	C-E-D
5060100107000930	780 x 930	17	86	645	39-48	112-121	26-35	5	50	2,20	C-E-D
5060100107000985	780 x 990	18	86	645	39-48	112-121	26-35	5	50	2,33	C-E-D
5060100107001040	780 x 1040	19	86	645	39-48	112-121	26-35	5	50	2,47	C-E-D
5060100107001095	780 x 1100	20	86	645	39-48	112-121	26-35	5	50	2,60	C-E-D
5060100107001150	780 x 1150	21	86	645	39-48	112-121	26-35	5	50	2,73	C-E-D
5060100107001205	780 x 1210	22	86	645	39-48	112-121	26-35	5	50	2,85	C-E-D
5060100107001260	780 x 1260	23	86	645	39-48	112-121	26-35	5	50	2,98	C-E-D
5060100107001315	780 x 1320	24	86	645	39-48	112-121	26-35	5	50	3,11	C-E-D
5060100107001370	780 x 1370	25	86	645	39-48	112-121	26-35	5	50	3,24	C-E-D
5060100107001425	780 x 1430	26	86	645	39-48	112-121	26-35	5	50	3,36	C
5060100107001480	780 x 1480	27	86	645	39-48	112-121	26-35	5	50	3,49	C
5060100107001535	780 x 1540	28	86	645	39-48	112-121	26-35	5	50	3,62	C
5060100107001590	780 x 1590	29	86	645	39-48	112-121	26-35	5	50	3,75	C
5060100107001645	780 x 1650	30	86	645	39-48	112-121	26-35	5	50	3,87	C
5060100107001700	780 x 1700	31	86	645	39-48	112-121	26-35	5	50	4,00	C
5060100107001755	780 x 1760	32	86	645	39-48	112-121	26-35	5	50	4,13	C
5060100107001810	780 x 1810	33	86	645	39-48	112-121	26-35	5	50	4,26	C
5060100107001865	780 x 1870	34	86	645	39-48	112-121	26-35	5	50	4,39	C
5060100108000325	880 x 330	6	86	745	39-48	112-121	26-35	5	50	0,88	C
5060100108000380	880 x 380	7	86	745	39-48	112-121	26-35	5	50	1,02	C
5060100108000435	880 x 440	8	86	745	39-48	112-121	26-35	5	50	1,17	C-E-D
5060100108000490	880 x 490	9	86	745	39-48	112-121	26-35	5	50	1,31	C-E-D
5060100108000545	880 x 550	10	86	745	39-48	112-121	26-35	5	50	1,45	C-E-D
5060100108000600	880 x 600	11	86	745	39-48	112-121	26-35	5	50	1,59	C-E-D
5060100108000655	880 x 660	12	86	745	39-48	112-121	26-35	5	50	1,73	C-E-D
5060100108000710	880 x 710	13	86	745	39-48	112-121	26-35	5	50	1,88	C-E-D
5060100108000765	880 x 770	14	86	745	39-48	112-121	26-35	5	50	2,02	C-E-D
5060100108000820	880 x 820	15	86	745	39-48	112-121	26-35	5	50	2,16	C-E-D
5060100108000875	880 x 880	16	86	745	39-48	112-121	26-35	5	50	2,30	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060100105001480	1783	6081	2318	7905
5060100105001535	1849	6306	2404	8197
5060100105001590	1915	6531	2490	8490
5060100105001645	1981	6756	2576	8783
5060100105001700	2047	6981	2662	9076
5060100105001755	2113	7207	2747	9368
5060100105001810	2179	7432	2833	9661
5060100105001865	2245	7657	2919	9954
5060100105001920	2311	7882	3005	10247
5060100105001975	2378	8107	3091	10540
5060100106000325	486	1657	632	2154
5060100106000380	567	1933	737	2514
5060100106000435	648	2210	842	2873
5060100106000490	729	2486	948	3232
5060100106000545	810	2762	1053	3591
5060100106000600	891	3038	1158	3950
5060100106000655	972	3315	1264	4309
5060100106000710	1053	3591	1369	4668
5060100106000765	1134	3867	1474	5027
5060100106000820	1215	4143	1580	5386
5060100106000875	1296	4419	1685	5745
5060100106000930	1377	4696	1790	6104
5060100106000985	1458	4972	1895	6463
5060100106001040	1539	5248	2001	6822
5060100106001095	1620	5524	2106	7181
5060100106001150	1701	5800	2211	7541
5060100106001205	1782	6077	2317	7900
5060100106001260	1863	6353	2422	8259
5060100106001315	1944	6629	2527	8618
5060100106001370	2025	6905	2633	8977
5060100106001425	2106	7181	2738	9336
5060100106001480	2187	7458	2843	9695
5060100106001535	2268	7734	2948	10054
5060100106001590	2349	8010	3054	10413
5060100106001645	2430	8286	3159	10772
5060100106001700	2511	8563	3264	11131
5060100106001755	2592	8839	3370	11490
5060100106001810	2673	9115	3475	11849
5060100106001865	2754	9391	3580	12208
5060100106001920	2835	9667	3686	12568
5060100106001975	2916	9944	3791	12927
5060100107000325	555	1892	721	2459
5060100107000380	647	2207	841	2869
5060100107000435	740	2522	962	3279
5060100107000490	832	2838	1082	3689
5060100107000545	925	3153	1202	4099
5060100107000600	1017	3468	1322	4509
5060100107000655	1110	3783	1442	4918
5060100107000710	1202	4099	1563	5328
5060100107000765	1294	4414	1683	5738
5060100107000820	1387	4729	1803	6148
5060100107000875	1479	5045	1923	6558
5060100107000930	1572	5360	2043	6968
5060100107000985	1664	5675	2164	7378
5060100107001040	1757	5990	2284	7788
5060100107001095	1849	6306	2404	8197
5060100107001150	1942	6621	2524	8607
5060100107001205	2034	6936	2644	9017
5060100107001260	2127	7252	2765	9427
5060100107001315	2219	7567	2885	9837
5060100107001370	2311	7882	3005	10247
5060100107001425	2404	8197	3125	10657
5060100107001480	2496	8513	3245	11067
5060100107001535	2589	8828	3366	11476
5060100107001590	2681	9143	3486	11886
5060100107001645	2774	9459	3606	12296
5060100107001700	2866	9774	3726	12706
5060100107001755	2959	10089	3846	13116
5060100107001810	3051	10404	3966	13526
5060100107001865	3144	10720	4087	13936
5060100108000325	620	2115	806	2750
5060100108000380	724	2468	941	3208
5060100108000435	827	2820	1075	3666
5060100108000490	930	3173	1210	4125
5060100108000545	1034	3525	1344	4583
5060100108000600	1137	3878	1478	5041
5060100108000655	1241	4231	1613	5500
5060100108000710	1344	4583	1747	5958
5060100108000765	1447	4936	1882	6416
5060100108000820	1551	5288	2016	6875
5060100108000875	1654	5641	2150	7333

ALBITE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100108000930	880 x 930	17	86	745	39-48	112-121	26-35	5	50	2.44	C-E-D
5060100108000985	880 x 990	18	86	745	39-48	112-121	26-35	5	50	2.59	C-E-D
5060100108001040	880 x 1040	19	86	745	39-48	112-121	26-35	5	50	2.74	C-E-D
5060100108001095	880 x 1100	20	86	745	39-48	112-121	26-35	5	50	2.88	C-E-D
5060100108001150	880 x 1150	21	86	745	39-48	112-121	26-35	5	50	3.03	C-E-D
5060100108001205	880 x 1210	22	86	745	39-48	112-121	26-35	5	50	3.17	C-E-D
5060100108001260	880 x 1260	23	86	745	39-48	112-121	26-35	5	50	3.31	C-E-D
5060100108001315	880 x 1320	24	86	745	39-48	112-121	26-35	5	50	3.45	C-E-D
5060100108001370	880 x 1370	25	86	745	39-48	112-121	26-35	5	50	3.59	C-E-D
5060100108001425	880 x 1430	26	86	745	39-48	112-121	26-35	5	50	3.74	C
5060100108001480	880 x 1480	27	86	745	39-48	112-121	26-35	5	50	3.88	C
5060100108001535	880 x 1540	28	86	745	39-48	112-121	26-35	5	50	4.02	C
5060100108001590	880 x 1590	29	86	745	39-48	112-121	26-35	5	50	4.16	C
5060100108001645	880 x 1650	30	86	745	39-48	112-121	26-35	5	50	4.30	C
5060100108001700	880 x 1700	31	86	745	39-48	112-121	26-35	5	50	4.45	C
5060100108001755	880 x 1760	32	86	745	39-48	112-121	26-35	5	50	4.59	C
5060100108001810	880 x 1810	33	86	745	39-48	112-121	26-35	5	50	4.73	C
5060100108001865	880 x 1870	34	86	745	39-48	112-121	26-35	5	50	4.87	C
5060100109000325	980 x 330	6	86	845	39-48	112-121	26-35	5	50	0.97	C
5060100109000380	980 x 380	7	86	845	39-48	112-121	26-35	5	50	1.12	C
5060100109000435	980 x 440	8	86	845	39-48	112-121	26-35	5	50	1.28	C-E-D
5060100109000490	980 x 490	9	86	845	39-48	112-121	26-35	5	50	1.44	C-E-D
5060100109000545	980 x 550	10	86	845	39-48	112-121	26-35	5	50	1.59	C-E-D
5060100109000600	980 x 600	11	86	845	39-48	112-121	26-35	5	50	1.75	C-E-D
5060100109000655	980 x 660	12	86	845	39-48	112-121	26-35	5	50	1.91	C-E-D
5060100109000710	980 x 710	13	86	845	39-48	112-121	26-35	5	50	2.06	C-E-D
5060100109000765	980 x 770	14	86	845	39-48	112-121	26-35	5	50	2.22	C-E-D
5060100109000820	980 x 820	15	86	845	39-48	112-121	26-35	5	50	2.37	C-E-D
5060100109000875	980 x 880	16	86	845	39-48	112-121	26-35	5	50	2.53	C-E-D
5060100109000930	980 x 930	17	86	845	39-48	112-121	26-35	5	50	2.69	C-E-D
5060100109000985	980 x 990	18	86	845	39-48	112-121	26-35	5	50	2.84	C-E-D
5060100109001040	980 x 1040	19	86	845	39-48	112-121	26-35	5	50	3.01	C-E-D
5060100109001095	980 x 1100	20	86	845	39-48	112-121	26-35	5	50	3.17	C-E-D
5060100109001150	980 x 1150	21	86	845	39-48	112-121	26-35	5	50	3.33	C-E-D
5060100109001205	980 x 1210	22	86	845	39-48	112-121	26-35	5	50	3.48	C-E-D
5060100109001260	980 x 1260	23	86	845	39-48	112-121	26-35	5	50	3.64	C-E-D
5060100109001315	980 x 1320	24	86	845	39-48	112-121	26-35	5	50	3.80	C-E-D
5060100109001370	980 x 1370	25	86	845	39-48	112-121	26-35	5	50	3.95	C-E-D
5060100109001425	980 x 1430	26	86	845	39-48	112-121	26-35	5	50	4.11	C
5060100109001480	980 x 1480	27	86	845	39-48	112-121	26-35	5	50	4.26	C
5060100109001535	980 x 1540	28	86	845	39-48	112-121	26-35	5	50	4.42	C
5060100109001590	980 x 1590	29	86	845	39-48	112-121	26-35	5	50	4.58	C
5060100109001645	980 x 1650	30	86	845	39-48	112-121	26-35	5	50	4.73	C
5060100109001700	980 x 1700	31	86	845	39-48	112-121	26-35	5	50	4.89	C
5060100109001755	980 x 1760	32	86	845	39-48	112-121	26-35	5	50	5.05	C
5060100109001810	980 x 1810	33	86	845	39-48	112-121	26-35	5	50	5.20	C
5060100109001865	980 x 1870	34	86	845	39-48	112-121	26-35	5	50	5.36	C
5060100110000325	1080 x 330	6	86	945	39-48	112-121	26-35	5	50	1.05	C
5060100110000380	1080 x 380	7	86	945	39-48	112-121	26-35	5	50	1.22	C
5060100110000435	1080 x 440	8	86	945	39-48	112-121	26-35	5	50	1.40	C-E-D
5060100110000490	1080 x 490	9	86	945	39-48	112-121	26-35	5	50	1.57	C-E-D
5060100110000545	1080 x 550	10	86	945	39-48	112-121	26-35	5	50	1.74	C-E-D
5060100110000600	1080 x 600	11	86	945	39-48	112-121	26-35	5	50	1.91	C-E-D
5060100110000655	1080 x 660	12	86	945	39-48	112-121	26-35	5	50	2.08	C-E-D
5060100110000710	1080 x 710	13	86	945	39-48	112-121	26-35	5	50	2.25	C-E-D
5060100110000765	1080 x 770	14	86	945	39-48	112-121	26-35	5	50	2.42	C-E-D
5060100110000820	1080 x 820	15	86	945	39-48	112-121	26-35	5	50	2.59	C-E-D
5060100110000875	1080 x 880	16	86	945	39-48	112-121	26-35	5	50	2.76	C-E-D
5060100110000930	1080 x 930	17	86	945	39-48	112-121	26-35	5	50	2.93	C-E-D
5060100110000985	1080 x 990	18	86	945	39-48	112-121	26-35	5	50	3.10	C-E-D
5060100110001040	1080 x 1040	19	86	945	39-48	112-121	26-35	5	50	3.29	C-E-D
5060100110001095	1080 x 1100	20	86	945	39-48	112-121	26-35	5	50	3.46	C-E-D
5060100110001150	1080 x 1150	21	86	945	39-48	112-121	26-35	5	50	3.63	C-E-D
5060100110001205	1080 x 1210	22	86	945	39-48	112-121	26-35	5	50	3.80	C-E-D
5060100110001260	1080 x 1260	23	86	945	39-48	112-121	26-35	5	50	3.97	C-E-D
5060100110001315	1080 x 1320	24	86	945	39-48	112-121	26-35	5	50	4.14	C-E-D
5060100110001370	1080 x 1370	25	86	945	39-48	112-121	26-35	5	50	4.31	C-E-D
5060100110001425	1080 x 1430	26	86	945	39-48	112-121	26-35	5	50	4.48	C
5060100110001480	1080 x 1480	27	86	945	39-48	112-121	26-35	5	50	4.65	C
5060100110001535	1080 x 1540	28	86	945	39-48	112-121	26-35	5	50	4.82	C
5060100110001590	1080 x 1590	29	86	945	39-48	112-121	26-35	5	50	4.99	C
5060100110001645	1080 x 1650	30	86	945	39-48	112-121	26-35	5	50	5.16	C
5060100110001700	1080 x 1700	31	86	945	39-48	112-121	26-35	5	50	5.33	C
5060100110001755	1080 x 1760	32	86	945	39-48	112-121	26-35	5	50	5.50	C
5060100110001810	1080 x 1810	33	86	945	39-48	112-121	26-35	5	50	5.67	C
5060100110001865	1080 x 1870	34	86	945	39-48	112-121	26-35	5	50	5.84	C
5060100112000325	1280 x 330	6	86	1145	39-48	112-121	26-35	5	50	1.23	C
5060100112000380	1280 x 380	7	86	1145	39-48	112-121	26-35	5	50	1.42	C
5060100112000435	1280 x 440	8	86	1145	39-48	112-121	26-35	5	50	1.62	C-E-D
5060100112000490	1280 x 490	9	86	1145	39-48	112-121	26-35	5	50	1.82	C-E-D
5060100112000545	1280 x 550	10	86	1145	39-48	112-121	26-35	5	50	2.02	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Watt
5060100108000930	1758	5993	2285	7791
5060100108000985	1861	6346	2419	8250
5060100108001040	1964	6698	2554	8708
5060100108001095	2068	7051	2688	9166
5060100108001150	2171	7403	2822	9624
5060100108001205	2274	7756	2957	10083
5060100108001260	2378	8109	3091	10541
5060100108001315	2481	8461	3226	10999
5060100108001370	2585	8814	3360	11458
5060100108001425	2688	9166	3494	11916
5060100108001480	2791	9519	3629	12374
5060100108001535	2895	9871	3763	12833
5060100108001590	2998	10224	3898	13291
5060100108001645	3102	10576	4032	13749
5060100108001700	3205	10929	4166	14207
5060100108001755	3308	11281	4301	14666
5060100108001810	3412	11634	4435	15124
5060100108001865	3515	11986	4570	15582
5060100109000325	683	2328	888	3027
5060100109000380	797	2716	1036	3531
5060100109000435	910	3104	1183	4036
5060100109000490	1024	3492	1331	4540
5060100109000545	1138	3880	1479	5045
5060100109000600	1252	4269	1627	5549
5060100109000655	1366	4657	1775	6054
5060100109000710	1479	5045	1923	6558
5060100109000765	1593	5433	2071	7062
5060100109000820	1707	5821	2219	7567
5060100109000875	1821	6209	2367	8071
5060100109000930	1935	6597	2515	8576
5060100109000985	2048	6985	2663	9080
5060100109001040	2162	7373	2811	9585
5060100109001095	2276	7761	2959	10089
5060100109001150	2390	8149	3107	10594
5060100109001205	2504	8537	3255	11098
5060100109001260	2617	8925	3402	11603
5060100109001315	2731	9313	3550	12107
5060100109001370	2845	9701	3698	12611
5060100109001425	2959	10089	3846	13116
5060100109001480	3072	10477	3994	13620
5060100109001535	3186	10865	4142	14125
5060100109001590	3300	11253	4290	14629
5060100109001645	3414	11641	4438	15134
5060100109001700	3528	12029	4586	15638
5060100109001755	3641	12417	4734	16143
5060100109001810	3755	12805	4882	16647
5060100109001865	3869	13194	5030	17152
5060100110000325	742	2531	965	3290
5060100110000380	866	2953	1126	3839
5060100110000435	990	3375	1287	4387
5060100110000490	1113	3797	1447	4936
5060100110000545	1237	4218	1608	5484
5060100110000600	1361	4640	1769	6032
5060100110000655	1485	5062	1930	6581
5060100110000710	1608	5484	2091	7129
5060100110000765	1732	5906	2252	7678
5060100110000820	1856	6328	2412	8226
5060100110000875	1979	6750	2573	8774
5060100110000930	2103	7171	2734	9323
5060100110000985	2227	7593	2895	9871
5060100110001040	2350	8015	3056	10420
5060100110001095	2474	8437	3216	10968
5060100110001150	2598	8859	3377	11516
5060100110001205	2722	9281	3538	12065
5060100110001260	2845	9702	3699	12613
5060100110001315	2969	10124	3860	13162
5060100110001370	3093	10546	4021	13710
5060100110001425	3216	10968	4181	14258
5060100110001480	3340	11390	4342	14807
5060100110001535	3464	11812	4503	15355
5060100110001590	3588	12234	4664	15904
5060100110001645	3711	12655	4825	16452
5060100110001700	3835	13077	4985	17000
5060100110001755	3959	13499	5146	17549
5060100110001810	4082	13921	5307	18097
5060100110001865	4206	14343	5468	18646
5060100112000325	852	2906	1108	3778
5060100112000380	994	3390	1293	4408
5060100112000435	1136	3875	1477	5037
5060100112000490	1278	4359	1662	5667
5060100112000545	1420	4844	1846	6297

ALBITE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100112000600	1280 x 600	11	86	1145	39-48	112-121	26-35	5	50	2,22	C-E-D
5060100112000655	1280 x 660	12	86	1145	39-48	112-121	26-35	5	50	2,42	C-E-D
5060100112000710	1280 x 710	13	86	1145	39-48	112-121	26-35	5	50	2,62	C-E-D
5060100112000765	1280 x 770	14	86	1145	39-48	112-121	26-35	5	50	2,82	C-E-D
5060100112000820	1280 x 820	15	86	1145	39-48	112-121	26-35	5	50	3,02	C-E-D
5060100112000875	1280 x 880	16	86	1145	39-48	112-121	26-35	5	50	3,22	C-E-D
5060100112000930	1280 x 930	17	86	1145	39-48	112-121	26-35	5	50	3,42	C-E-D
5060100112000985	1280 x 990	18	86	1145	39-48	112-121	26-35	5	50	3,62	C-E-D
5060100112001040	1280 x 1040	19	86	1145	39-48	112-121	26-35	5	50	3,83	C-E-D
5060100112001095	1280 x 1100	20	86	1145	39-48	112-121	26-35	5	50	4,03	C-E-D
5060100112001150	1280 x 1150	21	86	1145	39-48	112-121	26-35	5	50	4,23	C-E-D
5060100112001205	1280 x 1210	22	86	1145	39-48	112-121	26-35	5	50	4,43	C-E-D
5060100112001260	1280 x 1260	23	86	1145	39-48	112-121	26-35	5	50	4,63	C-E-D
5060100112001315	1280 x 1320	24	86	1145	39-48	112-121	26-35	5	50	4,82	C-E-D
5060100112001370	1280 x 1370	25	86	1145	39-48	112-121	26-35	5	50	5,02	C-E-D
5060100112001425	1280 x 1430	26	86	1145	39-48	112-121	26-35	5	50	5,22	C
5060100112001480	1280 x 1480	27	86	1145	39-48	112-121	26-35	5	50	5,42	C
5060100114000325	1480 x 330	6	86	1345	39-48	112-121	26-35	5	50	1,40	C
5060100114000380	1480 x 380	7	86	1345	39-48	112-121	26-35	5	50	1,63	C
5060100114000435	1480 x 440	8	86	1345	39-48	112-121	26-35	5	50	1,85	C-E-D
5060100114000490	1480 x 490	9	86	1345	39-48	112-121	26-35	5	50	2,08	C-E-D
5060100114000545	1480 x 550	10	86	1345	39-48	112-121	26-35	5	50	2,31	C-E-D
5060100114000600	1480 x 600	11	86	1345	39-48	112-121	26-35	5	50	2,54	C-E-D
5060100114000655	1480 x 660	12	86	1345	39-48	112-121	26-35	5	50	2,76	C-E-D
5060100114000710	1480 x 710	13	86	1345	39-48	112-121	26-35	5	50	2,99	C-E-D
5060100114000765	1480 x 770	14	86	1345	39-48	112-121	26-35	5	50	3,22	C-E-D
5060100114000820	1480 x 820	15	86	1345	39-48	112-121	26-35	5	50	3,45	C-E-D
5060100114000875	1480 x 880	16	86	1345	39-48	112-121	26-35	5	50	3,67	C-E-D
5060100114000930	1480 x 930	17	86	1345	39-48	112-121	26-35	5	50	3,90	C-E-D
5060100114000985	1480 x 990	18	86	1345	39-48	112-121	26-35	5	50	4,13	C-E-D
5060100114001040	1480 x 1040	19	86	1345	39-48	112-121	26-35	5	50	4,37	C-E-D
5060100114001095	1480 x 1100	20	86	1345	39-48	112-121	26-35	5	50	4,60	C-E-D
5060100114001150	1480 x 1150	21	86	1345	39-48	112-121	26-35	5	50	4,83	C-E-D
5060100114001205	1480 x 1210	22	86	1345	39-48	112-121	26-35	5	50	5,06	C-E-D
5060100114001260	1480 x 1260	23	86	1345	39-48	112-121	26-35	5	50	5,28	C-E-D
5060100114001315	1480 x 1320	24	86	1345	39-48	112-121	26-35	5	50	5,51	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060100112000600	1562	5328	2031	6926
5060100112000655	1704	5812	2216	7556
5060100112000710	1846	6297	2400	8185
5060100112000765	1989	6781	2585	8815
5060100112000820	2131	7265	2770	9445
5060100112000875	2273	7750	2954	10074
5060100112000930	2415	8234	3139	10704
5060100112000985	2557	8718	3324	11334
5060100112001040	2699	9203	3508	11963
5060100112001095	2841	9687	3693	12593
5060100112001150	2983	10171	3878	13223
5060100112001205	3125	10656	4062	13852
5060100112001260	3267	11140	4247	14482
5060100112001315	3409	11624	4432	15112
5060100112001370	3551	12109	4616	15741
5060100112001425	3693	12593	4801	16371
5060100112001480	3835	13077	4986	17001
5060100114000325	978	3337	1272	4338
5060100114000380	1142	3893	1484	5061
5060100114000435	1305	4449	1696	5784
5060100114000490	1468	5005	1908	6506
5060100114000545	1631	5561	2120	7229
5060100114000600	1794	6117	2332	7952
5060100114000655	1957	6673	2544	8675
5060100114000710	2120	7229	2756	9398
5060100114000765	2283	7786	2968	10121
5060100114000820	2446	8342	3180	10844
5060100114000875	2609	8898	3392	11567
5060100114000930	2772	9454	3604	12290
5060100114000985	2935	10010	3816	13013
5060100114001040	3099	10566	4028	13736
5060100114001095	3262	11122	4240	14459
5060100114001150	3425	11678	4452	15182
5060100114001205	3588	12234	4664	15905
5060100114001260	3751	12791	4876	16628
5060100114001315	3914	13347	5088	17351

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
19,32	22,40	0,12	1400X647X128
21,04	24,44	0,13	1400X702X128
22,78	26,34	0,14	1400X757X128
24,51	28,22	0,15	1400X812X128
26,25	30,11	0,16	1400X867X128
27,98	32,00	0,17	1400X922X128
29,71	33,89	0,18	1400X977X128
31,44	35,78	0,19	1400X1032X128
33,30	37,79	0,20	1400X1087X128
35,04	39,70	0,21	1400X1142X128
36,77	41,58	0,22	1400X1197X128
38,51	43,48	0,23	1400X1252X128
40,24	45,37	0,24	1400X1307X128
41,96	47,25	0,25	1400X1362X128
43,70	49,14	0,26	1400X1417X128
45,43	51,03	0,27	1400X1472X128
47,17	52,92	0,28	1400X1527X128
12,24	14,79	0,08	1600X372X128
14,24	16,96	0,09	1600X427X128
16,24	19,15	0,10	1600X482X128
18,24	21,32	0,11	1600X537X128
20,24	23,50	0,13	1600X592X128
22,24	25,67	0,14	1600X647X128
24,23	28,00	0,15	1600X702X128
26,23	30,17	0,16	1600X757X128
28,22	32,34	0,17	1600X812X128
30,22	34,51	0,18	1600X867X128
32,22	36,70	0,19	1600X922X128
34,22	38,88	0,21	1600X977X128
36,21	41,04	0,22	1600X1032X128
38,34	43,35	0,23	1600X1087X128
40,34	45,52	0,24	1600X1142X128
42,34	47,71	0,25	1600X1197X128
44,34	49,88	0,26	1600X1252X128
46,34	52,05	0,27	1600X1307X128
48,33	54,22	0,28	1600X1362X128

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel