

BELLA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100303000286	380 x 290	5	77	245	64-73	103-112	26-35	9	50	0,39	C
5060100303000345	380 x 350	6	77	245	64-73	103-112	26-35	9	50	0,46	C
5060100303000404	380 x 400	7	77	245	64-73	103-112	26-35	9	50	0,54	C-E-D
5060100303000463	380 x 460	8	77	245	64-73	103-112	26-35	9	50	0,61	C-E-D
5060100303000522	380 x 520	9	77	245	64-73	103-112	26-35	9	50	0,68	C-E-D
5060100303000581	380 x 580	10	77	245	64-73	103-112	26-35	9	50	0,76	C-E-D
5060100303000640	380 x 640	11	77	245	64-73	103-112	26-35	9	50	0,83	C-E-D
5060100303000699	380 x 700	12	77	245	64-73	103-112	26-35	9	50	0,90	C-E-D
5060100303000758	380 x 760	13	77	245	64-73	103-112	26-35	9	50	0,97	C-E-D
5060100303000817	380 x 820	14	77	245	64-73	103-112	26-35	9	50	1,05	C-E-D
5060100303000876	380 x 880	15	77	245	64-73	103-112	26-35	9	50	1,12	C-E-D
5060100303000935	380 x 940	16	77	245	64-73	103-112	26-35	9	50	1,19	C-E-D
5060100303000994	380 x 990	17	77	245	64-73	103-112	26-35	9	50	1,26	C-E-D
5060100303001053	380 x 1050	18	77	245	64-73	103-112	26-35	9	50	1,35	C-E-D
5060100303001112	380 x 1110	19	77	245	64-73	103-112	26-35	9	50	1,42	C-E-D
5060100303001171	380 x 1170	20	77	245	64-73	103-112	26-35	9	50	1,50	C-E-D
5060100303001230	380 x 1230	21	77	245	64-73	103-112	26-35	9	50	1,57	C-E-D
5060100303001289	380 x 1290	22	77	245	64-73	103-112	26-35	9	50	1,64	C-E-D
5060100303001348	380 x 1350	23	77	245	64-73	103-112	26-35	9	50	1,72	C-E-D
5060100303001407	380 x 1410	24	77	245	64-73	103-112	26-35	9	50	1,79	C
5060100303001466	380 x 1470	25	77	245	64-73	103-112	26-35	9	50	1,86	C
5060100303001525	380 x 1530	26	77	245	64-73	103-112	26-35	9	50	1,93	C
5060100303001584	380 x 1580	27	77	245	64-73	103-112	26-35	9	50	2,01	C
5060100303001643	380 x 1640	28	77	245	64-73	103-112	26-35	9	50	2,08	C
5060100303001702	380 x 1700	29	77	245	64-73	103-112	26-35	9	50	2,15	C
5060100303001761	380 x 1760	30	77	245	64-73	103-112	26-35	9	50	2,22	C
5060100303001820	380 x 1820	31	77	245	64-73	103-112	26-35	9	50	2,30	C
5060100303001879	380 x 1880	32	77	245	64-73	103-112	26-35	9	50	2,37	C
5060100303001938	380 x 1940	33	77	245	64-73	103-112	26-35	9	50	2,44	C
5060100303001997	380 x 2000	34	77	245	64-73	103-112	26-35	9	50	2,52	C
5060100304000286	480 x 290	5	77	345	64-73	103-112	26-35	9	50	0,46	C
5060100304000345	480 x 350	6	77	345	64-73	103-112	26-35	9	50	0,55	C
5060100304000404	480 x 400	7	77	345	64-73	103-112	26-35	9	50	0,64	C-E-D
5060100304000463	480 x 460	8	77	345	64-73	103-112	26-35	9	50	0,72	C-E-D
5060100304000522	480 x 520	9	77	345	64-73	103-112	26-35	9	50	0,81	C-E-D
5060100304000581	480 x 580	10	77	345	64-73	103-112	26-35	9	50	0,90	C-E-D
5060100304000640	480 x 640	11	77	345	64-73	103-112	26-35	9	50	0,99	C-E-D
5060100304000699	480 x 700	12	77	345	64-73	103-112	26-35	9	50	1,07	C-E-D
5060100304000758	480 x 760	13	77	345	64-73	103-112	26-35	9	50	1,16	C-E-D
5060100304000817	480 x 820	14	77	345	64-73	103-112	26-35	9	50	1,25	C-E-D
5060100304000876	480 x 880	15	77	345	64-73	103-112	26-35	9	50	1,33	C-E-D
5060100304000935	480 x 940	16	77	345	64-73	103-112	26-35	9	50	1,42	C-E-D
5060100304000994	480 x 990	17	77	345	64-73	103-112	26-35	9	50	1,51	C-E-D
5060100304001053	480 x 1050	18	77	345	64-73	103-112	26-35	9	50	1,61	C-E-D
5060100304001112	480 x 1110	19	77	345	64-73	103-112	26-35	9	50	1,70	C-E-D
5060100304001171	480 x 1170	20	77	345	64-73	103-112	26-35	9	50	1,78	C-E-D
5060100304001230	480 x 1230	21	77	345	64-73	103-112	26-35	9	50	1,87	C-E-D
5060100304001289	480 x 1290	22	77	345	64-73	103-112	26-35	9	50	1,96	C-E-D
5060100304001348	480 x 1350	23	77	345	64-73	103-112	26-35	9	50	2,04	C-E-D
5060100304001407	480 x 1410	24	77	345	64-73	103-112	26-35	9	50	2,13	C
5060100304001466	480 x 1470	25	77	345	64-73	103-112	26-35	9	50	2,22	C
5060100304001525	480 x 1530	26	77	345	64-73	103-112	26-35	9	50	2,31	C
5060100304001584	480 x 1580	27	77	345	64-73	103-112	26-35	9	50	2,39	C
5060100304001643	480 x 1640	28	77	345	64-73	103-112	26-35	9	50	2,48	C
5060100304001702	480 x 1700	29	77	345	64-73	103-112	26-35	9	50	2,57	C
5060100304001761	480 x 1760	30	77	345	64-73	103-112	26-35	9	50	2,65	C
5060100304001820	480 x 1820	31	77	345	64-73	103-112	26-35	9	50	2,74	C
5060100304001879	480 x 1880	32	77	345	64-73	103-112	26-35	9	50	2,83	C
5060100304001938	480 x 1940	33	77	345	64-73	103-112	26-35	9	50	2,91	C
5060100304001997	480 x 2000	34	77	345	64-73	103-112	26-35	9	50	3,00	C
5060100305000286	580 x 290	5	77	445	64-73	103-112	26-35	9	50	0,54	C
5060100305000345	580 x 350	6	77	445	64-73	103-112	26-35	9	50	0,64	C
5060100305000404	580 x 400	7	77	445	64-73	103-112	26-35	9	50	0,74	C-E-D
5060100305000463	580 x 460	8	77	445	64-73	103-112	26-35	9	50	0,84	C-E-D
5060100305000522	580 x 520	9	77	445	64-73	103-112	26-35	9	50	0,94	C-E-D
5060100305000581	580 x 580	10	77	445	64-73	103-112	26-35	9	50	1,04	C-E-D
5060100305000640	580 x 640	11	77	445	64-73	103-112	26-35	9	50	1,14	C-E-D
5060100305000699	580 x 700	12	77	445	64-73	103-112	26-35	9	50	1,24	C-E-D
5060100305000758	580 x 760	13	77	445	64-73	103-112	26-35	9	50	1,35	C-E-D
5060100305000817	580 x 820	14	77	445	64-73	103-112	26-35	9	50	1,45	C-E-D
5060100305000876	580 x 880	15	77	445	64-73	103-112	26-35	9	50	1,55	C-E-D
5060100305000935	580 x 940	16	77	445	64-73	103-112	26-35	9	50	1,65	C-E-D
5060100305000994	580 x 990	17	77	445	64-73	103-112	26-35	9	50	1,75	C-E-D
5060100305001053	580 x 1050	18	77	445	64-73	103-112	26-35	9	50	1,87	C-E-D
5060100305001112	580 x 1110	19	77	445	64-73	103-112	26-35	9	50	1,97	C-E-D
5060100305001171	580 x 1170	20	77	445	64-73	103-112	26-35	9	50	2,07	C-E-D
5060100305001230	580 x 1230	21	77	445	64-73	103-112	26-35	9	50	2,17	C-E-D
5060100305001289	580 x 1290	22	77	445	64-73	103-112	26-35	9	50	2,27	C-E-D
5060100305001348	580 x 1350	23	77	445	64-73	103-112	26-35	9	50	2,37	C-E-D
5060100305001407	580 x 1410	24	77	445	64-73	103-112	26-35	9	50	2,47	C
5060100305001466	580 x 1470	25	77	445	64-73	103-112	26-35	9	50	2,58	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5060100303000286		191	652	249	848
5060100303000345		230	783	298	1018
5060100303000404		268	913	348	1187
5060100303000463		306	1044	398	1357
5060100303000522		344	1174	448	1526
5060100303000581		383	1305	497	1696
5060100303000640		421	1435	547	1866
5060100303000699		459	1566	597	2035
5060100303000758		497	1696	647	2205
5060100303000817		536	1827	696	2374
5060100303000876		574	1957	746	2544
5060100303000935		612	2087	796	2714
5060100303000994		650	2218	846	2883
5060100303001053		689	2348	895	3053
5060100303001112		727	2479	945	3223
5060100303001171		765	2609	995	3392
5060100303001230		803	2740	1044	3562
5060100303001289		842	2870	1094	3731
5060100303001348		880	3001	1144	3901
5060100303001407		918	3131	1194	4071
5060100303001466		957	3262	1243	4240
5060100303001525		995	3392	1293	4410
5060100303001584		1033	3523	1343	4579
5060100303001643		1071	3653	1393	4749
5060100303001702		1110	3784	1442	4919
5060100303001761		1148	3914	1492	5088
5060100303001820		1186	4044	1542	5258
5060100303001879		1224	4175	1592	5427
5060100303001938		1263	4305	1641	5597
5060100303001997		1301	4436	1691	5767
5060100304000286		261	889	339	1156
5060100304000345		313	1067	407	1387
5060100304000404		365	1245	474	1618
5060100304000463		417	1422	542	1849
5060100304000522		469	1600	610	2080
5060100304000581		521	1778	678	2311
5060100304000640		574	1956	746	2542
5060100304000699		626	2134	813	2774
5060100304000758		678	2311	881	3005
5060100304000817		730	2489	949	3236
5060100304000876		782	2667	1017	3467
5060100304000935		834	2845	1085	3698
5060100304000994		886	3023	1152	3929
5060100304001053		939	3200	1220	4160
5060100304001112		991	3378	1288	4392
5060100304001171		1043	3556	1356	4623
5060100304001230		1095	3734	1423	4854
5060100304001289		1147	3912	1491	5085
5060100304001348		1199	4089	1559	5316
5060100304001407		1251	4267	1627	5547
5060100304001466		1303	4445	1695	5778
5060100304001525		1356	4623	1762	6009
5060100304001584		1408	4800	1830	6241
5060100304001643		1460	4978	1898	6472
5060100304001702		1512	5156	1966	6703
5060100304001761		1564	5334	2033	6934
5060100304001820		1616	5512	2101	7165
5060100304001879		1668	5689	2169	7396
5060100304001938		1721	5867	2237	7627
5060100304001997		1773	6045	2305	7859
5060100305000286		333	1136	433	1477
5060100305000345		400	1363	520	1772
5060100305000404		466	1590	606	2067
5060100305000463		533	1817	693	2362
5060100305000522		600	2044	779	2658
5060100305000581		666	2272	866	2953
5060100305000640		733	2499	953	3248
5060100305000699		799	2726	1039	3544
5060100305000758		866	2953	1126	3839
5060100305000817		933	3180	1212	4134
5060100305000876		999	3407	1299	4429
5060100305000935		1066	3634	1386	4725
5060100305000994		1132	3862	1472	5020
5060100305001053		1199	4089	1559	5315
5060100305001112		1266	4316	1645	5611
5060100305001171		1332	4543	1732	5906
5060100305001230		1399	4770	1819	6201
5060100305001289		1465	4997	1905	6497
5060100305001348		1532	5224	1992	6792
5060100305001407		1599	5452	2078	7087
5060100305001466		1665	5679	2165	7382

TECHNICAL INFORMATION												(For connection types, please refer to the last page)												HEAT OUTPUTS INFORMATION												LOGISTICS INFORMATION				
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)																				
	mm	pieces	mm	mm	mm	mm	mm	mm	L		Watt		Btu	Watt	Btu	kg					kg	m³	mm																	
5060100305001525	580 x 1530	26	77	445	64-73	103-112	26-35	9	50	2.68	C	5060100305001525	1732	5906	2252	7678	20.79	24.26	0.14	700X1572X119																				
5060100305001584	580 x 1580	27	77	445	64-73	103-112	26-35	9	50	2.78	C	5060100305001584	1799	6133	2338	7973	21.58	25.14	0.14	700X1631X119																				
5060100305001643	580 x 1640	28	77	445	64-73	103-112	26-35	9	50	2.88	C	5060100305001643	1865	6360	2425	8268	22.37	26.03	0.15	700X1690X119																				
5060100305001702	580 x 1700	29	77	445	64-73	103-112	26-35	9	50	2.98	C	5060100305001702	1932	6587	2511	8554	23.14	26.90	0.15	700X1749X119																				
5060100305001761	580 x 1760	30	77	445	64-73	103-112	26-35	9	50	3.08	C	5060100305001761	1998	6815	2598	8859	23.93	27.78	0.16	700X1808X119																				
5060100305001820	580 x 1820	31	77	445	64-73	103-112	26-35	9	50	3.18	C	5060100305001820	2065	7042	2685	9154	24.72	28.66	0.16	700X1867X119																				
5060100305001879	580 x 1880	32	77	445	64-73	103-112	26-35	9	50	3.29	C	5060100305001879	2132	7269	2771	9449	25.51	29.54	0.17	700X1926X119																				
5060100305001938	580 x 1940	33	77	445	64-73	103-112	26-35	9	50	3.39	C	5060100305001938	2198	7496	2858	9745	26.30	30.42	0.17	700X1985X119																				
5060100305001997	580 x 2000	34	77	445	64-73	103-112	26-35	9	50	3.49	C	5060100305001997	2265	7723	2944	10040	27.08	31.29	0.18	700X2044X119																				
5060100306000286	680 x 290	5	77	545	64-73	103-112	26-35	9	50	0.61	C	5060100306000286	409	1393	531	1811	4.79	6.14	0.04	800X333X119																				
5060100306000345	680 x 350	6	77	545	64-73	103-112	26-35	9	50	0.72	C	5060100306000345	490	1672	637	2173	5.69	7.14	0.04	800X392X119																				
5060100306000404	680 x 400	7	77	545	64-73	103-112	26-35	9	50	0.84	C-E-D	5060100306000404	572	1950	743	2535	6.60	8.14	0.05	800X451X119																				
5060100306000463	680 x 460	8	77	545	64-73	103-112	26-35	9	50	0.95	C-E-D	5060100306000463	654	2229	850	2897	7.51	9.16	0.05	800X510X119																				
5060100306000522	680 x 520	9	77	545	64-73	103-112	26-35	9	50	1.07	C-E-D	5060100306000522	735	2507	956	3260	8.43	10.18	0.06	800X569X119																				
5060100306000581	680 x 580	10	77	545	64-73	103-112	26-35	9	50	1.18	C-E-D	5060100306000581	817	2786	1062	3622	9.34	11.19	0.06	800X628X119																				
5060100306000640	680 x 640	11	77	545	64-73	103-112	26-35	9	50	1.30	C-E-D	5060100306000640	899	3065	1168	3984	10.25	12.36	0.07	800X687X119																				
5060100306000699	680 x 700	12	77	545	64-73	103-112	26-35	9	50	1.42	C-E-D	5060100306000699	980	3343	1275	4346	11.15	13.37	0.08	800X746X119																				
5060100306000758	680 x 760	13	77	545	64-73	103-112	26-35	9	50	1.53	C-E-D	5060100306000758	1062	3622	1381	4708	12.07	14.40	0.08	800X805X119																				
5060100306000817	680 x 820	14	77	545	64-73	103-112	26-35	9	50	1.65	C-E-D	5060100306000817	1144	3900	1487	5070	12.98	15.41	0.09	800X864X119																				
5060100306000876	680 x 880	15	77	545	64-73	103-112	26-35	9	50	1.76	C-E-D	5060100306000876	1226	4179	1593	5433	13.89	16.42	0.09	800X923X119																				
5060100306000935	680 x 940	16	77	545	64-73	103-112	26-35	9	50	1.88	C-E-D	5060100306000935	1307	4458	1699	5795	14.80	17.44	0.10	800X982X119																				
5060100306000994	680 x 990	17	77	545	64-73	103-112	26-35	9	50	1.99	C-E-D	5060100306000994	1389	4736	1806	6157	15.71	18.45	0.10	800X1041X119																				
5060100306001053	680 x 1050	18	77	545	64-73	103-112	26-35	9	50	2.12	C-E-D	5060100306001053	1471	5015	1912	6519	16.74	19.58	0.11	800X1100X119																				
5060100306001112	680 x 1110	19	77	545	64-73	103-112	26-35	9	50	2.24	C-E-D	5060100306001112	1552	5293	2018	6881	17.65	20.60	0.12	800X1159X119																				
5060100306001171	680 x 1170	20	77	545	64-73	103-112	26-35	9	50	2.36	C-E-D	5060100306001171	1634	5572	2124	7244	18.56	21.62	0.12	800X1218X119																				
5060100306001230	680 x 1230	21	77	545	64-73	103-112	26-35	9	50	2.47	C-E-D	5060100306001230	1716	5851	2230	7606	19.48	22.63	0.13	800X1277X119																				
5060100306001289	680 x 1290	22	77	545	64-73	103-112	26-35	9	50	2.59	C-E-D	5060100306001289	1797	6129	2337	7968	20.39	23.66	0.13	800X1336X119																				
5060100306001348	680 x 1350	23	77	545	64-73	103-112	26-35	9	50	2.70	C-E-D	5060100306001348	1879	6408	2443	8330	21.30	24.67	0.14	800X1395X119																				
5060100306001407	680 x 1410	24	77	545	64-73	103-112	26-35	9	50	2.82	C	5060100306001407	1961	6686	2549	8692	22.20	25.67	0.14	800X1454X119																				
5060100306001466	680 x 1470	25	77	545	64-73	103-112	26-35	9	50	2.93	C	5060100306001466	2043	6965	2655	9054	23.12	26.70	0.15	800X1513X119																				
5060100306001525	680 x 1530	26	77	545	64-73	103-112	26-35	9	50	3.05	C	5060100306001525	2124	7244	2761	9417	24.03	27.71	0.15	800X1572X119																				
5060100306001584	680 x 1580	27	77	545	64-73	103-112	26-35	9	50	3.16	C	5060100306001584	2206	7522	2868	9779	24.94	28.73	0.16	800X1631X119																				
5060100306001643	680 x 1640	28	77	545	64-73	103-112	26-35	9	50	3.28	C	5060100306001643	2288	7801	2974	10141	25.85	29.74	0.17	800X1690X119																				
5060100306001702	680 x 1700	29	77	545	64-73	103-112	26-35	9	50	3.40	C	5060100306001702	2369	8079	3080	10503	26.76	30.75	0.17	800X1749X119																				
5060100306001761	680 x 1760	30	77	545	64-73	103-112	26-35	9	50	3.51	C	5060100306001761	2451	8358	3186	10865	27.67	31.77	0.18	800X1808X119																				
5060100306001820	680 x 1820	31	77	545	64-73	103-112	26-35	9	50	3.63	C	5060100306001820	2533	8637	3293	11227	28.58	32.78	0.18	800X1867X119																				
5060100306001879	680 x 1880	32	77	545	64-73	103-112	26-35	9	50	3.74	C	5060100306001879	2614	8915	3399	11590	29.49	33.79	0.19	800X1926X119																				
5060100306001938	680 x 1940	33	77	545	64-73	103-112	26-35	9	50	3.86	C	5060100306001938	2696	9194	3505	11952	30.40	34.81	0.19	800X1985X119																				
5060100306001997	680 x 2000	34	77	545	64-73	103-112	26-35	9	50	3.97	C	5060100306001997	2778	9472	3611	12314	31.32	35.83	0.20	800X2044X119																				
5060100307000286	780 x 290	5	77	645	64-73	103-112	26-35	9	50	0.68	C	5060100307000286	466	1590	606	2067	5.41	6.99	0.04	900X333X119																				
5060100307000345	780 x 350	6	77	645	64-73	103-112	26-35	9	50	0.81	C	5060100307000345	560	1908	727	2481	6.44	8.13	0.05	900X392X119																				
5060100307000404	780 x 400	7	77	645	64-73	103-112	26-35	9	50	0.94	C-E-D	5060100307000404	653	2226	849	2894	7.47	9.27	0.05	900																				

BELLA DOUBLE LUX		TECHNICAL INFORMATION										(For connection types, please refer to the last page)										HEAT OUTPUTS INFORMATION				LOGISTICS INFORMATION			
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)									
	mm	pieces	mm	mm	mm	mm	mm	mm	L		mm		Watt	Btu	Watt	Btu					kg	kg	m³	mm					
5060100308000994	880 x 990	17	77	745	64-73	103-112	26-35	9	50	2.48	C-E-D	5060100308000994	1773	6045	2305	7859	19.95	23.31	0.13	1000X1041X119									
50601003080001053	880 x 1050	18	77	745	64-73	103-112	26-35	9	50	2.64	C-E-D	50601003080001053	1877	6401	2440	8321	21.22	24.70	0.14	1000X1100X119									
50601003080001112	880 x 1110	19	77	745	64-73	103-112	26-35	9	50	2.78	C-E-D	50601003080001112	1981	6756	2576	8783	22.38	26.00	0.14	1000X1159X119									
50601003080001171	880 x 1170	20	77	745	64-73	103-112	26-35	9	50	2.93	C-E-D	50601003080001171	2086	7112	2711	9245	23.54	27.29	0.15	1000X1218X119									
50601003080001230	880 x 1230	21	77	745	64-73	103-112	26-35	9	50	3.07	C-E-D	50601003080001230	2190	7467	2847	9708	24.71	28.58	0.16	1000X1277X119									
50601003080001289	880 x 1290	22	77	745	64-73	103-112	26-35	9	50	3.22	C-E-D	50601003080001289	2294	7823	2982	10170	25.87	29.87	0.16	1000X1336X119									
50601003080001348	880 x 1350	23	77	745	64-73	103-112	26-35	9	50	3.36	C-E-D	50601003080001348	2398	8179	3118	10632	27.03	31.15	0.17	1000X1395X119									
50601003080001407	880 x 1410	24	77	745	64-73	103-112	26-35	9	50	3.50	C	50601003080001407	2503	8534	3253	11094	28.18	32.43	0.18	1000X1454X119									
50601003080001466	880 x 1470	25	77	745	64-73	103-112	26-35	9	50	3.65	C	50601003080001466	2607	8890	3389	11557	29.34	33.71	0.19	1000X1513X119									
50601003080001525	880 x 1530	26	77	745	64-73	103-112	26-35	9	50	3.79	C	50601003080001525	2711	9245	3525	12019	30.50	35.00	0.19	1000X1572X119									
50601003080001584	880 x 1580	27	77	745	64-73	103-112	26-35	9	50	3.94	C	50601003080001584	2816	9601	3660	12481	31.66	36.28	0.20	1000X1631X119									
50601003080001643	880 x 1640	28	77	745	64-73	103-112	26-35	9	50	4.08	C	50601003080001643	2920	9957	3796	12943	32.82	37.57	0.21	1000X1690X119									
50601003080001702	880 x 1700	29	77	745	64-73	103-112	26-35	9	50	4.23	C	50601003080001702	3024	10312	3931	13406	33.98	38.85	0.21	1000X1749X119									
50601003080001761	880 x 1760	30	77	745	64-73	103-112	26-35	9	50	4.37	C	50601003080001761	3128	10668	4067	13868	35.14	40.14	0.22	1000X1808X119									
50601003080001820	880 x 1820	31	77	745	64-73	103-112	26-35	9	50	4.51	C	50601003080001820	3233	11023	4202	14330	36.30	41.42	0.23	1000X1867X119									
50601003080001879	880 x 1880	32	77	745	64-73	103-112	26-35	9	50	4.66	C	50601003080001879	3337	11379	4338	14793	37.46	42.71	0.23	1000X1926X119									
50601003080001938	880 x 1940	33	77	745	64-73	103-112	26-35	9	50	4.80	C	50601003080001938	3441	11734	4474	15255	38.62	43.99	0.24	1000X1985X119									
50601003080001997	880 x 2000	34	77	745	64-73	103-112	26-35	9	50	4.95	C	50601003080001997	3545	12090	4609	15717	39.78	45.27	0.25	1000X2044X119									
5060100309000286	980 x 290	5	77	845	64-73	103-112	26-35	9	50	0.82	C	5060100309000286	574	1957	746	2544	6.65	8.47	0.05	1100X333X119									
5060100309000345	980 x 350	6	77	845	64-73	103-112	26-35	9	50	0.98	C	5060100309000345	689	2348	895	3053	7.93	9.89	0.06	1100X392X119									
5060100309000404	980 x 400	7	77	845	64-73	103-112	26-35	9	50	1.14	C-E-D	5060100309000404	803	2740	1044	3562	9.22	11.31	0.06	1100X451X119									
5060100309000463	980 x 460	8	77	845	64-73	103-112	26-35	9	50	1.30	C-E-D	5060100309000463	918	3131	1194	4071	10.50	12.73	0.07	1100X510X119									
5060100309000522	980 x 520	9	77	845	64-73	103-112	26-35	9	50	1.46	C-E-D	5060100309000522	1033	3523	1343	4579	11.79	14.15	0.08	1100X569X119									
5060100309000581	980 x 580	10	77	845	64-73	103-112	26-35	9	50	1.61	C-E-D	5060100309000581	1148	3914	1492	5088	13.07	15.57	0.09	1100X628X119									
5060100309000640	980 x 640	11	77	845	64-73	103-112	26-35	9	50	1.77	C-E-D	5060100309000640	1263	4305	1641	5597	14.36	17.16	0.09	1100X687X119									
5060100309000699	980 x 700	12	77	845	64-73	103-112	26-35	9	50	1.93	C-E-D	5060100309000699	1377	4697	1791	6106	15.64	18.57	0.10	1100X746X119									
5060100309000758	980 x 760	13	77	845	64-73	103-112	26-35	9	50	2.09	C-E-D	5060100309000758	1492	5088	1940	6615	16.92	19.98	0.11	1100X805X119									
5060100309000817	980 x 820	14	77	845	64-73	103-112	26-35	9	50	2.25	C-E-D	5060100309000817	1607	5480	2089	7123	18.21	21.41	0.12	1100X864X119									
5060100309000876	980 x 880	15	77	845	64-73	103-112	26-35	9	50	2.41	C-E-D	5060100309000876	1722	5871	2238	7632	19.49	22.82	0.13	1100X923X119									
5060100309000935	980 x 940	16	77	845	64-73	103-112	26-35	9	50	2.56	C-E-D	5060100309000935	1836	6262	2387	8141	20.78	24.25	0.13	1100X982X119									
5060100309000994	980 x 990	17	77	845	64-73	103-112	26-35	9	50	2.72	C-E-D	5060100309000994	1951	6654	2537	8650	22.06	25.66	0.14	1100X1041X119									
5060100309001053	980 x 1050	18	77	845	64-73	103-112	26-35	9	50	2.90	C-E-D	5060100309001053	2066	7045	2686	9159	23.46	27.19	0.15	1100X1100X119									
5060100309001112	980 x 1110	19	77	845	64-73	103-112	26-35	9	50	3.05	C-E-D	5060100309001112	2181	7437	2835	9668	24.75	28.63	0.16	1100X1159X119									
5060100309001171	980 x 1170	20	77	845	64-73	103-112	26-35	9	50	3.21	C-E-D	5060100309001171	2296	7828	2984	10176	26.03	30.05	0.16	1100X1218X119									
5060100309001230	980 x 1230	21	77	845	64-73	103-112	26-35	9	50	3.37	C-E-D	5060100309001230	2410	8219	3133	10685	27.32	31.47	0.17	1100X1277X119									
5060100309001289	980 x 1290	22	77	845	64-73	103-112	26-35	9	50	3.53	C-E-D	5060100309001289	2525	8611	3283	11194	28.61	32.91	0.18	1100X1336X119									
5060100309001348	980 x 1350	23	77	845	64-73	103-112	26-35	9	50	3.69	C-E-D	5060100309001348	2640	9002	3432	11703	29.89	34.32	0.19	1100X1395X119									
5060100309001407	980 x 1410	24	77	845	64-73	103-112	26-35	9	50	3.85	C	5060100309001407	2755	9394	3581	12212	31.17	35.73	0.20	1100X1454X119									
5060100309001466	980 x 1470	25	77	845	64-73	103-112	26-35	9	50	4.01	C	5060100309001466	2869	9785	3730	12720	32.45	37.15	0.20	1100X1513X119									
5060100309001525	980 x 1530	26	77	845	64-73	103-112	26-35	9	50	4.16	C	5060100309001525	2984	10176	3880	13229	33.74	38.57	0.21	1100X1572X119									
5060100309001584	980 x 1580	27	77	845	64-73	103-112	26-35	9	50	4.32	C																		

BELLA DOUBLE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060100312000463	1280 x 460	8	77	1145	64-73	103-112	26-35	9	50	1,64	C-E-D
5060100312000522	1280 x 520	9	77	1145	64-73	103-112	26-35	9	50	1,84	C-E-D
5060100312000581	1280 x 580	10	77	1145	64-73	103-112	26-35	9	50	2,04	C-E-D
5060100312000640	1280 x 640	11	77	1145	64-73	103-112	26-35	9	50	2,24	C-E-D
5060100312000699	1280 x 700	12	77	1145	64-73	103-112	26-35	9	50	2,45	C-E-D
5060100312000758	1280 x 760	13	77	1145	64-73	103-112	26-35	9	50	2,65	C-E-D
5060100312000817	1280 x 820	14	77	1145	64-73	103-112	26-35	9	50	2,85	C-E-D
5060100312000876	1280 x 880	15	77	1145	64-73	103-112	26-35	9	50	3,05	C-E-D
5060100312000935	1280 x 940	16	77	1145	64-73	103-112	26-35	9	50	3,25	C-E-D
5060100312000994	1280 x 990	17	77	1145	64-73	103-112	26-35	9	50	3,45	C-E-D
5060100312001053	1280 x 1050	18	77	1145	64-73	103-112	26-35	9	50	3,67	C-E-D
5060100312001112	1280 x 1110	19	77	1145	64-73	103-112	26-35	9	50	3,87	C-E-D
5060100312001171	1280 x 1170	20	77	1145	64-73	103-112	26-35	9	50	4,07	C-E-D
5060100312001230	1280 x 1230	21	77	1145	64-73	103-112	26-35	9	50	4,27	C-E-D
5060100312001289	1280 x 1290	22	77	1145	64-73	103-112	26-35	9	50	4,47	C-E-D
5060100312001348	1280 x 1350	23	77	1145	64-73	103-112	26-35	9	50	4,68	C-E-D
5060100314000286	1480 x 290	5	77	1345	64-73	103-112	26-35	9	50	1,18	C
5060100314000345	1480 x 350	6	77	1345	64-73	103-112	26-35	9	50	1,41	C
5060100314000404	1480 x 400	7	77	1345	64-73	103-112	26-35	9	50	1,64	C-E-D
5060100314000463	1480 x 460	8	77	1345	64-73	103-112	26-35	9	50	1,87	C-E-D
5060100314000522	1480 x 520	9	77	1345	64-73	103-112	26-35	9	50	2,10	C-E-D
5060100314000581	1480 x 580	10	77	1345	64-73	103-112	26-35	9	50	2,33	C-E-D
5060100314000640	1480 x 640	11	77	1345	64-73	103-112	26-35	9	50	2,56	C-E-D
5060100314000699	1480 x 700	12	77	1345	64-73	103-112	26-35	9	50	2,79	C-E-D
5060100314000758	1480 x 760	13	77	1345	64-73	103-112	26-35	9	50	3,02	C-E-D
5060100314000817	1480 x 820	14	77	1345	64-73	103-112	26-35	9	50	3,25	C-E-D
5060100314000876	1480 x 880	15	77	1345	64-73	103-112	26-35	9	50	3,48	C-E-D
5060100314000935	1480 x 940	16	77	1345	64-73	103-112	26-35	9	50	3,71	C-E-D
5060100314000994	1480 x 990	17	77	1345	64-73	103-112	26-35	9	50	3,94	C-E-D
5060100314001053	1480 x 1050	18	77	1345	64-73	103-112	26-35	9	50	4,18	C-E-D
5060100314001112	1480 x 1110	19	77	1345	64-73	103-112	26-35	9	50	4,41	C-E-D
5060100314001171	1480 x 1170	20	77	1345	64-73	103-112	26-35	9	50	4,64	C-E-D
5060100314001230	1480 x 1230	21	77	1345	64-73	103-112	26-35	9	50	4,87	C-E-D
5060100314001289	1480 x 1290	22	77	1345	64-73	103-112	26-35	9	50	5,10	C-E-D
5060100314001348	1480 x 1350	23	77	1345	64-73	103-112	26-35	9	50	5,33	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060100312000463	1146	3908	1490	5081
5060100312000522	1289	4397	1676	5716
5060100312000581	1433	4885	1862	6351
5060100312000640	1576	5374	2049	6986
5060100312000699	1719	5862	2235	7621
5060100312000758	1862	6351	2421	8256
5060100312000817	2006	6839	2607	8891
5060100312000876	2149	7328	2794	9526
5060100312000935	2292	7817	2980	10162
5060100312000994	2436	8305	3166	10797
5060100312001053	2579	8794	3352	11432
5060100312001112	2722	9282	3539	12067
5060100312001171	2865	9771	3725	12702
5060100312001230	3009	10259	3911	13337
5060100312001289	3152	10748	4097	13972
5060100312001348	3295	11236	4284	14607
5060100314000286	822	2805	1069	3646
5060100314000345	987	3366	1283	4375
5060100314000404	1151	3926	1497	5104
5060100314000463	1316	4487	1711	5834
5060100314000522	1480	5048	1925	6563
5060100314000581	1645	5609	2138	7292
5060100314000640	1809	6170	2352	8021
5060100314000699	1974	6731	2566	8750
5060100314000758	2138	7292	2780	9479
5060100314000817	2303	7853	2994	10209
5060100314000876	2467	8414	3208	10938
5060100314000935	2632	8975	3421	11667
5060100314000994	2796	9536	3635	12396
5060100314001053	2961	10096	3849	13125
5060100314001112	3125	10657	4063	13855
5060100314001171	3290	11218	4277	14584
5060100314001230	3454	11779	4491	15313
5060100314001289	3619	12340	4704	16042
5060100314001348	3783	12901	4918	16771

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13,49	16,16	0,09	1400X510X119
15,15	17,98	0,10	1400X569X119
16,81	19,81	0,11	1400X628X119
18,47	21,80	0,12	1400X687X119
20,12	23,61	0,13	1400X746X119
21,78	25,44	0,14	1400X805X119
23,44	27,27	0,15	1400X864X119
25,10	29,10	0,16	1400X923X119
26,75	30,92	0,17	1400X982X119
28,41	32,75	0,18	1400X1041X119
30,19	34,70	0,19	1400X1100X119
31,84	36,51	0,20	1400X1159X119
33,50	38,34	0,21	1400X1218X119
35,16	40,17	0,22	1400X1277X119
36,82	41,99	0,23	1400X1336X119
38,48	43,82	0,24	1400X1395X119
9,77	12,16	0,07	1600X333X119
11,67	14,26	0,08	1600X392X119
13,57	16,35	0,09	1600X451X119
15,48	18,44	0,10	1600X510X119
17,39	20,55	0,11	1600X569X119
19,30	22,64	0,12	1600X628X119
21,21	24,89	0,14	1600X687X119
23,11	26,99	0,15	1600X746X119
25,01	29,08	0,16	1600X805X119
26,92	31,17	0,17	1600X864X119
28,83	33,27	0,18	1600X923X119
30,74	35,38	0,19	1600X982X119
32,65	37,47	0,20	1600X1041X119
34,67	39,68	0,21	1600X1100X119
36,58	41,78	0,23	1600X1159X119
38,48	43,86	0,24	1600X1218X119
40,39	45,96	0,25	1600X1277X119
42,30	48,08	0,26	1600X1336X119
44,21	50,17	0,27	1600X1395X119

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel