

LOVA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060101503000236	390 x 240	3	60	245	56-65	86-95	26-35	4	60	0,29	C
5060101503000316	390 x 320	4	60	245	56-65	86-95	26-35	4	60	0,37	C
5060101503000396	390 x 400	5	60	245	56-65	86-95	26-35	4	60	0,46	C
5060101503000476	390 x 480	6	60	245	56-65	86-95	26-35	4	60	0,54	C-E-D
5060101503000556	390 x 560	7	60	245	56-65	86-95	26-35	4	60	0,63	C-E-D
5060101503000636	390 x 640	8	60	245	56-65	86-95	26-35	4	60	0,71	C-E-D
5060101503000716	390 x 720	9	60	245	56-65	86-95	26-35	4	60	0,80	C-E-D
5060101503000796	390 x 800	10	60	245	56-65	86-95	26-35	4	60	0,88	C-E-D
5060101503000876	390 x 880	11	60	245	56-65	86-95	26-35	4	60	0,96	C-E-D
5060101503000956	390 x 960	12	60	245	56-65	86-95	26-35	4	60	1,05	C-E-D
5060101503001036	390 x 1040	13	60	245	56-65	86-95	26-35	4	60	1,15	C-E-D
5060101503001116	390 x 1120	14	60	245	56-65	86-95	26-35	4	60	1,23	C-E-D
5060101503001196	390 x 1200	15	60	245	56-65	86-95	26-35	4	60	1,32	C-E-D
5060101503001276	390 x 1280	16	60	245	56-65	86-95	26-35	4	60	1,40	C-E-D
5060101503001356	390 x 1360	17	60	245	56-65	86-95	26-35	4	60	1,49	C-E-D
5060101503001436	390 x 1440	18	60	245	56-65	86-95	26-35	4	60	1,57	C
5060101503001516	390 x 1520	19	60	245	56-65	86-95	26-35	4	60	1,66	C
5060101503001596	390 x 1600	20	60	245	56-65	86-95	26-35	4	60	1,74	C
5060101503001676	390 x 1680	21	60	245	56-65	86-95	26-35	4	60	1,83	C
5060101503001756	390 x 1760	22	60	245	56-65	86-95	26-35	4	60	1,91	C
5060101503001836	390 x 1840	23	60	245	56-65	86-95	26-35	4	60	2,00	C
5060101503001916	390 x 1920	24	60	245	56-65	86-95	26-35	4	60	2,08	C
5060101503001996	390 x 2000	25	60	245	56-65	86-95	26-35	4	60	2,17	C
5060101504000236	490 x 240	3	60	345	56-65	86-95	26-35	4	60	0,33	C
5060101504000316	490 x 320	4	60	345	56-65	86-95	26-35	4	60	0,43	C
5060101504000396	490 x 400	5	60	345	56-65	86-95	26-35	4	60	0,53	C
5060101504000476	490 x 480	6	60	345	56-65	86-95	26-35	4	60	0,63	C-E-D
5060101504000556	490 x 560	7	60	345	56-65	86-95	26-35	4	60	0,73	C-E-D
5060101504000636	490 x 640	8	60	345	56-65	86-95	26-35	4	60	0,82	C-E-D
5060101504000716	490 x 720	9	60	345	56-65	86-95	26-35	4	60	0,92	C-E-D
5060101504000796	490 x 800	10	60	345	56-65	86-95	26-35	4	60	1,02	C-E-D
5060101504000876	490 x 880	11	60	345	56-65	86-95	26-35	4	60	1,12	C-E-D
5060101504000956	490 x 960	12	60	345	56-65	86-95	26-35	4	60	1,22	C-E-D
5060101504001036	490 x 1040	13	60	345	56-65	86-95	26-35	4	60	1,33	C-E-D
5060101504001116	490 x 1120	14	60	345	56-65	86-95	26-35	4	60	1,43	C-E-D
5060101504001196	490 x 1200	15	60	345	56-65	86-95	26-35	4	60	1,53	C-E-D
5060101504001276	490 x 1280	16	60	345	56-65	86-95	26-35	4	60	1,63	C-E-D
5060101504001356	490 x 1360	17	60	345	56-65	86-95	26-35	4	60	1,73	C-E-D
5060101504001436	490 x 1440	18	60	345	56-65	86-95	26-35	4	60	1,83	C
5060101504001516	490 x 1520	19	60	345	56-65	86-95	26-35	4	60	1,93	C
5060101504001596	490 x 1600	20	60	345	56-65	86-95	26-35	4	60	2,03	C
5060101504001676	490 x 1680	21	60	345	56-65	86-95	26-35	4	60	2,13	C
5060101504001756	490 x 1760	22	60	345	56-65	86-95	26-35	4	60	2,23	C
5060101504001836	490 x 1840	23	60	345	56-65	86-95	26-35	4	60	2,33	C
5060101504001916	490 x 1920	24	60	345	56-65	86-95	26-35	4	60	2,43	C
5060101504001996	490 x 2000	25	60	345	56-65	86-95	26-35	4	60	2,52	C
5060101505000236	590 x 240	3	60	445	56-65	86-95	26-35	4	60	0,37	C
5060101505000316	590 x 320	4	60	445	56-65	86-95	26-35	4	60	0,49	C
5060101505000396	590 x 400	5	60	445	56-65	86-95	26-35	4	60	0,60	C
5060101505000476	590 x 480	6	60	445	56-65	86-95	26-35	4	60	0,71	C-E-D
5060101505000556	590 x 560	7	60	445	56-65	86-95	26-35	4	60	0,83	C-E-D
5060101505000636	590 x 640	8	60	445	56-65	86-95	26-35	4	60	0,94	C-E-D
5060101505000716	590 x 720	9	60	445	56-65	86-95	26-35	4	60	1,05	C-E-D
5060101505000796	590 x 800	10	60	445	56-65	86-95	26-35	4	60	1,17	C-E-D
5060101505000876	590 x 880	11	60	445	56-65	86-95	26-35	4	60	1,28	C-E-D
5060101505000956	590 x 960	12	60	445	56-65	86-95	26-35	4	60	1,39	C-E-D
5060101505001036	590 x 1040	13	60	445	56-65	86-95	26-35	4	60	1,52	C-E-D
5060101505001116	590 x 1120	14	60	445	56-65	86-95	26-35	4	60	1,63	C-E-D
5060101505001196	590 x 1200	15	60	445	56-65	86-95	26-35	4	60	1,75	C-E-D
5060101505001276	590 x 1280	16	60	445	56-65	86-95	26-35	4	60	1,86	C-E-D
5060101505001356	590 x 1360	17	60	445	56-65	86-95	26-35	4	60	1,97	C-E-D
5060101505001436	590 x 1440	18	60	445	56-65	86-95	26-35	4	60	2,09	C
5060101505001516	590 x 1520	19	60	445	56-65	86-95	26-35	4	60	2,20	C
5060101505001596	590 x 1600	20	60	445	56-65	86-95	26-35	4	60	2,32	C
5060101505001676	590 x 1680	21	60	445	56-65	86-95	26-35	4	60	2,43	C
5060101505001756	590 x 1760	22	60	445	56-65	86-95	26-35	4	60	2,54	C
5060101505001836	590 x 1840	23	60	445	56-65	86-95	26-35	4	60	2,66	C
5060101505001916	590 x 1920	24	60	445	56-65	86-95	26-35	4	60	2,77	C
5060101505001996	590 x 2000	25	60	445	56-65	86-95	26-35	4	60	2,88	C
5060101506000316	690 x 320	4	60	545	56-65	86-95	26-35	4	60	0,54	C
5060101506000396	690 x 400	5	60	545	56-65	86-95	26-35	4	60	0,67	C
5060101506000476	690 x 480	6	60	545	56-65	86-95	26-35	4	60	0,80	C-E-D
5060101506000556	690 x 560	7	60	545	56-65	86-95	26-35	4	60	0,93	C-E-D
5060101506000636	690 x 640	8	60	545	56-65	86-95	26-35	4	60	1,05	C-E-D
5060101506000716	690 x 720	9	60	545	56-65	86-95	26-35	4	60	1,18	C-E-D
5060101506000796	690 x 800	10	60	545	56-65	86-95	26-35	4	60	1,31	C-E-D
5060101506000876	690 x 880	11	60	545	56-65	86-95	26-35	4	60	1,44	C-E-D
5060101506000956	690 x 960	12	60	545	56-65	86-95	26-35	4	60	1,56	C-E-D
5060101506001036	690 x 1040	13	60	545	56-65	86-95	26-35	4	60	1,71	C-E-D
5060101506001116	690 x 1120	14	60	545	56-65	86-95	26-35	4	60	1,83	C-E-D
5060101506001196	690 x 1200	15	60	545	56-65	86-95	26-35	4	60	1,96	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060101503000236	136	463	177	602
5060101503000316	183	623	237	810
5060101503000396	229	783	298	1017
5060101503000476	276	942	359	1225
5060101503000556	323	1102	420	1432
5060101503000636	370	1262	481	1640
5060101503000716	417	1421	542	1848
5060101503000796	464	1581	603	2055
5060101503000876	510	1741	664	2263
5060101503000956	557	1900	724	2470
5060101503001036	602	2052	782	2668
5060101503001116	649	2212	843	2875
5060101503001196	695	2371	904	3083
5060101503001276	742	2531	965	3290
5060101503001356	789	2691	1026	3498
5060101503001436	836	2850	1087	3706
5060101503001516	883	3010	1148	3913
5060101503001596	930	3170	1208	4121
5060101503001676	976	3330	1269	4328
5060101503001756	1023	3489	1330	4536
5060101503001836	1070	3649	1391	4744
5060101503001916	1117	3809	1452	4951
5060101503001996	1164	3968	1513	5159
5060101504000236	185	631	241	820
5060101504000316	249	849	324	1103
5060101504000396	313	1066	407	1386
5060101504000476	377	1284	489	1669
5060101504000556	440	1502	572	1952
5060101504000636	504	1719	655	2235
5060101504000716	568	1937	738	2518
5060101504000796	632	2154	821	2801
5060101504000876	696	2372	904	3084
5060101504000956	759	2590	987	3367
5060101504001036	820	2796	1066	3635
5060101504001116	884	3014	1149	3918
5060101504001196	948	3232	1232	4201
5060101504001276	1012	3449	1315	4484
5060101504001356	1075	3667	1398	4767
5060101504001436	1139	3885	1481	5050
5060101504001516	1203	4102	1564	5333
5060101504001596	1267	4320	1647	5616
5060101504001676	1331	4537	1730	5899
5060101504001756	1394	4755	1813	6181
5060101504001836	1458	4973	1896	6464
5060101504001916	1522	5190	1979	6747
5060101504001996	1586	5408	2062	7030
5060101505000236	236	806	307	1048
5060101505000316	318	1084	413	1410
5060101505000396	400	1362	519	1771
5060101505000476	481	1640	625	2133
5060101505000556	563	1918	731	2494
5060101505000636	644	2196	837	2855
5060101505000716	726	2474	943	3217
5060101505000796	807	2752	1049	3578
5060101505000876	889	3031	1155	3940
5060101505000956	970	3309	1261	4301
5060101505001036	1048	3573	1362	4644
5060101505001116	1129	3851	1468	5006
5060101505001196	1211	4129	1574	5367
5060101505001276	1292	4407	1680	5729
5060101505001356	1374	4685	1786	6090
5060101505001436	1455	4963	1892	6452
5060101505001516	1537	5241	1998	6813
5060101505001596	1618	5519	2104	7175
5060101505001676	1700	5797	2210	7536
5060101505001756	1782	6075	2316	7897
5060101505001836	1863	6353	2422	8259
5060101505001916	1945	6631	2528	8620
5060101505001996	2026	6909	2634	8982
5060101506000316	390	1330	507	1729
5060101506000396	490	1671	637	2172
5060101506000476	590	2012	767	2615
5060101506000556	690	2353	897	3059
5060101506000636	790	2694	1027	3502
5060101506000716	890	3035	1157	3945
5060101506000796	990	3376	1287	4389
5060101506000876	1090	3717	1417	4832
5060101506000956	1190	4058	1547	5275
5060101506001036	1285	4382	1671	5696
5060101506001116	1385	4723	1801	6140
5060101506001196	1485	5064	1931	6583

LOVA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060101506001276	690 x 1280	16	60	545	56-65	86-95	26-35	4	60	2,09	C-E-D
5060101506001356	690 x 1360	17	60	545	56-65	86-95	26-35	4	60	2,22	C-E-D
5060101506001436	690 x 1440	18	60	545	56-65	86-95	26-35	4	60	2,35	C
5060101506001516	690 x 1520	19	60	545	56-65	86-95	26-35	4	60	2,47	C
5060101506001596	690 x 1600	20	60	545	56-65	86-95	26-35	4	60	2,60	C
5060101506001676	690 x 1680	21	60	545	56-65	86-95	26-35	4	60	2,73	C
5060101506001756	690 x 1760	22	60	545	56-65	86-95	26-35	4	60	2,86	C
5060101506001836	690 x 1840	23	60	545	56-65	86-95	26-35	4	60	2,98	C
5060101506001916	690 x 1920	24	60	545	56-65	86-95	26-35	4	60	3,11	C
5060101506001996	690 x 2000	25	60	545	56-65	86-95	26-35	4	60	3,24	C
5060101507000316	790 x 320	4	60	645	56-65	86-95	26-35	4	60	0,60	C
5060101507000396	790 x 400	5	60	645	56-65	86-95	26-35	4	60	0,74	C
5060101507000476	790 x 480	6	60	645	56-65	86-95	26-35	4	60	0,88	C-E-D
5060101507000556	790 x 560	7	60	645	56-65	86-95	26-35	4	60	1,03	C-E-D
5060101507000636	790 x 640	8	60	645	56-65	86-95	26-35	4	60	1,17	C-E-D
5060101507000716	790 x 720	9	60	645	56-65	86-95	26-35	4	60	1,31	C-E-D
5060101507000796	790 x 800	10	60	645	56-65	86-95	26-35	4	60	1,45	C-E-D
5060101507000876	790 x 880	11	60	645	56-65	86-95	26-35	4	60	1,59	C-E-D
5060101507000956	790 x 960	12	60	645	56-65	86-95	26-35	4	60	1,74	C-E-D
5060101507001036	790 x 1040	13	60	645	56-65	86-95	26-35	4	60	1,89	C-E-D
5060101507001116	790 x 1120	14	60	645	56-65	86-95	26-35	4	60	2,03	C-E-D
5060101507001196	790 x 1200	15	60	645	56-65	86-95	26-35	4	60	2,18	C-E-D
5060101507001276	790 x 1280	16	60	645	56-65	86-95	26-35	4	60	2,32	C-E-D
5060101507001356	790 x 1360	17	60	645	56-65	86-95	26-35	4	60	2,46	C-E-D
5060101507001436	790 x 1440	18	60	645	56-65	86-95	26-35	4	60	2,60	C
5060101507001516	790 x 1520	19	60	645	56-65	86-95	26-35	4	60	2,74	C
5060101507001596	790 x 1600	20	60	645	56-65	86-95	26-35	4	60	2,89	C
5060101507001676	790 x 1680	21	60	645	56-65	86-95	26-35	4	60	3,03	C
5060101507001756	790 x 1760	22	60	645	56-65	86-95	26-35	4	60	3,17	C
5060101507001836	790 x 1840	23	60	645	56-65	86-95	26-35	4	60	3,31	C
5060101507001916	790 x 1920	24	60	645	56-65	86-95	26-35	4	60	3,46	C
5060101507001996	790 x 2000	25	60	645	56-65	86-95	26-35	4	60	3,60	C
5060101508000316	890 x 320	4	60	745	56-65	86-95	26-35	4	60	0,66	C
5060101508000396	890 x 400	5	60	745	56-65	86-95	26-35	4	60	0,81	C
5060101508000476	890 x 480	6	60	745	56-65	86-95	26-35	4	60	0,97	C-E-D
5060101508000556	890 x 560	7	60	745	56-65	86-95	26-35	4	60	1,13	C-E-D
5060101508000636	890 x 640	8	60	745	56-65	86-95	26-35	4	60	1,28	C-E-D
5060101508000716	890 x 720	9	60	745	56-65	86-95	26-35	4	60	1,44	C-E-D
5060101508000796	890 x 800	10	60	745	56-65	86-95	26-35	4	60	1,59	C-E-D
5060101508000876	890 x 880	11	60	745	56-65	86-95	26-35	4	60	1,75	C-E-D
5060101508000956	890 x 960	12	60	745	56-65	86-95	26-35	4	60	1,91	C-E-D
5060101508001036	890 x 1040	13	60	745	56-65	86-95	26-35	4	60	2,08	C-E-D
5060101508001116	890 x 1120	14	60	745	56-65	86-95	26-35	4	60	2,23	C-E-D
5060101508001196	890 x 1200	15	60	745	56-65	86-95	26-35	4	60	2,39	C-E-D
5060101508001276	890 x 1280	16	60	745	56-65	86-95	26-35	4	60	2,55	C-E-D
5060101508001356	890 x 1360	17	60	745	56-65	86-95	26-35	4	60	2,70	C-E-D
5060101508001436	890 x 1440	18	60	745	56-65	86-95	26-35	4	60	2,86	C
5060101508001516	890 x 1520	19	60	745	56-65	86-95	26-35	4	60	3,02	C
5060101508001596	890 x 1600	20	60	745	56-65	86-95	26-35	4	60	3,17	C
5060101508001676	890 x 1680	21	60	745	56-65	86-95	26-35	4	60	3,33	C
5060101508001756	890 x 1760	22	60	745	56-65	86-95	26-35	4	60	3,49	C
5060101508001836	890 x 1840	23	60	745	56-65	86-95	26-35	4	60	3,64	C
5060101508001916	890 x 1920	24	60	745	56-65	86-95	26-35	4	60	3,80	C
5060101508001996	890 x 2000	25	60	745	56-65	86-95	26-35	4	60	3,95	C
5060101509000316	990 x 320	4	60	845	56-65	86-95	26-35	4	60	0,71	C
5060101509000396	990 x 400	5	60	845	56-65	86-95	26-35	4	60	0,88	C
5060101509000476	990 x 480	6	60	845	56-65	86-95	26-35	4	60	1,06	C-E-D
5060101509000556	990 x 560	7	60	845	56-65	86-95	26-35	4	60	1,23	C-E-D
5060101509000636	990 x 640	8	60	845	56-65	86-95	26-35	4	60	1,40	C-E-D
5060101509000716	990 x 720	9	60	845	56-65	86-95	26-35	4	60	1,57	C-E-D
5060101509000796	990 x 800	10	60	845	56-65	86-95	26-35	4	60	1,74	C-E-D
5060101509000876	990 x 880	11	60	845	56-65	86-95	26-35	4	60	1,91	C-E-D
5060101509000956	990 x 960	12	60	845	56-65	86-95	26-35	4	60	2,08	C-E-D
5060101509001036	990 x 1040	13	60	845	56-65	86-95	26-35	4	60	2,26	C-E-D
5060101509001116	990 x 1120	14	60	845	56-65	86-95	26-35	4	60	2,43	C-E-D
5060101509001196	990 x 1200	15	60	845	56-65	86-95	26-35	4	60	2,61	C-E-D
5060101509001276	990 x 1280	16	60	845	56-65	86-95	26-35	4	60	2,78	C-E-D
5060101509001356	990 x 1360	17	60	845	56-65	86-95	26-35	4	60	2,95	C-E-D
5060101509001436	990 x 1440	18	60	845	56-65	86-95	26-35	4	60	3,12	C
5060101509001516	990 x 1520	19	60	845	56-65	86-95	26-35	4	60	3,29	C
5060101509001596	990 x 1600	20	60	845	56-65	86-95	26-35	4	60	3,46	C
5060101509001676	990 x 1680	21	60	845	56-65	86-95	26-35	4	60	3,63	C
5060101509001756	990 x 1760	22	60	845	56-65	86-95	26-35	4	60	3,80	C
5060101509001836	990 x 1840	23	60	845	56-65	86-95	26-35	4	60	3,97	C
5060101509001916	990 x 1920	24	60	845	56-65	86-95	26-35	4	60	4,14	C
5060101509001996	990 x 2000	25	60	845	56-65	86-95	26-35	4	60	4,31	C
5060101510000316	1090 x 320	4	60	945	56-65	86-95	26-35	4	60	0,77	C
5060101510000396	1090 x 400	5	60	945	56-65	86-95	26-35	4	60	0,96	C
5060101510000476	1090 x 480	6	60	945	56-65	86-95	26-35	4	60	1,14	C-E-D
5060101510000556	1090 x 560	7	60	945	56-65	86-95	26-35	4	60	1,33	C-E-D
5060101510000636	1090 x 640	8	60	945	56-65	86-95	26-35	4	60	1,51	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060101506001276	1585	5405	2061	7026
5060101506001356	1685	5746	2191	7470
5060101506001436	1785	6087	2321	7913
5060101506001516	1885	6428	2451	8356
5060101506001596	1985	6769	2581	8800
5060101506001676	2085	7110	2711	9243
5060101506001756	2185	7451	2841	9686
5060101506001836	2285	7792	2971	10129
5060101506001916	2385	8133	3101	10573
5060101506001996	2485	8474	3231	11016
5060101507000316	445	1518	579	1973
5060101507000396	559	1907	727	2479
5060101507000476	673	2297	876	2985
5060101507000556	788	2686	1024	3492
5060101507000636	902	3075	1172	3998
5060101507000716	1016	3464	1321	4504
5060101507000796	1130	3854	1469	5010
5060101507000876	1244	4243	1617	5516
5060101507000956	1358	4632	1766	6022
5060101507001036	1467	5002	1907	6502
5060101507001116	1581	5391	2055	7008
5060101507001196	1695	5780	2204	7514
5060101507001276	1809	6169	2352	8020
5060101507001356	1923	6559	2500	8526
5060101507001436	2038	6948	2649	9032
5060101507001516	2152	7337	2797	9538
5060101507001596	2266	7726	2946	10044
5060101507001676	2380	8116	3094	10550
5060101507001756	2494	8505	3242	11056
5060101507001836	2608	8894	3391	11562
5060101507001916	2722	9283	3539	12068
5060101507001996	2837	9673	3688	12574
5060101508000316	498	1697	647	2207
5060101508000396	625	2133	813	2772
5060101508000476	753	2568	979	3338
5060101508000556	881	3003	1145	3904
5060101508000636	1008	3438	1311	4470
5060101508000716	1136	3874	1477	5036
5060101508000796	1264	4309	1643	5602
5060101508000876	1391	4744	1809	6167
5060101508000956	1519	5179	1975	6733
5060101508001036	1640	5593	2132	7271
5060101508001116	1768	6028	2298	7836
5060101508001196	1895	6463	2464	8402
5060101508001276	2023	6899	2630	8968
5060101508001356	2151	7334	2796	9534
5060101508001436	2278	7769	2962	10100
5060101508001516	2406	8204	3128	10666
5060101508001596	2534	8639	3294	11231
5060101508001676	2661	9075	3460	11797
5060101508001756	2789	9510	3625	12363
5060101508001836	2916	9945	3791	12929
5060101508001916	3044	10380	3957	13495
5060101508001996	3172	10816	4123	14060
5060101509000316	548	1868	712	2429
5060101509000396	688	2347	895	3052
5060101509000476	829	2827	1078	3674
5060101509000556	969	3306	1260	4297
5060101509000636	1110	3785	1443	4920
5060101509000716	1250	4264	1625	5543
5060101509000796	1391	4743	1808	6166
5060101509000876	1531	5222	1991	6788
5060101509000956	1672	5701	2173	7411
5060101509001036	1805	6156	2347	8003
5060101509001116	1946	6635	2530	8626
5060101509001196	2086	7114	2712	9248
5060101509001276	2227	7593	2895	9871
5060101509001356	2367	8072	3077	10494
5060101509001436	2508	8551	3260	11117
5060101509001516	2648	9030	3443	11740
5060101509001596	2789	9509	3625	12362
5060101509001676	2929	9989	3808	12985
5060101509001756	3070	10468	3991	13608
5060101509001836	3210	10947	4173	14231
5060101509001916	3351	11426	4356	14853
5060101509001996	3491	11905	4538	15476
5060101510000316	596	2031	774	2640
5060101510000396	748	2552	973	3317
5060101510000476	901	3073	1171	3995
5060101510000556	1054	3594	1370	4672
5060101510000636	1207	4114	1569	5349

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060101510000716	1090 x 720	9	60	945	56-65	86-95	26-35	4	60	1.70	C-E-D
5060101510000796	1090 x 800	10	60	945	56-65	86-95	26-35	4	60	1.88	C-E-D
5060101510000876	1090 x 880	11	60	945	56-65	86-95	26-35	4	60	2.07	C-E-D
5060101510000956	1090 x 960	12	60	945	56-65	86-95	26-35	4	60	2.25	C-E-D
5060101510001036	1090 x 1040	13	60	945	56-65	86-95	26-35	4	60	2.45	C-E-D
5060101510001116	1090 x 1120	14	60	945	56-65	86-95	26-35	4	60	2.64	C-E-D
5060101510001196	1090 x 1200	15	60	945	56-65	86-95	26-35	4	60	2.82	C-E-D
5060101510001276	1090 x 1280	16	60	945	56-65	86-95	26-35	4	60	3.01	C-E-D
5060101510001356	1090 x 1360	17	60	945	56-65	86-95	26-35	4	60	3.19	C-E-D
5060101510001436	1090 x 1440	18	60	945	56-65	86-95	26-35	4	60	3.38	C
5060101510001516	1090 x 1520	19	60	945	56-65	86-95	26-35	4	60	3.56	C
5060101510001596	1090 x 1600	20	60	945	56-65	86-95	26-35	4	60	3.75	C
5060101510001676	1090 x 1680	21	60	945	56-65	86-95	26-35	4	60	3.93	C
5060101510001756	1090 x 1760	22	60	945	56-65	86-95	26-35	4	60	4.12	C
5060101510001836	1090 x 1840	23	60	945	56-65	86-95	26-35	4	60	4.30	C
5060101510001916	1090 x 1920	24	60	945	56-65	86-95	26-35	4	60	4.48	C
5060101510001996	1090 x 2000	25	60	945	56-65	86-95	26-35	4	60	4.67	C
5060101512000316	1290 x 320	4	60	1145	56-65	86-95	26-35	4	60	0.89	C
5060101512000396	1290 x 400	5	60	1145	56-65	86-95	26-35	4	60	1.10	C
5060101512000476	1290 x 480	6	60	1145	56-65	86-95	26-35	4	60	1.31	C-E-D
5060101512000556	1290 x 560	7	60	1145	56-65	86-95	26-35	4	60	1.53	C-E-D
5060101512000636	1290 x 640	8	60	1145	56-65	86-95	26-35	4	60	1.74	C-E-D
5060101512000716	1290 x 720	9	60	1145	56-65	86-95	26-35	4	60	1.95	C-E-D
5060101512000796	1290 x 800	10	60	1145	56-65	86-95	26-35	4	60	2.17	C-E-D
5060101512000876	1290 x 880	11	60	1145	56-65	86-95	26-35	4	60	2.38	C-E-D
5060101512000956	1290 x 960	12	60	1145	56-65	86-95	26-35	4	60	2.59	C-E-D
5060101512001036	1290 x 1040	13	60	1145	56-65	86-95	26-35	4	60	2.82	C-E-D
5060101512001116	1290 x 1120	14	60	1145	56-65	86-95	26-35	4	60	3.04	C-E-D
5060101512001196	1290 x 1200	15	60	1145	56-65	86-95	26-35	4	60	3.25	C-E-D
5060101512001276	1290 x 1280	16	60	1145	56-65	86-95	26-35	4	60	3.46	C-E-D
5060101512001356	1290 x 1360	17	60	1145	56-65	86-95	26-35	4	60	3.68	C-E-D
5060101512001436	1290 x 1440	18	60	1145	56-65	86-95	26-35	4	60	3.89	C
5060101514000316	1490 x 320	4	60	1345	56-65	86-95	26-35	4	60	1.00	C
5060101514000396	1490 x 400	5	60	1345	56-65	86-95	26-35	4	60	1.24	C
5060101514000476	1490 x 480	6	60	1345	56-65	86-95	26-35	4	60	1.48	C-E-D
5060101514000556	1490 x 560	7	60	1345	56-65	86-95	26-35	4	60	1.73	C-E-D
5060101514000636	1490 x 640	8	60	1345	56-65	86-95	26-35	4	60	1.97	C-E-D
5060101514000716	1490 x 720	9	60	1345	56-65	86-95	26-35	4	60	2.21	C-E-D
5060101514000796	1490 x 800	10	60	1345	56-65	86-95	26-35	4	60	2.45	C-E-D
5060101514000876	1490 x 880	11	60	1345	56-65	86-95	26-35	4	60	2.70	C-E-D
5060101514000956	1490 x 960	12	60	1345	56-65	86-95	26-35	4	60	2.94	C-E-D
5060101514001036	1490 x 1040	13	60	1345	56-65	86-95	26-35	4	60	3.19	C-E-D
5060101514001116	1490 x 1120	14	60	1345	56-65	86-95	26-35	4	60	3.44	C-E-D
5060101514001196	1490 x 1200	15	60	1345	56-65	86-95	26-35	4	60	3.68	C-E-D
5060101514001276	1490 x 1280	16	60	1345	56-65	86-95	26-35	4	60	3.92	C-E-D
5060101514001356	1490 x 1360	17	60	1345	56-65	86-95	26-35	4	60	4.16	C-E-D
5060101514001436	1490 x 1440	18	60	1345	56-65	86-95	26-35	4	60	4.40	C


HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060101510000716	1359	4635	1767	6026
5060101510000796	1512	5156	1966	6703
5060101510000876	1665	5677	2164	7380
5060101510000956	1817	6198	2363	8057
5060101510001036	1963	6692	2551	8700
5060101510001116	2115	7213	2750	9377
5060101510001196	2268	7734	2948	10054
5060101510001276	2421	8255	3147	10731
5060101510001356	2573	8775	3345	11408
5060101510001436	2726	9296	3544	12085
5060101510001516	2879	9817	3743	12762
5060101510001596	3032	10338	3941	13439
5060101510001676	3184	10859	4140	14116
5060101510001756	3337	11379	4338	14793
5060101510001836	3490	11900	4537	15470
5060101510001916	3643	12421	4735	16147
5060101510001996	3795	12942	4934	16824
5060101512000316	684	2332	889	3032
5060101512000396	859	2930	1117	3809
5060101512000476	1035	3528	1345	4586
5060101512000556	1210	4126	1573	5364
5060101512000636	1385	4724	1801	6141
5060101512000716	1561	5322	2029	6918
5060101512000796	1736	5920	2257	7696
5060101512000876	1911	6518	2485	8473
5060101512000956	2087	7116	2713	9250
5060101512001036	2253	7684	2929	9989
5060101512001116	2429	8282	3157	10766
5060101512001196	2604	8880	3385	11544
5060101512001276	2779	9478	3613	12321
5060101512001356	2955	10076	3841	13098
5060101512001436	3130	10674	4069	13876
5060101514000316	785	2678	1021	3481
5060101514000396	987	3364	1283	4373
5060101514000476	1188	4051	1544	5266
5060101514000556	1389	4737	1806	6158
5060101514000636	1591	5424	2068	7051
5060101514000716	1792	6110	2329	7943
5060101514000796	1993	6797	2591	8836
5060101514000876	2195	7483	2853	9728
5060101514000956	2396	8170	3115	10621
5060101514001036	2587	8822	3363	11469
5060101514001116	2789	9509	3625	12361
5060101514001196	2990	10195	3887	13254
5060101514001276	3191	10882	4149	14146
5060101514001356	3393	11568	4410	15039
5060101514001436	3594	12255	4672	15931

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
16.35	19.38	0.10	1210X756X100
18.17	21.39	0.11	1210X836X100
19.99	23.41	0.12	1210X916X100
21.81	25.43	0.13	1210X996X100
23.60	27.42	0.14	1210X1076X100
25.43	29.45	0.14	1210X1156X100
27.25	31.46	0.15	1210X1236X100
29.08	33.50	0.16	1210X1316X100
30.90	35.52	0.17	1210X1396X100
32.71	37.53	0.18	1210X1476X100
34.54	39.56	0.19	1210X1556X100
36.36	41.57	0.20	1210X1636X100
38.19	43.61	0.21	1210X1716X100
40.01	45.63	0.22	1210X1796X100
41.83	47.64	0.23	1210X1876X100
43.65	49.66	0.24	1210X1956X100
45.47	51.68	0.25	1210X2036X100
8.43	10.54	0.06	1410X356X100
10.57	12.90	0.07	1410X436X100
12.70	15.27	0.08	1410X516X100
14.84	17.63	0.09	1410X596X100
16.98	20.16	0.10	1410X676X100
19.12	22.54	0.11	1410X756X100
21.25	24.89	0.12	1410X836X100
23.39	27.26	0.13	1410X916X100
25.52	29.60	0.15	1410X996X100
27.60	31.92	0.16	1410X1076X100
29.74	34.28	0.17	1410X1156X100
31.88	36.65	0.18	1410X1236X100
34.02	39.03	0.19	1410X1316X100
36.15	41.37	0.20	1410X1396X100
38.28	43.74	0.21	1410X1476X100
9.63	11.98	0.06	1610X356X100
12.08	14.68	0.08	1610X436X100
14.53	17.39	0.09	1610X516X100
16.98	20.09	0.10	1610X596X100
19.43	22.96	0.11	1610X676X100
21.89	25.68	0.13	1610X756X100
24.34	28.38	0.14	1610X836X100
26.79	31.10	0.15	1610X916X100
29.23	33.78	0.17	1610X996X100
31.60	36.42	0.18	1610X1076X100
34.05	39.12	0.19	1610X1156X100
36.50	41.83	0.20	1610X1236X100
38.96	44.54	0.22	1610X1316X100
41.41	47.24	0.23	1610X1396X100
43.85	49.95	0.24	1610X1476X100

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel