

NIORA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060101603000158	390 x 160	2	60	245	56-65	86-95	26-35	4	80	0,20	C
5060101603000238	390 x 240	3	60	245	56-65	86-95	26-35	4	80	0,29	C
5060101603000318	390 x 320	4	60	245	56-65	86-95	26-35	4	80	0,37	C
5060101603000398	390 x 400	5	60	245	56-65	86-95	26-35	4	80	0,46	C
5060101603000478	390 x 480	6	60	245	56-65	86-95	26-35	4	80	0,54	C-E-D
5060101603000558	390 x 560	7	60	245	56-65	86-95	26-35	4	80	0,63	C-E-D
5060101603000638	390 x 640	8	60	245	56-65	86-95	26-35	4	80	0,71	C-E-D
5060101603000718	390 x 720	9	60	245	56-65	86-95	26-35	4	80	0,80	C-E-D
5060101603000798	390 x 800	10	60	245	56-65	86-95	26-35	4	80	0,88	C-E-D
5060101603000878	390 x 880	11	60	245	56-65	86-95	26-35	4	80	0,97	C-E-D
5060101603000958	390 x 960	12	60	245	56-65	86-95	26-35	4	80	1,05	C-E-D
5060101603001038	390 x 1040	13	60	245	56-65	86-95	26-35	4	80	1,15	C-E-D
5060101603001118	390 x 1120	14	60	245	56-65	86-95	26-35	4	80	1,23	C-E-D
5060101603001198	390 x 1200	15	60	245	56-65	86-95	26-35	4	80	1,32	C-E-D
5060101603001278	390 x 1280	16	60	245	56-65	86-95	26-35	4	80	1,40	C-E-D
5060101603001358	390 x 1360	17	60	245	56-65	86-95	26-35	4	80	1,49	C-E-D
5060101603001438	390 x 1440	18	60	245	56-65	86-95	26-35	4	80	1,57	C
5060101603001518	390 x 1520	19	60	245	56-65	86-95	26-35	4	80	1,66	C
5060101603001598	390 x 1600	20	60	245	56-65	86-95	26-35	4	80	1,74	C
5060101603001678	390 x 1680	21	60	245	56-65	86-95	26-35	4	80	1,83	C
5060101603001758	390 x 1760	22	60	245	56-65	86-95	26-35	4	80	1,91	C
5060101603001838	390 x 1840	23	60	245	56-65	86-95	26-35	4	80	2,00	C
5060101603001918	390 x 1920	24	60	245	56-65	86-95	26-35	4	80	2,08	C
5060101603001998	390 x 2000	25	60	245	56-65	86-95	26-35	4	80	2,17	C
5060101604000158	490 x 160	2	60	345	56-65	86-95	26-35	4	80	0,23	C
5060101604000238	490 x 240	3	60	345	56-65	86-95	26-35	4	80	0,33	C
5060101604000318	490 x 320	4	60	345	56-65	86-95	26-35	4	80	0,43	C
5060101604000398	490 x 400	5	60	345	56-65	86-95	26-35	4	80	0,53	C
5060101604000478	490 x 480	6	60	345	56-65	86-95	26-35	4	80	0,63	C-E-D
5060101604000558	490 x 560	7	60	345	56-65	86-95	26-35	4	80	0,73	C-E-D
5060101604000638	490 x 640	8	60	345	56-65	86-95	26-35	4	80	0,83	C-E-D
5060101604000718	490 x 720	9	60	345	56-65	86-95	26-35	4	80	0,92	C-E-D
5060101604000798	490 x 800	10	60	345	56-65	86-95	26-35	4	80	1,02	C-E-D
5060101604000878	490 x 880	11	60	345	56-65	86-95	26-35	4	80	1,12	C-E-D
5060101604000958	490 x 960	12	60	345	56-65	86-95	26-35	4	80	1,22	C-E-D
5060101604001038	490 x 1040	13	60	345	56-65	86-95	26-35	4	80	1,34	C-E-D
5060101604001118	490 x 1120	14	60	345	56-65	86-95	26-35	4	80	1,44	C-E-D
5060101604001198	490 x 1200	15	60	345	56-65	86-95	26-35	4	80	1,53	C-E-D
5060101604001278	490 x 1280	16	60	345	56-65	86-95	26-35	4	80	1,63	C-E-D
5060101604001358	490 x 1360	17	60	345	56-65	86-95	26-35	4	80	1,73	C-E-D
5060101604001438	490 x 1440	18	60	345	56-65	86-95	26-35	4	80	1,83	C
5060101604001518	490 x 1520	19	60	345	56-65	86-95	26-35	4	80	1,93	C
5060101604001598	490 x 1600	20	60	345	56-65	86-95	26-35	4	80	2,03	C
5060101604001678	490 x 1680	21	60	345	56-65	86-95	26-35	4	80	2,13	C
5060101604001758	490 x 1760	22	60	345	56-65	86-95	26-35	4	80	2,23	C
5060101604001838	490 x 1840	23	60	345	56-65	86-95	26-35	4	80	2,33	C
5060101604001918	490 x 1920	24	60	345	56-65	86-95	26-35	4	80	2,43	C
5060101604001998	490 x 2000	25	60	345	56-65	86-95	26-35	4	80	2,53	C
5060101605000158	590 x 160	2	60	445	56-65	86-95	26-35	4	80	0,26	C
5060101605000238	590 x 240	3	60	445	56-65	86-95	26-35	4	80	0,37	C
5060101605000318	590 x 320	4	60	445	56-65	86-95	26-35	4	80	0,49	C
5060101605000398	590 x 400	5	60	445	56-65	86-95	26-35	4	80	0,60	C
5060101605000478	590 x 480	6	60	445	56-65	86-95	26-35	4	80	0,71	C-E-D
5060101605000558	590 x 560	7	60	445	56-65	86-95	26-35	4	80	0,83	C-E-D
5060101605000638	590 x 640	8	60	445	56-65	86-95	26-35	4	80	0,94	C-E-D
5060101605000718	590 x 720	9	60	445	56-65	86-95	26-35	4	80	1,05	C-E-D
5060101605000798	590 x 800	10	60	445	56-65	86-95	26-35	4	80	1,17	C-E-D
5060101605000878	590 x 880	11	60	445	56-65	86-95	26-35	4	80	1,28	C-E-D
5060101605000958	590 x 960	12	60	445	56-65	86-95	26-35	4	80	1,39	C-E-D
5060101605001038	590 x 1040	13	60	445	56-65	86-95	26-35	4	80	1,52	C-E-D
5060101605001118	590 x 1120	14	60	445	56-65	86-95	26-35	4	80	1,64	C-E-D
5060101605001198	590 x 1200	15	60	445	56-65	86-95	26-35	4	80	1,75	C-E-D
5060101605001278	590 x 1280	16	60	445	56-65	86-95	26-35	4	80	1,86	C-E-D
5060101605001358	590 x 1360	17	60	445	56-65	86-95	26-35	4	80	1,98	C-E-D
5060101605001438	590 x 1440	18	60	445	56-65	86-95	26-35	4	80	2,09	C
5060101605001518	590 x 1520	19	60	445	56-65	86-95	26-35	4	80	2,20	C
5060101605001598	590 x 1600	20	60	445	56-65	86-95	26-35	4	80	2,32	C
5060101605001678	590 x 1680	21	60	445	56-65	86-95	26-35	4	80	2,43	C
5060101605001758	590 x 1760	22	60	445	56-65	86-95	26-35	4	80	2,54	C
5060101605001838	590 x 1840	23	60	445	56-65	86-95	26-35	4	80	2,66	C
5060101605001918	590 x 1920	24	60	445	56-65	86-95	26-35	4	80	2,77	C
5060101605001998	590 x 2000	25	60	445	56-65	86-95	26-35	4	80	2,88	C
5060101606000158	690 x 160	2	60	545	56-65	86-95	26-35	4	80	0,29	C
5060101606000238	690 x 240	3	60	545	56-65	86-95	26-35	4	80	0,42	C
5060101606000318	690 x 320	4	60	545	56-65	86-95	26-35	4	80	0,54	C
5060101606000398	690 x 400	5	60	545	56-65	86-95	26-35	4	80	0,67	C
5060101606000478	690 x 480	6	60	545	56-65	86-95	26-35	4	80	0,80	C-E-D
5060101606000558	690 x 560	7	60	545	56-65	86-95	26-35	4	80	0,93	C-E-D
5060101606000638	690 x 640	8	60	545	56-65	86-95	26-35	4	80	1,05	C-E-D
5060101606000718	690 x 720	9	60	545	56-65	86-95	26-35	4	80	1,18	C-E-D
5060101606000798	690 x 800	10	60	545	56-65	86-95	26-35	4	80	1,31	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060101603000158	89	303	116	394
5060101603000238	124	423	161	550
5060101603000318	159	542	207	705
5060101603000398	194	661	252	860
5060101603000478	229	781	298	1015
5060101603000558	264	900	343	1170
5060101603000638	299	1019	389	1325
5060101603000718	334	1138	434	1480
5060101603000798	369	1258	479	1635
5060101603000878	404	1377	525	1790
5060101603000958	439	1496	570	1945
5060101603001038	483	1648	628	2142
5060101603001118	518	1767	674	2297
5060101603001198	553	1887	719	2453
5060101603001278	588	2006	765	2608
5060101603001358	623	2125	810	2763
5060101603001438	658	2244	856	2918
5060101603001518	693	2364	901	3073
5060101603001598	728	2483	947	3228
5060101603001678	763	2602	992	3383
5060101603001758	798	2722	1038	3538
5060101603001838	833	2841	1083	3693
5060101603001918	868	2960	1129	3848
5060101603001998	903	3079	1174	4003
5060101604000158	121	414	158	538
5060101604000238	169	576	220	749
5060101604000318	217	739	282	960
5060101604000398	264	901	344	1172
5060101604000478	312	1064	406	1383
5060101604000558	360	1226	468	1594
5060101604000638	407	1389	529	1806
5060101604000718	455	1551	591	2017
5060101604000798	503	1714	653	2228
5060101604000878	550	1877	715	2440
5060101604000958	598	2039	777	2651
5060101604001038	659	2246	856	2920
5060101604001118	706	2408	918	3131
5060101604001198	754	2571	980	3342
5060101604001278	802	2734	1042	3554

TECHNICAL INFORMATION												(For connection types, please refer to the last page)												HEAT OUTPUTS INFORMATION												LOGISTICS INFORMATION			
MODEL CODE	Height x Width		Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall to Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)																		
	mm	pieces												mm	mm	mm	mm					mm	mm	L	Watt	Btu	Watt	Btu											
5060101606000878	690 x 880	11	60	545	56-65	86-95	26-35	4	80	1,44	C-E-D	5060101606000878	862	2940	1121	3823	12,75	15,30	0,08	810X918X100																			
5060101606000958	690 x 960	12	60	545	56-65	86-95	26-35	4	80	1,57	C-E-D	5060101606000958	937	3195	1218	4154	13,88	16,57	0,09	810X998X100																			
5060101606001038	690 x 1040	13	60	545	56-65	86-95	26-35	4	80	1,71	C-E-D	5060101606001038	1032	3519	1342	4575	15,11	17,94	0,09	810X1078X100																			
5060101606001118	690 x 1120	14	60	545	56-65	86-95	26-35	4	80	1,84	C-E-D	5060101606001118	1107	3774	1439	4906	16,26	19,24	0,10	810X1158X100																			
5060101606001198	690 x 1200	15	60	545	56-65	86-95	26-35	4	80	1,96	C-E-D	5060101606001198	1181	4029	1536	5237	17,40	20,51	0,11	810X1238X100																			
5060101606001278	690 x 1280	16	60	545	56-65	86-95	26-35	4	80	2,09	C-E-D	5060101606001278	1256	4283	1633	5568	18,55	21,81	0,11	810X1318X100																			
5060101606001358	690 x 1360	17	60	545	56-65	86-95	26-35	4	80	2,22	C-E-D	5060101606001358	1331	4538	1730	5899	19,69	23,09	0,12	810X1398X100																			
5060101606001438	690 x 1440	18	60	545	56-65	86-95	26-35	4	80	2,35	C	5060101606001438	1406	4793	1827	6231	20,83	24,37	0,12	810X1478X100																			
5060101606001518	690 x 1520	19	60	545	56-65	86-95	26-35	4	80	2,47	C	5060101606001518	1480	5047	1924	6562	21,97	25,66	0,13	810X1558X100																			
5060101606001598	690 x 1600	20	60	545	56-65	86-95	26-35	4	80	2,60	C	5060101606001598	1555	5302	2021	6893	23,12	26,94	0,14	810X1638X100																			
5060101606001678	690 x 1680	21	60	545	56-65	86-95	26-35	4	80	2,73	C	5060101606001678	1630	5557	2118	7224	24,26	28,23	0,14	810X1718X100																			
5060101606001758	690 x 1760	22	60	545	56-65	86-95	26-35	4	80	2,86	C	5060101606001758	1704	5812	2216	7555	25,41	29,52	0,15	810X1798X100																			
5060101606001838	690 x 1840	23	60	545	56-65	86-95	26-35	4	80	2,99	C	5060101606001838	1779	6066	2313	7886	26,55	30,80	0,16	810X1878X100																			
5060101606001918	690 x 1920	24	60	545	56-65	86-95	26-35	4	80	3,11	C	5060101606001918	1854	6321	2410	8217	27,69	32,09	0,16	810X1958X100																			
5060101606001998	690 x 2000	25	60	545	56-65	86-95	26-35	4	80	3,24	C	5060101606001998	1928	6576	2507	8549	28,83	33,35	0,17	810X2038X100																			
5060101607000158	790 x 160	2	60	645	56-65	86-95	26-35	4	80	0,32	C	5060101607000158	217	740	282	961	2,74	3,95	0,02	910X198X100																			
5060101607000238	790 x 240	3	60	645	56-65	86-95	26-35	4	80	0,46	C	5060101607000238	302	1030	393	1339	4,03	5,39	0,03	910X278X100																			
5060101607000318	790 x 320	4	60	645	56-65	86-95	26-35	4	80	0,60	C	5060101607000318	387	1321	504	1717	5,33	6,85	0,04	910X358X100																			
5060101607000398	790 x 400	5	60	645	56-65	86-95	26-35	4	80	0,74	C	5060101607000398	473	1612	614	2095	6,62	8,29	0,04	910X438X100																			
5060101607000478	790 x 480	6	60	645	56-65	86-95	26-35	4	80	0,88	C-E-D	5060101607000478	558	1903	725	2473	7,90	9,73	0,05	910X518X100																			
5060101607000558	790 x 560	7	60	645	56-65	86-95	26-35	4	80	1,03	C-E-D	5060101607000558	643	2193	836	2851	9,20	11,17	0,06	910X598X100																			
5060101607000638	790 x 640	8	60	645	56-65	86-95	26-35	4	80	1,17	C-E-D	5060101607000638	728	2484	947	3229	10,49	12,78	0,07	910X678X100																			
5060101607000718	790 x 720	9	60	645	56-65	86-95	26-35	4	80	1,31	C-E-D	5060101607000718	814	2775	1058	3607	11,78	14,25	0,07	910X758X100																			
5060101607000798	790 x 800	10	60	645	56-65	86-95	26-35	4	80	1,45	C-E-D	5060101607000798	899	3066	1169	3985	13,08	15,70	0,08	910X838X100																			
5060101607000878	790 x 880	11	60	645	56-65	86-95	26-35	4	80	1,60	C-E-D	5060101607000878	984	3356	1280	4363	14,37	17,14	0,09	910X918X100																			
5060101607000958	790 x 960	12	60	645	56-65	86-95	26-35	4	80	1,74	C-E-D	5060101607000958	1070	3647	1390	4741	15,65	18,57	0,10	910X998X100																			
5060101607001038	790 x 1040	13	60	645	56-65	86-95	26-35	4	80	1,89	C-E-D	5060101607001038	1178	4017	1531	5222	17,02	20,10	0,10	910X1078X100																			
5060101607001118	790 x 1120	14	60	645	56-65	86-95	26-35	4	80	2,04	C-E-D	5060101607001118	1263	4308	1642	5600	18,32	21,56	0,11	910X1158X100																			
5060101607001198	790 x 1200	15	60	645	56-65	86-95	26-35	4	80	2,18	C-E-D	5060101607001198	1349	4598	1753	5978	19,61	23,00	0,12	910X1238X100																			
5060101607001278	790 x 1280	16	60	645	56-65	86-95	26-35	4	80	2,32	C-E-D	5060101607001278	1434	4889	1864	6356	20,90	24,44	0,12	910X1318X100																			
5060101607001358	790 x 1360	17	60	645	56-65	86-95	26-35	4	80	2,46	C-E-D	5060101607001358	1519	5180	1975	6734	22,20	25,90	0,13	910X1398X100																			
5060101607001438	790 x 1440	18	60	645	56-65	86-95	26-35	4	80	2,60	C	5060101607001438	1604	5471	2086	7112	23,48	27,35	0,14	910X1478X100																			
5060101607001518	790 x 1520	19	60	645	56-65	86-95	26-35	4	80	2,75	C	5060101607001518	1690	5762	2196	7490	24,77	28,80	0,15	910X1558X100																			
5060101607001598	790 x 1600	20	60	645	56-65	86-95	26-35	4	80	2,89	C	5060101607001598	1775	6052	2307	7868	26,07	30,24	0,15	910X1638X100																			
5060101607001678	790 x 1680	21	60	645	56-65	86-95	26-35	4	80	3,03	C	5060101607001678	1860	6343	2418	8246	27,36	31,69	0,16	910X1718X100																			
5060101607001758	790 x 1760	22	60	645	56-65	86-95	26-35	4	80	3,17	C	5060101607001758	1945	6634	2529	8624	28,65	33,13	0,17	910X1798X100																			
5060101607001838	790 x 1840	23	60	645	56-65	86-95	26-35	4	80	3,31	C	5060101607001838	2031	6925	2640	9002	29,95	34,59	0,18	910X1878X100																			
5060101607001918	790 x 1920	24	60	645	56-65	86-95	26-35	4	80	3,46	C	5060101607001918	2116	7215	2751	9380	31,23	36,02	0,18	910X1958X100																			
5060101607001998	790 x 2000	25	60	645	56-65	86-95	26-35	4	80	3,60	C	5060101607001998	2201	7506	2862	9758	32,53	37,47	0,19	910X2038X100																			
5060101608000158	890 x 160	2	60	745	56-65	86-95	26-35	4	80	0,34	C	5060101608000158	243	827	315	1075	3,02	4,31	0,02	1010X198X100																			
5060101608000238	890 x 240	3	60	745	56-65	86-95	26-35	4	80	0,50	C	5060101608000238	338	1152	439	1498	4,47	5,93	0,03	1010X278X100																			
5060101608000318	890 x 320	4	60	745	56-65	86-95	26-35	4	80	0,66	C	5060101608000318	433	1477	563	1920	5,91	7,55	0,04	1010X358X100																			
5060101608000398	890 x 400	5	60	745	56-65	86-95	26-35	4	80	0,81	C	5060101608000398	529	1802	687	2343	7,35	9,16	0,05	1010X438X100																			
5060101608000478	8																																						

NIORA LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060101609001598	990 x 1 600	20	60	845	56-65	86-95	26-35	4	80	3,46	C
5060101609001678	990 x 1 680	21	60	845	56-65	86-95	26-35	4	80	3,63	C
5060101609001758	990 x 1 760	22	60	845	56-65	86-95	26-35	4	80	3,80	C
5060101609001838	990 x 1 840	23	60	845	56-65	86-95	26-35	4	80	3,97	C
5060101609001918	990 x 1 920	24	60	845	56-65	86-95	26-35	4	80	4,14	C
5060101609001998	990 x 2 000	25	60	845	56-65	86-95	26-35	4	80	4,31	C
5060101610000158	1090 x 1 60	2	60	945	56-65	86-95	26-35	4	80	0,40	C
5060101610000238	1090 x 240	3	60	945	56-65	86-95	26-35	4	80	0,59	C
5060101610000318	1090 x 320	4	60	945	56-65	86-95	26-35	4	80	0,77	C
5060101610000398	1090 x 400	5	60	945	56-65	86-95	26-35	4	80	0,96	C
5060101610000478	1090 x 480	6	60	945	56-65	86-95	26-35	4	80	1,14	C-E-D
5060101610000558	1090 x 560	7	60	945	56-65	86-95	26-35	4	80	1,33	C-E-D
5060101610000638	1090 x 640	8	60	945	56-65	86-95	26-35	4	80	1,51	C-E-D
5060101610000718	1090 x 720	9	60	945	56-65	86-95	26-35	4	80	1,70	C-E-D
5060101610000798	1090 x 800	10	60	945	56-65	86-95	26-35	4	80	1,88	C-E-D
5060101610000878	1090 x 880	11	60	945	56-65	86-95	26-35	4	80	2,07	C-E-D
5060101610000958	1090 x 960	12	60	945	56-65	86-95	26-35	4	80	2,25	C-E-D
5060101610001038	1090 x 1040	13	60	945	56-65	86-95	26-35	4	80	2,45	C-E-D
5060101610001118	1090 x 1120	14	60	945	56-65	86-95	26-35	4	80	2,64	C-E-D
5060101610001198	1090 x 1200	15	60	945	56-65	86-95	26-35	4	80	2,82	C-E-D
5060101610001278	1090 x 1280	16	60	945	56-65	86-95	26-35	4	80	3,01	C-E-D
5060101610001358	1090 x 1360	17	60	945	56-65	86-95	26-35	4	80	3,19	C-E-D
5060101610001438	1090 x 1440	18	60	945	56-65	86-95	26-35	4	80	3,38	C
5060101610001518	1090 x 1520	19	60	945	56-65	86-95	26-35	4	80	3,56	C
5060101610001598	1090 x 1600	20	60	945	56-65	86-95	26-35	4	80	3,75	C
5060101610001678	1090 x 1680	21	60	945	56-65	86-95	26-35	4	80	3,93	C
5060101610001758	1090 x 1760	22	60	945	56-65	86-95	26-35	4	80	4,12	C
5060101610001838	1090 x 1840	23	60	945	56-65	86-95	26-35	4	80	4,30	C
5060101610001918	1090 x 1920	24	60	945	56-65	86-95	26-35	4	80	4,49	C
5060101610001998	1090 x 2000	25	60	945	56-65	86-95	26-35	4	80	4,67	C
5060101612000158	1290 x 160	2	60	1145	56-65	86-95	26-35	4	80	0,46	C
5060101612000238	1290 x 240	3	60	1145	56-65	86-95	26-35	4	80	0,67	C
5060101612000318	1290 x 320	4	60	1145	56-65	86-95	26-35	4	80	0,89	C
5060101612000398	1290 x 400	5	60	1145	56-65	86-95	26-35	4	80	1,10	C
5060101612000478	1290 x 480	6	60	1145	56-65	86-95	26-35	4	80	1,31	C-E-D
5060101612000558	1290 x 560	7	60	1145	56-65	86-95	26-35	4	80	1,53	C-E-D
5060101612000638	1290 x 640	8	60	1145	56-65	86-95	26-35	4	80	1,74	C-E-D
5060101612000718	1290 x 720	9	60	1145	56-65	86-95	26-35	4	80	1,95	C-E-D
5060101612000798	1290 x 800	10	60	1145	56-65	86-95	26-35	4	80	2,17	C-E-D
5060101612000878	1290 x 880	11	60	1145	56-65	86-95	26-35	4	80	2,38	C-E-D
5060101612000958	1290 x 960	12	60	1145	56-65	86-95	26-35	4	80	2,60	C-E-D
5060101612001038	1290 x 1040	13	60	1145	56-65	86-95	26-35	4	80	2,82	C-E-D
5060101612001118	1290 x 1120	14	60	1145	56-65	86-95	26-35	4	80	3,04	C-E-D
5060101612001198	1290 x 1200	15	60	1145	56-65	86-95	26-35	4	80	3,25	C-E-D
5060101612001278	1290 x 1280	16	60	1145	56-65	86-95	26-35	4	80	3,46	C-E-D
5060101612001358	1290 x 1360	17	60	1145	56-65	86-95	26-35	4	80	3,68	C-E-D
5060101612001438	1290 x 1440	18	60	1145	56-65	86-95	26-35	4	80	3,89	C
5060101614000158	1490 x 160	2	60	1345	56-65	86-95	26-35	4	80	0,52	C
5060101614000238	1490 x 240	3	60	1345	56-65	86-95	26-35	4	80	0,76	C
5060101614000318	1490 x 320	4	60	1345	56-65	86-95	26-35	4	80	1,00	C
5060101614000398	1490 x 400	5	60	1345	56-65	86-95	26-35	4	80	1,24	C
5060101614000478	1490 x 480	6	60	1345	56-65	86-95	26-35	4	80	1,49	C-E-D
5060101614000558	1490 x 560	7	60	1345	56-65	86-95	26-35	4	80	1,73	C-E-D
5060101614000638	1490 x 640	8	60	1345	56-65	86-95	26-35	4	80	1,97	C-E-D
5060101614000718	1490 x 720	9	60	1345	56-65	86-95	26-35	4	80	2,21	C-E-D
5060101614000798	1490 x 800	10	60	1345	56-65	86-95	26-35	4	80	2,45	C-E-D
5060101614000878	1490 x 880	11	60	1345	56-65	86-95	26-35	4	80	2,70	C-E-D
5060101614000958	1490 x 960	12	60	1345	56-65	86-95	26-35	4	80	2,94	C-E-D
5060101614001038	1490 x 1040	13	60	1345	56-65	86-95	26-35	4	80	3,19	C-E-D
5060101614001118	1490 x 1120	14	60	1345	56-65	86-95	26-35	4	80	3,44	C-E-D
5060101614001198	1490 x 1200	15	60	1345	56-65	86-95	26-35	4	80	3,68	C-E-D
5060101614001278	1490 x 1280	16	60	1345	56-65	86-95	26-35	4	80	3,92	C-E-D
5060101614001358	1490 x 1360	17	60	1345	56-65	86-95	26-35	4	80	4,16	C-E-D
5060101614001438	1490 x 1440	18	60	1345	56-65	86-95	26-35	4	80	4,41	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	mm	Watt	Btu	Btu
5060101609001598	2184	7449	2840	9684
5060101609001678	2289	7807	2976	10149
5060101609001758	2394	8165	3113	10614
5060101609001838	2499	8523	3249	11079
5060101609001918	2604	8880	3386	11545
5060101609001998	2709	9238	3522	12010
5060101610000158	290	990	377	1286
5060101610000238	404	1379	526	1792
5060101610000318	518	1768	674	2298
5060101610000398	632	2157	822	2804
5060101610000478	747	2546	970	3309
5060101610000558	861	2935	1119	3815
5060101610000638	975	3324	1267	4321
5060101610000718	1089	3713	1415	4827
5060101610000798	1203	4102	1564	5332
5060101610000878	1317	4491	1712	5838
5060101610000958	1431	4880	1860	6344
5060101610001038	1576	5375	2049	6987
5060101610001118	1690	5764	2197	7493
5060101610001198	1804	6153	2346	7999
5060101610001278	1918	6542	2494	8504
5060101610001358	2032	6931	2642	9010
5060101610001438	2147	7320	2791	9516
5060101610001518	2261	7709	2939	10022
5060101610001598	2375	8098	3087	10527
5060101610001678	2489	8487	3235	11033
5060101610001758	2603	8876	3384	11539
5060101610001838	2717	9265	3532	12045
5060101610001918	2831	9654	3680	12550
5060101610001998	2945	10043	3829	13056
5060101612000158	333	1136	433	1477
5060101612000238	464	1583	603	2058
5060101612000318	595	2030	774	2638
5060101612000398	726	2476	944	3219
5060101612000478	857	2923	1114	3800
5060101612000558	988	3370	1285	4380
5060101612000638	1119	3816	1455	4961
5060101612000718	1250	4263	1625	5542
5060101612000798	1381	4710	1795	6122
5060101612000878	1512	5156	1966	6703
5060101612000958	1643	5603	2136	7284
5060101612001038	1810	6171	2353	8022
5060101612001118	1941	6618	2523	8603
5060101612001198	2072	7064	2693	9184
5060101612001278	2203	7511	2863	9764
5060101612001358	2334	7958	3034	10345
5060101612001438	2465	8404	3204	10926
5060101614000158	383	1304	497	1696
5060101614000238	533	1817	693	2363
5060101614000318	683	2330	888	3029
5060101614000398	834	2843	1084	3696
5060101614000478	984	3356	1279	4363
5060101614000558	1135	3869	1475	5029
5060101614000638	1285	4382	1670	5696
5060101614000718	1435	4894	1866	6363
5060101614000798	1586	5407	2061	7029
5060101614000878	1736	5920	2257	7696
5060101614000958	1887	6433	2452	8363
5060101614001038	2078	7085	2701	9211
5060101614001118	2228	7598	2897	9878
5060101614001198	2379	8111	3092	10544
5060101614001278	2529	8624	3288	11211
5060101614001358	2679	9137	3483	11878
5060101614001438	2830	9650	3679	12544

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
31.97	36.84	0.19	1110X1638X100
33.56	38.62	0.20	1110X1718X100
35.15	40.39	0.20	1110X1798X100
36.74	42.17	0.21	1110X1878X100
38.32	43.92	0.22	1110X1958X100
39.91	45.70	0.23	1110X2038X100
3.59	5.04	0.03	1210X198X100
5.33	7.00	0.04	1210X278X100
7.07	8.95	0.05	1210X358X100
8.81	10.87	0.06	1210X438X100
10.54	12.81	0.07	1210X518X100
12.28	14.75	0.08	1210X598X100
14.02	16.85	0.09	1210X678X100
15.76	18.80	0.10	1210X758X100
17.49	20.72	0.11	1210X838X100
19.23	22.66	0.12	1210X918X100
20.96	24.59	0.13	1210X998X100
22.76	26.59	0.14	1210X1078X100
24.50	28.53	0.15	1210X1158X100
26.24	30.46	0.15	1210X1238X100
27.98	32.41	0.16	1210X1318X100
29.71	34.33	0.17	1210X1398X100
31.44	36.26	0.18	1210X1478X100
33.18	38.21	0.19	1210X1558X100
34.92	40.13	0.20	1210X1638X100
36.66	42.08	0.21	1210X1718X100
38.40	44.02	0.22	1210X1798X100
40.14	45.95	0.23	1210X1878X100
41.87	47.88	0.24	1210X1958X100
43.61	49.82	0.25	1210X2038X100
4.16	5.81	0.03	1410X198X100
6.20	8.08	0.04	1410X278X100
8.23	10.34	0.06	1410X358X100
10.27	12.61	0.07	1410X438X100
12.30	14.87	0.08	1410X518X100
14.33	17.12	0.09	1410X598X100
16.37	19.56	0.10	1410X678X100
18.40	21.82	0.11	1410X758X100
20.44	24.08	0.12	1410X838X100
22.48	26.35	0.13	1410X918X100
24.50	28.59	0.15	1410X998X100
26.58	30.90	0.16	1410X1078X100
28.62	33.17	0.17	1410X1158X100
30.65	35.43	0.18	1410X1238X100
32.69	37.70	0.19	1410X1318X100
34.73	39.96	0.20	1410X1398X100
36.75	42.22	0.21	1410X1478X100
4.73	6.56	0.04	1610X198X100
7.06	9.16	0.05	1610X278X100
9.40	11.75	0.06	1610X358X100
11.73	14.34	0.08	1610X438X100
14.05	16.92	0.09	1610X518X100
16.39	19.51	0.10	1610X598X100
18.72	22.25	0.11	1610X678X100
21.05	24.85	0.13	1610X758X100
23.38	27.43	0.14	1610X838X100
25.72	30.03	0.15	1610X918X100
28.04	32.59	0.17	1610X998X100
30.41	35.23	0.18	1610X1078X100
32.74	37.83	0.19	1610X1158X100
35.07	40.40	0.20	1610X1238X100
37.41	43.00	0.22	1610X1318X100
39.74	45.59	0.23	1610X1398X100
42.06	48.17	0.24	1610X1478X100